

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	7011.1000	Glass Shells 35mm, 60mm & 80mm	Glass Shell 15 W to 200 W	--	--	Crown Lighting (Pvt) Ltd. 483/E 1, Tariq road, Peshwar Cantt.
New entry	7013.0000	Glassware	--	--	--	Crown Lighting (Pvt) Ltd. 483/E 1, Tariq road, Peshwar Cantt.
CGO S. No. 627	8413.7090	Self-Priming, Centrifugal (Non-Clog) Trash Pumps/ Irrigation pumps	Size: DN 50x50 to DN 600x500mm Flow: 10 gpm (2 cu.m/hr) to 30,000 gpm (6815 cu.m/hr) Pressure/Head: 10 ft (3m) to 140 ft (43m)	Pump Casing: Ductile Iron ASTMA48 / Impeller: Close-Type, 2 To 5- Vanes. Cast Steel ASTMA48 Impeller Shaft: Stress Proof Steel SAE1144 Wearing & Back Plates: ASTMA48 Flanges: ASTMA48 Gasket & O-Rings: Buna-N / Compressed Synthetic Rubber Mechanical Seal: Self- lubricated, self-aligning, double floating seal sustains max. liquid temperature up to 160F or 71°C.	--	Meraj Limited Plot No. 11, Sector 15, Korangi Industrial Area, P.O. Box 3135 Karachi – 74900
CGO S. No. 628	8413.7090	Self-Priming, Centrifugal, High-Pressure Pumps	Size: DN 38x38mm to DN 450x450mm Flow: 50 gpm (11.4 cu.m/hr) to 8660 gpm (1970 cu.m/hr) Pressure/Head: 20 ft (6m) to 475 ft (145m)	Pump Casing: Ductile Iron ASTMA48 / Aluminum / Copper Alloy. Impeller: Close-Type, 5 To 6- Vanes. Cast Steel ASTMA48 / Bronze/ Copper Alloy / S.S. Impeller Shaft: Stress Proof Steel SAE1144 Wearing & Back Plates: ASTMA48 / Aluminum / Copper Alloy Flanges: ASTMA48 / Aluminum / Copper Alloy Gasket & O-Rings: Buna-N / Compressed Synthetic Rubber Mechanical Seal: Self- lubricated, self-aligning, double floating seal sustains max. liquid temperature up to 160F or 71°C.	--	Meraj Limited Plot No. 11, Sector 15, Korangi Industrial Area, P.O. Box 3135, Karachi – 74900
CGO S. No. 629	8413.7090	Combined Normal and High Pressure Fire Pump	Flow: 100 gpm (22.8 cu.m/hr) to 2000 gpm (455 cu.m/hr)	--	--	Meraj Limited Plot No. 11, Sector 15, Korangi Industrial Area, Karachi
New entry	3215.1190	Black - Flexographic, Rotogravure & Offset Sheet fed Printing inks	Printing inks for packaging, lithography	Liquid/Paste	Water based / Solvent Based / Oil Based	DIC Pakistan Ltd Shahrah-e-Roomi, P.O. Amer Sidhu, Lahore Pakistan Coating Chemicals (Pvt) Ltd. 10-Abbot Road, Lahore
New entry	3215.1920	Digital printing inks	Printing inks for textile application	Liquid/Paste	Water based / Solvent Based	Pakistan Coating Chemicals (Pvt) Ltd. 10-Abbot Road, Lahore
New entry	3215.1990	Colored - Flexographic, Rotogravure & Offset Sheet fed (lithographic) Printing inks, screen printing inks	Printing inks for packaging, lithography, plastic substrates	Liquid/Paste	Water based / Solvent Based / Oil Based	DIC Pakistan Ltd Shahrah-e-Roomi, P.O. Amer Sidhu, Lahore Pakistan Coating Chemicals (Pvt) Ltd. 10-Abbot Road, Lahore
New entry	3215.9010	Inks for ball point, pens, fine liner and fiber tips	Colored inks for stationery	Liquid/Paste	Water based / Solvent Based / Oil Based	Pakistan Coating Chemicals (Pvt) Ltd. 10-Abbot Road, Lahore
New entry	3215.9090	Inkjet inks	Solvent based inks for advertisement bill boards, flex printing	Liquid/Paste	Water based / Solvent Based	Pakistan Coating Chemicals (Pvt) Ltd. 10-Abbot Road, Lahore
New entry	2915.3300	N-Butyl Acetate	99.50%	Colourless	N-Butanol or subotol and Acetate Acid	PureChem (Pvt) Ltd. 550-551E, Sundar Industriail State, Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	2915.3100	Ethyl Acetate	99.50%	Coloursless	Acetic acid and Ethanol	PureChem (Pvt) Ltd. 550-551E, Sundar Industrail State, Lahore
New entry	2915.3940	Mehtyl Acetate	99.50%	Coloursless	Acetic acid and Methanol	PureChem (Pvt) Ltd. 550-551E, Sundar Industrail State, Lahore
New entry	2915.3990	N-Propyl Acetate	99.50%	Coloursless	N-Propanol and Acetic Acid	PureChem (Pvt) Ltd. 550-551E, Sundar Industrail State, Lahore
New entry	2915.3300	Sabutol Acetate	99.50%	Coloursless	Sabutol and Acetic Acid	PureChem (Pvt) Ltd. 550-551E, Sundar Industrail State, Lahore
New entry	2915.3990	Iso-Butyl Acetate	99.50%	Coloursless	Iso- Butanol and Acetic Acid	PureChem (Pvt) Ltd. 550-551E, Sundar Industrail State, Lahore
New entry	2915.3930	Sec-Butyl Acetate	99.50%	Coloursless	Sec- Butanol and Acetic Acid	PureChem (Pvt) Ltd. 550-551E, Sundar Industrail State, Lahore
CGO S. No. 631	8413.8190	Pumps	RPH Pumps Horizontal configuration in accordance with API 610 (11th Edition) suitable for all API Pump applications in chemical, Oil & Gas sector, energy and petrochemical industry	DN:25-400,Q upto 4150 m ³ /hr, H upto 270 m,T:-70C to 450C.	Available in all types of material cmbination in accordance with API 610/ISO 13709	KSB Pumps Company Limited 16/2, Sir Agha Khan Road, Lahore
New entry	7307.9900	Double Studded Adaptors	Size: 2-1/16" to 30" Range: 2K-15K	API Spec 7-1/6A	AISI 4130 / 4140	MEC Energy Plot No. 80-D, Street No. 6, Industrial Area Sector I-10/3, Islamabad
New entry	7326.9090	Spools (Spacer / Drilling/ Mud Cross)	Size: 2-1/16" to 30" Range: 2K-15K	API Spec 7-1/6A	AISI 4130 / 4140	MEC Energy Plot No. 80-D, Street No. 6, Industrial Area Sector I-10/3, Islamabad
New entry	7326.9090	Special Spool	Size: 2-1/16" to 30" Range: 2K-15K	API Spec 7-1/6A	AISI 4130 / 4140	MEC Energy Plot No. 80-D, Street No. 6, Industrial Area Sector I-10/3, Islamabad
New entry	7307.9900	Weco Cross Over	Size: 2" to 5" Range: 2K-15K	API Spec 7-1/6A	AISI 4130 / 4140	MEC Energy Plot No. 80-D, Street No. 6, Industrial Area Sector I-10/3, Islamabad
New entry	7307.9900	Threaded Cross Overs	2-3/8" to 8-5/8" API Regular / IF	API Spec 7-1/6A	AISI 4130 / 4140 /410 (SS)	MEC Energy Plot No. 80-D, Street No. 6, Industrial Area Sector I-10/3, Islamabad
New entry	7307.9900	Adaptor Spools	Size: 2-1/16" to 30" Range: 2K-15K	API Spec 7-1/6A	AISI 4130 / 4140	MEC Energy Plot No. 80-D, Street No. 6, Industrial Area Sector I-10/3, Islamabad
New entry	7307.9900	Saver Sub Float Sub Bit Sub	Size: 2-3/8" to 8-5/8" API Regular / IF	API Spec 7-1/6A	AISI 4130 / 4140	MEC Energy Plot No. 80-D, Street No. 6, Industrial Area Sector I-10/3, Islamabad
New entry	7307.9900	Lifting Subs	Size: 2-3/8" to 8-5/8" API Regular / IF	API Spec 7-1/6A	AISI 4130 / 4140	MEC Energy Plot No. 80-D, Street No. 6, Industrial Area Sector I-10/3, Islamabad
New entry	7307.9900	Blind Flanges	Size: 2-1/16" to 30" Range: 2K-15K	API Spec 7-1/6A	AISI 4130 / 4140	MEC Energy Plot No. 80-D, Street No. 6, Industrial Area Sector I-10/3, Islamabad
New entry	7307.9900	Weldneck Flanges	Size: 2-1/16" to 30" Range: 2K-15K	API Spec 7-1/6A	AISI 4130 / 4140	MEC Energy Plot No. 80-D, Street No. 6, Industrial Area Sector I-10/3, Islamabad
New entry	7307.9900	Weco Adpator Flanges	Size: 2" to 5" Range: 2K-15K	API Spec 7-1/6A	AISI 4130 / 4140	MEC Energy Plot No. 80-D, Street No. 6, Industrial Area Sector I-10/3, Islamabad
New entry	7307.9900	Flanges (Threaded)	Size: 2-1/16" to 30" Range: 2K-15K	API Spec 7-1/6A, ASME	AISI 4130 / 4140	MEC Energy Plot No. 80-D, Street No. 6, Industrial Area Sector I-10/3, Islamabad
New entry	3920.4910	PVC Rigid Sheet	Rigid Sheet of PVC	Thickness = 0.05 mm to 0.8 mm, Width = 1520 mm, Color = Transparent / Any	--	A.T.S Synthetic (Pvt) Ltd. 4-Km, Kacha Road, Kahna Nau, Lahore.
New entry	3921.9090	PVC Flex Vinyl/Banner	Flex Vinyl/Banner of PVC	GSM = 240 gm to 610 gm, Width = 40 inch to 126 inch, Color = White / Any	--	A.T.S Synthetic (Pvt) Ltd. 4-Km, Kacha Road, Kahna Nau, Lahore.

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	3812.3900	PVC Liquid Stabilizer - Barium Cadmium zinc - Barium Zinc - Potassium Zinc Kicker	Sp. Gravity : 9.5, Acid Value, <1	Yellowish Liquid	Metal Salts of Barium, Cadmium, potassium, and zinc	A.T.S Synthetic (Pvt) Ltd. 4-Km, Kacha Road, Kahna Nau, Lahore.
New entry	3907.9900	Polyol (Polyurethane Pre-Polymer for PU Sole)	Sp. Gravity : 1.18, Acid Value, <1 OH value: 80, Viscosity: 1000 Cps	Slightly Yellowish Liquid	Adipate of Dicarboxic acid	A.T.S Synthetic (Pvt) Ltd. 4-Km, Kacha Road, Kahna Nau, Lahore.
New entry	3909.5000	Isocyanate (Polyurethane Pre-Polymer for PU Sole)	Sp. Gravity : 1.15, Acid Value, <1 NCO value: 23, Viscosity: 400 Cps	Slightly Yellowish Liquid	Oligimers of polyol, pure MDI and Modified MDI	A.T.S Synthetic (Pvt) Ltd. 4-Km, Kacha Road, Kahna Nau, Lahore.
New entry	3815.9000	Catalyst	Sp. Gravity : 1.10, Acid Value, <1 OH value: 216, Viscosity: 100 Cps	Slightly Yellowish Liquid	Mixture of Amine and short chain glycol	A.T.S Synthetic (Pvt) Ltd. 4-Km, Kacha Road, Kahna Nau, Lahore.
New entry	3208.9090	PU (Polyurethane Resin)	Sp. Gravity : 1.30, Acid Value, <1 NCO value: 1, Viscosity: 100,000 Cps	Colorless thick Liquid	Reaction Mixture of polyol, pure MDI and additives	A.T.S Synthetic (Pvt) Ltd. 4-Km, Kacha Road, Kahna Nau, Lahore.
New entry	3921.9090	PVC Geo Membrane	Geo Membrane of PVC	Thickness = 0.25 mm to 3 mm, Width = 84 inch to 132 inch, Color = Black / Any	--	A.T.S Synthetic (Pvt) Ltd. 4-Km, Kacha Road, Kahna Nau, Lahore.
New entry	3202.1000	Synthetic organic tanning substances	Tanning is the process of treating skins and hides of animals to produce leather. The substance used to achieve the desired affect are known as tanning substances.	May be solid or liquid at room temperature	Crosslinking of the protein structure of skin, making it more durable and less susceptible to decomposition.	SRC (Pvt) LTD 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore
New entry	3202.9010	Tanning preparations	Tanning is the process of treating skins and hides of animals to produce leather. The substance used to achieve the desired affect are known as tanning substances.	May be solid or liquid at room temperature	Crosslinking of the protein structure of skin, making it more durable and less susceptible to decomposition.	SRC (Pvt) LTD 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore
New entry	3202.9090	Bates, artificial	In the bating process, proteases are used to remove scud and unwanted proteins. The process also deswells swollen pelts. The result of bating with the use of enzymes is a clean, smooth and soft hide surface.	May be solid or liquid at room temperature	Enzymes	SRC (Pvt) LTD 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore
New entry	3204.1200	Acid Dyes for Leather	Water soluble dyes used for the dyeing of silk, wool, nylon and modified acrylics	May be solid, semi-solid or liquid at room temperature	Water soluble dyes	SRC (Pvt) LTD 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore
New entry	3204.1700	Pigments and preparations	Pigments are water insoluble and are applied as finely ground solid particles through a liquid matrix. Pigments may be organic.	May be solid, semi-solid or liquid at room temperature	Main organic pigment includes azo pigments and Copper phthalocyanines.	SRC (Pvt) LTD 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore
New entry	3204.2000	Synthetic organic products of a kind used as fluorescent brightening agents	Optical brighteners, optical brightening agents (OBAs), fluorescent brightening agents (FBAs) or fluorescent whitening agents (FWAs) are chemical compounds that absorb light in the ultraviolet and violet region (usually 340-370 nm) of the electromagnetic spectrum, and re-emit light in the blue region (typically 420-470). These additives are often used to enhance the appearance of fabric and paper, causing a "whitening" effect"; they make intrinsically yellow materials look less so, by compensating the deficit in blue and purple light reflected by the material, with the blue and purple optical emission.	May be solid or liquid at room temperature	-	SRC (Pvt) LTD 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore
New entry	3204.9000	Whitening agent	Textile grade	May be solid, semi-solid or liquid at room temperature	-	SRC (Pvt) LTD 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	3206.1900	Pigments and preparations	Textile/Leather grade Preparations containing less than 80% titanium dioxide, include dispersions in plastics, natural rubber, synthetic rubber or plasticizers, used for colouring plastics and rubber etc in the mass.	May be solid, semi-solid or liquid at room temperature	Mainly inorganic pigment based on TiO ₂	SRC (Pvt) LTD 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore
New entry	3402.9000	Surface Active Preparations and cleaning agents	Surface Active Preparations and Cleaning agents are composed mainly of surfactant alongwith auxiliaries to boost the performance of formulation. They mainly act as detergents, wetting agents, emulsifiers, foaming agents or dispersants. Surfactants of various nature may be blended for the synergistic effect.	May be solid or liquid at room temperature	May be blend of ingredients containing one or more surfactant. May include auxiliaries to boost the performance of the formulation.	SRC (Pvt) LTD 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore
New entry	3403.1110	Preparation	Preparations are intended to prepare leather and give it desirable properties.	–	–	SRC (Pvt) LTD 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore
New entry	3403.9110	Preparation	Fat Liquor	Mainly liquid at room temperature	Reduce friction and enhance smoothness/slippage property.	SRC (Pvt) LTD 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore
New entry	3905.1200	Vinyl Acetate Copolymers	Vinyl acetate-acrylic copolymers, emulsion products that are used for a wide range of applications including paints, bond coats, binders, pigmented paper coatings, textiles, and nonwovens	Liquid at room temperature	Crosslink to form film that imparts desirable properties to the treated surface.	SRC (Pvt) LTD 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore
New entry	3905.2100	Polyvinyl Acetate	Polyvinyl acetate emulsions are used for a wide range of applications including paints, bond coats, binders, pigmented papercoating, testiles and nonwovens	Liquid at room temperature	Crosslink to form film that imparts desirable properties to the treated surface.	SRC (Pvt) LTD 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore
New entry	3906.9090	Acrylic polymers	Acrylate polymers belong to a group of polymers based on acrylic acid, methacrylic and their esters. They are noted for their transparency, resistance to breakage, and elasticity. They are also commonly known as acrylics or polyacrylates	Mainly liquid at room temperature. However, can be produced in solid form	Acrylate polymers upon drying form films that yield desired properties on the substrate	SRC (Pvt) LTD 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore
New entry	3912-2090	Nitrocellulose in primary forms	Used in leather industry to impart special finish	Mainly liquid at room temperature.	Based on Nitrocellulose	SRC (Pvt) LTD 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore
New entry	8307.1000 8307.9000	Flexible Tube of Base Metals with or without fittings of Iron or Steel or other base metals	- Spiral/Corrugated/Wire Braided Flexible Hose/Tubes/Pipes, Sanitary & Tap's - Flexible Connection	O/D: 12, 14, & 16 mm Pressure: 5 Bar T.S: 500 N	S. Steel of 200, 300 series Brass & Aluminium	Faco Industries Ltd. 204, Bank & Business Centre, Near Duty Free Shop, Off. Shahra-e-Faisal Karachi.
New entry	2710.1919	Aliphatic Hydrocarbon Solvent (AHS-80 / D.O.K)	Density @45oC= 0.77–0.79 g/cm ³ Flash point ≥ 60 C Boiling Range= 190oC to 250oC	Clear Colorless Liquid	Composition of n-paraffin-ISO paraffin- & cyclo-paraffin- Carbon Chain-(C10–C14)	Mijokum (Pvt) Ltd.– F-48 & F-52, Sector-50-C, Korangi, Karachi.
New entry	2710.1919	Aliphatic Hydrocarbon Solvent (AHS-70)	Density @45oC= 0.77–0.78 g/cm ³ Flash Point ≤ 50 C Boiling Range= 168C to 225C	Clear Colorless Liquid	Composition of n-paraffin-ISO paraffin- & cyclo-paraffin- Carbon Chain-(C10–C14)	Mijokum (Pvt) Ltd.– F-48 & F-52, Sector-50-C, Korangi, Karachi.

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	2710.1919	Aliphatic-Hydrocarbon-Solvent (AHS-40)	Density @15oC= 0.750-0.770 g/cm ³ Flash point ≤ 40 C Boiling-Range= 140 C to 215 C	Clear-Colorless-Liquid	Composition of n-paraffin-ISO-paraffin- & cyclo-paraffin- Carbon-Chain-(C10-C14)	Mijokum (Pvt) Ltd.- F-48 & F-52, Sector-50-C, Korangi,- Karachi.
New entry	2710.1240	Organic Distilled Solvent (ODS-65/MTT)	Density @15oC= 0.76-0.78 g/cm ³ Flash point ≤ 40 C Boiling range= 140oC-- 205oC	Clear-Colorless-Liquid	Composition of n-paraffin-ISO-paraffin- & cyclo-paraffin- Carbon-Chain-(C9-C13)	Mijokum (Pvt) Ltd.- F-48 & F-52, Sector-50-C, Korangi,- Karachi.
New entry	2710.1919	Narrow-Boiling-Range Solvent (Mijosol-60)	Density @15oC= 0.78-0.80 g/cm ³ Flash point ≥ 65 C Boiling-Range= 195 C to 250 C	Pale-yellow-color-liquid	Composition of n-paraffin-ISO-paraffin- & cyclo-paraffin- Carbon-Chain-(C9-C13)	Mijokum (Pvt) Ltd.- F-48 & F-52, Sector-50-C, Korangi,- Karachi.
New entry	3402.9000 3814.0000	Offset-printing-rubber-Roller- & Blanket-Wash	Surface-Active-Preparation-and-Cleaning-Solvent-for-all-Offset-Printing-applications	Clear-Colorless-to-pale-yellow-Liquid-at-room-temperature	Synergistic-mixture-of-hydrocarbon-solvents- & surfactants	Mijokum (Pvt) Ltd.- F-48 & F-52, Sector-50-C, Korangi,- Karachi.
New entry	3402.9000 3814.0000	Aromatic-free-offset-printing-rubber-roller-and-blanket-washes	Aromatic-free-washes	Clear-Colorless-to-pale-yellow-Liquid-at-room-temperature	Synergistic-mixture-of-hydrocarbon-solvents- & surfactants	Mijokum (Pvt) Ltd.- F-48 & F-52, Sector-50-C, Korangi,- Karachi.
New entry	3402.9000 3301.9090	Offset-printing-PS-plate-cleaner	PS-plate-cleaner-for-all-offset-printing-applications.	White-liquid-at-room-temperature.	Blend-containing-hydrocarbon,-surfactants-and-auxiliaries	Mijokum (Pvt) Ltd.- F-48 & F-52, Sector-50-C, Korangi,- Karachi.
New entry	3402.9000 3301.9090	Offset-printing-PS-and-Computerized-plate-cleaner	PS-and-Computerized-plate-cleaner-for-all-offset-printing-applications.	Brown-liquid-at-room-temperature.	Blend-containing-hydrocarbon,-surfactants-and-auxiliaries	Mijokum (Pvt) Ltd.- F-48 & F-52, Sector-50-C, Korangi,- Karachi.
New entry	3402.9000	Advanced-blanket-and-roller-treatment.	Offset-Blanket-and-roller-conditioner-and-rejuvenator.	Brown-Clear-liquid-at-room-temperature.	Synergistic-mixture-of-hydrocarbon-solvents- & surfactants	Mijokum (Pvt) Ltd.- F-48 & F-52, Sector-50-C, Korangi,- Karachi.
New entry	2702.1000 3402.9000 3814.0000	Blanket-repairer-solution	Substitute-to-Benzol-and-like-chemicals-in-offset-printing	Clear-Colorless-Liquid-at-room-temperature	Synergistic-mixture-of-hydrocarbon-solvents- & surfactants	Mijokum (Pvt) Ltd.- F-48 & F-52, Sector-50-C, Korangi,- Karachi.
New entry	3403.1999 3404.9099 3402.1300	Wax-Emulsion-and-blends-thereof (Mijowax 40/Mijowax 40N/WE 60)	Wax-Emulsions-of-different-ionic-moieties-such-as-Cationic,-Anionic-and-Non-ionic.	White-Liquid-at-room-temperature	Complex-blend-of-ingredients-containing-surfactants-and-auxiliaries-to-boost-the-performance-of-the-	Mijokum (Pvt) Ltd.- F-48 & F-52, Sector-50-C, Korangi,- Karachi.
New entry	3214.9090	Multipurpose-maintenance-emulsion	Substitute-of-WD-40-and-like-chemicals	White-Liquid-at-room-temperature	Synergistic-mixture-of-hydrocarbon-solvents- & surfactants	Mijokum (Pvt) Ltd.- F-48 & F-52, Sector-50-C, Korangi,- Karachi.
New entry	2712.9090	Semi-refined-Paraffin-Wax	Paraffin-Wax	White-solid-at-room-temperature	Mixture-of-hydrocarbon-molecules-containing-between-twenty-and-forty-carbon-atoms	Mijokum (Pvt) Ltd.- F-48 & F-52, Sector-50-C, Korangi,- Karachi.
New entry	8539.5110	LED Lights / Bulbs	05 w to 300 Watt	--	--	Khyber Electric Lamps Mfg Co. Ltd. 483/E-1, Tariq Road, Peshawar Cantt. Peshawar Telecast Technology Pakistan (Pvt) Ltd. Plot No. 375-B, Street No. 16, Potohar Road, Sector I-9/3, Islamabad
New entry	8539.5110	LED Lighting Fixture (Down Lights)	05 w to 60 Watt	--	--	Khyber Electric Lamps Mfg Co. Ltd. 483/E-1, Tariq Road, Peshawar Cantt. Peshawar
New entry	8539.5110	LED Tube Lights	09 W to 36 Watt	--	--	Khyber Electric Lamps Mfg Co. Ltd. 483/E-1, Tariq Road, Peshawar Cantt. Peshawar
New entry	8501.5210	Submersible Motors of Stainless Steel	Range (4 KW to 75 KW) 3-Phase, 380-415V 50/60Hz and 6 - Inch, 8 - Inch, NEMA Standard	Water Cooled , Rewindable Stator	Stainless Steel AISI-304	Komax Pvt Ltd. Plot No. 722, Sunder Industrial Estate, Raiwind Road, Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	2708.1090	Coatar Enamel	BS-4164	Black Soild	Hotmelt Application	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	2708.1090	Primer Synthetic Type II	BS-4164	Smooth finish	Coheasion Resistance	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	2708.1090	Coatar Enamel	BS-4164	Black Soild	Hotmelt Application	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	2708.1090	Primer Synthetic Type II	BS-4164	Smooth finish	Coheasion Resistance	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3208.1010	Paints and varnishes (including enamels and lacquers)	Based on polyesters:	Stoving Type	Polyester + Melamine Base	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3208.2090	Clear coat (Baking paint)	Acrylic Melamine based Resin.	Clear Coat for Glossy Finish.	UV resistant & Proctective Clear coat.	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3208.2090	Stoving clear Coats	Acrylic based	Clear coat (Baking)	Proctective Clear coat.	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3208.2090	Intermediate Coat	Acrylic based	- Liquid coloured paint with anti-chipping property	- Mild Acid/Alkali resistant middle coat	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3208.2090	Paints and varnishes (including enamels and lacquers)	Based on acrylic or vinyl polymers:	For Smooth finish & good adhesion.	Stoving & Air drying,	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3208.9090	Primer Surfacer / Intermediate Coat (Baking Paint)	Polyester/Melamine resin based paint for automotive	Liquid coloured paint with anti-chipping property	Mild Acid/Alkali resistant middle coat	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3208.9090	Stoving clear Coats	Alkyd Melamine Based Resin.	Clear coat (Baking)	Proctective Clear coat.	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3208.9090	Intermediate Coat	Alkyd Melamine Based Resin.	Give color & Protection.	Based on varnishes	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3208.9090	Primer for Plastic Parts	Based on varnishes	Pigmented Colored Paint.	Based on varnishes	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3209.1090	Road Marking Paint Material	Water Base	PVA Base	Drying Application	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3210.0010	Other paints and varnishes (including enamels, lacquers and distempers); prepared water pigments of a kind used for finishing leather.	Distempers	For Smooth finish	Water Base	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3215.1110	Rolling coating printing ink	Rolling coating printing ink	(Fexo, Grevier & Off Set)	Solvent Base Water Base	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3506.1000	Adhesive Glue	PVA Base Glue	color White	Adhesive	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3806.9090	Thermoplastic Road Marking Paint Material	Solvent Base	Theromoplastic Resin Base	Hotmelt Road Marking Paint	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3208.1090	Stoving clear Coats	Polyester based	Clear Coat for Glossy Finish.	UV resistant, water Resistant &	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3208.1090	Aluminium Paints	Polyester based	Metal finishing	Metallic effect finishes.	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3208.2090	Aluminium Paints	Acrylic based	Metal finishing	Based on acrylic or vinyl polymers:	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3208.9090	Aluminium Paints	Alkyd Melamine Based Resin.	Metal finishing	Based on varnishes	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3208.1090	Metallic / Pearl basecoat (Baking Paint)	Polyester based	Colored properties with Mica & Aluminium.	To give assorted colors.	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3208.9090	Metallic / Pearl basecoat (Baking Paint)	Alkyd Melamine Based (Resins with Aluminium & Mica).	Metal finishing	Based on varnishes	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	3208.2090	Metallic / Pearl basecoat (Baking Paint)	Acrylic based	Metal finishing	Based on acrylic or vinyl polymers:	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3208.1090	Stoving enamels	Polyester based	Give color & Protection.	Corossion resistant.	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3208.2090	Stoving enamels	Acrylic based	Give color & Protection.	Based on acrylic or vinyl polymers:	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3208.9090	Stoving enamels	Alkyd Melamine Based Resin.	Give color & Protection.	Based on varnishes	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3208.1090	Stoving Primer	Polyester based	- For Smooth finish & good adhesion.	- Anti corrosive property.	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3208.1090	Solid Colour Topcoat (Baking Paint)	Polyester based	Coloured liquid paint for automotive vehicles	Protection & good appreance.	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3208.9090	Solid Colour Topcoat (Baking Paint)	Alkyd Melamine Based Resin	Coloured liquid paint for automotive vehicles	Based on varnishes	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3208.2090	PU Clears Paints	Polyurethane (PU) Polyol /Acrylic Urethane (AU)	Clear Coat for Glossy Finish.	UV resistant, water resistant & good weatherability.	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3208.2090	Primer for Plastic Parts	Special synthetic Acrylic Polyol based resin.	Pigmented Colored Paint.	For Smooth surface adhesion & Finish	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3208.2090	Plastic Parts Clear Coat	Special synthetic Acrylic Polyol based resin.	Clear Coat for Glossy Finish.	UV resistant, water Resistant.	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3208.2090	Plastic Parts Base Coat	Special synthetic Acrylic Polyol based resin.	Pigmented color for Automitive vehicles.	To give assorted colors.	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3208.2090	PU Enamels	Polyurethane (PU) Polyol /Acrylic Urethane (AU)	Give color & Protection.	Protect against weather.	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3208.9090	PU Enamels	Resin based.	Give color & Protection.	Based on varnishes	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3208.2090	PU Primers	Polyurethane (PU) Polyol /Acrylic Urethane (AU)	For Smooth finish & good adhesion.	UV resistant, water Resistant & good adhssion to the substrate.	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3208.9090	PU Primers	Resin based.	For Smooth finish & good adhesion.	Based on varnishes	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3209.1090	Cathodic Electro-	Acrylic based CED paint	i) Coloured liquid paint	Anti-corrosive paint	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3209.9090	Deposition Primer (CED) (Two Component- Baking paint) - F-1 Pigment Paste & F-2 Resin Emulsion	Modified Epoxy resin based CED paint	ii) Milky liquid emulsion paint	--	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3814.0000	Organic Composite Solvents and Thinners	Organic Hydrocarbon Compound.	Dilution & smooth application.	Rehology control & adjustment of the Paint according to of the Paint according to various enviornment.	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3905.1200	Vinyl Acetate Copolymers	Vinyl acetate-acrylic copolymers, emulsion products that are used for a wide range of pigmented paper coatings, textiles, and nonwovens	Liquid at room temperature applications including paints, bond coats, binders,	Crosslink to form film that imparts desirable properties to the treated surface.	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3905.2100	Polyvinyl acetate	Polyvinyl acetate polymers, emulsion products that are used for a wide range of applications including paints, bond coats, binders, pigmented paper coatings, textiles, and nonwovens	Liquid at room temperature	Crosslink to form film that imparts desirable properties to the treated surface.	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	3906.9090	Acrylic polymers	based on acrylic acid, methacrylic and their esters. They are noted for their transparency, resistance to breakage, and elasticity. They are also commonly known as acrylics or polyacrylates.	Mainly liquid at room temperature. However, can be produced in solid form	Acrylate polymers upon drying form films that yield desired properties on the substrate	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3907.3000	Fusion Bonded Epoxy (FBE)	Jotapipe & Corro-Coat (Anti-Corrosion Coating for Piping)	1350-1500G/L >0.5% Moisture Contents Hardness Avg. 85 (ASTM. STD)	Polarized Cracking Pass Impact resistance >1.5J	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3907.3000	Fusion Bonded Epoxy (FBE)	Jotapipe & Corro-Coat (Anti-Corrosion Coating for Piping)	1350-1500G/L >0.5% Moisture Contents Hardness Avg. 85 (ASTM. STD)	Polarized Cracking Pass Impact resistance >1.5J	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3907.5000	Resins, alkyd, in primary forms	Viscosity 3-1000 poises Acid Value less than 12	Colour Max 10GH	Esters	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3907.9900	Powder Coating Pure Polyester	Corro-Coat PE (Exterior Polyester Powder Coating)	Film Hardness >70 (EN ISO 2815) 100% Adhesion	Exceed 5mm without Film Cracking Salt Spray Resistance Excellent	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3907.9900	Powder Coating Pure Polyester	Corro-Coat PE (Exterior Polyester Powder Coating)	Film Hardness >70 (EN ISO 2815) 100% Adhesion	Exceed 5mm without Film Cracking Salt Spray Resistance Excellent	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3907.9900	Epoxy Polyester Hybrid	Corro-Coat MX (Interior Hybrid Powder Coating)	Film Hardness >70 (EN ISO 2815) 100% Adhesion	Exceed 60 Inch Pounds without film cracking Salt Spray Resistance Excellent	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3907.9900	Epoxy Polyester Hybrid	Corro-Coat MX (Interior Hybrid Powder Coating)	Film Hardness >70 (EN ISO 2815) 100% Adhesion	Exceed 60 Inch Pounds without film cracking Salt Spray Resistance Excellent	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3907.9900	PE - F Polyester Façade	Corro-Coat PE-F (Exterior Durable Polyester Powder Coating)	Film Hardness >80 (EN ISO 2815) 100% Adhesion	2.5 Nm without film cracking	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3907.9900	PE - F Polyester Façade	Corro-Coat PE-F (Exterior Durable Polyester Powder Coating)	Film Hardness >80 (EN ISO 2815) 100% Adhesion	2.5 Nm without film cracking	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	3909.2000	Resins, melamine, in primary forms	Viscosity 75 Poises Acid Value less than 2	Colour Water White	Amino	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New entry	9026.8000	Self Operated Regulator (043)	3/4" NPTF Capacity 500 to 600	Denisty 2.65 g/cm3 Freezing 575-565 Elongation 30%	LM-6, Al-86%, Si-12%, Other 2%	Sindh Standard Engineering Works F-713-A, S.I.T.E, Metrovill, Karachi
New entry	9026.8000	Self Operated Regulator (043)	3/4" NPTF Capacity 4000 to 5000	Denisty 2.65 g/cm3 Freezing 575-565 Elongation 30%	LM-6, Al-86%, Si-12%, Other 2%	Sindh Standard Engineering Works F-713-A, S.I.T.E, Metrovill, Karachi
New entry	9026.8000	Temperproof Regulator (Large Size)	1/2"x1/2" High Capacity 8" W.C	Denisty 2.65 g/cm3 Freezing 575-565 Elongation 30%	LM-6, Al-86%, Si-12%, Other 2%	Sindh Standard Engineering Works F-713-A, S.I.T.E, Metrovill, Karachi
New entry	9026.8000	Temperproof Regulator (Small Size)	1/2"x1/2" Low Capacity 8" W.C	Denisty 2.65 g/cm3 Freezing 575-565 Elongation 30%	LM-6, Al-86%, Si-12%, Other 2%	Sindh Standard Engineering Works F-713-A, S.I.T.E, Metrovill, Karachi
New entry	8481.8090	Service Valve Lock Wing Type	3/4"x1/2" with insulated Union	Elongation 30% Breaking load 21132.8 kg	ASTM A-126 C-3.45% Si-1.88% Mn-0.50	Sindh Standard Engineering Works F-713-A, S.I.T.E, Metrovill, Karachi
New entry	7307.9900	Service Tee	3/4" with plug	Elongation 30% Tensile 70 Ksi/Min	ASTM A-126 C-0.20% Si-0.21% Mn-0.52	Sindh Standard Engineering Works F-713-A, S.I.T.E, Metrovill, Karachi

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	4016.9390	Swivel and Nut Assembly	1/2"	Denisty 8.41 g/cm ³	60/40 Brass	Sindh Standard Engineering Works F-713-A, S.I.T.E, Metrovill, Karachi
New entry	8311.1000	Welding Electrode E-6013	As per AWS standards	As per AWS standards	As per AWS standards	Shanghai Industries (Pvt.) Ltd. Suite # 408, Marine Point, Block -9, Khayaban-e-Romi, Clifton, Karachi.
New entry	8311.1000	Welding Electrode E-7018	As per AWS standards	As per AWS standards	As per AWS standards	Shanghai Industries (Pvt.) Ltd. Suite # 408, Marine Point, Block -9, Khayaban-e-Romi, Clifton, Karachi.
New entry	8311.1000	Welding Electrode E-7016	As per AWS standards	As per AWS standards	As per AWS standards	Shanghai Industries (Pvt.) Ltd. Suite # 408, Marine Point, Block -9, Khayaban-e-Romi, Clifton, Karachi.
New entry	8311.1000	Hard Surfacing Welding Electrode	As per AWS standards	As per AWS standards	As per AWS standards	Shanghai Industries (Pvt.) Ltd. Suite # 408, Marine Point, Block -9, Khayaban-e-Romi, Clifton, Karachi.
New entry	8311.1000	Cast Iron Welding Electrode	As per AWS standards	As per AWS standards	As per AWS standards	Shanghai Industries (Pvt.) Ltd. Suite # 408, Marine Point, Block -9, Khayaban-e-Romi, Clifton, Karachi.
New entry	8311.1000	SS Welding Electrode	As per AWS standards	As per AWS standards	As per AWS standards	Shanghai Industries (Pvt.) Ltd. Suite # 408, Marine Point, Block -9, Khayaban-e-Romi, Clifton, Karachi.
New entry	2804.4000	Liquid Oxygen	99.70%	--	--	Ghani Gases Limited 10-N, Model Town, Extension, Lahore.
New entry	2804.3000	Liquid Nitrogen	<10 ppm Oxygen	--	--	Ghani Gases Limited 10-N, Model Town, Extension, Lahore.
New entry	2804.2100	Liquid Argon	<5 ppm Oxygen	--	--	Ghani Gases Limited 10-N, Model Town, Extension, Lahore.
New entry	2804.2900	Compressed Oxygen in cylinders	99.70%	--	--	Ghani Gases Limited 10-N, Model Town, Extension, Lahore.
New entry	2804.2900	Compressed Nitrogen in cylinders	<10 ppm Oxygen	--	--	Ghani Gases Limited 10-N, Model Town, Extension, Lahore.
New entry	2804.2900	Compressed Argon in cylinders	<5 ppm Oxygen	--	--	Ghani Gases Limited 10-N, Model Town, Extension, Lahore.
New entry	2904.2910	Dissolved Acetylene in cylinders	99.70%	--	--	Ghani Gases Limited 10-N, Model Town, Extension, Lahore.
New entry	7002.3910	Clear glassTubing	Dia: 6.00 - 30.00 mm Wall thickness: 0.45/0.50 or on demand	Coefficient of mean linear thermal expansion α (20°C; 300°C) acc. to ISO 7991 : $5.5 \times 10^{-6} \text{K}^{-1}$ Transformation Temperature T_g : 545 °C Glass temperature at viscosity η in dPa.s 10^{13} (annealing point).....545 °C $10^{7.6}$ (softening point)750 °C 10^4 (working point) 1140 °C Density ρ at 25°C 2.38 gcm^{-3}	Hydrolytic resistance acc. to USP Type I Acid resistance (DIN 12116)Class S 1 Alkali resistance (ISO 695).....Class A 2 The heavy metal content for the elements lead, cadmium, mercury and hexavalent chromium is below 100 ppm	Ghani Global Glass Ltd. 10-N, Model Town, Lahore.

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	7002.3910	Amber Glass Tubing	Dia: 6.00 - 30.00 mm Wall thickness: 0.45/0.50 or on demand	Coefficient of mean linear thermal expansion $\alpha(20^{\circ}\text{C}; 300^{\circ}\text{C})$ acc. to ISO 7991 : $5.6 \cdot 10^{-6}\text{K}^{-1}$ Transformation Temperature T_g : 550 $^{\circ}\text{C}$ Glass temperature at viscosity η in dPa.s 10^{13} (annealing point).....560 $^{\circ}\text{C}$ $10^{7.6}$ (softening point)770 $^{\circ}\text{C}$ 10^4 (working point) 1165 $^{\circ}\text{C}$ Density ρ at 25 $^{\circ}\text{C}$ 2.45 gcm^{-3}	Hydrolytic resistance acc. to Ph. Eur. Type I acc. to USP Type I Acid resistance (DIN 12116)Class S 1 Alkali resistance (ISO 695).....Class A 2 The heavy metal content for the elements lead, cadmium, mercury and hexavalent chromium is below 100 ppm	Ghani Global Glass Ltd. 10-N, Model Town, Lahore.
New entry	7010.1000	Clear Ampoule Form:B Form:C Form:D	1 CC to 10 CC	Coefficient of mean linear thermal expansion $\alpha(20^{\circ}\text{C}; 300^{\circ}\text{C})$ acc. to ISO 7991 : $5.5 \times 10^{-6}\text{K}^{-1}$ Transformation Temperature T_g : 545 $^{\circ}\text{C}$ Glass temperature at viscosity η in dPa.s 10^{13} (annealing point).....545 $^{\circ}\text{C}$ $10^{7.6}$ (softening point)750 $^{\circ}\text{C}$ 10^4 (working point) 1140 $^{\circ}\text{C}$ Density ρ at 25 $^{\circ}\text{C}$ 2.38 gcm^{-3}	Hydrolytic resistance acc. to Ph. Eur. Type I acc. to USP Type I Acid resistance (DIN 12116)Class S 1 Alkali resistance (ISO 695).....Class A 2 The heavy metal content for the elements lead, cadmium, mercury and hexavalent chromium is below 100 ppm	Ghani Global Glass Ltd. 10-N, Model Town, Lahore.
New entry	7010.1000	Amber Ampoule Form:B Form:C Form:D	1 CC to 10 CC	Coefficient of mean linear thermal expansion $\alpha(20^{\circ}\text{C}; 300^{\circ}\text{C})$ acc. to ISO 7991 : $5.6 \cdot 10^{-6}\text{K}^{-1}$ Transformation Temperature T_g : 550 $^{\circ}\text{C}$ Glass temperature at viscosity η in dPa.s 10^{13} (annealing point).....560 $^{\circ}\text{C}$ $10^{7.6}$ (softening point)770 $^{\circ}\text{C}$ 10^4 (working point) 1165 $^{\circ}\text{C}$ Density ρ at 25 $^{\circ}\text{C}$ 2.45 gcm^{-3}	Hydrolytic resistance acc. to Ph. Eur. Type I acc. to USP Type I Acid resistance (DIN 12116)Class S 1 Alkali resistance (ISO 695).....Class A 2 The heavy metal content for the elements lead, cadmium, mercury and hexavalent chromium is below 100 ppm	Ghani Global Glass Ltd. 10-N, Model Town, Lahore.

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	7010.9000	Clear Vial	1CC to 20 CC	Coefficient of mean linear thermal expansion $\alpha(20^{\circ}\text{C}; 300^{\circ}\text{C})$ acc. to ISO 7991 : $5.5 \times 10^{-6}\text{K}^{-1}$ Transformation Temperature T_g : 545°C Glass temperature at viscosity η in dPa.s 10^{13} (annealing point)..... 545°C $10^{7.6}$ (softening point) 750°C 10^4 (working point) 1140°C Density ρ at 25°C 2.38 gcm^{-3}	Hydrolytic resistance acc. to Ph. Eur. Type I acc. to USP Type I Acid resistance (DIN 12116)Class S 1 Alkali resistance (ISO 695).....Class A 2 The heavy metal content for the elements lead, cadmium, mercury and hexavalent chromium is below 100 ppm	Ghani Global Glass Ltd. 10-N, Model Town, Lahore.
New entry	7010.9000	Amber Vial	1CC to 20 CC	Coefficient of mean linear thermal expansion $\alpha(20^{\circ}\text{C}; 300^{\circ}\text{C})$ acc. to ISO 7991 : $5.6 \cdot 10^{-6}\text{K}^{-1}$ Transformation Temperature T_g : 550°C Glass temperature at viscosity η in dPa.s 10^{13} (annealing point)..... 560°C $10^{7.6}$ (softening point) 770°C 10^4 (working point) 1165°C Density ρ at 25°C 2.45 gcm^{-3}	Hydrolytic resistance acc. to Ph. Eur. Type I acc. to USP Type I Acid resistance (DIN 12116)Class S 1 Alkali resistance (ISO 695).....Class A 2 The heavy metal content for the elements lead, cadmium, mercury and hexavalent chromium is below 100 ppm	Ghani Global Glass Ltd. 10-N, Model Town, Lahore.
New entry	7209.1610	Cold Rolled Coils (CRC)	Cold Rolled Coils of thickness exceeding 1mm but less than 3mm JIS G 3141 / ASTM A 1008, A 568/ A568M [Excluding SPCE (SDH) grade and other auto grades]	Mechanical Properties as per JIS G 3141, ASTM A 1008 specifications, Dimensional tolerances as per JIS G 3141, ASTM A 568/ A 568M	Chemical composition as per JIS G 3141, ASTM A568/ A568M	Aisha Steel Mills Ltd. DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi
New entry	7209.1690	Cold Rolled Coils (CRC)	Cold Rolled Coils of thickness exceeding 1mm but less than 3mm JIS G 3141 / ASTM A 1008, A 568/ A568M [Excluding SPCE (SDH) grade and other auto grades]	Mechanical Properties as per JIS G 3141, ASTM A 1008 specifications, Dimensional tolerances as per JIS G 3141, ASTM A 568/ A 568M	Chemical composition as per JIS G 3141, ASTM A568/ A568M	Aisha Steel Mills Ltd. DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi
New entry	7209.1710	Cold Rolled Coils (CRC)	Cold Rolled Coils of a thickness 0.5mm or more but not exceeding 1mm JIS G 3141 / ASTM A 1008, A 568/ A568M [Excluding SPCE (SDH) grade and other auto grades]	Mechanical Properties as per JIS G 3141, ASTM A 1008 specifications, Dimensional tolerances as per JIS G 3141, ASTM A 568/ A 568M	Chemical composition as per JIS G 3141, ASTM A568/ A568M	Aisha Steel Mills Ltd. DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi
New entry	7209.1790	Cold Rolled Coils (CRC)	Cold Rolled Coils of a thickness 0.5mm or more but not exceeding 1mm JIS G 3141 / ASTM A 1008, A 568/ A568M [Excluding SPCE (SDH) grade and other auto grades]	Mechanical Properties as per JIS G 3141, ASTM A 1008 specifications, Dimensional tolerances as per JIS G 3141, ASTM A 568/ A 568M	Chemical composition as per JIS G 3141, ASTM A568/ A568M	Aisha Steel Mills Ltd. DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi
New entry	7209.1810	Cold Rolled Coils (CRC)	Cold Rolled Coils of thickness of less than 0.5mm JIS G 3141 / ASTM A 1008, A 568/ A568M [Excluding SPCE (SDH) grade and other auto grades]	Mechanical Properties as per JIS G 3141, ASTM A 1008 specifications, Dimensional tolerances as per JIS G 3141, ASTM A 568/ A 568M	Chemical composition as per JIS G 3141, ASTM A568/ A568M	Aisha Steel Mills Ltd. DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	7209.1890	Cold Rolled Coils (CRC)	Cold Rolled Coils of thickness of less than 0.5mm JIS G 3141 / ASTM A 1008, A 568/ A568M [Excluding SPCE (SDH) grade and other auto grades]	Mechanical Properties as per JIS G 3141, ASTM A 1008 specifications, Dimensional tolerances as per JIS G 3141, ASTM A 568/ A 568M	Chemical composition as per JIS G 3141, ASTM A568/ A568M	Aisha Steel Mills Ltd. DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi
New entry	7209.2610	Cold Rolled Coils (CRC)	Cold Rolled Coils of thickness exceeding 1mm but less than 3mm (not in coils) JIS G 3141 / ASTM A 1008, A 568/ A568M [Excluding SPCE (SDH) grade and other auto grades]	Mechanical Properties as per JIS G 3141, ASTM A 1008 specifications, Dimensional tolerances as per JIS G 3141, ASTM A 568/ A 568M	Chemical composition as per JIS G 3141, ASTM A568/ A568M	Aisha Steel Mills Ltd. DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi
New entry	7209.2690	Cold Rolled Coils (CRC)	Cold Rolled Coils of thickness exceeding 1mm but less than 3mm (not in coils) JIS G 3141 / ASTM A 1008, A 568/ A568M [Excluding SPCE (SDH) grade and other auto grades]	Mechanical Properties as per JIS G 3141, ASTM A 1008 specifications, Dimensional tolerances as per JIS G 3141, ASTM A 568/ A 568M	Chemical composition as per JIS G 3141, ASTM A568/ A568M	Aisha Steel Mills Ltd. DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi
New entry	7209.2710	Cold Rolled Coils (CRC)	Cold Rolled Coils of a thickness 0.5mm or more but not exceeding 1mm (not in coils) JIS G 3141 / ASTM A 1008, A 568/ A568M [Excluding SPCE (SDH) grade and other auto grades]	Mechanical Properties as per JIS G 3141, ASTM A 1008 specifications, Dimensional tolerances as per JIS G 3141, ASTM A 568/ A 568M	Chemical composition as per JIS G 3141, ASTM A568/ A568M	Aisha Steel Mills Ltd. DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi
New entry	7209.2790	Cold Rolled Coils (CRC)	Cold Rolled Coils of a thickness 0.5mm or more but not exceeding 1mm (not in coils) JIS G 3141 / ASTM A 1008, A 568/ A568M [Excluding SPCE (SDH) grade and other auto grades]	Mechanical Properties as per JIS G 3141, ASTM A 1008 specifications, Dimensional tolerances as per JIS G 3141, ASTM A 568/ A 568M	Chemical composition as per JIS G 3141, ASTM A568/ A568M	Aisha Steel Mills Ltd. DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi
New entry	7209.2810	Cold Rolled Coils (CRC)	Cold Rolled Coils of thickness of less than 0.5mm (not in coils) JIS G 3141 / ASTM A 1008, A 568/ A568M [Excluding SPCE (SDH) grade and other auto grades]	Mechanical Properties as per JIS G 3141, ASTM A 1008 specifications, Dimensional tolerances as per JIS G 3141, ASTM A 568/ A 568M	Chemical composition as per JIS G 3141, ASTM A568/ A568M	Aisha Steel Mills Ltd. DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi
New entry	7209.2890	Cold Rolled Coils (CRC)	Cold Rolled Coils of thickness of less than 0.5mm (not in coils) JIS G 3141 / ASTM A 1008, A 568/ A568M [Excluding SPCE (SDH) grade and other auto grades]	Mechanical Properties as per JIS G 3141, ASTM A 1008 specifications, Dimensional tolerances as per JIS G 3141, ASTM A 568/ A 568M	Chemical composition as per JIS G 3141, ASTM A568/ A568M	Aisha Steel Mills Ltd. DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi
New entry	7612.9030	Aluminium Beverages Cans 250 ML, 300 ML	Aluminium	--	--	Pakistan Aluminium Beverage Can Ltd. 29 & 30, M-3 Industrial City, Main Boulevard Sahianwala,, Faisalabad
New entry	7308.1000	Steel Buildings and Structure	As per client's requirement	--	--	A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore.
New entry	7308.9090	Other Structure and parts of iron or steel	As per client's requirement	--	--	A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. Industrial & Mechanical Engineers (Pvt) Ltd. 403, Noor Estate Building Shahrah-e-Faisal Karachi
New entry	7309.0000	Tanks of iron or steel Steel Vessels & Storage Tanks (Iron or Steel)	As per client's requirement	--	--	A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. Industrial & Mechanical Engineers (Pvt) Ltd. 403, Noor Estate Building Shahrah-e-Faisal Karachi
New entry	7311.0010 7311.0020 7311.0030 7311.0090	Iron or steel pressure vessels and drums	As per client's requirement	--	--	A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore.

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	7311.0020 7311.0090	Pressure Vessels for LPG Storage.	As per client's requirement	--	--	A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. Industrial & Mechanical Engineers (Pvt) Ltd. 403, Noor Estate Building Shahrah-e-Faisal Karachi
New entry	8402.1110	Oil/gas/bagasse fired water tube boiler	As per client's requirement	--	--	A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. Industrial & Mechanical Engineers (Pvt) Ltd. 403, Noor Estate Building Shahrah-e-Faisal Karachi
New entry	8402.1120	Waste Heat Recovery Boiler	As per client's requirement	--	--	A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. Industrial & Mechanical Engineers (Pvt) Ltd. 403, Noor Estate Building Shahrah-e-Faisal Karachi
New entry	8402.1130	Heat Recovery Steam Generators	As per client's requirement	--	--	A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. Industrial & Mechanical Engineers (Pvt) Ltd. 403, Noor Estate Building Shahrah-e-Faisal Karachi
New entry	8402.1200	Packaged type boilers	As per client's requirement	--	--	A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. Industrial & Mechanical Engineers (Pvt) Ltd. 403, Noor Estate Building Shahrah-e-Faisal Karachi
New entry	8402.1910	Fired Tube Boilers	As per client's requirement	--	--	A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. Industrial & Mechanical Engineers (Pvt) Ltd. 403, Noor Estate Building Shahrah-e-Faisal Karachi
New entry	8402.1920	Waste Heat Recovery Boilers	As per client's requirement	--	--	A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. Industrial & Mechanical Engineers (Pvt) Ltd. 403, Noor Estate Building Shahrah-e-Faisal Karachi
New entry	8402.2000	Boilers, high pressure	As per client's requirement	--	--	A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. Industrial & Mechanical Engineers (Pvt) Ltd. 403, Noor Estate Building Shahrah-e-Faisal Karachi
New entry	8402.9090 7308.9090	Boiler Equipment	As per client's requirement	--	--	A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. Industrial & Mechanical Engineers (Pvt) Ltd. 403, Noor Estate Building Shahrah-e-Faisal Karachi
New entry	8404.1000	Auxiliary Plant for use with boilers of heading 8402	As per client's requirement	--	--	A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore.
New entry	8410.9090	Penstocks	As per client's requirement	--	--	A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore.
New entry	8419.4000	Ethanol Plant/ equipment	As per client's requirement	--	--	A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore.

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	8419.4000 8419.5000 8419.8990 and respective headings	Absorption Tower, Columns, Process Reactors, Heat Exchange, Condensers, Air Coolers, LPG/Oil/LNG Storage Tanks, Heat Recovery Boilers, Steel Structure, Process and Utility Piping, Gas Sweetening Unit, Amine Absorption, Flare Stack System, LPG Recovery Unit, Sulphur Recovery Unit.	As per client's requirement	--	--	A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore.
New entry	8419.8990 and respective headings	Absorption Tower, Columns, Process Reactors, Heat Exchange, Condensers, Air Coolers, LPG/Oil/LNG Storage Tanks, Heat Recovery Boilers, Steel Structure, Process And Utility Piping, Gas Sweetening Unit, Amine Absorption, Flare Stack System, LPG Recovery Unit, Sulphur Recovery Unit.	As per client's requirement	--	--	A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore.
New entry	8419.5000	Heat exchange units, Industrial	As per client's requirement	--	--	A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. Industrial & Mechanical Engineers (Pvt) Ltd. 403, Noor Estate Building Shahrah-e-Faisal Karachi
New entry	8419.8990 8418.6990	Evaporators	As per client's requirement	--	--	A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore.
New entry	8421.3990	Three Phase Separators	As per client's requirement	--	--	A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore.
New entry	8438.3010	Sugar Plant / Equipment	As per client's requirement	--	--	A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore.
New entry	8474.1010	Cement Plant/ equipment	As per client's requirement	--	--	A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore.
New entry	8479.8990/ 8479.8290	Gas / Fuel Conditioning Skids . Instrument Gas Scrubber Skid . Sour Gas Conditioning Skid . Scrubbers . Filters	As per client's requirement	--	--	A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore.
New entry	9028.9020	Meter Conversion Units Mechanical to Automatic	--	--	--	Digitec Systems Plot No. 178, Sector-24, Korangi Industrial Area, Karachi.
New entry	9026.0000	Online Pressure Monitoring Solution	--	--	--	Digitec Systems Plot No. 178, Sector-24, Korangi Industrial Area, Karachi.
New entry	9028.0000	Online Temperature/Energy Monitoring Solution GSM Based	--	--	--	Digitec Systems Plot No. 178, Sector-24, Korangi Industrial Area, Karachi.
New entry	8525.6060	GSM/GPS Tracker Online/Offline	--	--	--	Digitec Systems Plot No. 178, Sector-24, Korangi Industrial Area, Karachi.
New entry	8473.2100	Biometric Time Attendance Control Solution	--	--	--	Digitec Systems Plot No. 178, Sector-24, Korangi Industrial Area, Karachi.
New entry	8531.1000	GSM Based Security Alarm Systems	--	--	--	Digitec Systems Plot No. 178, Sector-24, Korangi Industrial Area, Karachi.
New entry	3405.9000	Car Wax Protectant	Car Care Products	Wax & Polish for Cars & Motorbikes	--	Harris Silicones & Glass (Pvt.) Ltd. Farooque Industrial Estate, Anam Road 20km Ferozepur Road, Lahore
New entry	3402.1990	Car Shampoo	Car Care Products	Cleaning Agents	--	Harris Silicones & Glass (Pvt.) Ltd. Farooque Industrial Estate, Anam Road 20km Ferozepur Road, Lahore
New entry	3402.2000	Engine Cleaner	Car Care Products	Cleaning Agents	--	Harris Silicones & Glass (Pvt.) Ltd. Farooque Industrial Estate, Anam Road 20km Ferozepur Road, Lahore
New entry	3403.1910	Silicone Grease	Greases	For lubricating and preserving rubber parts	--	Harris Silicones & Glass (Pvt.) Ltd. Farooque Industrial Estate, Anam Road 20km Ferozepur Road, Lahore
New entry	7008.0000	Insulation Glass	Multiple-walled insulating units of glass	Multiple-walled insulating units of glass	--	Harris Silicones & Glass (Pvt.) Ltd. Farooque Industrial Estate, Anam Road 20km Ferozepur Road, Lahore
New entry	7007.1111	Tempered Glass	Toughened Glass, Safety glass	Toughened Glass, Safety glass	--	Harris Silicones & Glass (Pvt.) Ltd. Farooque Industrial Estate, Anam Road 20km Ferozepur Road, Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	8418 . 6920	Insulated Reefer Container	Size: 6' To 40' Temp Range +15c To c-40	--	--	Koldkraft Refrigeration (Pvt) Ltd. 243-S, Quaid-e-Azam, Industrial Estate Kot Lakhpat, Lahore.
New entry	8419 . 5000	Heat Exchange Units	+15c to -40c	Aluminium Fin & Copper Tube	--	Koldkraft Refrigeration (Pvt) Ltd. 243-S, Quaid-e-Azam, Industrial Estate Kot Lakhpat, Lahore.
New entry	9406 . 9040	Insulated P-U Panels for cold storage	25mm to 150 mm Fire retardant	Low Heat Transfer	Isocyanate Polyol & 141B	Koldkraft Refrigeration (Pvt) Ltd. 243-S, Quaid-e-Azam, Industrial Estate Kot Lakhpat, Lahore.
New entry	9406 . 1040	Insulated P-U Panels for cold storage	25mm to 150 mm Fire retardant	Low Heat Transfer	Isocyanate Polyol & 141B	Koldkraft Refrigeration (Pvt) Ltd. 243-S, Quaid-e-Azam, Industrial Estate Kot Lakhpat, Lahore.
New entry	9406 . 9090	Insulated P-U Panels for cold storage	25mm to 150 mm Fire retardant	Low Heat Transfer	Isocyanate Polyol & 141B	Koldkraft Refrigeration (Pvt) Ltd. 243-S, Quaid-e-Azam, Industrial Estate Kot Lakhpat, Lahore.
New entry	8415 . 8200	Refrigeration units for cold rooms & trucks	+15c to -40c	To Compress & Heat Exchange	--	Koldkraft Refrigeration (Pvt) Ltd. 243-S, Quaid-e-Azam, Industrial Estate Kot Lakhpat, Lahore. Petal Engineering (Pvt) Ltd 10 Umar Khan Road, Manawan near Batapur Lahore
New entry	8415 . 9019	Evaporators (other)	+15c to -40c	Aluminium Fin & Copper Tube	--	Koldkraft Refrigeration (Pvt) Ltd. 243-S, Quaid-e-Azam, Industrial Estate Kot Lakhpat, Lahore.
New entry	8415 . 9029	Condensers (others)	+15c to -40c	Aluminium Fin & Copper Tube	--	Koldkraft Refrigeration (Pvt) Ltd. 243-S, Quaid-e-Azam, Industrial Estate Kot Lakhpat, Lahore.
New entry	7614.1000 7614.9000	Aluminum Conductor Composite Core (ACCC)	ASTM B857 Specs. Casablanca, Drake, Plano, Helsinki, Silvassa, Gdansk, Oceanside, Warsaw, Brussels, Lisbon, Vienna	Trapezoidal Aluminum Conductor Stranded over Carbon Fiber Core	Aluminum Electrical Grade	Pakistan Cables Limited B-21, SITE, P.O. Box No. 5050, Karachi - 75700
CGO S. No. 481	7407-1020- 7408.1100	Copper Rod	ASTM B-49 8.0mm ASTM B-49 Electrical Conductor	Breaking Load Elongation Resistance	Purity: 99.99%	Pakistan Cables Limited B-21, SITE, P.O. Box No. 5050, Karachi - 75700
CGO S. No. 1044	8544.6000- 8544.6010	Underground XLPE Insulated Medium Voltage & High Voltage Cable	Upto 15 KV- IEC 502 (Excluding ultra-violet treated cables) For Voltage exceeding 1,000 V but not exceeding 32,000 V	--	--	Pakistan Cables Limited B-21, SITE, P.O. Box No. 5050, Karachi - 75700
New entry	8406.8200	Combined Cycle Power Plants	As per customer requirements	--	--	DDFC (Pvt.) Ltd. 27 KM, Multan Road, Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	9018.4900	Dental Operatory system complete Comprising of dental unit, Light chair, stool compressor, Suction, etc.	Dental Unit Dental Chair Dental Light Dental stools Dental Compressor Dental Suction Comprising of unit, dental chair, compressor, suction,	<u>Metals:-</u> Iron sheet, angle Iron, Brass, stainless steel; Casting of aluminum, steel; Bolts, Nuts & Screws, Welding Rods etc <u>Electrical/Electronics:</u> Electric, cables & connection, IC, transistor, resistor, PC board, Limit Switch, rubber material, glass, Cables, Membrane sheet, Panel switches, Foot Switches, Variable Switches <u>Hydraulic/Mechanical:</u> Motor, solenoid valves Presser Pipes Connector Cylinder, ORings, Gears <u>Pneumatics:</u> Foot controller, Pneumatics, valves, Tubes, Switches, pull back & master valve. <u>Plastic/UPVC/Rubber:</u> Foam upholstery UPVC tubing, silicone sheet packing material <u>Misc:</u> Porcelen /Ceramic bowl, Glass reflector, LED's etc., Stoving paint, plastic Epoxy, Quoting paint, Wooden seats, head rest, packaging.	Fiber glass chrome Nickle Cadmium plating process Hydraulic oil Acid phosphate UPVC rubber	Westech Pvt Ltd. 69-C, Ghaus-ul-Azam Road, Lahore
New entry	5911.9090	String Wound Filter Cartridges US Patent No. 6,942,106 European Patent No. 1153641	Polypropylene Melt-spun Yarn Filter Media, and Polypropylene Filter Core	Low specific gravity, environmentally friendly, long service-life	Thermoplastic polymer of propylene (CH ₃) _n	Syntech Fibres (Pvt) Ltd. 5-3-1 Sector 15, Korangi Industrial Area., Karachi
New entry	5911.9090	Spun Bonded Filter Cartridges	Polypropylene Melt-spun Bonded Filter Cartridge	Low specific gravity, environmentally friendly, long service-life	Thermoplastic polymer of propylene (CH ₃) _n	Syntech Fibres (Pvt) Ltd. 5-3-1 Sector 15, Korangi Industrial Area., Karachi
New entry	5402.3400	Synthetic filament Textured yarn - made of polypropylene	Polypropylene Melt-spun Textured Yarn	Low specific gravity, environmentally friendly	Thermoplastic polymer of propylene (CH ₃) _n	Syntech Fibres (Pvt) Ltd. 5-3-1 Sector 15, Korangi Industrial Area., Karachi
New entry	5402.4800 5402.3900	Synthetic filament yarn - made of polypropylene	Polypropylene Melt-spun Filament Yarn	Low specific gravity, environmentally friendly	Thermoplastic polymer of propylene (CH ₃) _n	Syntech Fibres (Pvt) Ltd. 5-3-1 Sector 15, Korangi Industrial Area., Karachi
New entry	5402.5900	Synthetic filament yarn twisted - made of other synthetic material	Polypropylene Melt-spun Twisted Yarn	Low specific gravity, environmentally friendly	Thermoplastic polymer of propylene (CH ₃) _n	Syntech Fibres (Pvt) Ltd. 5-3-1 Sector 15, Korangi Industrial Area., Karachi
New entry	5503.4000	Synthetic staple fibre - made of polypropylene	Polypropylene Melt-spun Staple Fibre	Low specific gravity, environmentally friendly	Thermoplastic polymer of propylene (CH ₃) _n	Syntech Fibres (Pvt) Ltd. 5-3-1 Sector 15, Korangi Industrial Area., Karachi
New entry	5607.4900	Twine, cordage, rope and cables- made of polypropylene	Polypropylene Braided & Knitted twine, cordage, rope and cables	Low specific gravity, environmentally friendly	Thermoplastic polymer of propylene (CH ₃) _n	Syntech Fibres (Pvt) Ltd. 5-3-1 Sector 15, Korangi Industrial Area., Karachi
New entry	7217.1000	Wire for wheel spoke and wire for wheel nipple for two wheelers	AISI 12L14, YBT 5005-93, BS 2453, IS 6902	As per specs	As per specs	Pakistan Wire Industries E-51, Textile Avenue, SITE, Karachi United Wire Industries (Pvt) Ltd. 19/20 KM, Lahore Sheikhpura Road, Lahore
New entry	7217.1000	Spring wire for front shocks, rear shocks for two wheelers, spring wire for mattress, spring wire for clutch spring and other applications.	JIS G 3522, GB 4357, SWRH 65Mn, A 407, JIS G 3521, A 227/A 227 M ASTM, DIN 17223, DIN EN 10132	As per specs	As per specs	Pakistan Wire Industries E-51, Textile Avenue, SITE, Karachi United Wire Industries (Pvt) Ltd. 19/20 KM, Lahore Sheikhpura Road, Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	7312.1010 7312.1020	Galvanized/ Ungalvanized Inner Wire Roll/Steel Cable Clutch, Brake Throttle Automotive Sector Galvanized Guy rope/ Strand For the Reinforcement of Optical Fiber Cable And Communication Cable, for Signaling and Galvanized Stay Strand For Power Transmitting Towers	JIS 3540 GB 1200-88 YB/T 5004-93 JISG 3525 JISG3525 GB-1179-1999	As per standard	As per standard	Pakistan Wire Industries E-51, Textile Avenue, SITE, Karachi
New entry	7217.2000	Galvanized Carbon Steel Wire For Communication Cable and Optical Fiber Cable, Galvanized Wire For Reinforce Hose/Pipes	GB 346-84 GB3082-84 JIS 3521	As per standard	As per standard	Pakistan Wire Industries E-51, Textile Avenue, SITE, Karachi
New entry	7217.1000	Casing wire of Inner Strand Core for Clutch, Brakes, Throttle cables Phosphorized Steel Wire For Optical Fiber Cable, Steel Fiber Wire For Steel Fiber Reinforce Concrete Slab	JISG3521 Q/320601 EA 11-1998 JIS 3521 05/30(35) 06/30(35) 07/30(35) 07/40(45) 10/40(50)	As per standard	As per standard	Pakistan Wire Industries E-51, Textile Avenue, SITE, Karachi
New entry	8479.9010	Evaporative Cooling Pad	H(mm)=2000 & 1000 W(mm)=600 D(mm)=150,100	Brown Clour, Water Absorbing, Paper Product Bear High Pressure i-e air	Does not affected by Acids Bases, impregnated by phenolic thermosetting resin, protected from fungi bacteria	Superkool (Pvt) Limited Opposit Haji Park Sialkot Bypass near Beacon House School , Gujranwala.
New entry	6810.1900	HT & LT PCC/Spun Hollow Poles 31 ft to 45 ft	WAPDA Specification DDS-55:2006 (Amended to Date)	--	--	Creative Engineering (Pvt) Ltd. 160/ S, Q.I.E. Kot Lakhpat Lahore
New entry	7601.2000	Loop Dead End Clamp LC-10 and LC-16	WAPDA Specification PD-111a-05 (Amended to Date)	--	--	Creative Engineering (Pvt) Ltd. 160/ S, Q.I.E. Kot Lakhpat Lahore
New entry	7604.2910	Parallel Grooves Connector S-117 S-157 T-110 T-150 T-155 T-220	WAPDA Specification P:25-67 (Amended to Date)	--	--	Creative Engineering (Pvt) Ltd. 160/ S, Q.I.E. Kot Lakhpat Lahore
New entry	7601.2000	Dead End Clamp Dog & Ospery	WAPDA Specification DDS-73:2004 (Amended to Date)	--	--	Creative Engineering (Pvt) Ltd. 160/ S, Q.I.E. Kot Lakhpat Lahore
New entry	8537.1090	Meter Security Boxes	WAPDA Specification DD-S-58:2001 (Amended to Date)	--	--	Creative Engineering (Pvt) Ltd. 160/ S, Q.I.E. Kot Lakhpat Lahore
New entry	7019.9090	Disconnecting Sticks 12 ft	WAPDA Specification DDS-43:2008 (Amended to Date)	--	--	Creative Engineering (Pvt) Ltd. 160/ S, Q.I.E. Kot Lakhpat Lahore
New entry	7301.2000	Stay Strip for Pcc Poles	WAPDA Specification DP-PD-52 (Amended to Date)	--	--	Creative Engineering (Pvt) Ltd. 160/ S, Q.I.E. Kot Lakhpat Lahore
New entry	8537.1090	LT Service Box	WAPDA Specification P-72:85	--	--	Creative Engineering (Pvt) Ltd. 160/ S, Q.I.E. Kot Lakhpat Lahore
New entry	7308.2000	Lt Steel Structures 31 ft	WAPDA Specification DDS-78:2008	--	--	Vision Engineering Pvt Ltd. 160/ S, Q.I.E. Kot Lakhpat Lahore
New entry	7308.2000	HT Steel Structures 36 ft 40 ft 45 ft	WAPDA Specification DDS-78:2008	--	--	Vision Engineering Pvt Ltd. 160/ S, Q.I.E. Kot Lakhpat Lahore
New entry	7301.2000	Stay Rod	WAPDA Specification DDS-29:2008	--	--	Vision Engineering Pvt Ltd. 160/ S, Q.I.E. Kot Lakhpat Lahore
New entry	7301.2000	Earth Rod	WAPDA Specification P-111-76	--	--	Vision Engineering Pvt Ltd. 160/ S, Q.I.E. Kot Lakhpat Lahore
New entry	7301.2000	D-Shackle	WAPDA Specification PD:68	--	--	Vision Engineering Pvt Ltd. 160/ S, Q.I.E. Kot Lakhpat Lahore
New entry	7301.2000	Single Structure Platform	WAPDA Specification DDS:48:2008	--	--	Vision Engineering Pvt Ltd. 160/ S, Q.I.E. Kot Lakhpat Lahore
New entry	7301.2000	Double Structure Platform	WAPDA Specification DDS:48:2008	--	--	Vision Engineering Pvt Ltd. 160/ S, Q.I.E. Kot Lakhpat Lahore
New entry	7318.1590	Nut & Bolts 2 " to 14 "	WAPDA Specification DDS-10:85	--	--	Vision Engineering Pvt Ltd. 160/ S, Q.I.E. Kot Lakhpat Lahore
New entry	7301.2000	11 Kv Steel Cross Arm with Braces	WAPDA Specification DDS-13:2008	--	--	Vision Engineering Pvt Ltd. 160/ S, Q.I.E. Kot Lakhpat Lahore
New entry	7301.2000	11 Kv Steel Cross for D-Mounting Fitting	WAPDA Specification DDS-68:2004	--	--	Vision Engineering Pvt Ltd. 160/ S, Q.I.E. Kot Lakhpat Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	8504.4010 8504.4090	UPS /Inverter	Excelsior Classic / Excelsior Premier / Excellence /EQP/Empower/Empower NEO/HOMY/HOMY NEO	--	--	Systek (Pvt.) Ltd H.No# 115/1, Street No. 17, Off Khayaban-e-Muhafiz , Phase 6, DHA, Karachi
New entry	8504.3100 8504.3200 8504.3300	Power Line Conditioner (Solid State AVR) 1000 VA To 40,000 VA	Power Guard Phase/Three Phase	--	--	Systek (Pvt.) Ltd H.No# 115/1, Street No. 17, Off Khayaban-e-Muhafiz , Phase 6, DHA, Karachi
New entry	8504.4010 8504.4090	Solar Inverter /Solar Hybird System 600 VA To 5000 VA	Sun Sabre	--	--	Systek (Pvt.) Ltd H.No# 115/1, Street No. 17, Off Khayaban-e-Muhafiz , Phase 6, DHA, Karachi
New entry	9232.8990	Solar Charger Controller /Current Controller 12 Volt 10 Amp to 72 Volt 50 Amp	Sun Smart	--	--	Systek (Pvt.) Ltd H.No# 115/1, Street No. 17, Off Khayaban-e-Muhafiz , Phase 6, DHA, Karachi
New entry	8541.4000	Photovoltaic Module from 40 watt ~ 360 watt	635X505X3.2mm ~ 1950X986X3.2mm	--	--	Sunlife Solar Co. (Pvt) Ltd. Al-Badar Industrial Zone, Madni Ali Stop 19 KM Sheikhpura Road, Lahore
CGO S. No. 1067	9028.1000	Gas Meters	<u>Gas Meter (G-1.6) with Non-Return Valve</u> - Cyclic Volume 0.8 liter - Maximum Operating Pressure 0.5 bar - Qmax 2.5m ³ /hr - Qmin 0.016m ³ /hr - Temp. Range -20 °C to +50 °C <u>Gas Meter (G-4) with Non-Return Valve</u> - Cyclic Volume 1.2 liter - Maximum Operating Pressure 0.5 bar - Qmax 6m ³ /hr - Qmin 0.04m ³ /hr Temp. Range -20 °C to +50 °C	--	--	Sui Southern Gas Company Limited (Meter Manufacturing Plant) SSGC House: ST-B/B-14, Sir Shah Muhammad Suleman Road Gulshan-e-Iqbal, Karachi
New entry	8414.6000	Kitchen Hood	60 to 90 cm Tempered Glass, VDF or LED Display, Filter, Chimney etc.	--	--	Super Asia Muhammad Din Sons Ltd. G.T. Road Gujranwala
New entry	8418.6930	Water Dispenser	Hot & Cold Water Dispenser: Cooling capacity 3 L/h, Hot capacity 2 L/h, Refrigerator Compartment, Glass Panels, Compressor Cooling	--	--	Super Asia Muhammad Din Sons Ltd. G.T. Road Gujranwala
New entry	8516.1000	Electric Water Treatment	From 10 L to 100 Liter storage type, 2000 Watt element with safety device	--	--	Super Asia Muhammad Din Sons Ltd. G.T. Road Gujranwala
New entry	8419.1100	Instant Gas Water Heater	From 10 L to 100 Liter, Burner, safety device, various options of heat exchanger and burners	--	--	Super Asia Muhammad Din Sons Ltd. G.T. Road Gujranwala
New entry	8516.5000	Microwave Ovens	From 17 Liter to 35 Liter, Solo Grill, Convention	--	--	Super Asia Muhammad Din Sons Ltd. G.T. Road Gujranwala
New entry	8483.4011	Epicyclic Carrier Units	Compound Gear Reduction Unit	2800 rpm 4:1	BS2789 Grade500/7 SG Iron	Millat Equipment Limited 10km, Raiwind Road, Lahore
New entry	8413.3020	Hydraulic Pumps	For Plough Lifting	--	--	Millat Equipment Limited 10km, Raiwind Road, Lahore
New entry	8409.9930	Balancer Units	To balance the engine vibrations	A 4.236 Engine	Perkin	Millat Equipment Limited 10km, Raiwind Road, Lahore
New entry	8483.1011	Shafts	Power Transmission	Dia: 34-238mm 787mm	L=217- SAE-8620 8620-H 5145-H En18	Millat Equipment Limited 10km, Raiwind Road, Lahore
New entry	8483.4011	Spur Gears	Power Transmission	Dia: 44-201mm D.P=6~10	SAE-8620	Millat Equipment Limited 10km, Raiwind Road, Lahore
New entry	8483.4011	Helical Gears	Power Transmission	Helix f=14°8' D.P=10	SAE-8620 1118	Millat Equipment Limited 10km, Raiwind Road, Lahore
New entry	8483.4011	Ring Gears	Internal Tooth Gears for Transmission	O.D=198-305mm	080A47 080A52	Millat Equipment Limited 10km, Raiwind Road, Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	8483.4011	Spiral Bevel & Bevel Gears	Angular Power Transmission	Angle=28° RH 30° RH	SAE-8622	Millat Equipment Limited 10km, Raiwind Road, Lahore
New entry	8483.6091	Couplers	Coupling of Transmission Shafts	Dia=83-107mm	SAE-8620H	Millat Equipment Limited 10km, Raiwind Road, Lahore
New entry	8483.9010	Differential Cross & Caps	Power Transmission	O.D=174mm 175mm	SAE-8620 8620H	Millat Equipment Limited 10km, Raiwind Road, Lahore
CGO S. No. 385	7304.1900	Seamless Steel Line Pipes (unthreaded)	Seamless Steel Line Pipes of All Kind used for Oil & Gas Pipelines with or with out 3 layer Polyethylene /polypropylene / Fusion Bond Coating. Specification: API 5L All Grades Sizes: 1/8 Inch to 10 Inch Nominal Dia. (Including internally and externally coated pipes from 2 Inch Dia to 100 Inch Dia) (excluding internally coated pipes)	As per required standard/ specification	As per required standard/ specification	Huffaz Seamless Pipe Industries Ltd. 207-210 2nd Floor , Mashriq Centre Block-14, Gulshan-e-Iqbal, Karachi
New entry	9030.8900	Power Measurement Module (PMM) PMM is a low cost AC power meter, advance then conventional power measurement devices, which not only measures mains power, but also the quality of power.	Input Voltage: 12-30Vdc Input Current: ~150mA 3 Phase AC Current (CT Dependent 100/40A) - upto 100A, 3 Phase AC Voltage (VAC) - upto 300V 3 Phase Apparent Power: upto 24kVA 3 Phase Real Power: upto 24KW Frequency: 50 Hz ± 10%	Enclosure: ABS Plastic. Mounting Style: Panel Mount Dimensions:125x165x70 mm. Weight: 500g	--	SalTec Powerlink 1-A/2, Sector 15, Korangi Industrial Area, Karachi
New entry	9030.4000	Smart GPRS Terminal (SmartGT) Smart GT is a RS485 gateway terminal for data collection of remote equipment. It is capable of communicating site hardware and transferring processed data in user-defined customized protocol to central RMS server.	Power input: 12 to 28Vdc @ 200mA, Digital Input : 6 x Dry Control Alarms, Analog Inputs: Temperature Sensor up to 2.5 Vdc, Fuel Sensor (4-2.5 mA) . 3rd Party Communication Port : RS232, Communication with slave devices (RTUs) : RS485 port / MODBUS.	Enclosure: Extruded Aluminium, Powder coated Mounting Style: Din Rail. Dimensions: 85x62x93 mm; Weight : 410 g	--	SalTec Powerlink 1-A/2, Sector 15, Korangi Industrial Area, Karachi
New entry	9030.8900	Generator Manager (GEM) GEM is a smart generator manager for single/dual Genset controller with multi -functions i.e. A) Genset/ battery hybrid control fuel saving device based on battery voltage and/or shelter temperature. B) Dual Genset Duty Cycle Controller. C) Data Management with smart alert capability via Remort Monitoring.	Wide Operating Voltage : 20 - 60V. Adaptability : +24V or 48V Telecom DC Systems or a Combination. Battery Voltage Monitoring : Upto 3 Batteries (0-100Vdc). Remote Monitoring : Optional via RS 485 interface	Enclosure: Extruded Aluminium, Powder coated Mounting Style: Din Rail. Dimensions: 120x62x93 mm; Weight : 640g	--	SalTec Powerlink 1-A/2, Sector 15, Korangi Industrial Area, Karachi
New entry	9030.8900	Auto Mains Fail (AMF) AMF is a highly efficient module designed for Generator (Genset) power management automatically. It monitors the mains voltages and controls the automatic start, stop and load transfer.	Operating Voltage: 8-16Vdc, Operating Current (Max): 390mA at 12Vdc. Single and Three Phase Sensing Voltage (Vac): 30 to 100Hz. Generator Battery Sensing Voltage (Vdc): 9-15 Vdc. Remort Monitoring with alarm: RS485 Port.	Enclosure: ABS Plastic. Mounting Style: Panel Mount Dimensions: 125x165x70 mm. Weight: 500g	--	SalTec Powerlink 1-A/2, Sector 15, Korangi Industrial Area, Karachi
New entry	8536.3000	Auto Phase Switcher (APS) APS monitors 3 phase AC Mains Supply and ensures that 3 phases are available to load, under scenarios of single or double grid phase failure. It's an auto-looping device to maximize grid utilization to reduce genset usage. Used mostly in telecom tower sites.	Power rating (kVA): 25kVA/30kVA Protection against high/low voltages (configurable): Under-voltage Range = 100-200Vac Over voltage range = 225-280Vac 3 Phase Voltage Range (Vac): 125 to 275 Vac (Default), can be adjustable 100-280 Vac via APS. Remote Monitoring - optional via RS485 interface	Enclosure: Extruded Aluminium, Powder coated Mounting Style: Din Rail. Dimensions: 120x62x93 mm; Weight : 620g	--	SalTec Powerlink 1-A/2, Sector 15, Korangi Industrial Area, Karachi

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	9030.4000	DC Power Controller (DPC) DPC is an all-in-one DC management solution for BTS Battery Health Monitoring System, DC Tenant power to energy monitoring, Site Alarms Monitoring, Genset / Battery Cycling Control for hybrid action, Temperature Sensor for Batteries.	Operating Voltage: 12-60 Vdc, Power Consumption : < 5watts, No. of Dry Contacts / Alarms : x6,DC Current Measurement : Up to 4 Tenants with 1 default CT (± 200A). Remote Monitoring : via RS485 interface	Enclosure: Extruded Aluminium, Powder coated Mounting Style: Din Rail. Dimensions: 125x165x70 mm Weight : 610 g	--	SalTec Powerlink 1-A/2, Sector 15, Korangi Industrial Area, Karachi
New entry	8504.4090	DC To DC SMPS Highly efficient DC to DC converter, specially designed for Integrated Power System (IPS) being installed at Telecom Sites operating at either Positive or Negative Voltage. It is suitable for wide range of DC Voltages (38 to 55.2 Volts)	DC input Range : 20-60 Vdc i.e 20-60 Vdc ---- 1.8A 35-60 Vdc ---- 2.0A 44-60 Vdc ---- 0.8A DC Output Range:12-24 Volts i.e 12 V ---- 1.8A 12 V ---- 4.2A 24V ---- 1.5A No Load current: 22mA, Operating Temperature: 0 to 45°C	Enclosure: Extruded Aluminium, Powder coated Mounting Style: Din Rail. Dimensions: 85x62x93 mm Weight : 500g	--	SalTec Powerlink 1-A/2, Sector 15, Korangi Industrial Area, Karachi
New entry	8504.4090	AC to DC SMPS AC to DC SMPS is an efficient switched mode power supply which converts a wide range of AC voltages into required dc voltages	Operating Range/AC input: 100 - 265 Vac, 60-300 Vac, can sustain upto 450 Vac. Operating Frequency: 50/60Hz. Normal DC Output: 12Vdc / 24Vdc. Output Current (Max): 5A at 12Vdc, 2-32A at 24Vdc. Line / Load Regulation: 1%. Operating Temperature / RH Range : 0 to 50°C, 50% to 95% RH Non Condensina.	Enclosure: Extruded Aluminium, Powder coated Mounting Style: Din Rail. Dimensions: 100x62x93mm Weight : 540g	--	SalTec Powerlink 1-A/2, Sector 15, Korangi Industrial Area, Karachi
New entry	8531.8000	DC Tower Light Controller (DC TLC) DC TLC is a microcontroller based device which controls the 'blinking' of DC Tower Lights at any Telecom sites as per PTA requirements, monitors the tower light load and generates alarm in case of tower lights failure / solar switch failure. Work for both 12V to 48V	Operating Voltage Range: -60Vdc to -40Vdc. Load Range: upto 30 watts LED Tower Light. Temperature Raange: -20 to 60°C. Load Lower Threshold: 100mA (4.8 watts). System Indication : 3x LED (Input Power, Lamp / Tower). Operating Modes: 3 X Modes	Enclosure: Extruded Aluminium, Powder coated Mounting Style: Din Rail. Dimensions: 85x62x93 mm Weight : 500g	--	SalTec Powerlink 1-A/2, Sector 15, Korangi Industrial Area, Karachi
New entry	8471.5000	SNMP to MODBUS Protocol Converter It is an Intelligent SNMP Master to MODBUS Slave converter specially tailored to suit telecom requirement where remort monitoring of Ethernet/SNMP enabled devices is required over standard MODBUS interface. Used for monitoring of large rectifires, UPS & environment equipment in data centers.	Operating Voltage Range: 12-35Vdc. Power Consumption: < 3 watts. SNMP Manager Port: Standard Ethernet Interface. MODBUS Slave Port: RS485. Baud Rate: upto 115200 bps (default: 9600bps). Connector (for configuration): USB	Enclosure: ABS Plastic. Mounting Style: Din Rail / Panel Mount Dimensions: 90x115x40 mm. Weight: 150g	--	SalTec Powerlink 1-A/2, Sector 15, Korangi Industrial Area, Karachi
New entry	9030.8900	Grid Export Controller (GEC) GEC is a smart solar export limiter to control / limit the solar energy export towards grid. It also works as an Smart Meter which provides export and import energy metering to/from grid.	Operating Voltage Range: 9-60Vdc Power Consumption: <5 watts Connectivity : WIFI Communication Port: RS232 & RS485 Protocol: MODBUS RTU / ASCII	Enclosure: ABS Plastic. Mounting Style: Din Rail / Panel Mount Dimensions: 90x115x40 mm. Weight: 150g	--	SalTec Powerlink 1-A/2, Sector 15, Korangi Industrial Area, Karachi
New entry	9306.9000	MK-81 Bomb Casing	--	--	--	Daudsons Armoury (Pvt) Ltd. Industrial Estate Kohat Road , Peshawar
New entry	9303.9000	Pistol 9mm Model Trushot	--	--	--	Daudsons Armoury (Pvt) Ltd. Industrial Estate Kohat Road , Peshawar
New entry	9306.9000	Penetrating Guidance Bomb Casings	--	--	--	Daudsons Armoury (Pvt) Ltd. Industrial Estate Kohat Road , Peshawar
New entry	9306.9000	Small dia Air Launched Bomb Casing	--	--	--	Daudsons Armoury (Pvt) Ltd. Industrial Estate Kohat Road , Peshawar
CGO S. No. 399	7305.3100	Steel Line Pipe	Longitudinally Welded Pipe: 1/2" to 12-3/4 Dia ERW/EIW Grade: A25 - X - 60 PSL -1 & 2 : API 5L (Excluding Alloy Steel, NACE Compliant)	As per API 5L Specifications (45th Edition)	As per API 5L Specifications (45th Edition)	BBJ Pipe Industries Limited BBJ House, 40 Abbot Road, Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
CGO S. No.-403	7306.2900	Casing and Tubing (Unthreaded)	Tubing 1" to 4-1/2" Casing 4-1/2" to 13-3/8" GPI H-40; GP3 P-110; GP4 Q-125; PLS-I (API-5CT) [Excluding internal coated & threaded Alloy Steel Casing and Tubing for High Pressures Rating, Seamless Casing & Tubing, Carbon Steel, Chrome Material & Premium Threads Connections — Duly API Certified].	--	--	BBJ Pipe Industries (Pvt) Ltd. 23rd, 1st Floor, Bilal Centre, Nicholson Road, Lahore
New entry	8471.3020	Mini PC Barebone	Mini Pc barebone without processor, Ram, HDD with 7 th & 8 th Generation motherboard	--	--	OneApple International Corporation Plot # 12 Sector 24- Main Korangi Road, Sector 24, Karachi
New entry	8471.3020	All in One Computer	All in one computer with Intel & AMD all type of processor including DDR3 & DDR4 ram screen size 18.5", 19.5", 21.5", 27", 32"	--	--	OneApple International Corporation Plot # 12 Sector 24- Main Korangi Road, Sector 24, Karachi
New entry	8471.6010	Wired Keyboard	Wired keyboard in PS/2, USB port	--	--	OneApple International Corporation Plot # 12 Sector 24- Main Korangi Road, Sector 24, Karachi
New entry	8471.6020	Mouse	Mouse in PS/2, USB port	--	--	OneApple International Corporation Plot # 12 Sector 24- Main Korangi Road, Sector 24, Karachi
New entry	8517.1210	Smartphone with accessories	Smartphone screen size 4", 4.5", 5.1" & 6" with standard specification OCTA processor & quad processors	--	--	OneApple International Corporation Plot # 12 Sector 24- Main Korangi Road, Sector 24, Karachi
New entry	8471.3010	Desktop Computer	With all Intel AMD Processor	--	--	OneApple International Corporation Plot # 12 Sector 24- Main Korangi Road, Sector 24, Karachi
New entry	8528.5200	LED Monitor	LED monitor screen size 18.5", 19.5", 21.5", 27", 32"	--	--	OneApple International Corporation Plot # 12 Sector 24- Main Korangi Road, Sector 24, Karachi
New entry	8546.2000	Standard Disc	WAPDA IEC/ANSI	Electrical Manufacturing Porcelain	C-130 Class	Emco Industries Limited 4th-Floor, National Tower, 28-Edgerton Road, Lahore
New entry	8546.2000	Fog Disc	WAPDA IEC/ANSI	Electrical Manufacturing Porcelain	C-130 Class	Emco Industries Limited 4th-Floor, National Tower, 28-Edgerton Road, Lahore
New entry	8546.2000	Pin Type	WAPDA	Electrical Manufacturing Porcelain	C-110 Class	Emco Industries Limited 4th-Floor, National Tower, 28-Edgerton Road, Lahore
New entry	8546.2000	Cutout	WAPDA	Electrical Manufacturing Porcelain	C-110 Class	Emco Industries Limited 4th-Floor, National Tower, 28-Edgerton Road, Lahore
New entry	8546.2000	Spool	WAPDA	Electrical Manufacturing Porcelain	C-110 Class	Emco Industries Limited 4th-Floor, National Tower, 28-Edgerton Road, Lahore
New entry	8546.2000	Post Insulator	WAPDA/ IEC	Electrical Manufacturing Porcelain	C-130 Class	Emco Industries Limited 4th-Floor, National Tower, 28-Edgerton Road, Lahore
New entry	8535.4010	Surge Arrester	WAPDA/ IEC	Electrical Manufacturing Porcelain	C-130 Class	Emco Industries Limited 4th-Floor, National Tower, 28-Edgerton Road, Lahore
New entry	8546.2000	Bushing	WAPDA	Electrical Manufacturing Porcelain	C-130 Class	Emco Industries Limited 4th-Floor, National Tower, 28-Edgerton Road, Lahore
CGO S. No.-549	7616.9920	Aluminium slugs	Diameter (outside): Range between 10mm upto 120mm Thickness: Range 3mm to 15mm Centre Hole: As per requirement	Soft, annealed and tumbled	Aluminium (Al)- minimum 99.7% Iron (Fe) maximum- 0.20% Silicon (Si) maximum- 0.10%	Alucan (Pvt) Ltd.- E/12, S.I.T.E.- Karachi-75730
CGO S. No. 5	2520.1010	Gypsum Powder	100 mesh Gypsum Board Grade	Fine Powder	CaSO ₄ 1/2 H ₂ O	DFB Gypsum Industries, Suit No. 105, 1st Floor, Business & Finance Center, II Chundrigar Road, Karachi
CGO S. No. 5	2520.2000	Plaster of Paris	100 mesh Gypsum Board Grade	Fine Powder Dehydrated by Calcination	CaSO ₄ 1/2 H ₂ O	DFB Gypsum Industries, Suit No. 105, 1st Floor, Business & Finance Center, II Chundrigar Road, Karachi

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
CGO S. No. 32	2836.2000	Sodium Carbonate (di-sodium)	Total Alkalinity as (Na ₂ CO ₃)= >=98% Chloride as NaCl= <=0.85% Iron as Fe ₂ O ₃ = <=0.007% Matter Insoluble In Water = <=0.15% Sulphates a Na ₂ SO ₄ = <=0.08%	White Crystalline powder packed in 50Kg or 1000Kg polypropylene bags Pouring Density = 450 to 600 gms / Liter for Light Ash grade and Pouring Density = 950 to 1200 gms / liter for Dense Ash grade	Purity or Total Alkalinity as Na ₂ CO ₃ >=98%	ICI Pakistan Limited, Soda Ash Business ICI Pakistan Limited 63, Mozang Road Lahore 54000
CGO S. No. 33	2836.3000	Sodium bicarbonate	Purity as NaHCO ₃ = >=99% Insoluble substance = 1gm in 20ml water gives clear solution pH of 1% solution at 25°C = 8.5	White granular powder packed in 25Kg Laminated Polypropylene Bags	Purity as NaHCO ₃ = >=99%	ICI Pakistan Limited, Soda Ash Business ICI Pakistan Limited 63, Mozang Road Lahore 54000
CGO S. No. 6	2523.9000	Oil-Well Cement	Class "G" HSR-API Specification-10A	Color: Grey	MgO: 1.0—2.0% SO ₃ : 1.50—2.50% Loss on Ignition: 1.20—1.70% Insoluble Residue: 0.20—0.30% C ₂ S: 62.0—64.0% C ₃ A: 0.0—0.5% C ₄ AF + twice the C ₃ A: 17.0—20.0% Total alkali content, expressed as Na ₂ O equivalent: 0.30—0.50% Free fluid content: 3.0—5.0% Thickening Time Test Consistency: 15.0—25.0 minutes Thickening Time: 105.0—115.0 minutes Compressive Strength after 08 hrs at 38°C: 400—500 psi Compressive Strength after 08 hrs at 60°C: 1500—1600 psi	Thatta Cement Co Ltd. No. 606-608, Continental Trade Centre Block-8 Clifton, Karachi
New entry	7605.2100	Alloyed Aluminium Rod	Alloyed Aluminium rod dia 9.5 mm	--	--	Fast Cables Ltd. 192-Y Block, Commercial Area, Phase-III DHA, Lahore
New entry	7605.2900	Alloyed Aluminium Wire	Alloyed Aluminium wire All sizes	--	--	Fast Cables Ltd. 192-Y Block, Commercial Area, Phase-III DHA, Lahore
New entry	7605.1100	Aluminium Rod	Aluminium rod dia 9.5 mm	--	--	Fast Cables Ltd. 192-Y Block, Commercial Area, Phase-III DHA, Lahore
New entry	7614.9000	All Aluminium Alloy Conductor	(AAAC) All Aluminium Alloy Conductor, All sizes	--	--	Fast Cables Ltd. 192-Y Block, Commercial Area, Phase-III DHA, Lahore
New entry	8544.6010	M.V Cable	Medium voltage cables (MV) (3.6/6kV) (6.35/11kV) (8.7/15kV) (12/20kV) (18/30kV) (19/33kV)	--	--	Fast Cables Ltd. 192-Y Block, Commercial Area, Phase-III DHA, Lahore
New entry	8544.4990	ABC Cable LV	Low Voltage Aerial Bundled Cables (ABC) All sizes upto 630 mm sq	--	--	Fast Cables Ltd. 192-Y Block, Commercial Area, Phase-III DHA, Lahore
New entry	8544.6010	ABC Cable MV	Medium Voltage Aerial Bundled Cables (ABC) All sizes up to 630 mm sq	--	--	Fast Cables Ltd. 192-Y Block, Commercial Area, Phase-III DHA, Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	8544.4990	L.V Shielded Instrumentation Cable	Low Voltage shielded/screened (copper braiding/copper tape/tinned copper braiding/aluminium foil) instrumentation cables	--	--	Fast Cables Ltd. 192-Y Block, Commercial Area, Phase-III DHA, Lahore
New entry	8544.4990	L.V Fire Resistance Cable	Low Voltage Fire resistant cables 1 mm sq up to 630 mm sq	--	--	Fast Cables Ltd. 192-Y Block, Commercial Area, Phase-III DHA, Lahore
New entry	8544.4990	L.V Solar Cable	Low Voltage Solar Cables (photo voltaic Cables) 1 mm sq up to 630 mm sq	--	--	Fast Cables Ltd. 192-Y Block, Commercial Area, Phase-III DHA, Lahore
CGO S. No. 121	3904.2200	PVC not mixed with other substances, plasticised	(PVC Compound) International /National Standard (Cable Grade only)	Granules	C ₂ H ₂ C ₁	Newage Cables (Pvt) Ltd. Newage Mansion Mcleod Road, Lahore Atlas Rubber & Plastic Industries 9th Floor, Textile Plaza, Mumtaz Hassan Road Karachi – 74000 Bismillah Plastic Works Sohail Manzil, Street No. 30 Sector "F" Allama Iqbal Road, Manzoor Colony Karachi Fast Cables Ltd. 192-Y Block, Commercial Area, Phase-III DHA, Lahore
CGO S. No. 122	3904.2200	PVC Compound (Plasticized)	BSS 7655	Granules	C ₂ H ₂ C ₁	Pakistan Cables Limited B-21, SITE, P.O. Box No.5050, Karachi - 75700 Newage Cables (Pvt) Ltd. Newage Mansion Mcleod Road, Lahore Fast Cables Ltd. 192-Y Block, Commercial Area, Phase-III DHA, Lahore
CGO S. No. 458	7312.1090	Core Wire for ACSR	JIS G 3506 62 B, 72 B (Not Electrically Insulated)	Wire (variable dia)	C 73, m 67, P 0.06, S 0.013, Si .195	Wire Manufacturing Industry Ltd. 45-KM Lahore-Multan Road, Nathay Khalsa, Bhai Pheru District Kasur Newage Cables (Pvt) Ltd. Newage Mansion Mcleod Road, Lahore Fast Cables Ltd. 192-Y Block, Commercial Area, Phase-III DHA, Lahore
CGO S. No. 480	7403.1200 8544.1900 8544.4920 8544.4990 8544.7000	General House Wiring (PVC)	3/.029", 7/.029", 3/.036", 7/.036", 7/.044", 7/.052", 7/.064" BS-2004, BS-6004	T/S, Elong, DC Resistance IR, HVT	Purity: 99.99%	H.M. Esmail & Co. (H.M. Cables) SB-5, Madina City Mall 6th Floor , Abdullah Haroon Road, Karachi Newage Cables (Pvt) Ltd. Newage Mansion Mcleod Road, Lahore Fast Cables Ltd. 192-Y Block, Commercial Area, Phase-III DHA, Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
CGO S. No. 1028	8544.4910	Telephone Cables	All telephone cables i.e. telecommunication cables, indoor telephone cables, audio/radio frequency cables, junction cables, primary cables, secondary cables, jelly filled cables, drop wire, switch board & jumper cables. (Excluding ultra violet treated cables)	--	--	Atlas Cables (Pvt) Limited, Karachi 9th Floor Textile Plaza, Mumtaz Hasan Road P.O. 5195, Karachi-74000 A.G.E. Cables 97-A Industrial Estate Jamrud Road, Peshawar Premier Cables (Pvt) Ltd. 43-E, Block 6, P.E.C.H.S., Behind FedEx, Off Razi Road, Shahrah-e-Faisal, Karachi Pakistan Telephone Cables Room No. 107, Elahi Center Preedy Street Saddar Karachi-74400 Pakistan Cables Limited B-21, SITE, P.O. Box No.5050, Karachi - 75700 Fast Cables Ltd. 192-Y Block, Commercial Area, Phase-III DHA, Lahore
New entry	3920.6310	Polyester rigid film	Micron 150 to 1800	--	--	Krystalite Products (Pvt) Ltd. 11th Floor, G&T Tower No. 18, Beaumont, Civil Lines - 10, Karachi.
New entry	3921.9090	Other, Pet Sheet	Micron 150 to 1800 Width upto 1.8mm	--	--	Krystalite Products (Pvt) Ltd. 11th Floor, G&T Tower No. 18, Beaumont, Civil Lines - 10, Karachi.
New entry	3923.1000	Boxes, cases, plastic caps and plastic similar articles	Range Ø44mm to 32 OZ	--	--	Krystalite Products (Pvt) Ltd. 11th Floor, G&T Tower No. 18, Beaumont, Civil Lines - 10, Karachi.
New entry	3923.3010	Bottle	Weight 17gm to 50.64gm Neck 28mm I.V 85	--	--	Krystalite Products (Pvt) Ltd. 11th Floor, G&T Tower No. 18, Beaumont, Civil Lines - 10, Karachi.
New entry	3923.5000	Plastic Caps	Neck 24mm to 29mm Weight 1.2gm to 2.3 gm	--	--	Krystalite Products (Pvt) Ltd. 11th Floor, G&T Tower No. 18, Beaumont, Civil Lines - 10, Karachi.
New entry	2917.3610	Purified Terephthalic Acid	--	White, free flowing crystalline powder	--	Lotte Chemical Pakistan Ltd. Eastern Industrial Zone, EZ/1-P-4 Port Qasim Road, Karachi
New entry	2941.1000	Amoxicillin Trihydrate	Current pharamacopoi BP/EP, USP Specifications	Solid (Powder)	Penicillin Derivatives	Pharmagen Ltd. 34-Km Ferozepur Road, Lahore
New entry	2941.1000	AmpicillinTrihydrate	Current pharamacopoi BP/EP, USP Specifications	Solid (Powder)	Penicillin Derivatives	Pharmagen Ltd. 34-Km Ferozepur Road, Lahore
New entry	2941.1000	Cloxacillin Sodium	Current pharamacopoi BP/EP, USP Specifications	Solid (Powder)	Penicillin Derivatives	Pharmagen Ltd. 34-Km Ferozepur Road, Lahore
New entry	2941.9040	Cephradine	Current pharamacopoi BP/EP, USP Specifications	Solid (Powder)	Cephalosporins (I-st Generation)	Pharmagen Ltd. 34-Km Ferozepur Road, Lahore
New entry	2941.9010	Cephalexin hydrate	Current pharamacopoi BP/EP, USP Specifications	Solid (Powder)	Cephalosporins (I-st Generation)	Pharmagen Ltd. 34-Km Ferozepur Road, Lahore
New entry	2941.9060	Cefixime	Current pharamacopoi BP/EP, USP Specifications	Solid (Powder)	Cephalosporins (III-rd Generation)	Pharmagen Ltd. 34-Km Ferozepur Road, Lahore
New entry	2941.9090	Cefadroxil	Current pharamacopoi BP/EP, USP Specifications	Solid (Powder)	Cephalosporins (I-st Generation)	Pharmagen Ltd. 34-Km Ferozepur Road, Lahore
New entry	2941.9090	Cefaclor	Current pharamacopoi BP/EP, USP Specifications	Solid (Powder)	Cephalosporins (II-nd Generation)	Pharmagen Ltd. 34-Km Ferozepur Road, Lahore
New entry	2941.9090	Cephradine-L- Arginine Sterile	Current pharamacopoi BP/EP, USP Specifications	Solid (Powder)	Cephalosporins (I-st Generation)	Pharmagen Ltd. 34-Km Ferozepur Road, Lahore
New entry	2941.9090	Ceftriaxone Sodium Sterile	Current pharamacopoi BP/EP, USP Specifications	Solid (Powder)	Cephalosporins (III-rd Generation)	Pharmagen Ltd. 34-Km Ferozepur Road, Lahore
New entry	2933.5930	Ciprofloxacin Hydrochloride	Current pharamacopoi BP/EP, USP Specifications	Solid (Powder)	Fluoroquinolone derivative	Pharmagen Ltd. 34-Km Ferozepur Road, Lahore
New entry	2934.9990	Levofloxacin	Current pharamacopoi BP/EP, USP Specifications	Solid (Powder)	Fluoroquinolone derivative	Pharmagen Ltd. 34-Km Ferozepur Road, Lahore
New entry	2935.0040	Sulfamethoxazole	Current pharamacopoi BP/EP, USP Specifications	Solid (Powder)	Sulfonamide Derivative	Pharmagen Ltd. 34-Km Ferozepur Road, Lahore
New entry	2933.3990	Omeprazole Powder/Pellets	Current pharamacopoi BP/EP, USP Specifications	Solid (Powder)	Benzimidazole Derivative	Pharmagen Ltd. 34-Km Ferozepur Road, Lahore
New entry	2933.3990	Esomeprazole Powder/Pellets	Current pharamacopoi BP/EP, USP Specifications	Solid (Powder)	Benzimidazole Derivative	Pharmagen Ltd. 34-Km Ferozepur Road, Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	2924.2910	Paracetamol	Current pharamacopoi al BP/EP, USP Specifications	Solid (Powder)	Para Aminophenol Derivative	Pharmagen Ltd. 34-Km Ferozepur Road, Lahore
New entry	2916.3910	Ibuprofen	Current pharamacopoi al BP/EP, USP Specifications	Solid (Powder)	Propionic Acid Derivative	Pharmagen Ltd. 34-Km Ferozepur Road, Lahore
New entry	2934.9990	Sofosbuvir	Manufacturer Specifications	Solid (Powder)	Antiviral	Pharmagen Ltd. 34-Km Ferozepur Road, Lahore
New entry	2937.2200	Betamehasone Valerate	Current pharamacopoi al BP/EP, USP Specifications	Solid (Powder)	Glucocorticoid derivative	Pharmagen Ltd. 34-Km Ferozepur Road, Lahore
New entry	2836.2000	Sodium Carbonate (Light)	Name: Soda Ash – Light Grade Specifications: As per Pakistan Standard (PSS 10-1979)	Physical Properties Soda Ash (Light) CAS No: 497-19-8 EC No: 207-838-8 <u>DETAILS:</u> Chemical Formula: Na ₂ CO ₃ Appearance: A white granular hygroscopic powder. Identification: Gives reactions characteristic of sodium salts and carbonates. Bulk Density (g/L): 450 – 600 Boiling Point (°C): Decomposes Melting Point (°C): 854 Flash Point (°C): None pH of a freshly prepared 1% Solution: 11.3	Chemical Properties Soda Ash (Light) <u>DETAILS:</u> Chemical Formula: Na ₂ CO ₃ Purity as Na ₂ CO ₃ (%): 98.0 minimum Chloride as NaCl (%): 0.85 maximum Iron as Fe ₂ O ₃ (%): 0.007 maximum Sulphate as Na ₂ SO ₄ (%): 0.08 maximum	Olympia Chemicals Ltd. 25-A, Davis Road, Lahore
New entry	2836.2000	Sodium Carbonate (Dense)	Name: Soda Ash – Dense Grade Specifications: As per Pakistan Standard (PSS 10-1979)	Physical Properties Soda Ash (Dense) CAS No: 497-19-8 EC No: 207-838-8 <u>DETAILS:</u> Formula: Na ₂ CO ₃ Appearance: A white granular hygroscopic powder. Identification: Gives reactions characteristic of sodium salts and carbonates. Bulk Density (g/L): 950 – 1200 Boiling Point (°C): Decomposes Melting Point (°C): 854 Flash Point (°C): None pH of a freshly prepared 1% Solution: 11.3	Chemical Properties Soda Ash (Light) <u>DETAILS:</u> Formula: Na ₂ CO ₃ Purity as Na ₂ CO ₃ (%): 98.0 minimum Chloride as NaCl (%): 0.85 maximum Iron as Fe ₂ O ₃ (%): 0.007 maximum Sulphate as Na ₂ SO ₄ (%): 0.08 maximum	Olympia Chemicals Ltd. 25-A, Davis Road, Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	2836.3000	Refined Sodium Bicarbonate	Name: Refined Sodium Bicarbonate Specifications: As per Pakistan Standard	Physical Properties of Sodium Bi-Carbonate CAS No: 144-55-8 EC No: 205-633-8 Description: Refined Sodium Bicarbonate (free flowing white powder) <u>DETAILS:</u> Formula: NaHCO ₃ Appearance: A white fine crystalline hygroscopic powder. Identification: Gives reactions characteristic of sodium salts and bicarbonates. pH of a freshly prepared 5% Solution: 8.6 maximum Insoluble substances: 1g dissolves completely in 20ml of water to give a clear solution.	Chemical Properties of Sodium Bi-Carbonate <u>DETAILS:</u> Assay (%): 99.0 – 100.5 CO ₃ (%): 0.23% maximum Ammonium NH ₄ : 20.0 mg/kg maximum Arsenic As: 2 mg/kg maximum Calcium Ca: 100 mg/kg maximum Chloride Cl: 150 mg/kg maximum Heavy Metals (as Lead Pb): 5 mg/kg maximum Iron Fe: 20 mg/kg maximum Sulphate SO ₄ : 150 mg/kg maximum	Olympia Chemicals Ltd. 25-A, Davis Road, Lahore
New entry	2836.5000	Calcium Carbonate	(2.5 - 100) microns	White Powder	CaCO ₃	Shaheen Grinding Mills 9-KM, Raiwind Road, Lahore
New entry	9028.3000	Static 1-Phase Energy Meter	Static 1-Phase, 2-Wire, 240V, 10(40) Amp, 50Hz, Energy Meter with Accuracy Class 0.1	--	--	MicroTech Industries (Pvt.) Ltd. Attari Industrial Estate, Plot # 2, Street # 2, 18 KM. Ferozepur Road, Lahore
New entry	9028.3000	Static 3-Phase Energy Meter	Static 3-Phase, 4-Wire, 3-Element, 3x230/400 V, 10(100)Amp, 50Hz Whole Current Energy Meter having Accuracy Class 1.0 Active Energy & Accuracy Class 2.0 Reactive	--	--	MicroTech Industries (Pvt.) Ltd. Attari Industrial Estate, Plot # 2, Street # 2, 18 KM. Ferozepur Road, Lahore
New entry	9028.3000	LT type CT Operated Energy Meter	LT type TOU CT operated, 3-Phase, 4-Wire, 3-Element, 3x230/400V, 5/10Amp, 50Hz Energy Meter having Accuracy Class 1.0 kWh & Accuracy Class 2.0 kvarh	--	--	MicroTech Industries (Pvt.) Ltd. Attari Industrial Estate, Plot # 2, Street # 2, 18 KM. Ferozepur Road, Lahore
New entry	9028.3000	RF enabled Static 1-Phase Energy Meter	RF enabled Static 1-Phase, 2-Wire, 240V, 10(40) Amp, 50Hz, Accuracy Class 0.1 Energy Meter with Built-in RF Module	--	--	MicroTech Industries (Pvt.) Ltd. Attari Industrial Estate, Plot # 2, Street # 2, 18 KM. Ferozepur Road, Lahore
New entry	9028.3000	RF enabled Static 3-Phase Energy Meter	RF enabled Static 3-Phase, 4-Wire, 3-Element, 3x230/400 V, 10(100)Amp, 50Hz, Accuracy Class 1.0 kWh & Accuracy Class 2.0 kvarh Whole Current Energy Meter with Built-in RF Module	--	--	MicroTech Industries (Pvt.) Ltd. Attari Industrial Estate, Plot # 2, Street # 2, 18 KM. Ferozepur Road, Lahore
New entry	9028.3000	AMR enabled Static 1-Phase Energy Meter	AMR enabled Static 1- Phase, 2-Wire, 240V, 50 Hz, 10/40 Amp, Accuracy Class 1.0, Energy Meter DLMS/COSEM complaint, with built-in GSM/GPRS communication module	--	--	MicroTech Industries (Pvt.) Ltd. Attari Industrial Estate, Plot # 2, Street # 2, 18 KM. Ferozepur Road, Lahore
New entry	9028.3000	AMR enabled Static 3-Phase Energy Meter	AMR enabled 3-Phase Whole Current, 230/400V, 3- Phase, 4-Wire, 50 Hz, 10/100 Amp, Accuracy Class 1.0 kWh & Accuracy Class 2.0 kvarh, Static Energy Meter, DLMS/COSEM complaint with built-in GSM/GPRS communication module	--	--	MicroTech Industries (Pvt.) Ltd. Attari Industrial Estate, Plot # 2, Street # 2, 18 KM. Ferozepur Road, Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	9028.3000	AMR enabled LT type CT operated Energy Meter	AMR enabled LT type CT operated, 3-Phase, 4-Wire, 3-Elements, 3x 230/400 V, 5(10) Amp, 50 Hz, Accuracy Class 1.0 for kWh & Accuracy Class 2.0 for kvarh Energy Meter with built-in GSM/GPRS communication module	--	--	MicroTech Industries (Pvt.) Ltd. Attari Industrial Estate, Plot # 2, Street # 2, 18 KM. Ferozepur Road, Lahore
New entry	9028.3000	AMR enabled HT type CT & PT operated Energy Meter	AMR enabled HT type CT & PT operated, 3-Phase, 4-Wire, 3-Elements, 3x 63.5/110V, 5(10) Amp, 50 Hz, Accuracy Class 1.0 for kWh & Accuracy Class 2.0 for kvarh Energy Meter with built-in GSM/GPRS communication module	--	--	MicroTech Industries (Pvt.) Ltd. Attari Industrial Estate, Plot # 2, Street # 2, 18 KM. Ferozepur Road, Lahore
New entry	9028.3000	AMR enabled HT LT type Energy Meter Accuracy Class 0.5S	AMR enabled HT LT type CT & PT operated, 3-Phase, 4-Wire, 3-Elements, 3x63.5/110V, 230/400 V, 5(10) Amp, 50 Hz, Accuracy Class 0.5S for kWh & Accuracy Class 2.0 for kvarh Energy Meter with built-in GSM/GPRS communication module	--	--	MicroTech Industries (Pvt.) Ltd. Attari Industrial Estate, Plot # 2, Street # 2, 18 KM. Ferozepur Road, Lahore
New entry	9028.3000	AMR enabled Static 1-Phase Prepaid Energy Meter	AMR enabled Static 1- Phase, 2-Wire, 240V, 50 Hz, 10/40 Amp, Accuracy Class 1.0, Energy Meter DLMS/COSEM complaint, with built-in GSM/GPRS communication module with connect / disconnect relay	--	--	MicroTech Industries (Pvt.) Ltd. Attari Industrial Estate, Plot # 2, Street # 2, 18 KM. Ferozepur Road, Lahore
New entry	9028.3000	AMR enabled Static 3-Phase Prepaid Energy Meter	AMR enabled 3-Phase Whole Current, 230/400V, 3- Phase, 4-Wire, 50 Hz, 10/100 Amp, Accuracy Class 1.0 kWh & Accuracy Class 2.0 kvarh, Static Energy Meter, DLMS/COSEM complaint with built-in GSM/GPRS communication module with connect / disconnect relay	--	--	MicroTech Industries (Pvt.) Ltd. Attari Industrial Estate, Plot # 2, Street # 2, 18 KM. Ferozepur Road, Lahore
New entry	9028.3000	Static 3-Phase Bi-Directional Energy Meter	Static 3-Phase, 4-Wire, 3-Element, 3x230/400 V, 10(100)Amp, 50Hz Whole Current Bi-Directional for Net / Green Metering Energy Meter having Accuracy Class 1.0 Active Energy & Accuracy Class 2.0 Reactive	--	--	MicroTech Industries (Pvt.) Ltd. Attari Industrial Estate, Plot # 2, Street # 2, 18 KM. Ferozepur Road, Lahore
CGO S. No. 130 & 131	3907.6110	Polyethylene terephthalate, (having a viscosity number of 78 ml/g or higher)	Polyester Chips - Yarn and Film Grade	Yarn And Film Grade	--	Gatron (Industries) Limited 11th Floor, G&T Tower No. 18, Beaumont Road, Civil Lines - 10, Karachi. Novatex Ltd. Ground Floor, G&T Tower No. 18, Beaumont Road, Civil Lines - 10, Karachi - 75530
CGO S. No. 130 & 131	3907.6120	Polyethylene terephthalate, (having a viscosity number of 78 ml/g or higher)	Polyester Chips - Bottle grade (Pet Resin)	Bottle grade (Pet Resin)	--	Gatron (Industries) Limited 11th Floor, G&T Tower No. 18, Beaumont Road, Civil Lines - 10, Karachi. Novatex Ltd. Ground Floor, G&T Tower No. 18, Beaumont Road, Civil Lines - 10, Karachi - 75530

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
CGO S. No. 130 & 131	3907.6910	Other Yarn and film grades, (having a viscosity number of 78 ml/g or lower)	Polyester Chips - Yarn and Film Grade	Yarn And Film Grade	--	Gatron (Industries) Limited 11th Floor, G&T Tower No. 18, Beaumont Road, Civil Lines - 10, Karachi. Novatex Ltd. Ground Floor, G&T Tower No. 18, Beaumont Road, Civil Lines - 10, Karachi - 75530
CGO S. No. 130 & 131	3907.6920	Other Bottle Grade (having a viscosity number of 78 ml/g or lower)	Polyester Chips - Bottle grade (Pet Resin)	Bottle grade (Pet Resin)	--	Gatron (Industries) Limited 11th Floor, G&T Tower No. 18, Beaumont Road, Civil Lines - 10, Karachi. Novatex Ltd. Ground Floor, G&T Tower No. 18, Beaumont Road, Civil Lines - 10, Karachi - 75530
CGO S. No. 132	3907.6990	Other (having a viscosity number of 78 ml/g or lower)	Polyester Chips Amorphous	Plastic Resin in Granules	--	Novatex Ltd. Ground Floor, G&T Tower No. 18, Beaumont Road, Civil Lines - 10, Karachi - 75530 Descon Chemicals (Pvt) Ltd. Akhavan House, 38-Shahrah-e-Sir, S.M.S Agha Khan-III, (Davis Road) Lahore
CGO S. No. 161	3923.9010	Preforms	Made from PET Resin	All ranges including and above 11.5 grams.	--	Gatron (Industries) Limited 11th Floor, G&T Tower No. 18, Beaumont Road, Civil Lines - 10, Karachi. Novatex Ltd. Ground Floor, G&T Tower No. 18, Beaumont Road, Civil Lines - 10, Karachi - 75530
New entry	5402.4600	Others of polyester, partially oriented	Polyester Filament Yarn	--	--	Gatron (Industries) Limited 11th Floor, G&T Tower No. 18, Beaumont Road, Civil Lines - 10, Karachi.
New entry	5402.5200	Other yarn, single, with a twist exceeding 50 turns per metre, of polyester	Polyester Filament Yarn	--	--	Gatron (Industries) Limited 11th Floor, G&T Tower No. 18, Beaumont Road, Civil Lines - 10, Karachi.
New entry	5402.6200	Other yarn multi or cabled of polyester	Polyester Filament Yarn	--	--	Gatron (Industries) Limited 11th Floor, G&T Tower No. 18, Beaumont Road, Civil Lines - 10, Karachi.
New entry	7306:9000	Hot-dipped galvanized steel pipes for water, gas, structural and other applications	3/8" to 8" diameter 1.8 mm to 7.11 mm Wall Thickness	--	--	International Industries Ltd. LX 15-16, Landhi Industrial Area, Karachi
New entry	7306:9000	ERW black pipe for structural, firefighting and pressure applications	3/8" to 12" diameter 1.60 mm to 12.7 mm Wall Thickness	--	--	International Industries Ltd. LX 15-16, Landhi Industrial Area, Karachi
New entry	7306:1900	Steel line pipe for fluid/gas transmission pipes	1/2" to 12" diameter 1.8 mm to 12.7 mm Wall Thickness	--	--	International Industries Ltd. LX 15-16, Landhi Industrial Area, Karachi
New entry	7308:9010 7306:6100	Structural Circular/square/ rectangular hollow sections (including all structural grades)	Diameters of 1/2" to 12" Square 1 1/2" x 1 1/2" to 10" x 10" Rectangular 1"x2" to 6"x10" 1.8mm to 12.7 mm Wall Thickness	--	--	International Industries Ltd. LX 15-16, Landhi Industrial Area, Karachi
New entry	7306:5000	Pipes made from alloy steel	3/8" to 12" diameter 1.6 mm to 12.7 mm Wall thickness	--	--	International Industries Ltd. LX 15-16, Landhi Industrial Area, Karachi
New entry	7306:4000	Stainless Steel ornamental tubes (circular)	1/2" to 3" diameter 0.9 mm to 2.5 mm Wall Thickness	--	--	International Industries Ltd. LX 15-16, Landhi Industrial Area, Karachi
New entry	7306:6100	Stainless Steel ornamental tubes (squares/rectangles)	Square 1/2" x 1/2" to 2" x 2" Rectangle 1/2" x 3/4" to 1 1/2" x 3" 1mm to 2.5 mm Wall Thickness	--	--	International Industries Ltd. LX 15-16, Landhi Industrial Area, Karachi

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	7306:6100	Cold-rolled tubes shapes (non-circular)	SHAPES: Square 10x10mm to 60x60 mm 0.6mm to 2.0mm wall thickness Rectangle 10x20mm to 40x80mm 0.6mm to 2.0mm wall thickness Oval 16x30mm to 30x50 mm 1.2mm to 2.0mm wall thickness Elliptical 13x23mm to 24x56 mm 0.90mm to 1.60mm wall thickness	--	--	International Industries Ltd. LX 15-16, Landhi Industrial Area, Karachi
New entry	7306:6900	Cold-rolled LTDZ profiles (non-circular)	LTZ and D profiles for door and window frames, Dia / Shape: L40, T48, L48, Z48, L55, T60, Z60, D60. Wall thickness 0.7mm to 1.20mm.	--	--	International Industries Ltd. LX 15-16, Landhi Industrial Area, Karachi
New entry	7306:9000	Cold rolled tubes- Circular cross-section	9 mm to 75.6 mm diameter 0.6mm to 3.0 mm Wall Thickness	--	--	International Industries Ltd. LX 15-16, Landhi Industrial Area, Karachi
New entry	3917:2100	High Density/Medium Density Polyethylene (HDPE/MDPE) pipes	12 mm to 1600 mm diameter 1.8 mm to 103.7 mm	--	--	International Industries Ltd. LX 15-16, Landhi Industrial Area, Karachi
New entry	3917:2200	Poly propylene random co-polymer (PPRC) Pipes for Hot and Cold/Chilled water	20 mm to 630 mm diameter 2.8mm to 35.7 mm Wall Thickness	--	--	International Industries Ltd. LX 15-16, Landhi Industrial Area, Karachi
New entry	3917:4000	PPRC fittings	20 mm to 110 mm	--	--	International Industries Ltd. LX 15-16, Landhi Industrial Area, Karachi
New entry	3204. 1790	Solid Masterbatch Organic Colors	Plastic granulated Colorants for PE, PET, PC, ABS, PS etc., Textile	Solid plastic color component melting range 150-280	Combination of plastic resins, additives and pigments	Bin Rasheed Color & Chemical Mfg Co. 10 Abbot Road, Lahore - 54000
New entry	3204.172	Liquid Masterbatch Organic Colors	Liquid Colorants for PU, PVC, W/B & S/B, Paints, Textile printing	Liquid color components viscosity of 900-3500cps	Combination of organic resins, solvents and organic pigments	Bin Rasheed Color & Chemical Mfg Co. 10 Abbot Road, Lahore - 54001
New entry	3825.0000 3824.9999	Filler Masterbatch	Mineral filler e.g. CaCO ₃ based plastic granulated material	Solid plastic color component melting range 150-280	Combination of plastic resins, additives and mineral fillers	Bin Rasheed Color & Chemical Mfg Co. 10 Abbot Road, Lahore - 54002
New entry	3215.1190	Solvent-Based Flexo Inks	Colored Inks for packaging	Liquid Ink	Solvent-based	Pakistan Coating Chemicals (Pvt) Ltd. 10-Abbot Road, Lahore
New entry	3215.1190	Water-Based Flexo Inks	Colored Inks for packaging	Liquid Ink	Water-based	Pakistan Coating Chemicals (Pvt) Ltd. 10-Abbot Road, Lahore
New entry	3215.1190	Solvent-based Gravure Inks	Colored Inks for packaging	Liquid Ink	Solvent-based	Pakistan Coating Chemicals (Pvt) Ltd. 10-Abbot Road, Lahore
New entry	3215.9090	Solvent-based inkjet inks	Colored Inks for flex printing	Liquid Ink	Solvent-based	Pakistan Coating Chemicals (Pvt) Ltd. 10-Abbot Road, Lahore
New entry	3215.1990	Lithographic/offset inks	Colored Inks for offset printing	Paste Ink	Oil-based	Pakistan Coating Chemicals (Pvt) Ltd. 10-Abbot Road, Lahore
New entry	3215.9090 3215.1990	Digital Reactive printing inks	Colored inks for textile	Liquid Ink	Solvent-based	Pakistan Coating Chemicals (Pvt) Ltd. 10-Abbot Road, Lahore
New entry	3215.9010	Inks for ball points pens, fine liners/gel pens, fiber tips/markers	Colored inks for stationery	Liquid & Paste ink	Solvent & water-based	Pakistan Coating Chemicals (Pvt) Ltd. 10-Abbot Road, Lahore
CGO S. No. 400	7305.1900 7305.9000 7306.1900 7306.5000 7306.9000	Welded Steel Pipe and Coating	Upto 120" diameter, wall thickness upto 25.4mm grade upto API %L X 100 (PSL-1 & PSL-2) External 3-Layer Polyethylene/ Polypropylene Coating External & Internal Coating Tape Coating External Internal Cement Lining/ Coating	As per API 5L PSL-1 & PSL-2 and other International standards As per DIN & AWWA standards	As per API 5L PSL-1 & PSL-2 and other International standards As per DIN & AWWA standards	Crescent Steel and Allied Product Ltd. 9th Floor, SIDCO Avenue Centre, 264-RA Lines, Karachi-74400

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	2836.5000	Calcium Carbonate	Top Cut 3 µm-50 µm	Fine Powder	CaCO ₃	Newage Cables (Pvt) Ltd. Newage Mansion Mcleod Road, Lahore
New entry	2836.5000	Precipitated Calcium Carbonate	Top Cut 3 µm-50 µm	Fine Powder	CaCO ₃	Newage Cables (Pvt) Ltd. Newage Mansion Mcleod Road, Lahore
New entry	3824.9993	Coated or Treated Calcium Carbonate	Top Cut 3 µm-50 µm	Fine Powder	CaCO ₃	Newage Cables (Pvt) Ltd. Newage Mansion Mcleod Road, Lahore
New entry	3824.9993	Precipitated Coated or Treated Calcium Carbonate	Top Cut 3 µm-50 µm	Fine Powder	CaCO ₃	Newage Cables (Pvt) Ltd. Newage Mansion Mcleod Road, Lahore
CGO S. No. 549	8402.1200	Boilers, steam generating, watertube type	From 4 HP TO 155 HP, Water tube boilers, 120,000 BTUS/HR to <u>5,200,000</u> BTUS/HR	External Draft Diverter, heavy duty frame construction to 30 Psi Standard and above as optional, Interior of Heater accessible for service and inspection	--	Industrial & Mechanical Engineers (Pvt) Ltd. 403, Noor Estate Building Shahrah-e-Faisal Karachi
CGO S. No. 550	8402.1200	Boilers, steam generating, watertube type	Forced Draft, Water Tube Heater With Natural Gas, 150,000 to <u>6,500,000</u> Btuh input	Heavy duty frame construction to 30 Psi and above	--	Industrial & Mechanical Engineers (Pvt) Ltd. 403, Noor Estate Building Shahrah-e-Faisal Karachi
CGO S. No. 562	8402.1920	Waste heat boilers (WHB's)	ASME Sect. I or VIII 0.2 tons/ hr steam to as required by customers	--	--	Industrial & Mechanical Engineers (Pvt) Ltd. 403, Noor Estate Building Shahrah-e-Faisal Karachi DDFC (Pvt.) Ltd. 27 KM, Multan Road, Lahore
CGO S. No. 710	8419.5000	Heat exchange units, Industrial ,	Plate Type (Gasketed) Heat Exchanger as per customer requirement and in accordance with ASME codes, of any capacity.	--	--	Industrial & Mechanical Engineers (Pvt) Ltd. 403, Noor Estate Building Shahrah-e-Faisal Karachi
New entry	8483.2000 8483.3090	Cylindrical Self Lubricating bushes	Used in Home Appliances (Fans, Washing Machines etc.), Door Closers, Weaving Machines and other misc. equipments. As per company / customers requirements	ID = 6 - 50 mm OD = 9 - 60 mm Length = 6 - 50 mm Hardness in 0-90 HRB	(a) Iron = Balance Copper = 12 - 18% (b) Iron = Balance Copper = 0 - 2% Carbon = 0 - 0.6% (c) Copper = Bal. Tin = 8.5-9.5% (d) Copper = Bal. Iron <= 25% Tin = 6.5-7.5% Carbon <= 0.8%	Adamjee Engineering (Pvt.) Ltd. Plot No. 1 & 16, Sector 20, Korangi Industrial Area, Karachi
New entry	8483.2000 8483.3090	Flange Self Lubricating bushes	Used in Home Appliances (Fans, Washing Machines etc.), Door Closers, Weaving Machines and other misc. equipments. As per company / customers requirements	ID = 6 - 40 mm OD = 12 - 50 mm Length = 6 - 50 mm Flange Dia = 14 - 60 mm Flange Height = 2 - 5 mm Hardness in 0-90 HRB	(a) Iron = Balance Copper = 12 - 18% (b) Iron = Balance Copper = 0 - 2% Carbon = 0 - 0.6% (c) Copper = Bal. Tin = 8.5-9.5% (d) Copper = Bal. Iron <= 25% Tin = 6.5-7.5% Carbon <= 0.8%	Adamjee Engineering (Pvt.) Ltd. Plot No. 1 & 16, Sector 20, Korangi Industrial Area, Karachi
New entry	8483.2000 8483.3090	Spherical Self Lubricating bushes	Used in Home Appliances (Fans, Washing Machines etc.), Door Closers, Weaving Machines and other misc. equipments. As per company / customers requirements	ID = 6 - 40 mm OD = 12 - 50 mm Length = 6 - 50 mm Flange Dia = 14 - 60 mm Flange Height = 2 - 5 mm Hardness in 0-90 HRB	(a) Iron = Balance Copper = 12 - 18% (b) Iron = Balance Copper = 0 - 2% Carbon = 0 - 0.6% (c) Copper = Bal. Tin = 8.5-9.5% (d) Copper = Bal. Iron <= 25% Tin = 6.5-7.5% Carbon <= 0.8%	Adamjee Engineering (Pvt.) Ltd. Plot No. 1 & 16, Sector 20, Korangi Industrial Area, Karachi

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	8483.2000 8483.3090	Spherical Self Lubricating bushes	Used in Home Appliances (Fans, Washing Machines etc.), Door Closers, Weaving Machines and other misc. equipments. As per company / customers requirements	ID = 6 - 40 mm OD = 12 - 50 mm Length = 6 - 50 mm Flange Dia = 40 mm max Flange Height = 35 mm max Hardness in 0-90 HRB	(a) Iron = Balance Copper = 12 - 18% (b) Iron = Balance Copper = 0 - 2% Carbon = 0 - 0.6% (c) Copper = Bal. Tin = 8.5-9.5% (d) Copper = Bal. Iron <= 25% Tin = 6.5-7.5% Carbon <= 0.8%	Adamjee Engineering (Pvt.) Ltd. Plot No. 1 & 16, Sector 20, Korangi Industrial Area, Karachi
New entry	7318.1590	Hex Washer Indented/Hex Flange Indented/Hex Top Round Metric Bolts Material: Low carbon steel (Length6 mm-100 mm) (Gauge:M4-M10) - Other than Automotive	Used specifically in Industrial, construction and Home Appliances Industry	Length 6 mm-100 mm & Gauge: M4-M10 to be checked against the standard of JIS B 1189	C:0.08%	Adamjee Engineering (Pvt.) Ltd. Plot No. 1 & 16, Sector 20, Korangi Industrial Area, Karachi
New entry	7318.1590	Hex Head Metric Bolt Material: Low carbon steel (Length6 mm-100 mm) (Gauge:M4-M8)- Other than Automotive	Used specifically in Industrial, construction and Home Appliances Industry	Length 6 mm-100 mm & Gauge: M4-M10 to be checked against the standard of DIN 558/DIN 933/JIS B1180	C:0.08%	Adamjee Engineering (Pvt.) Ltd. Plot No. 1 & 16, Sector 20, Korangi Industrial Area, Karachi
New entry	7318.1610	Hex Washer Indented/Hex Flange Indented/Hex Top Round Extruded/Straight Shank Metric Bolts Material: Medium Carbon Steel(Length6 mm-100 mm) (Gauge:M4-M10) - Other than Automotive	Used specifically in Industrial, construction and Home Appliances Industry	Length 6 mm-100 mm & Gauge: M4-M10 to be checked with strength class of 8.8.	C:0.45% , B:0.0017%	Adamjee Engineering (Pvt.) Ltd. Plot No. 1 & 16, Sector 20, Korangi Industrial Area, Karachi
New entry	7318.1610	Hex Head Metric Bolt Material: Medium Carbon Steel(Length6 mm-100 mm) (Gauge:M3-M10)- Other than Automotive	Used specifically in Industrial, construction and Home Appliances Industry	Length 6 mm-100 mm & Gauge: M4-M10 to be checked with strength class of 8.8.	C:0.45%, B:0.0017%	Adamjee Engineering (Pvt.) Ltd. Plot No. 1 & 16, Sector 20, Korangi Industrial Area, Karachi
CGO S. No. 798	8422.3000	Liquid / Solid & Bulk Packaging Machines	<u>Liquid Packaging Machines</u> Output: 1000 to 2700 pouches per hour Capacity : 5ml to 5000ml Weight: 200 to 550 kg Dimensions: L: 600~872 mm x W: 355~830 mm x H: 1795~3000 mm <u>Solid Packaging Machines</u> Output: 18 to 45 pouches per min Capacity: 5 grams to 2000 grams Weight: 575 to 600 Kgs Dimensions: L:1110~1160 mm x W: 830~1700 mm x H: 2080~2750 mm <u>Bulk Packaging Machines</u> Metering Mode: Weighing (Net weight form) Output: 6~9 bag per min Capacity: 05~50 Kg (20~100 kg for oversized ones) Weight: 800 kgs, Weight accuracy: 0.2% Dimensions: 3700 (variable depending on the conveyor) x 1600 x 3100 mm	Pouch Type: pillow/standing shape, center/side/sachet 3 side, 4 side seal with or without photocell or continuous /centralized design Options: Strip applicator, date coding system, English folding system, feeding conveyor, conveyor, thermic sealing system. Packaging Materials: PE, BOPP, PP, nylon, laminate, cotton, jute, paper aluminum foil etc. Water:100 Ltr/hr, 2° C > 10°, P 2 bar Air : 800 Ltr / min, P 6 bar Power : 220/380 V, 1 phase & 3 phase, 50 Hz, 2~7 KW	--	Salam Enterprises (Pvt) Ltd- Prepac Engineering Industries (Pvt) Ltd. Plot No. 20 Rasheed Industrial Estate, 18 KM Feroze Pur Road, Lahore
New entry	8437.1000	Rice Husking Machine (Huller)	Output : 1200 ~ 2000kg/h of rice Power : 12 ~18.5kw	--	--	Jamal-ud-Din Sons & Co. 44 Umer Market Link Railway Road, Near Railway Station Lahore.
New entry	8437.1000	Rice Husking Machine (Huller)	4D Huller: Output : 1800 ~ 2500kg/h of rice Power : 9 ~15kw	--	--	Jamal-ud-Din Sons & Co. 44 Umer Market Link Railway Road, Near Railway Station Lahore.
New entry	8437.1000	Horizontal Type SM-18 Emery Roller rice Polisher	Jet-Air Emery Doll Rice Husker & Whitener: Output : 2000 ~ 2500kg/h of rice Power : 18.5 ~ 22kw	--	--	Jamal-ud-Din Sons & Co. 44 Umer Market Link Railway Road, Near Railway Station Lahore.
New entry	8437.1000	Rice Polisher NF-14	Jet-Air Emery Roll Rice Whitener & Polisher: Output : 1500 ~ 2100kg/h of rice Power : 18.5kw	--	--	Jamal-ud-Din Sons & Co. 44 Umer Market Link Railway Road, Near Railway Station Lahore.

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	8437.8000	Danish Type Vertical Flour grinder.	Vertical Type Flour & Spices Grinding Machine. (Chukki): Output wheat : 160 ~ 240kg/h of Flour Power : 7.5kw	--	--	Jamal-ud-Din Sons & Co. 44 Umer Market Link Railway Road, Near Railway Station Lahore.
New entry	8437.9000	Emery Stones	Different sizes which are 10",12",14",16",20",24",30".	--	--	Jamal-ud-Din Sons & Co. 44 Umer Market Link Railway Road, Near Railway Station Lahore.
New entry	8437.8000	Disk Mill 45	Output wheat : 200 ~ 300kg/h of Flour Power : 12kw	--	--	Jamal-ud-Din Sons & Co. 44 Umer Market Link Railway Road, Near Railway Station Lahore.
New entry	7325.1000	Articles of Cast Iron	Gray Cast Iron From 1 kg to 1000 kg	--	--	Jamal-ud-Din Sons & Co. 44 Umer Market Link Railway Road, Near Railway Station Lahore.
New entry	7325.9900	Articles of Cast Mild Steel	Casted Mild Steel From 1 kg to 1000 kg	--	--	Jamal-ud-Din Sons & Co. 44 Umer Market Link Railway Road, Near Railway Station Lahore.
New entry	7325.9900	Articles of SG Iron	SG Iron From 1 kg to 500 kg	--	--	Jamal-ud-Din Sons & Co. 44 Umer Market Link Railway Road, Near Railway Station Lahore.
New entry	6811.4000	Corrugated sheets of Asbestos Cement	PS 430 & ISO 393/1	Corrosion Free Roofing Material, Good Heat Insulation, Fire Retardant, Termite Proof, Quick & Easy installation.	Hydrous Megnesium Scilicate 3MgO 2SiO ₂ 2H ₂ O	Dadex Etermit Ltd. Dadex House, 34-A/1, Block-6, P.E.C.H.S. Shahrah-e-Faisal Karachi
New entry	6811.4000	Asbestos Cement Boards / Flat Sheets	PS 579/2002 ®	Corrosion Free Wall paneling material, Good weather Resistance, Good Heat Insulation, Fire Retardant, Termite Proof, Quick & Easy installation.	Hydrous Megnesium Scilicate 3MgO 2SiO ₂ 2H ₂ O	Dadex Etermit Ltd. Dadex House, 34-A/1, Block-6, P.E.C.H.S. Shahrah-e-Faisal Karachi
New entry	3920.2030	BOPP Film Capacitor Grade (Width of roll not exceeding 120mm) Thickness: 04 to 12 microns	Capacitor grade film width of roll 30mm to 120mm	Metallized	Ash contents ≤ 30 PPM	Khawaja Electronics (Pvt) Ltd., 4-H, Gulberg-III, Lahore
New entry	8544.1900 8544.4920 8544.4990 8544.1110	Electric Wire (Insulated)	3/.029", 7/.029", 3/.036", 7/.036", 7/.044", 7/.052", 7/.064"	--	--	Khawaja Electronics (Pvt) Ltd., 4-H, Gulberg-III, Lahore
New entry	3919.1090	Self Adhesive (Transparent/ BOPP/OPP Tape	Thickness from 15 microns to 40 microns	Transparent/ with any colour	--	Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore
New entry	3919.9010	Self Adhesive (Transparent/ BOPP/OPP Tape	Thickness from 15 microns to 40 microns	Transparent / with any colour	--	Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore
New entry	3919.9010 3919.9090	Self Adhesive BOPP/OPP Tape - Width exceeding 20cm-Jumbo Rolls	Thickness from 15 microns to 80 microns	Transparent / with any colour	--	Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore
New entry	3919.9010 3919.9090	Self Adhesive BOPP/OPP Tape - Width exceeding 20cm-Log Rolls	Thickness from 15 microns to 80 microns	Transparent / with any colour	--	Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore
New entry	3919.1090	Self Adhesive BOPP/OPP Tape -- Width not exceeding 20cm-in retail packing	Thickness from 15 microns to 40 microns	Transparent / with any colour	--	Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore
New entry	3919.1010	Insulation Tape Double Sided	Thickness from 15 microns to 40 microns	White colour or with any colour	--	Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore
New entry	3919.1030	Stationery Tape	Thickness from 15 microns to 40 microns	Transparent / with any colour	--	Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore
New entry	3919.9090	PVC Electric Insulation Tape - Width exceeding 20cm - (Log Roll)	Thickness from 15 microns to 40 microns	Black, red, yellow, blue & white colour	--	Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore
New entry	3919.1020	PVC Electric Insulation Tape - Width not exceeding 20 cm - (Retail Packing)	Thickness from 15 microns to 40 microns	Black, red, yellow, blue & white colour	--	Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore
New entry	3005.1010	Surgical Tape	Thickness from 15 microns to 40 microns	White colour or with any colour	--	Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore
New entry	3005.1090	Surgical Tape	Thickness from 15 microns to 40 microns	White colour or with any colour	--	Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore
New entry	8413.7090 8413.7010	Submersible Pump	Upto 100 Watt	--	--	Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore
New entry	9107.0000	Wash Timer	15 minutes	--	--	Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore
New entry	9107.0000	Spin Timer	5 minutes	--	--	Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore
New entry	8501.1000	AC Synchronous Moving Motor	Upto 7 Watt	Metal body	--	Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	8536.9030	Magnetic Contactor	--	--	--	Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore
New entry	8716.2090 8716.3990 7309.0000	i) Mobile Frac Tank ii) Skid Mounted Frac Tank	Capacity: 100 BBL upto 600 BBL Or as per our client requirement	Design Code: ASME Material: Carbon Steel Internal Lining: Fibercoating /Epoxy	Support stimulation fluids upto 16%	Al-Jassar Engineering Co. 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad.
New entry	8716.2090 8716.3990 7309.0000	i) Mobile Acid Tank ii) Skid Mounted Acid Tank	Capacity: 10 Ton upto 50 Ton Or as per our client requirement.	Design Code: ASME Material: S.S 316, SS 316L, SS 304, SS 304L, ASTM A516 Gr. 70. Internal Lining: Rubber Lining	Support acid upto 34%	Al-Jassar Engineering Co. 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad.
New entry	8716.3190 8716.4010 8716.4090 8716.8010 8716.8090 8716.2090 8716.3990	Cement Bulker / Bulk Cement Transporter	Used for Bulk cement transport. Capacity: 25 Ton upto 80 Ton Or as per our client requirement.	Design Code: ASME Material: Carbon Steel. Test Pressure: 45 psig Working Pressure: 30 psig	--	Al-Jassar Engineering Co. 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad.
New entry	8431.4900 7309.0000 7310.2900	Cutting Bottle	Capacity: 35 Cu Ft. upto 50 Cu Ft. Or as per our client requirement.	Design Code: ASME Material: Carbon Steel. Test Pressure: 50 psig Working Pressure: 30 psig	--	Al-Jassar Engineering Co. 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad.
New entry	8431.4900 7309.0000 7310.2900	Cement Silo	Capacity: 1000 Cu Ft. upto 2000 Cu Ft. Or as per our client requirement.	Design Code: ASME Material: Carbon Steel. Test Pressure: 45 psig Working Pressure: 30 psig	--	Al-Jassar Engineering Co. 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad.
New entry	8431.4900 7309.0000 7310.2900	Surge Tank	Capacity: 35 Cu Ft. upto 50 Cu Ft. Or as per our client requirement.	Design Code: ASME Material: Carbon Steel. Test Pressure: 50 psig Working Pressure: 30 psig	--	Al-Jassar Engineering Co. 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad.
New entry	7310.2900 7311.0030 7311.0090	Nitrogen Tank	Used to store and transport nitrogen in liquid or gaseous form. Capacity: 1000 Gallons upto 3000 Gallons Or as per our client requirement.	Design Code: ASME Material: SS 304L Cryogenic (Inside) Carbon Steel. (Outside) Test Pressure: 60 psig Working Pressure: 45 psig	Support Nitrogen in liquid or gaseous form	Al-Jassar Engineering Co. 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad.
New entry	8430.4100 8430.4900 7309.0000	Mud Tank	Used for mud mixing Mobile/skid mounted Capacity: 100 BBL upto 600 BBL Or as per our client requirement.	Design Code: ASME Material: Carbon Steel. Internal Lining: Fibercoating/ Epoxy	Support stimulation fluids/acid upto 16%	Al-Jassar Engineering Co. 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad.
New entry	8474.8090 8907.9000 7309.0000 7310.2900	Storage Tank	Reservoirs, Tanks, Road Tankers, Deaerator Tanks, Feed Water Tanks, Clarified Tanks, Underground Tanks, Skid Mounted Fuel Tank Capacity: as per our client requirement.	Design Code: API 650 / ASME Material: Carbon Steel Internal Lining: Fibercoating/Epoxy	Support stimulation fluids/acid upto 16%	Al-Jassar Engineering Co. 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad.
New entry	8716.2090 8716.3990 8716.4010 8716.4090	Dedicated made trailers for special equipment	Capacity: 30 Ton upto 80 Ton Or as per our client requirement.	Material: Carbon Steel	--	Al-Jassar Engineering Co. 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad.
New entry	8419.5000	Heat Exchanger	Used to vapourize water, nitrogen	Material: SS 316L Cryogenic Heat transfer : -300 to +300 °c	--	Al-Jassar Engineering Co. 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad.
New entry	8421.1900	Cartridge Filtration Unit (filtering or purifying machinery)	Used to filter the brine, produced water, sediments transported by the fluid through cartridges. Capacity: 30 Cartridge upto 100 Cartridge (Dual POD) Or as per our client requirement.	Design Code: ASME Material: Carbon Steel. Test Pressure: 100 psig Working Pressure: 75 psig	--	Al-Jassar Engineering Co. 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad.
New entry	8421.1900	Brine Filtration Unit / Bag Filtration Unit (filtering or purifying machinery)	Used to filter the sediments transported by the fluid through bag. Capacity: Duplex, Fourplex Or as per our client requirement.	Design Code: ASME Material: SS 316L Test Pressure: 100 psig Working Pressure: 75 psig	--	Al-Jassar Engineering Co. 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad.

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	8413.1100	Fuel Transfer Pump [Others]	Used for diesel/water transfer Capacity: 1500 Ltr/min	Material: Carbon Steel	--	Al-Jassar Engineering Co. 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad.
New entry	8413.1910	Acid Shifting Pump	Used for acid shifting, filling Capacity: 160 Ltr/min	Material: Alluminium with rubber hose	--	Al-Jassar Engineering Co. 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad.
CGO S. No. 1096	9405.1090	Light Emitting Diodes (LED) Energy saving Lighting Products (SMD,COB)	LED panel Lights (All sizes); LED 4 channel , Linear and Tube Lights (all sizes); LED down Lights (All sizes); Canopy Lights (All sizes); LED Strip and Rope Lights (All sizes); LED Track Lights. LED Ceiling Light (All sizes); LED Surfance Mount Light (All sizes); LED Linear Recessed Light (All sizes); LED Pendant Light (All sizes); LED Compact Light (All sizes); LED Diffuser LED Light (All sizes); LED Mirror Light (All sizes); Other type of solar LED street lights (All sizes); LED PAR Lamp (All sizes); LED Track Light (All sizes) (As per IEC standards)	--	--	National Institute of Electronics Ministry of Science & Technology H. No. 17, H-9, P.O. Box 1406, Islamabad Creative Electronics & Automation Plot No. 142, Industrial Triangle Kahuta Road, Islamabad Micro Pak (Pvt) Ltd. Plot No. 218, St. No. 7, I-9/2, Islamabad Comcept Private Limited Plot No. 291, Street No. 03, Sector I-9/3, Islamabad Khyber Electric Lamps 483 Tariq Road Peshawar Cant DS Technologies ST-2/7, Sector 16, Korangi Industrial Area Karachi Areebah Technologies Ltd. Plot # 102, St# 7, I-10/3, Industrial Area, Islamabad
New entry	9405.4090	Light Emitting Diodes (LED) Energy saving Lighting Products (SMD,COB)	All types of LED TRI Proof Light (all sizes); LED High Bay Light (all sizes); LED Projection Lighth (all sizes); LED High Mast Light (all sizes); LED Outdoor Light (all sizes); All in one LED/SMD solar street Lights (all sizes); back up LED lights (sizes); LED Canopy Light (sizes); LED Flood Light (All sizes); LED Street Light (All sizes); LED Sports Stadium Light (all sizes); LED X-RAY Illuminators Light (all sizes) (As per IEC standards)	--	--	National Institute of Electronics Ministry of Science & Technology H. No. 17, H-9, P.O. Box 1406, Islamabad Creative Electronics & Automation Plot No. 142, Industrial Triangle Kahuta Road, Islamabad Micro Pak (Pvt) Ltd. Plot No. 218, St. No. 7, I-9/2, Islamabad Comcept Private Limited Plot # 291, Street # 03, I-9/3, Islamabad Khyber Electric Lamps 483 Tariq Road Peshawar Cant DS Technologies ST-2/7, Sector 16, Korangi Industrial Area Karachi

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	8539.5010	Light-emitting diode (LED) Energy saving Bulb/lamps:	All types of LED Bulbs/lamps (All sizes); {AC/DC} (As per IEC standards)	--	--	National Institute of Electronics Ministry of Science & Technology H. No. 17, H-9, P.O. Box 1406, Islamabad Creative Electronics & Automation Plot No. 142, Industrial Triangle Kahuta Road, Islamabad Micro Pak (Pvt) Ltd. Plot No. 218, St. No. 7, I-9/2, Islamabad Comcept Private Limited Plot # 291, Street # 03, I-9/3, Islamabad Khyber Electric Lamps 483 Tariq Road Peshawar Cant DS Technologies ST-2/7, Sector 16, Korangi Industrial Area Karachi Areebah Technologies Ltd. Plot # 102, St # 7, I-10/3, Industrial Area, Islamabad Wasif Impex 1st & 2nd Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi
New entry	8539.5020	Light-emitting diode (LED) Energy saving Tubes:	All types of LED Tube Light (All sizes); {AC/DC} (As per IEC standards)	--	--	National Institute of Electronics Ministry of Science & Technology H. No. 17, H-9, P.O. Box 1406, Islamabad Creative Electronics & Automation Plot No. 142, Industrial Triangle Kahuta Road, Islamabad Micro Pak (Pvt) Ltd. Plot No. 218, St. No. 7, I-9/2, Islamabad Comcept Private Limited Plot # 291, Street # 03, I-9/3, Islamabad Khyber Electric Lamps 483 Tariq Road Peshawar Cant DS Technologies ST-2/7, Sector 16, Korangi Industrial Area Karachi Areebah Technologies Ltd. Plot # 102, St # 7, I-10/3, Industrial Area, Islamabad Wasif Impex 1st & 2nd Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	8513.1030	Light-emitting diode (LED) Energy saving Rechargeable lamps:	All types of Rechargeable emergency light (All sizes); (As per IEC standards)	--	--	National Institute of Electronics Ministry of Science & Technology H. No. 17, H-9, P.O. Box 1406, Islamabad Creative Electronics & Automation Plot No. 142, Industrial Triangle Kahuta Road, Islamabad Micro Pak (Pvt) Ltd. Plot No. 218, St. No. 7, I-9/2, Islamabad Comcept Private Limited Plot # 291, Street # 03, I-9/3, Islamabad Khyber Electric Lamps 483 Tariq Road Peshawar Cant Wasif Impex 1st & 2nd Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi
New entry	9405.6000	Light-emitting diode (LED) Energy saving illuminated signs	All types of LED Exit and Emergency LED/SMD Lit - Illuminated signs, illuminated name-plates and the like (All sizes) (As per IEC standards)	--	--	National Institute of Electronics Ministry of Science & Technology H. No. 17, Sector H-9, P.O. Box 1406, Islamabad Creative Electronics & Automation Plot No. 142, Industrial Triangle Kahuta Road, Islamabad Micro Pak (Pvt) Ltd. Plot No. 218, St. No. 7, I-9/2, Islamabad Comcept Private Limited Plot # 291, Street # 03, I-9/3, Islamabad Khyber Electric Lamps 483 Tariq Road Peshawar Cant Wasif Impex 1st & 2nd Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi
New entry	8513.1090	Light-emitting diode (LED) Energy saving lamps:	All types of Chargeable LED lamps, (All sizes) (As per IEC standards)	--	--	National Institute of Electronics Ministry of Science & Technology H. No. 17, Sector H-9, P.O. Box 1406, Islamabad Creative Electronics & Automation Plot No. 142, Industrial Triangle Kahuta Road, Islamabad Micro Pak (Pvt) Ltd. Plot No. 218, St. No. 7, I-9/2, Islamabad Comcept Private Limited Plot # 291, Street # 03, I-9/3, Islamabad Khyber Electric Lamps 483 Tariq Road Peshawar Cant Wasif Impex 1st & 2nd Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	8539.3220	Light-emitting diode (LED) Energy saving lights:	All types of Energy Saving Tube Lights (All sizes); (As per IEC standards)	--	--	National Institute of Electronics Ministry of Science & Technology H. No. 17, H-9, P.O. Box 1406, Islamabad Creative Electronics & Automation Plot No. 142, Industrial Triangle Kahuta Road, Islamabad Micro Pak (Pvt) Ltd. Plot No. 218, St. No. 7, I-9/2, Islamabad Comcept Private Limited Plot # 291, Street # 03, I-9/3, Islamabad Khyber Electric Lamps 483 Tariq Road Peshawar Cant DS Technologies ST-2/7, Sector 16, Korangi Industrial Area Karachi Areebah Technologies Ltd. Plot # 102, St # 7, I-10/3, Industrial Area, Islamabad
New entry	9405.1030	Light-emitting diode (LED) Energy saving lights:	All types of Light fittings with fixed/fitted LED or SMD or COB (All sizes); (As per IEC standards)	--	--	National Institute of Electronics Ministry of Science & Technology H. No. 17, H-9, P.O. Box 1406, Islamabad Creative Electronics & Automation Plot No. 142, Industrial Triangle Kahuta Road, Islamabad Micro Pak (Pvt) Ltd. Plot No. 218, St. No. 7, I-9/2, Islamabad Comcept Private Limited Plot # 291, Street # 03, I-9/3, Islamabad Khyber Electric Lamps 483 Tariq Road Peshawar Cant DS Technologies ST-2/7, Sector 16, Korangi Industrial Area Karachi Wasif Impex 1st & 2nd Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi
New entry	9405.4020	Light-emitting diode (LED) Energy saving lamps:	All types of Light fittings with fixed/fitted LED or SMD or COB (All sizes) (As per IEC standards)	--	--	National Institute of Electronics Ministry of Science & Technology H. No. 17, H-9, P.O. Box 1406, Islamabad Creative Electronics & Automation Plot No. 142, Industrial Triangle Kahuta Road, Islamabad Micro Pak (Pvt) Ltd. Plot No. 218, St. No. 7, I-9/2, Islamabad Comcept Private Limited Plot # 291, Street # 03, I-9/3, Islamabad Khyber Electric Lamps 483 Tariq Road Peshawar Cant DS Technologies ST-2/7, Sector 16, Korangi Industrial Area Karachi Wasif Impex 1st & 2nd Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	5807.1030	Narrow woven fabrics, woven, ribbons, tapes, webbing and other: for example used in curtain headers, usually for the home-textile export-oriented industry	Made from yarns of cotton, polyester and/or polypropylene	Narrow woven fabrics of 1 to 6-inches width	Textile material	Karachi Webbing Company Plot No. 501, Sector 05, Korangi Industrial Area, Karachi
New entry	5807.1040	Narrow woven fabrics, woven, ribbons, tapes, webbing and other: for example used in sports goods and luggage/bags manufacturing as straps and handles, usually for the Sialkot export-oriented industry	Made from yarns of cotton, polyester and/or polypropylene	Narrow woven fabrics of 0.5 to 5-inches width	Textile material	Karachi Webbing Company Plot No. 501, Sector 05, Korangi Industrial Area, Karachi
New entry	5809.9000	Narrow woven fabrics, woven, ribbons, tapes, webbing and other: for example used in manufacturing of furniture such as sofas for domestic consumption.	Made from yarns of cotton, polyester and/or polypropylene, usually including rubber thread	Narrow woven fabrics of 0.5 to 5-inches width	Textile material	Karachi Webbing Company Plot No. 501, Sector 05, Korangi Industrial Area, Karachi
New entry	5808.1000	Twine, cordage, rope and cables, plaited, knitted or braided: for example used as garment draw-strings, or as filler dori, usually for the garment export-oriented industry	Made from yarns of cotton, polyester and/or polypropylene	1-14 mm diameter	Textile material	Karachi Webbing Company Plot No. 501, Sector 05, Korangi Industrial Area, Karachi
New entry	8415.1090	Precision Cooling Split Package Air conditioners	102023 to 288562 btu/hr	--	--	Sabro Technologies (Pvt) Ltd. Plot No. 270, Industrial Triangle Kahuta Road Islamabad Petal Engineering (Pvt) Ltd 10 Umar Khan Road, Manawan near Batapur Lahore
New entry	8418.2900	CS (cold storage) split package Units	16000 to 106500 btu/hr	--	--	Sabro Technologies (Pvt) Ltd. Plot No. 270, Industrial Triangle Kahuta Road Islamabad Petal Engineering (Pvt) Ltd 10 Umar Khan Road, Manawan near Batapur Lahore
New entry	8414.6990	Air Cooled Water chillers	32500 to 1770000 btu/hr	--	--	Sabro Technologies (Pvt) Ltd. Plot No. 270, Industrial Triangle Kahuta Road Islamabad Petal Engineering (Pvt) Ltd 10 Umar Khan Road, Manawan near Batapur Lahore
New entry	8418.6990	Water Cooled Water chillers	36179 to 2112375 btu/hr	--	--	Sabro Technologies (Pvt) Ltd. Plot No. 270, Industrial Triangle Kahuta Road Islamabad Petal Engineering (Pvt) Ltd 10 Umar Khan Road, Manawan near Batapur Lahore
New entry	8414.5910	Centrifugal Fans (VFB & VBI)	350-20000 CFM	--	--	Sabro Technologies (Pvt) Ltd. Plot No. 270, Industrial Triangle Kahuta Road Islamabad Petal Engineering (Pvt) Ltd 10 Umar Khan Road, Manawan near Batapur Lahore
New entry	8414.5990	Split Package, Ceiling suspended/Wall mounted/Floor standing units	up to 48000 btu/hr	--	--	Sabro Technologies (Pvt) Ltd. Plot No. 270, Industrial Triangle Kahuta Road Islamabad Petal Engineering (Pvt) Ltd 10 Umar Khan Road, Manawan near Batapur Lahore
New entry	8415.8300	Evaporator Chillers	Custom Make	--	--	Sabro Technologies (Pvt) Ltd. Plot No. 270, Industrial Triangle Kahuta Road Islamabad Petal Engineering (Pvt) Ltd 10 Umar Khan Road, Manawan near Batapur Lahore
New entry	8415.1090	Fresh Air Units	300 to 2000 CFM	--	--	Sabro Technologies (Pvt) Ltd. Plot No. 270, Industrial Triangle Kahuta Road Islamabad Petal Engineering (Pvt) Ltd 10 Umar Khan Road, Manawan near Batapur Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	8415.9099	Heaters for Precision Heating	3.3 to 12 KW	--	--	Sabro Technologies (Pvt) Ltd. Plot No. 270, Industrial Triangle Kahuta Road Islamabad Petal Engineering (Pvt) Ltd 10 Umar Khan Road, Manawan near Batapur Lahore
New entry	8479.8990	Desiccant Dehumidifier	CFM (Process Air) : 100 to 200	--	--	Sabro Technologies (Pvt) Ltd. Plot No. 270, Industrial Triangle Kahuta Road Islamabad
CGO S. No. 653	8415.8100	Air Conditioners (Reverse Cycle)	Wall/floor/ceiling/cassette type etc. (9,000 to 30,000 Btu/hr)	--	--	Coolpoint (Pvt) Ltd Adda Plot, Sharaiz Avenue jatti Umra Road, Raiwind Road, Lahore Sabro Group (S.a Brother) Street No. 77,78, Sector I-9/2 Islamabad Petal Engineering (Pvt) Ltd 10 Umar Khan Road, Manawan near Batapur Lahore Ageco (Pvt) Ltd. Office No. 7&8, 1st Floor, Hill View Plaza, Blue Area, Islamabad. Habibullah Industries (Pvt) Ltd. 3rd Floor, Progressive Plaza, Beamont Road, Civil Lines, Karachi. Dawlance (Pvt) Ltd. Dawlance Centre, 7/4 Civil Lines 9, Dr. Ziauddin Ahmed Road, Karachi
CGO S. No. 654	8415.8100	Air Cooled Self Contained & Spli Package Commerical Air Conditioners (Reverse Cycle)	39,000 to 471,000 Btu/hr	--	--	Coolpoint (Pvt) Ltd Adda Plot, Sharaiz Avenue jatti Umra Road, Raiwind Road, Lahore Sabro Group (S.a Brother) Street No. 77,78, Sector I-9/2 Islamabad Petal Engineering (Pvt) Ltd 10 Umar Khan Road, Manawan near Batapur Lahore Ageco (Pvt) Ltd. Office No. 7&8, 1st Floor, Hill View Plaza, Blue Area, Islamabad. Habibullah Industries (Pvt) Ltd. 3rd Floor, Progressive Plaza, Beamont Road, Civil Lines, Karachi.
CGO S. No. 655	8415.8100	Trolley mounted self contained units (Reverse Cycle)	50,400 to 600,000 Btu/hr	--	--	Coolpoint (Pvt) Ltd Adda Plot, Sharaiz Avenue jatti Umra Road, Raiwind Road, Lahore Sabro Group (S.a Brother) Street No. 77,78, Sector I-9/2 Islamabad Petal Engineering (Pvt) Ltd 10 Umar Khan Road, Manawan near Batapur Lahore Ageco (Pvt) Ltd. Office No. 7&8, 1st Floor, Hill View Plaza, Blue Area, Islamabad. Habibullah Industries (Pvt) Ltd. 3rd Floor, Progressive Plaza, Beamont Road, Civil Lines, Karachi.

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
CGO S. No. 656	8415.8100	Air Cooled Split Type, Em Series (Cooling/Heating) (Reverse Cycle)	49,200 / 49,500 Btu/hr	--	--	Coolpoint (Pvt) Ltd Adda Plot, Sharaiz Avenue jatti Umra Road, 'Raiwind Road, Lahore Sabro Group (S.a Brother) Street No. 77,78, Sector I-9/2 Islamabad Petal Engineering (Pvt) Ltd 10 Umar Khan Road, Manawan near Batapur Lahore Ageco (Pvt) Ltd. Office No. 7&8, 1st Floor, Hill View Plaza, Blue Area, Islamabad. Habibullah Industries (Pvt) Ltd. 3rd Floor, Progressive Plaza, Beamount Road, Civil Lines, Karachi.
CGO S. No. 657	8415.8100	Water Cooled Packaged Air Conditioners; (Reverse Cycle)	45,000 to 498,000 Btu/hr	--	--	Coolpoint (Pvt) Ltd Adda Plot, Sharaiz Avenue jatti Umra Road, 'Raiwind Road, Lahore Sabro Group (S.a Brother) Street No. 77,78, Sector I-9/2 Islamabad Petal Engineering (Pvt) Ltd 10 Umar Khan Road, Manawan near Batapur Lahore Ageco (Pvt) Ltd. Office No. 7&8, 1st Floor, Hill View Plaza, Blue Area, Islamabad. Habibullah Industries (Pvt) Ltd. 3rd Floor, Progressive Plaza, Beamount Road, Civil Lines, Karachi.
CGO S. No. 659	8415.8100	Air Conditioning/ Heating Unit (Reverse Cycle)	--	--	--	Coolpoint (Pvt) Ltd Adda Plot, Sharaiz Avenue jatti Umra Road, 'Raiwind Road, Lahore Sabro Group (S.a Brother) Street No. 77,78, Sector I-9/2 Islamabad Ageco (Pvt) Ltd. Office No. 7&8, 1st Floor, Hill View Plaza, Blue Area, Islamabad. Petal Engineering (Pvt) Ltd 10 Umar Khan Road, Manawan near Batapur Lahore
New entry	7403.1300	Copper Billets/Ingots	QQC 576 Latest	Round & Slab Shapes	99.9% Pure Copper	Wah Brass Mills (Pvt) Ltd. Quaid Avenue (Adjacent POF Main Gate) Wah Cantt.
New entry	7409.1100	Copper Coils	QQC 576 Latest	0.5 mm – 05 mm Thick, Weighing upto 2.4MT	99.9% Pure Copper	Wah Brass Mills (Pvt) Ltd. Quaid Avenue (Adjacent POF Main Gate) Wah Cantt.
New entry	7409.1900	Copper strips/Sheets/Plates not in coil	QQC 576 Latest	0.5 mm – 30 mm Thick	99.9% Pure Copper	Wah Brass Mills (Pvt) Ltd. Quaid Avenue (Adjacent POF Main Gate) Wah Cantt.
New entry	7403.2100	Brass Billets/Ingots	Def-Stan 95-9 IU 92 & other	Round about 200 kg & Slab From 300kg-6MT	60:40 70:30 80:20 90:10 Any other	Wah Brass Mills (Pvt) Ltd. Quaid Avenue (Adjacent POF Main Gate) Wah Cantt.
New entry	7409.2100	Brass Coils	Def-Stan 95-9 IU-92 BS-2870 EN-1652	0.5 mm – 05 mm Thick, Weighing upto 2.4MT	60:40 70:30 80:20 90:10 Any other	Wah Brass Mills (Pvt) Ltd. Quaid Avenue (Adjacent POF Main Gate) Wah Cantt.

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	7409.2900	Brass Strips / Sheets/ Plates not in Coils	Def-Stan 95-9 IU-92 BS-2870 EN-1652	0.5 mm – 30 mm thick	60:40 70:30 80:20 90:10 Any other	Wah Brass Mills (Pvt) Ltd. Quaid Avenue (Adjacent POF Main Gate) Wah Cantt.
New entry	7212.6090	Gilding Metal Clad Steel	Def-Stan 95-9 IU-92 BS-2870 EN-1652	0.5 mm-05 mm thick, in coils/sheets	Steel sheet core with 10% cladding of copper 99.9%	Wah Brass Mills (Pvt) Ltd. Quaid Avenue (Adjacent POF Main Gate) Wah Cantt.
New entry	8534.0000	Metal Clad Printed Circuit Boards (MCPCB) for LED Lights.	Metal Clad Printed Circuit Boards (MCPCB) and Single, Double Sided and Multilayers PCBs for all types of Electronic Products including LED Lights	--	--	Elite Screener Plot No. C-21 & C-22 Block No.9 AEECHS Gulistan-e-Johar Karachi
New entry	8504.4090	Constant Current Power Supply for LED Lights (1-300W)	For All types of LED Lights, Bulbs and Lamps.	--	--	Elite Screener Plot No. C-21 & C-22 Block No.9 AEECHS Gulistan-e-Johar Karachi
New entry	8482.1000	Ball Bearing	6200ZZ/2RS upto 6218ZZ/2RS 6300ZZ/2RS upto 6318ZZ/ 2RS 6403ZZ/2RS upto 6418	--	--	Maryam Bearing Industries 22 KM Sheikhpura Road, Mouza Khanpur Nabipura Freozawala
New entry	8482.2000	Tapered Roller Bearing	30202 upto 30222 30302 upto 30322 32203 upto 32222 32303 upto 32322 11590/11520 upto 738249/ 7380248, 48548, 67048, 25590, 11949 etc	--	--	Maryam Bearing Industries 22 KM Sheikhpura Road, Mouza Khanpur Nabipura Freozawala
New entry	8482.3000	Spherical Bearing	22205 upto 22222 22308 upto 22322	--	--	Maryam Bearing Industries 22 KM Sheikhpura Road, Mouza Khanpur Nabipura Freozawala
New entry	8482.1012	Industrial Ball Bearing	UC204 upto UC216	--	--	Maryam Bearing Industries 22 KM Sheikhpura Road, Mouza Khanpur Nabipura Freozawala
New entry	8708.7000 8482.2090	Wheel Hub Bearing	28BWK12 upto 20 54KWH01 upto 05 30ACF026-7A upto 52710.25000 DACAF1015 DACAF1050 227-26 227-27 25BWD01 upto 488BWD02	--	--	Maryam Bearing Industries 22 KM Sheikhpura Road, Mouza Khanpur Nabipura Freozawala
New entry	8528.7190	Set Top Box	DVB-C/ DVB-T/IPTV (For cable TV, IPTV, Terrestrial) Other Set Top Boxes	Interface to the Internet and also enables a television set to receive and deode digital television (DTV) broadcasts	--	Telecast Technology Pakistan (Pvt) Ltd. Plot No. 375-B, Street No. 16, Potohar Road, Sector I-9/3, Islamabad
New entry	8517.6970	Optical Network Unit/ Optical Network Terminal (ONU/ONT)	For internet 1GE + 3FE + CATV + RF + POTS + Wifi Networking equipments like routers, LAN bridges, modem, hubs excluding switches and repeaters.	GPON FTTH Multi-service WIF ONU Two Fibers Three Wavelength	--	Telecast Technology Pakistan (Pvt) Ltd. Plot No. 375-B, Street No. 16, Potohar Road, Sector I-9/3, Islamabad
New entry	8528.7110	Free to Air (FTA)	Reception apparatus for receiving satellite signals of a kind used with TV (Satellite dish receivers)	--	--	Telecast Technology Pakistan (Pvt) Ltd. Plot No. 375-B, Street No. 16, Potohar Road, Sector I-9/3, Islamabad
CGO S. No. 415	7308.2000	Steel Structure	upto 45 ft.	For Transmission Lines	--	Creative Engineering (Pvt) Ltd. 160/ S, Q.I.E. Kot Lakhpat Lahore Izhar Steel Izhar House, 35-Tipu Block New Garden Town, Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
CGO S. No. 420	7308.9090	Other Structure and parts of iron or steel	Gates sizes (up to 3 MTR heights, 4 MTR wide, 12 MTR lengths (Barrage & Tunnel Gate for Hydle & Irrigation purpose. Racks sizes up to width 1.2 MTR, Height 4, and 12 MTR (bolted structure and can be assembled in any dimension Steel Structure (for Equipment, Plant Warehouse, Building and other purposes) - Light Structure (stairways , ladder railing and Plate Form) Sizes up to 0 ~ 200 mm - Medium Structure (flooring) Sizes up to 200 ~350 - Heavy Structure (column and framing beam) Sizes depth up to 350~1500 mm	--	--	Descon Engineering Limited DESCON Manufacturing Business Area 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 Izhar Steel Izhar House, 35-Tipu Block New Garden Town, Lahore
CGO S. No. 430	7309.0000	Steel Tanks for water and oil storage	Reservoirs, tanks, vats and similar containers for any material (other than compressed or liquefied gas), of iron or steel, of a capacity exceeding 300 l, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment. Under ground and above the ground oil/ chemical and water storage tanks; Capacity = 300 ltr to 500,000 ltr As per code API 650 and others Material = HR - 255, HR-275, HR-283, HR-285, SA-36, HR 275&25 Steel Plates., Carbon Steel, mild Steel, Stainless Steel and Alloy. Ranging from 10m to 40m in diameter. Height ranging upto 15 Meters.	--	--	Petrosin Ravi Industries Ltd. Shahra-i-Pakistan Kala Shah Kakoo G.T Road Lahore Cylinders Engg. Industries (Pvt) Ltd 9-C, 13th Commercial Street, Phase-II, Defence H. Authority, Karachi Izhar Steel Izhar House, 35-Tipu Block New Garden Town, Lahore Industrial & Mechanical Engineers (Pvt) Ltd. 403, Noor Estate Building Shahrah-e-Faisal Karachi
CGO S. No. 431	7309.0000	Steel vessels and storage tanks	Pressure Vessels upto 80mm wall thickness. Storage Tanks upto 40000 m ³	--	--	Heavy Mechanical Complex (Pvt) Ltd., Taxila Izhar Steel Izhar House, 35-Tipu Block New Garden Town, Lahore Industrial & Mechanical Engineers (Pvt) Ltd. 403, Noor Estate Building Shahrah-e-Faisal Karachi
CGO S. No. 437	7311.0010 7311.0020 7311.0040 7311.0090	Pressure Vessels	Type: Horizontal & Vertical Size: Dish Head (2:1 tori-spherical Ø6m x 30mm thick in CS and 20mm thick in S. Steel. Plate benging 120mm thick in CS, 4,000mm long in CS. Desing Code/ Standards: ASME Sec. VIII-1-2, 3 .	--	--	Heavy Mechanical Complex-3 Hattar Road, Taxila Izhar Steel Izhar House, 35-Tipu Block New Garden Town, Lahore Industrial & Mechanical Engineers (Pvt) Ltd. 403, Noor Estate Building Shahrah-e-Faisal Karachi
CGO S. No. 443	7311.0020 7311.0090	Pressure Vessels for LPG Storage.	As per ASME Code Sec: VIII Div-1. Ranging from 30 Tons capacity and onwards with Wall Thickness from 20mm to 70mm.	--	Material: HR,SG-255 Steel Sheets.	Cylinders Engg. Industries (Pvt) Ltd 9-C, 13th Commercial Street, Phase-II, Defence H. Authority, Karachi Izhar Steel Izhar House, 35-Tipu Block New Garden Town, Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
CGO S. No. 707	8419.5000	Heat exchange units, Industrial	Shell & Tube Type of Carbon, Alloy & Stainless Steel. Fixed & Floating Tube sheets with straight & U-Tubes. Air Cooled with Finned Tubes of Carbon, Alloy & Non-Ferrous Materials ASME Sec. VIII Div. 1 & 2, TEMA, HEI, API-660, API-661, ANSI B-78.1, ANSI B-78.2 & as per customers requirements	--	--	SEFEC Engineering (Pvt.) Ltd. 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi DDFC (Pvt.) Ltd. 27 KM, Multan Road, Lahore Izhar Steel Izhar House, 35-Tipu Block New Garden Town, Lahore
CGO S. No. 721	8419.5000	Air Receiver	as per customer requirements	--	--	DDFC (Pvt.) Ltd. 27 KM, Multan Road, Lahore Izhar Steel Izhar House, 35-Tipu Block New Garden Town, Lahore
CGO S. No. 744	8419.8990	Slug Catcher	Finger type, Vessel type & as per customers requirements	--	--	Descon Engineering Limited DESCON Manufacturing Business Area 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 DDFC (Pvt.) Ltd. 27 KM, Multan Road, Lahore Izhar Steel Izhar House, 35-Tipu Block New Garden Town, Lahore
CGO S. No. 747	8419.8990	Knock Out Drums	--	--	--	IKAN Engineering Services (Pvt) Ltd. 34-Km, Shamki Bhattian, Multan Road, Lahore DDFC (Pvt.) Ltd. 27 KM, Multan Road, Lahore Izhar Steel Izhar House, 35-Tipu Block New Garden Town, Lahore
CGO S. No. 748	8419.8990	Coalescer Vessels	--	--	--	IKAN Engineering Services (Pvt) Ltd. 34-Km, Shamki Bhattian, Multan Road, Lahore DDFC (Pvt.) Ltd. 27 KM, Multan Road, Lahore Izhar Steel Izhar House, 35-Tipu Block New Garden Town, Lahore
CGO S. No. 749	8419.8990	Columns and Strippers	--	--	--	IKAN Engineering Services (Pvt) Ltd. 34-Km, Shamki Bhattian, Multan Road, Lahore DDFC (Pvt.) Ltd. 27 KM, Multan Road, Lahore Izhar Steel Izhar House, 35-Tipu Block New Garden Town, Lahore
CGO S. No. 750	8419.8990	Spherical Tank (LPG)	as per customer requirements	--	--	DDFC (Pvt.) Ltd. 27 KM, Multan Road, Lahore Izhar Steel Izhar House, 35-Tipu Block New Garden Town, Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
CGO S. No. 755	8419.8990	Steel Vessels and equipment	LPG Tanks - Static (Cylindrical upto 125 Mton capacity, Spherical upto 500 Mton capacity) LPG Bowzers capacity 30 Ton Storage Pressure Vessel (cylindrical/spherical), up to 250 mm plate thick (Columns, Stripper, absorption, distillation, dehydration, Deaeration Equipment & De Gasifiers etc.) & as per customers requirements	--	--	Descon Engineering Limited DESCON Manufacturing Business Area 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 DDFC (Pvt.) Ltd. 27 KM, Multan Road, Lahore Izhar Steel Izhar House, 35-Tipu Block New Garden Town, Lahore
CGO S. No. 759	8419.8990 and respective headings	Absorption Tower, Columns, Process Reactors, Heat Exchange, Condensers, Air Coolers, LPG/Oil/LNG Storage Tanks, Heat Recovery Boilers, Steel Structure, Process And Utility Piping, Gas Sweetening Unit, Amine Absorption, Flare Stack System, LPG Recovery Unit, Sulphur Recovery Unit.	-	--	--	Descon Engineering Limited DESCON Manufacturing Business Area 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 Izhar Steel Izhar House, 35-Tipu Block New Garden Town, Lahore
CGO S. No. 760	8419.8990	Chemical Injection / Dosing Skids such as: • Corrosion Inhibitor Skid • Methanol Injection Skid • Drag Reducing Agent injection skid • Anti-Foam Injection skid • De-Emulsifier Injection skid • Wax Inhibitor Injection skid • Odorizer Injection skid	Pneumatic & Motor Driven, Solar CI Skid 10,000 PSI (g)	Gas Driven, Motor Driven, Solar Powered	--	Descon Engineering Limited DESCON Manufacturing Business Area 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 Izhar Steel Izhar House, 35-Tipu Block New Garden Town, Lahore
CGO S. No. 761	8419.8990	Gas / Fuel Conditioning Skids • Instrument Gas Scrubber Skid • Sour Gas Conditioning Skid • Scrubbers • Filters	Stainless Steel, Carbon Steel, Alloy Steel	--	--	Descon Engineering Limited DESCON Manufacturing Business Area 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 Izhar Steel Izhar House, 35-Tipu Block New Garden Town, Lahore
CGO S. No. 762	8419.8990 8419.8910	Tanks, fitted with heating or cooling elements,	Atmospheric Tanks from 500 barrels to 380,000 barrels capacity. Large tanks can be of fixed roof, floating roof or dome roof. ASME Sec. VIII, Div. 1 & 2, API-650, API-620, API-12B, API-12D, API-12F	--	--	SEFEC Engineering (Pvt.) Ltd. 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi DDFC (Pvt.) Ltd. 27 KM, Multan Road, Lahore Izhar Steel Izhar House, 35-Tipu Block New Garden Town, Lahore
CGO S. No. 783	8421.3990	Gas Filter Separators	--	--	--	IKAN Engineering Services (Pvt) Ltd. 34-Km, Shamki Bhattian, Multan Road, Lahore DDFC (Pvt.) Ltd. 27 KM, Multan Road, Lahore Izhar Steel Izhar House, 35-Tipu Block New Garden Town, Lahore
CGO S. No. 794	8421.3990	2 and 3 Phase Separators (Test & Production)	60 MMSCFD	Mobile Test Separators	--	Descon Engineering Limited DESCON Manufacturing Business Area 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 Izhar Steel Izhar House, 35-Tipu Block New Garden Town, Lahore
New entry	7606.1200	Aluminium Composite Panel	Size: 8' x 4' Thickness 4mm	Aluminium Coil & Plastic	PE & PVDF	Akbari Engineering (Pvt) Ltd. Plot No. 188, Sunder Industrial Estate Raiwind Road, Lahore
CGO S. No. 80	3213.1000	Water Color Sets/ Poster Color Sets	Semi Liquid Filled in plastic tubes	--	--	Indus Pencil Industries B-54, Manghopir Road SITE Karachi
New entry	4016.9210 4016.9290	Erasers	Plastic	--	--	Indus Pencil Industries B-54, Manghopir Road SITE Karachi

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	8214.1000	Pencil Sharpeners	For Pencils	--	--	Indus Pencil Industries B-54, Manghopir Road SITE Karachi
New entry	9608.1000	Ball Point Pens	All Type	--	--	Indus Pencil Industries B-54, Manghopir Road SITE Karachi
New entry	9608.2000	Markers	With porous tipped pens	--	--	Indus Pencil Industries B-54, Manghopir Road SITE Karachi
New entry	9608.2000	Fine Liner Pens	Tip with metal jacket	--	--	Indus Pencil Industries B-54, Manghopir Road SITE Karachi
New entry	9609.1000	Pencils with lead encased in a rigid sheet	Black lead & colored pencils	--	--	Indus Pencil Industries B-54, Manghopir Road SITE Karachi
CGO S. No. 1104	9609.9000	Wax Crayons	For children	--	--	Indus Pencil Industries B-54, Manghopir Road SITE Karachi
New entry	9608.3000	Fountain Pen	All types	--	--	Indus Pencil Industries B-54, Manghopir Road SITE Karachi
New entry	3824.9950	Correction Pen	With liquid ink	--	--	Indus Pencil Industries B-54, Manghopir Road SITE Karachi
New entry	3506.1000	Glue Stick	For retail sale	--	--	Indus Pencil Industries B-54, Manghopir Road SITE Karachi
New entry	2523.2900	Ordinary Portland Cement	(PS 232-2008) R Blane: 332-Min 225 M2/Kg Soundness: a) Le-Chatelier Method: 0.5 mm Max 10 mm b) Autoclave Method: 0.02 Max 0.80% Setting Time: Initial: 150 - Min 30 Minutes Final: 180-Max 600 Minutes	3 Days: 37.4-Min 33 Mpa PSI 7 Days: 45-Min 37 Mpa PSI 28 Days: 57.7-Min 53 Mpa PSI	Lime Saturation Factor: 0.94-Min 0.80, Max 1.02 Alumina Iron Ratio: 1.73- Min 0.66 Insoluble Residual: 0.47% - Max 1.50% Megnesia: 2.21% - Max 6% Sulphuric Anhydride: 2.76% - Max 3% Loss on Ignition: 2.71 - Max 3%	Maple Leaf Cement Factory Ltd. 42-Lawrence Road, Lahore
New entry	2523.2900	Sulphate Resisting Portland Cement	(PS 612:1989) Blane: 2882-Min 2500 CM2/g a) Le-Chatelier Method: 0.5 mm Max 10 mm Setting Time: Initial: 215- Min 45 Minutes Final: 270-Max 600 Minutes	3 Days: 4322- Min 2176 Mpa 7 Days: 5497 - Min 3409 Mpa 28 Days: 7252- Min 4932 Mpa	Lime Saturation Factor: 0.91-Min 0.66, Max 1.02 Alumina Iron Ratio: 0.80 Insoluble Residual: 0.38% - Max 2.0% Megnesia: 1.99% - Max 4% Sulphuric Anhydride: 2.11% - Max 2.50% Loss on Ignition: 1.12- Max 3% Tri- Calcium Aluminates: 2.11 - Max 3.50%	Maple Leaf Cement Factory Ltd. 42-Lawrence Road, Lahore
New entry	2523.2900	Low Alkali Cement	PS (232:1983) Blane: 2985- Min 2250 CM2/g Soundness: a) Le-Chatelier Method: 0.5 mm Max 10 mm b) Autoclave Method: 0.002 % Setting Time: Initial: 210 - Min 45 minutes Final: 260- Max 600 minutes	3 Days: 4409- Min 2200 Mpa 7 Days: 5555- Min 3400 Mpa 28 Days: 7310- Min 5000 Mpa	Lime Saturation Factor: 0.91- Min 0.66, Max 1.02 Alumnia Iron Ratio: 0.80 Insoluble Residual: 0.41% - Max 1.50% Megnesia: 1.97% - Max 4% Sulphuric Anhydride: 2.10% - Max 3% Loss on Ignition: 1.12- Max 3%	Maple Leaf Cement Factory Ltd. 42-Lawrence Road, Lahore
New entry	2523.2100	White Portland Cement	PS (1630:1984) Blane: 4887 - Min 2250 CM2/gm Soundness: a) Le-Chatelier Method: 0.5 mm Max 10 mm Setting Time: Initial: 120- Min 45 minutes Final: 150 - Max 600 minutes	3 Days: 36.5 Min 12 Mpa 7 Days: 55.5 Min 19 Mpa 28 Days: 77.5 Mpa	Lime Saturation Factor: 0.94 - Min 0.66, Max 1.02 Insoluble Residual: 0.22% - Max 1.50% Iron Oxide: 0.22% - Max 1.0% Megnesia: 1.27% - Max 4% Sulphuric Anhydride: 2.77% - Max 3%	Maple Leaf Cement Factory Ltd. 42-Lawrence Road, Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
CGO S. No. 1	1520.0000	Glycerol (glycerin), crude	Glycerol % 99 Min. Boiling point 250 Min, Iron content (ppm) 0.5 max. Chloride (PPM) 2.0 max.	Appearance Clear white liquid, Sugar +ve (0.25) Specific Gravity 1.256 ~ 1.260	Acidity as Na ₂ O 0.00052%, Fatty Acids & Ester as Na ₂ O Eqv. 0.0077%	Nimir Industrial Chemicals Ltd. 14.8 KM, Sheikhpura Faisalabad Road, Lahore.
CGO S. No. 38	2915.7010	Acid, stearic, chemically pure	IV 1.0 ~ 3.0, Acid Value 198 ~ 206, Saponification Value 199 ~ 206, Specific Gravity 0.86, Molecular wt 284.47	Color White, Appearance Small Flakes, Melting point 61 ~ 65	C ₁₇ H ₃₅ COOH	Nimir Industrial Chemicals Ltd. 14.8 KM, Sheikhpura Faisalabad Road, Lahore. Gamalux Oleochemicals (Pvt.) Ltd. A-8, NWIZ, Port Qasim Industrial Area, Bin Qasim, Karachi
CGO S. No. 112	3823.1100	Acid, stearic	IV 1.0 ~ 3.0, Melting point 61 ~ 65, Specific Gravity 0.86	Small Flakes, colour: White	C ₁₇ H ₃₅ COOH	Nimir Industrial Chemicals Ltd. 14.8 KM, Sheikhpura Faisalabad Road, Lahore. Gamalux Oleochemicals (Pvt.) Ltd. A-8, NWIZ, Port Qasim Industrial Area, Bin Qasim, Karachi
CGO S. No. 113	3823.1910	Acid oils for refining	Palm fatty acid distillate (PFAD)	Colour 5 ~ 6, -1, Melting point 48 ~ 52	Acid Value 190 Min.	Nimir Industrial Chemicals Ltd. 51-N, Industrial Area, Gulberg-II, Lahore. Gamalux Oleochemicals (Pvt.) Ltd. A-8, NWIZ, Port Qasim Industrial Area, Bin Qasim, Karachi
CGO S. No. 114	3823.1920	Acid oils for refining	Palm Acid Oil	—	—	Nimir Industrial Chemicals Ltd. 51-N, Industrial Area, Gulberg-II, Lahore.
CGO S. No. 115	3823.1930	Acid oils for refining	Fatty Acid Distilled (FAD) 92% to 99%, IV 30 ~ 55	Colour 5 ~ 6, -1, Melting point 45 ~ 58	Acid Value 190 Min.	Nimir Industrial Chemicals Ltd. 14.8 KM, Sheikhpura Faisalabad Road, Lahore. Gamalux Oleochemicals (Pvt.) Ltd. A-8, NWIZ, Port Qasim Industrial Area, Bin Qasim, Karachi
New entry	2905.4500	Glycerol (Glycerine), refined	Concentration: 98.5 % min, Specific Gravity: 1.258-1.266 @20°C	Clear water white Liquid	C ₃ H ₈ O ₃	Nimir Industrial Chemicals Ltd. 14.8 KM, Sheikhpura Faisalabad Road, Lahore.
New entry	3823.1990	Distilled Fatty Acid	Acid Value: 200-215, Iodine Value: 38-44, Melting Point: 50±2, Saponification Value = 200-216.	White solid material	Distilled fatty acid blend	Nimir Industrial Chemicals Ltd. 14.8 KM, Sheikhpura Faisalabad Road, Lahore.
New entry	3401.1990	Soap Noodles	Moisture: 11.0-19%, FFA: 1.5% max, Sod. Chloride: 0.85% max, Na ₂ O: 0.10% max, TFM: 74.0 Min	White Soap Noodles	Sodium salt of fatty acids	Nimir Industrial Chemicals Ltd. 14.8 KM, Sheikhpura Faisalabad Road, Lahore.
New entry	3401.2000	Soap Noodles	Moisture: 11.0-19%, FFA: 1.5% max, Sod. Chloride: 0.85% max, Na ₂ O: 0.10% max, TFM: 74.0 Min	White Soap Noodles	Sodium salt of fatty acids	Nimir Industrial Chemicals Ltd. 14.8 KM, Sheikhpura Faisalabad Road, Lahore.
CGO S. No. 52	3204.1200	Acid Dyes for Leather	Water soluble dyes used for the dyeing of silk, wool, nylon and modified acrylics	May be solid, semi-solid or liquid at room temperature	Water soluble dyes	Archroma Pakistan Ltd. 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 Sardar Chemical Industries Suit # 9, 2nd Floor, Hafeez Centre, Main Boulevard, Gulberg-III, Lahore Sardar Dyes & Chemical Industries Chemi-Dystuff Industries (Pvt) Ltd. Descor Chemicals (Pvt) Ltd. Akhavan House, 38-Shahrah-e-Sir, S.M.S-Agha Khan-III, (Davis Road) Lahore Nimir Resins Ltd. 14.5 KM, Sheikhpura Road, Lahore Sandal Dystuffs Industries 305-308, 2nd Floor, The Business Center, 8/8 New Civil Lines Faisalabad Chemical Process Ind. (Pvt) Ltd. 103-Habitat, Shadman-II, Jail Road Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
CGO S. No. 56	3204.2000	Synthetic organic products of a kind used as fluorescent brightening agents	Optical brighteners, optical brightening agents (OBAs), fluorescent brightening agents (FBAs) or fluorescent whitening agents (FWAs) are chemical compounds that absorb light in the ultraviolet and violet region (usually 340-370 nm) of the electromagnetic spectrum, and re-emit light in the blue region (typically 420-470). These additives are often used to enhance the appearance of fabric and paper, causing a "whitening" effect"; they make intrinsically yellow materials look less so, by compensating the deficit in blue and purple light reflected by the material, with the blue and purple optical emission.	May be solid or liquid at room temperature	--	Sardar Dyes & Chemical Industries Sandal Dystuffs Industries 305-308, 2nd Floor, The Business Center, 8/8 New Civil Lines Faisalabad Chemi-Dystuff Industries (Pvt) Ltd. Chemical Process Ind. (Pvt) Ltd. 103-Habitat, Shadman-II, Jail Road Lahore Archroma Pakistan Ltd. 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 Sardar Chemical Industries Suit # 9, 2nd Floor, Hafeez Centre, Main Boulevard, Gulberg-III, Lahore Descor-Chemicals (Pvt) Ltd. Akhavan House, 38-Shahrah-e-Sir, S.M.S- Agha Khan-III, (Davis Road) Lahore Nimir Resins Ltd. 14.5 KM, Sheikhpura Road, Lahore - S & F Enterprises, Karachi
CGO S. No. 57	3204.9000	Whitening agent	Textile grade	May be solid, semi-solid or liquid at room temperature	--	Sardar Dyes & Chemical Industries Sandal Dystuffs Industries 305-308, 2nd Floor, The Business Center, 8/8 New Civil Lines Faisalabad Archroma Pakistan Ltd. 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 Chemi-Dystuff Ind. (Pvt) Ltd. D/4, South Avenue, S.I.T.E Karachi-75700 Descor-Chemicals (Pvt) Ltd. Akhavan House, 38-Shahrah-e-Sir, S.M.S- Agha Khan-III, (Davis Road) Lahore Nimir Resins Ltd. 14.5 KM, Sheikhpura Road, Lahore Sardar Chemical Industries Suit # 9, 2nd Floor, Hafeez Centre, Main Boulevard, Gulberg-III, Lahore Chemical Process Ind. (Pvt) Ltd. 103-Habitat, Shadman-II, Jail Road Lahore
CGO S. No. 79	3211.0090	Dryers, prepared	For paints	Liquid	Dryer for Paints	Descor-Chemicals (Pvt) Ltd. Akhavan House, 38-Shahrah-e-Sir, S.M.S Agha Khan-III, (Davis Road) Lahore Nimir Resins Ltd. 14.5 KM, Sheikhpura Road, Lahore
CGO S. No. 86	3402.1300	Non Ionic Surface-active agents	Surfactants are compounds that lower the surface tension (or interfacial tension) between two liquids or between a liquid and a solid. Surfactants may act as detergents, wetting agents, emulsifiers, foaming agents, and dispersants.	May be solid or liquid at room temperature	Surfactants that do have an ionic character	Archroma Pakistan Ltd. 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 Descor-Chemicals (Pvt) Ltd. Akhavan House, 38-Shahrah-e-Sir, S.M.S Agha Khan-III, (Davis Road) Lahore Nimir Resins Ltd. 14.5 KM, Sheikhpura Road, Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
CGO S. No. 106	3806.2000	Sodium Resinates	pH 9 -12	Dark Brown Paste	Sodium Resinate	Descen-Chemicals (Pvt) Ltd. Akhavan House, 38-Shahrah-e-Sir, S.M.S Agha Khan-III, (Davis Road) Lahore Nimir Resins Ltd. 14.5 KM, Sheikhpura Road, Lahore
CGO S. No. 107	3809.9110	Printing gum	Main use is in printing applications where gums are used to increase the medium viscosity enabling localized coloration.	May be solid or liquid at room temperature	Impart thickness to the matrix under the influence of pH.	BASF Pakistan (Pvt.) Ltd. 46-A, Block – 6, P.E.C.H.S Karachi – 75400 Archroma Pakistan Ltd. 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 Descen-Chemicals (Pvt) Ltd. Akhavan House, 38-Shahrah-e-Sir, S.M.S- Agha-Khan-III, (Davis Road) Lahore Nimir Resins Ltd. 14.5 KM, Sheikhpura Road, Lahore ICI Pakistan 63, Mozang Road Lahore 54000 Universal Chemicals B-45, Estate Avenue S.I.T.E, Karachi - Alka Chemicals
CGO S. No. 108	3809.9190	Dyeing Auxiliaries and Finishing Agents	Dyeing and Finishing agents are used to impart desired effect on textiles. Use of agents facilitate the dyeing and finishing of the fabrics.	May be solid or liquid at room temperature	Improve the performance of the dyeing process and imparts desirable aesthetic to the treated fabric.	BASF Pakistan (Pvt.) Ltd. 46-A, Block – 6, P.E.C.H.S Karachi – 75400 Descen-Chemicals (Pvt) Ltd. Akhavan House, 38-Shahrah-e-Sir, S.M.S- Agha-Khan-III, (Davis Road) Lahore Archroma Pakistan Ltd. 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 Nimir Resins Ltd. 14.5 KM, Sheikhpura Road, Lahore
CGO S. No. 123	3905.1200	Vinyl Acetate Copolymers	Vinyl acetate-acrylic copolymers, emulsion products that are used for a wide range of applications including paints, bond coats, binders, pigmented paper coatings, textiles, and nonwovens	Liquid at room temperature	Crosslink to form film that imparts desirable properties to the treated surface.	Archroma Pakistan Ltd. 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 Nimir Resins Ltd. 14.5 KM, Sheikhpura Road, Lahore Descen-Chemicals (Pvt) Ltd. Akhavan House, 38-Shahrah-e-Sir, S.M.S Agha Khan-III, (Davis Road) Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
CGO S. No. 125	3906.9030	Pigment thickener	Pigment thickener	--	--	BASF Pakistan (Pvt.) Ltd. 46-A, Block – 6, P.E.C.H.S Karachi – 75400 Descen Chemicals (Pvt) Ltd. Akhavan House, 38-Shahrah-e-Sir, S.M.S- Agha Khan-III, (Davis Road) Lahore Nimir Resins Ltd. 14.5 KM, Sheikhpura Road, Lahore Archroma Pakistan Ltd. 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 ICI Pakistan Limited 63, Mozang Road Lahore 54000 T & N Chemical 12.5 KM Sitara Road, Faisalabad
CGO S. No. 126	3906.9090	Acrylic polymers	Acrylate polymers belong to a group of polymers based on acrylic acid, methacrylic and their esters. They are noted for their transparency, resistance to breakage, and elasticity. They are also commonly known as acrylics or polyacrylates.	Mainly liquid at room temperature. However, can be produced in solid form	Acrylate polymers upon drying form films that yield desired properties on the substrate	Archroma Pakistan Ltd. 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 Nimir Resins Ltd. 14.5 KM, Sheikhpura Road, Lahore BASF Pakistan (Pvt.) Ltd. 46-A, Block – 6, P.E.C.H.S Karachi – 75400 Descen Chemicals (Pvt) Ltd. Akhavan House, 38-Shahrah-e-Sir, S.M.S Agha Khan-III, (Davis Road), Lahore Sandal Dyestuff Industries Ltd. 4 KM Chak Jhumra Sangla Hill Road, Faisalabad
CGO S. No. 129	3907.5000	Resins, alkyd, in primary forms	Viscosity 3-1000 poises Acid Value less than 12	Colour Max 10GH	Esters	Nimir Resins Ltd. 14.5 KM, Sheikhpura Road, Lahore Nimir Chemicals Pakistan Limited 51-N Industrial Area, Gulgerg-II, Lahore Descen Chemicals (Pvt) Ltd. Akhavan House, 38-Shahrah-e-Sir, S.M.S Agha Khan-III, (Davis Road) Lahore
CGO S. No. 132	3907.6090	Polyethylene terephthalate in primary	Polyester Chips Amorphous	Plastic Resin in Granules	Polyester Resin made from PTA & MEG with I.V. 0.6 to 0.68 in Amorphous form capable of being upgraded to PET Bottle Grade.	Novatex Ltd. Ground Floor, G&T Tower # 18, Beaumont Road, Civil Lines - 10, Karachi - 75530 Descen Chemicals (Pvt) Ltd. Akhavan House, 38-Shahrah-e-Sir, S.M.S Agha Khan-III, (Davis Road) Lahore Nimir Resins Ltd. 14.5 KM, Sheikhpura Road, Lahore
CGO S. No. 137	3909.2000	Resins , melamine, in primary forms	Viscosity 75 Poises Acid Value less than 2	Colour Water White	Amino	Descen Chemicals (Pvt) Ltd. Akhavan House, 38-Shahrah-e-Sir, S.M.S Agha Khan-III, (Davis Road) Lahore Nimir Resins Ltd. 14.5 KM, Sheikhpura Road, Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
CGO S. No. 124	3905.2100	Polyvinyl acetate	Polyvinyl acetate polymers, emulsion products that are used for a wide range of applications including paints, bond coats, binders, pigmented paper coatings, textiles, and nonwovens	Liquid at room temperature	Crosslink to form film that imparts desirable properties to the treated surface.	Archroma Pakistan Ltd. 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 Nimir Resins Ltd. 14.5 KM, Sheikhpura Road, Lahore
CGO S. No. 127	3907.3000	Epoxide in primary forms	Electrostatic Coating Powder	--	--	Oxyplast Pakistan (Pvt.) Ltd. Silver House, 11/E, Block-6 P.E.C.H.S., Karachi. Nimir Resins Ltd. 14.5 KM, Sheikhpura Road, Lahore
CGO S. No. 128	3907.3000	Fusion Bonded Epoxy (FBE)	Jotapine & Corro-Coat (Anti-Corrosion Coating for Piping)	1350-1500G/L >0.5% Moisture Contents Hardness Avg. 85 (ASTM. STD)	Polarized Cracking Pass Impact resistance >1.5J	Jotun Powder Coatings Pakistan (Pvt) Ltd. 2 KM Defence Road, Off 9 KM Raiwind Road, Adj. Valancia Homes Gate, Lahore Nimir Resins Ltd. 14.5 KM, Sheikhpura Road, Lahore
CGO S. No. 134	3907.9900	Powder Coating Pure Polyester	Corro-Coat PE (Exterior Polyester Powder Coating)	Film Hardness >70 (EN ISO 2815) 100% Adhesion	Exceed 5mm without Film Cracking Salt Spray Resistance Excellent	Jotun Powder Coatings Pakistan (Pvt) Ltd. 2 KM Defence Road, Off 9 KM Raiwind Road, Adj. Valancia Homes Gate, Lahore Nimir Resins Ltd. 14.5 KM, Sheikhpura Road, Lahore
New entry	3809.9200	Paper Chemicals (Surface Sizing Agent)	15 - 20% NVM	White Thin Emulsion	AKD Emulsion	Nimir Resins Ltd. 14.5 KM, Sheikhpura Road, Lahore
New entry	3909.1090	Urea Formaldehyde Resin	58-62 % NVM	Water white thick liquid	Butylated Urea formaldehyde resin in solution form	Nimir Resins Ltd. 14.5 KM, Sheikhpura Road, Lahore
New entry	3909.4000	Phenolic Formaldehyde Resin	69-71 % NVM	Reddish thick liquid	Phenol formaldehyde resin in solution form	Nimir Resins Ltd. 14.5 KM, Sheikhpura Road, Lahore
New entry	3906.9040	Dispersing Agent	20-45 % NVM	Light yellow to yellow clear liquid	Polyacrylate and Styrene/Maleic anhydride based	Nimir Resins Ltd. 14.5 KM, Sheikhpura Road, Lahore
New entry	4805.1900 4805.1100	Fluting Paper	Paper for corrugated containers	Recovered fiber	Cellulosic material	Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore-54760 Century Paper & Board Mills Ltd. 62 KM Lahore Multan Highway, N-5 District Kasur
New entry	4805.2400 4805.2500	Test Liner	Outer Paper for corrugated containers	Recovered fiber	Cellulosic material	Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore-54760 Century Paper & Board Mills Ltd. 62 KM Lahore Multan Highway, N-5 District Kasur
New entry	4805.2400	White Test Liner	Outer Paper for corrugated containers having white surface	Bleached and unbleached recovered fiber may also contain virgin fiber	Cellulosic material	Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore-54760 Century Paper & Board Mills Ltd. 62 KM Lahore Multan Highway, N-5 District Kasur
New entry	4804.1900 4804.1100	Semi Kraft	Outer Paper for corrugated containers	Mix of Kraft pulp and recovered fiber	Cellulosic material	Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore-54760 Century Paper & Board Mills Ltd. 62 KM Lahore Multan Highway, N-5 District Kasur
New entry	4802.5510	Writing Printing Paper	General category of white paper suitable for printing and writing	Bleached Pulp	Cellulosic material	Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore-54760 Century Paper & Board Mills Ltd. 62 KM Lahore Multan Highway, N-5 District Kasur

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	4802.5600 4802.6200 4802.6990	Photo Copy Paper	Paper designed to run of Photo copying machines	Bleached Pulp	Cellulosic material	Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore-54760 Century Paper & Board Mills Ltd. 62 KM Lahore Multan Highway, N-5 District Kasur
New entry	4810.9200 4810.9900	Folding Box Board	Multilayer board with white top and back	Chemical and Mechanical Bleached virgin pulps	Cellulosic material	Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore-54760 Century Paper & Board Mills Ltd. 62 KM Lahore Multan Highway, N-5 District Kasur
New entry	4810.9200 4810.9900	Duplex Board	Multilayer board with white top	Bleached Chemical pulp and recovered fiber	Cellulosic material	Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore-54760 Century Paper & Board Mills Ltd. 62 KM Lahore Multan Highway, N-5 District Kasur
New entry	4804.5900 4810.9200	LPB - Kraft Back Board	Multilayered board with white surface, produced from virgin pulps and suitable for food packaging	Bleached / unbleached virgin pulp	Cellulosic material	Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore-54760 Century Paper & Board Mills Ltd. 62 KM Lahore Multan Highway, N-5 District Kasur
New entry	3920.2010	Other plates, sheets, film, foil and strip, of plastics, non- cellular and not reinforced, laminated, supported or similarly combined with other materials.	Biaxially Oriented Polypropylene (BOPP) film, all category except metallized	BOPP Films	Polymer	Tri-Pack Films Limited House No 18, Sir Abdullah Haroon Road, Adjacent Marriot Hotel, Karachi
New entry	3920.2020	Other plates, sheets, film, foil and strip, of plastics, non- cellular and not reinforced, laminated, supported or similarly combined with other materials.	Biaxially Oriented Polypropylene (BOPP) film, printed	BOPP Films	Polymer	Tri-Pack Films Limited House No 18, Sir Abdullah Haroon Road, Adjacent Marriot Hotel, Karachi
New entry	3920.2030	Other plates, sheets, film, foil and strip, of plastics, non- cellular and not reinforced, laminated, supported or similarly combined with other materials.	Biaxially Oriented Polypropylene (BOPP) film, Pearl & metallized	BOPP Films	Polymer	Tri-Pack Films Limited House No 18, Sir Abdullah Haroon Road, Adjacent Marriot Hotel, Karachi
New entry	3920.2040	Other plates, sheets, film, foil and strip, of plastics, non- cellular and not reinforced, laminated, supported or similarly combined with other materials.	Biaxially Oriented Polypropylene (BOPP) film, laminated	BOPP Films	Polymer	Tri-Pack Films Limited House No 18, Sir Abdullah Haroon Road, Adjacent Marriot Hotel, Karachi
New entry	3920.2090	Other plates, sheets, film, foil and strip, of plastics, non- cellular and not reinforced, laminated, supported or similarly combined with other materials.	Others, Cast Polypropylene (CPP) film, all category	CPP Films	Polymer	Tri-Pack Films Limited House No 18, Sir Abdullah Haroon Road, Adjacent Marriot Hotel, Karachi
CGO S. No. 1045	8544.7000	Optical fibre cables	1.Direct Buried/Armoured from 1 to 288 fiber count standard loose tube design (both dry block and jelly filled construction) 2.Duct Type/un-Armoured from 1 to 288 fiber count standard loose tube design (both dry block and jelly filled construction) 3.All Dielectric Self Supporting Aerial cable (ADSS) Un-armoured from 1 to 288 fibre count standard loose tube design (both dry block and jelly filled construction) 4.Direct Buried un-(Excluding ultra violet treated cables)	The cable is manufactured to with stand the harsh environments of underground direct buried or in ducts and against aerial stresses with customer required Tensile Strengths	The cable is manufactured with several co-polymer coated and several other materials like PBT,Thixotropic	Frontier Cellmore Cable Industries (Pvt) Ltd. Plot No. 13, Phase 4, Hattar Industrial Estate, District Haripur, NWFP Fast Cables Ltd. 192-Y Block, Commercial Area, Phase-III DHA, Lahore Premier Cables (Pvt) Ltd. 43-E, Block 6, P.E.C.H.S., Behind FedEx, Off Razi Road, Shahrah-e-Faisal, Karachi

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
CGO S. No. 262	7207.1920 7207.1990 7207.2020 7207.2090	Steel Billets	Con Cast (CC Billet) Square : 110, 125 &150 mm. Round : Ø110 mm Length : 4000 - 1200 mm. Hot rolled billet Square : 75, 80, 90, 100, 130 mm Length : 4000 - 6000 mm	Cont cast & rolled billet as per international standard.	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers. See Annex-I	Peoples Steel Mills Ltd. Javedan Nagar, Manghpur Karachi Amreli Steels Ltd. D/89, Shershah Road SITE, Karachi ASG Metals Ltd. EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi Model Steel Enterprises (Pvt) Ltd. 15-KM, G.T. Road, New Momanpura Darogawala, Near Quaid-e-Azam Inter Change, Lahore
CGO S. No. 310	7213.1090	Hot Rolled Deformed Bars of Iron or non-alloy steel	ASTM grade 60, BS4449, DIN 488	ASTM grade 60, Tensile Strength 450N/mm sq, Yield Strength 680N/mm sq	C< 0.32%, Mn >1.3%,	Dost Steels (Pvt) Ltd. 101 Chapal Plaza, Hasrat Mohani Road, Karachi Agha Steel Industries Plot No. NWIZ/I/P-133(SP-6) D-2 Port Qasim Authority, Karachi Model Steel Enterprises (Pvt) Ltd. 15-KM, G.T. Road, New Momanpura Darogawala, Near Quaid-e-Azam Inter Change, Lahore
CGO S. No. 333	7216.1000	Angles Shapes and sections of iron or non-alloy steel	U, I or H sections, not further worked than hot-rolled, hot drawn or extruded, of a height of less than 80mm	(ASTM A-36, SR-24, A572, SRJ 275)	--	Ishtiaq Steel Industry 43-B PECO Road Badami Bagh Lahore. ASG Metals Ltd. EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi Model Steel Enterprises (Pvt) Ltd. 15-KM, G.T. Road, New Momanpura Darogawala, Near Quaid-e-Azam Inter Change, Lahore
694	8418.9990 8419.5000 8419.4000	Falling Film Evaporator	Heating Surface 55m2 Surface	--	--	Descon Engineering Limited DESCON Manufacturing Business Area 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 Qadbros Engineering (Pvt) Ltd. 9-A Link Ravi Road, Badami Bagh, Lahore
696	8419.3900	Dryer	All Types and Sizes (except for vaccum dryers used in Tanneries)	--	--	The Star Mughal Industries (Pvt) Ltd. Sharifpura, G.T. Road Gujranwala SEFEC Engineering (Pvt.) Ltd. 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi Heavy Mechanical Complex (Pvt) Ltd. Taxila Qadbros Engineering (Pvt) Ltd. 9-A Link Ravi Road, Badami Bagh, Lahore
801	8426.1110	Cranes	Type: Electrical Over Head Cranes Size: 150 Tons Desing Code/ Standards: FEM, CMAA.	--	--	Heavy Mechanical Complex-3 Hattar Road, Taxila
802	8426.1110	Overhead travelling cranes	Overhead travelling cranes 0.5 tons to 300 tons	--	--	Heavy Mechanical Complex (Pvt) Ltd. Taxila
827	8438.3010	Sugar plants	Complete Sugar plants upto 12000 TCD	--	--	Heavy Mechanical Complex (Pvt) Ltd. Taxila Qadbros Engineering (Pvt) Ltd. 9-A Link Ravi Road, Badami Bagh, Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
829	8438.3090	Diffusing apparatus for sugar extraction,	For upto 6,000 TCD Sugar Plant API 650, API 620, ASME Sec. VIII Div. 1	--	--	SEFEC Engineering (Pvt.) Ltd. 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi Qadbros Engineering (Pvt) Ltd. 9-A Link Ravi Road, Badami Bagh, Lahore
865	8474.1010	Cement Plant/ equipment	7200 Tons/ day	--	--	Descon Engineering Limited DESCON Manufacturing Business Area 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 Qadbros Engineering (Pvt) Ltd. 9-A Link Ravi Road, Badami Bagh, Lahore
869	8474.2010	Machines, grinding / crushing, for earth, stones,	For Cement Plants of upto 3500 TONS/DAY AISI	--	--	SEFEC Engineering (Pvt.) Ltd. 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi Qadbros Engineering (Pvt) Ltd. 9-A Link Ravi Road, Badami Bagh, Lahore
872	8474.2090	Machines, crushing, for earth, stone,	As per fabrication drawings and Client's requirement.	--	--	A.B.S Engineering Corporation (Pvt) Ltd. F-492, S.I.T.E, Karachi- 75700 Qadbros Engineering (Pvt) Ltd. 9-A Link Ravi Road, Badami Bagh, Lahore
874	8474.9020	Parts of Cement plant	Cement plant upto 4000 TPD	--	--	Heavy Mechanical Complex (Pvt) Ltd. Taxila Qadbros Engineering (Pvt) Ltd. 9-A Link Ravi Road, Badami Bagh, Lahore
882	8479.9090	Vacuum Pans for sugar mills	120 Tons Strike Cap. For Sugar Mills	--	--	The Star Mughal Industries (Pvt) Ltd. Sharifpuraa, G.T. Road Gujranwala Qadbros Engineering (Pvt) Ltd. 9-A Link Ravi Road, Badami Bagh, Lahore
New entry	8454.2000	Ingot Moulds and Ladles	As per customer requirements	--	--	Qadbros Engineering (Pvt) Ltd. 9-A Link Ravi Road, Badami Bagh, Lahore
CGO S. No. 21	2827.2000	Calcium Chloride	77% min. & 94% minimum	Granular Powder Form and Prills	CaCl ₂	Sitara Chemical Industries Ltd. 32-KM Sheikupura Road, Faisalabad
CGO S. No. 4027	8544.4940	Telephone Cables	All telephone cables i.e. telecommunication cables; indoor telephone cables; audio/radio frequency cables; junction cables; primary cables; secondary cables; jelly filled cables; drop wire; switch board & jumper cables. (Excluding ultra violet treated cables)	--	--	Atlas Cables (Pvt) Limited, Karachi 9th Floor Textile Plaza, Mumtaz Hasan Road P.O.-5195, Karachi-74000 A.G.E. Cables 97-A Industrial Estate, Jamrud Road, Peshawar Premier Cables- 924/2 Gul-e-Rehmat Building Opposite Sabil-Masjid, 18-C Clayton Road Guru-Mandar Karachi-74800 Pakistan Telephone Cables Room No.-107, Elahi Center Preedy Street Saddar, Karachi-74400
CGO S. No. 306	7243.1010	M.S. Bars, Deformed Bar & Tor-Bar (Hot Rolled)	Range 25 to 60mm Length = 6 to 12 Mtr.	ASTM A-36, SR-24, G-60 & 40 and as per Pakistan Steel and Peoples Steel Mills Standard.	As-Per-Standard	Jabbar Steel Industry- A-46/C S.I.T.E Near Pakistan Cable Karachi. --- Amreli Steels Ltd.- D/89, Shershah Road SITE, Karachi
New entry	8402.1200	Duct Heaters Gas or Oil Fired	As per client's requirement	--	--	Industrial & Mechanical Engineers (Pvt) Ltd. 403, Noor Estate Building Shahrah-e-Faisal Karachi
New entry	8421.2100	Sand Water Filter Automatic Water Softner Activated Carbon Filter Water Pressure Booster	As per client's requirement	--	--	Industrial & Mechanical Engineers (Pvt) Ltd. 403, Noor Estate Building Shahrah-e-Faisal Karachi

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	8402.1200	Electric Hot Water & Steam Boiler	As per client's requirement	--	--	Industrial & Mechanical Engineers (Pvt) Ltd. 403, Noor Estate Building Shahrah-e-Faisal Karachi
New entry	7309.0000 7311.0000	Compression & Expansion Tanks Centrifugal Air Separator Centrifugal Duct Separator	As per client's requirement	--	--	Industrial & Mechanical Engineers (Pvt) Ltd. 403, Noor Estate Building Shahrah-e-Faisal Karachi
New entry	8402.1200	Hot Water Storage Heater	As per client's requirement	--	--	Industrial & Mechanical Engineers (Pvt) Ltd. 403, Noor Estate Building Shahrah-e-Faisal Karachi
CGO S. No. 42	2934.9910	Furazolidine	Active Pharmaceutical Ingredient (API) & Feed grade	Yellow Powder	--	Alpha Chemicals (Pvt) Limited 430-GI, Johar Town Lahore
CGO S. No. 43	2939.4100	Ephedrine Hydrochloride / Ephedrine Sulphate	Active Pharmaceutical Ingredient (API)	White Crystalline Powder	--	Alpha Chemicals (Pvt) Limited 430-GI, Johar Town Lahore
CGO S. No. 44	2939.4200	Pseudoephedrine Hydrochloride / Pseudoephedrine Sulphate	Active Pharmaceutical Ingredient (API)	White Crystalline Powder	--	Alpha Chemicals (Pvt) Limited 430-GI, Johar Town Lahore
New entry	2935.9030	Sulphamethoxazole	Active Pharmaceutical Ingredient (API) BP & USP Specifications	Almost White Crystalline Powder	<u>Solubility:</u> Practically insoluble in water, freely soluble in Acetone, sparingly soluble in Ethanol (96%). It dissolves in dilute solutions of Sodium Hydroxide and in dilute acids. <u>Melting Point:</u> 169 °C-172°C <u>Identification:</u> Infrared absorption spectrum is concordant with spectrum of Sulphamethoxazole CRS <u>LOD:</u> Not more than 0.5 % <u>Assay:</u> 99.0 %-101.0 %	Alpha Chemicals (Pvt) Limited 430-GI, Johar Town Lahore
CGO S. No. 305	7213.1010	M.S. Bars, Deformed Bar & Tor Bar (Hot Rolled)	Range 25 to 60mm Length = 6 to 12 Mtr.	ASTM A-36, SR-24, G-60 & 40 and as per Pakistan Steel and Peoples Steel Mills Standard.	As Per Standard	Jabbar Steel Industry A-46/C S.I.T.E Near Pakistan Cable Karachi. Amreli Steels Ltd. D/89, Shershah Road, SITE, Karachi Razaque Steels (Pvt) Ltd. B-30(B), Estate Avenue Sher Shah S.I.T.E. Karachi
CGO S. No. 307	7213.1090	Hot Rolled Deformed Bars of Iron or non-alloy steel	As per BSS-4461-1969, ASTM-A36-75, ASTM-615-76a (1977)	As per standard	As per standard	Metropolitan Steel Corporation Limited 706-Progressive Plaza, 101-Bemount Road, Karachi Agha Steel Industries Plot No. NWIZ/IP-133(SP-6) D-2 Port Qasim Authority, Karachi Razaque Steels (Pvt) Ltd. B-30(B), Estate Avenue Sher Shah S.I.T.E. Karachi
CGO S. No. 309	7213.1090	Hot Rolled Deformed Bars of Iron or non-alloy steel	As per BSS-4461-1969, ASTM-A36-75, ASTM-615-76a (1977)	As per standard	As per standard	Metropolitan Steel Corporation Limited 706-Progressive Plaza, 101-Bemount Road, Karachi Agha Steel Industries Plot No. NWIZ/IP-133(SP-6) D-2 Port Qasim Authority, Karachi Razaque Steels (Pvt) Ltd. B-30(B), Estate Avenue Sher Shah S.I.T.E. Karachi

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
CGO S. No. 310	7213.1090	Hot Rolled Deformed Bars of Iron or non-alloy steel	ASTM grade 60, BS4449, DIN 488	ASTM grade 60, Tensile Strength 450N/mm sq, Yield Strength 680N/mm sq	C> 0.32%, Mn >1.3%, Agha Steel Industries Plot No. NWIZ/I/P-133(SP-6) D-2 Port Qasim Authority, Karachi Razaque Steels (Pvt) Ltd. B-30(B), Estate Avenue Sher Shah S.I.T.E. Karachi	Dost Steels (Pvt) Ltd. 101 Chapal Plaza, Hasrat Mohani Road, Karachi Agha Steel Industries Plot No. NWIZ/I/P-133(SP-6) D-2 Port Qasim Authority, Karachi Razaque Steels (Pvt) Ltd. B-30(B), Estate Avenue Sher Shah S.I.T.E. Karachi
New entry	3901.2000	HDPE Fittings Butt Fusion type	63mm to 315mm Dia Piping	- Strong - Light weight - Easy jointing - Durable	Food grade Non-toxic Non-corrosive Chemical resistant	New Tech Suit 4 & 5, 2nd Floor, Rehman Plaza, I-10 Markaz, Islamabad.
CGO S. No. 199	5503.2010	Fibres, staple, polyester Polyester Staple Fibre	1-2-Danier, not carded or combed- Synthetic staple fibres, not carded or combed. Of polyesters not exceeding 2.22 decitex.	Tensile Strength = 7-7.25- Breaking Load = 8-8.5 0.5-2 Denier staple fibre	PET = 99.57 Textile- Finish = 0.13 Moisture- = 0.13 PTA = 0.865 MEG = 0.334 Textile Finish = 0.10- 0.20 Other Chemicals	ICI Polyester Fibres Business 63-Mozang Road Lahore- ICI Pakistan Limited- Polyester Fibres Business, 63- Mozang Road Lahore
New entry	8418.9920	Wire Condensers	1/3HP, 1/4HP, 1/5HP, 1/6HP, 1/8HP, 1/10HP and 1/12HP	Steel Tube Copper Coated, Steel Wire and Black Powder Coating	--	Breeze Frost Industries (Pvt) Ltd. Harbanspura Road, P.O. Tajpura, Lahore
New entry	7213.1090	Hot Rolled (Non-Alloyed) Steel Wire Rod (irregular wound coils), circular cross section measuring 5.5mm to 20mm in diameter.	SAE 1006, SAE 1008, SAE 1010, SAE 1015, SAE 1020, SAE 1025, EWNr, EH10K, ER70SG, EA2, SAE 1030, SAE 1038, SAE 1040	As per SAE, AISI, ASTM, EN and other International Standards	As per SAE, AISI, ASTM, EN and other International Standards	Horizon Steel (Pvt) Ltd. D-93, Block-4, Kehkshan, Clifton, Karachi
New entry	7213.2090	Hot Rolled (Non-Alloyed) Steel Wire Rod (irregular wound coils), circular cross section measuring 5.5mm to 20mm in diameter.	SAE 1006, SAE 1008, SAE 1010, SAE 1015, SAE 1020, SAE 1025, EWNr, EH10K, ER70SG, EA2, SAE 1030, SAE 1038, SAE 1040	As per SAE, AISI, ASTM, EN and other International Standards	As per SAE, AISI, ASTM, EN and other International Standards	Horizon Steel (Pvt) Ltd. D-93, Block-4, Kehkshan, Clifton, Karachi
New entry	7213.9191	Hot Rolled (Non-Alloyed) Steel Wire Rod (irregular wound coils), circular cross section measuring 5.5mm to 20mm in diameter.	SAE 1006, SAE 1008, SAE 1010, SAE 1015, SAE 1020, SAE 1025, EWNr, EH10K, ER70SG, EA2, SAE 1030, SAE 1038, SAE 1040	As per SAE, AISI, ASTM, EN and other International Standards	As per SAE, AISI, ASTM, EN and other International Standards	Horizon Steel (Pvt) Ltd. D-93, Block-4, Kehkshan, Clifton, Karachi
New entry	7213.9199	Hot Rolled (Non-Alloyed) Steel Wire Rod (irregular wound coils), circular cross section measuring 5.5mm to 20mm in diameter.	SAE 1006, SAE 1008, SAE 1010, SAE 1015, SAE 1020, SAE 1025, EWNr, EH10K, ER70SG, EA2, SAE 1030, SAE 1038, SAE 1040	As per SAE, AISI, ASTM, EN and other International Standards	As per SAE, AISI, ASTM, EN and other International Standards	Horizon Steel (Pvt) Ltd. D-93, Block-4, Kehkshan, Clifton, Karachi
New entry	7213.9990	Hot Rolled (Non-Alloyed) Steel Wire Rod (irregular wound coils), circular cross section measuring 5.5mm to 20mm in diameter.	SAE 1006, SAE 1008, SAE 1010, SAE 1015, SAE 1020, SAE 1025, EWNr, EH10K, ER70SG, EA2, SAE 1030, SAE 1038, SAE 1040	As per SAE, AISI, ASTM, EN and other International Standards	As per SAE, AISI, ASTM, EN and other International Standards	Horizon Steel (Pvt) Ltd. D-93, Block-4, Kehkshan, Clifton, Karachi
New entry	7227.9010	Hot Rolled (Alloyed) Steel Wire Rod (irregular wound coils), circular cross section measuring 5.5mm to 20mm in diameter.	SAE 1006CR, SAE 1008CR, SAE 1010CR, SAE 1015CR, SAE 1020CR, SAE 1025CR, SAE 1030CR, SAE 1038CR, SAE 1040CR	As per SAE, AISI, ASTM, EN and other International Standards	As per SAE, AISI, ASTM, EN and other International Standards	Horizon Steel (Pvt) Ltd. D-93, Block-4, Kehkshan, Clifton, Karachi
New entry	7227.9090	Hot Rolled (Alloyed) Steel Wire Rod (irregular wound coils), circular cross section measuring 5.5mm to 20mm in diameter.	SAE 1006CR, SAE 1008CR, SAE 1010CR, SAE 1015CR SAE 1020CR, SAE 1025CR, SAE 1030CR, SAE 1038CR, SAE 1040CR	As per SAE, AISI, ASTM, EN and other International Standards	As per SAE, AISI, ASTM, EN and other International Standards	Horizon Steel (Pvt) Ltd. D-93, Block-4, Kehkshan, Clifton, Karachi
New entry	2710.1991	Mineral oil (Coning oil) (Spin Finish oil)	Density@ 20C = 0.85 – 0.88g/cm3 Flash Point = 200F and above Pour Point = -21 Water Content = 0.5% Max Viscosity at 40C = 8.5 – 10.5 CST	Colorless to slightly yellowish oily Liquid	A mineral oil is light mixtures of alkanes in the C15 to C40	Reliance Petrochem Industries (Pvt) Ltd. 1301, 13th Floor, Chappal Plaza Hasrat Mohani Road, Karachi

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	2710.1996	White oil	Density@20C = 0.82 - 0.85g/cm ³ Flash Point = 320F Pour Point = -18 Color = +30 Doctor Test=Negative Odour = Odorless Viscosity @ 40C = 15 – 22 CST (can be adjusted according to demand) Ultraviolet Absorbance, CFR 178.3620 (b) 280 to 289 nm 4.5 290 to 299 nm 3.5 300 to 329 nm 2.5 330 to 350 nm 1.1	Transparent, colorless, bright and crystal clear oily liquid.	White oils produced from a Complex mixtures of highly refined paraffinic and naphthenic hydrocarbons components; consists of alkanes (isoparaffins), saturated cyclic alkanes (naphthenic), alkylated aromatics processed of sulphuric acid treatment, dewaxing and hydro treating. White Oils are highly refined extremely pure, stable, colorless, odorless, non-toxic and chemically inert. These attributes make them perfect for any application that values these properties, such as industrial lubricant & process oils, cosmetics and chemical processing. 21 CFR 172.878, 21 CFR 178.3620, 21 CFR 573.680.	Reliance Petrochem Industries (Pvt) Ltd. 1301, 13th Floor, Chappal Plaza Hasrat Mohani Road, Karachi
New entry	2710.1240	Low Aromatic White Spirit (LAWS)	Density@ 15C = 790 Flash Point = 36 Pour Point = -51 Boiling Range = 154 - 193 Aromatic = <20	Low Odor Colorless Transparent Liquid	Low Aromatic White Spirit are complex Hydrocarbon substances. There are many low aromatics white spirit range including D40, D60, D80. They all have aromatic content below 20ppm, with most at around 10ppm. Carbon chain length: C9 – C11 CAS Number: 64742-48-9	Reliance Petrochem Industries (Pvt) Ltd. 1301, 13th Floor, Chappal Plaza Hasrat Mohani Road, Karachi
New entry	2714.9000	White Flux	Density@ 15C = 780 Flash Point = 40 Pour Point = -20 Boiling Range = 155 - 205	Colorless Bright, Crystal Clear Transparent Liquid	White Flux is based on Petroleum Distillates. These complex hydrocarbons reduced the viscosity of bitumen and mix into asphalt and/or poured onto the surface. Carbon chain length: C9 – C12 CAS Number: 64742-48-9	Reliance Petrochem Industries (Pvt) Ltd. 1301, 13th Floor, Chappal Plaza Hasrat Mohani Road, Karachi

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	2710.1250	Mineral Spirit	Density@15C = 794 Flash Point = 40 Pour Point = -211 Boiling Range = 149 - 215	Colorless Bright, Crystal Clear Transparent Liquid	Mineral Spirit is made from the blended petroleum distillates with an initial boiling point 149C and 160C and a final boiling point between 205C and 215C. it is Sulfur free dearomatized solvent. Carbon chain length: C9 – C11 CAS Number: 64742-48-9	Reliance Petrochem Industries (Pvt) Ltd. 1301, 13th Floor, Chappal Plaza Hasrat Mohani Road, Karachi
New entry	3506.9110 3506.9190	Hot Melt Adhesive	SU-600 SU-900	White Pellets & Light Yellow Pellets	Viscosity Thermosel, Temperature 170 C, 160 C Average (cps) 3500	Pak Daehan H. No. 29, Bhagat Pura Hussain Bakhsh Park New Shad Bagh, Lahore
New entry	3907.9900	Polyester Resin 50:50	Saturated Polyester Resin	Granular Solid	Carboxylated Terminated	Premier Coating Resin (Pvt) Ltd. C-42, SITE Super Highway Industrial Area Scheme # 33, Karachi
New entry	3907.9900	Polyester Resin 70:30	Saturated Polyester Resin	Granular Solid	Carboxylated Terminated	Premier Coating Resin (Pvt) Ltd. C-42, SITE Super Highway Industrial Area Scheme # 33, Karachi
New entry	3907.9900	Polyester Resin 93:07	Saturated Polyester Resin	Granular Solid	Carboxylated Terminated	Premier Coating Resin (Pvt) Ltd. C-42, SITE Super Highway Industrial Area Scheme # 33, Karachi
New entry	3907.9900	Polyester Resin 60:40	Saturated Polyester Resin	Granular Solid	Carboxylated Terminated	Premier Coating Resin (Pvt) Ltd. C-42, SITE Super Highway Industrial Area Scheme # 33, Karachi
New entry	3907.9900	Polyester Resin 80:20	Saturated Polyester Resin	Granular Solid	Carboxylated Terminated	Premier Coating Resin (Pvt) Ltd. C-42, SITE Super Highway Industrial Area Scheme # 33, Karachi
New entry	3907.9900	Polyester Resin 90:10	Saturated Polyester Resin	Granular Solid	Carboxylated Terminated	Premier Coating Resin (Pvt) Ltd. C-42, SITE Super Highway Industrial Area Scheme # 33, Karachi
New entry	3907.3000	Epoxy Resin ER-12P	Solid Epoxy Resin	Granular Solid	Epoxide	Premier Coating Resin (Pvt) Ltd. C-42, SITE Super Highway Industrial Area Scheme # 33, Karachi
New entry	3907.3000	Epoxy Resin ER-20P	Solid Epoxy Resin	Granular Solid	Epoxide	Premier Coating Resin (Pvt) Ltd. C-42, SITE Super Highway Industrial Area Scheme # 33, Karachi
New entry	3907.3000	Epoxy Resin ER-128	Liquid Epoxy Resin	Liquid	Epoxide	Premier Coating Resin (Pvt) Ltd. C-42, SITE Super Highway Industrial Area Scheme # 33, Karachi
New entry	3907.3000	Epoxy Resin ER-20x75	Liquid Epoxy Resin	Liquid	Epoxide	Premier Coating Resin (Pvt) Ltd. C-42, SITE Super Highway Industrial Area Scheme # 33, Karachi
New entry	3908.9000	Polyamide Resin H-140	Liquid Hardener for Epoxy	Liquid	Amine	Premier Coating Resin (Pvt) Ltd. C-42, SITE Super Highway Industrial Area Scheme # 33, Karachi
New entry	3908.9000	Polyamide Resin H-115	Liquid Hardener for Epoxy	Liquid	Amine	Premier Coating Resin (Pvt) Ltd. C-42, SITE Super Highway Industrial Area Scheme # 33, Karachi
New entry	3908.9000	Polyamide Resin H-125	Liquid Hardener for Epoxy	Liquid	Amine	Premier Coating Resin (Pvt) Ltd. C-42, SITE Super Highway Industrial Area Scheme # 33, Karachi
New entry	3824.9993	Coated or Treated Calcium Carbonate	Natural Calcium Carbonate grinded & converted	Solid Powder form	Slightly reactive in coated form	Omya Pack (Pvt) Ltd. Kot Radha Kishan Road, Kasur
New entry	2836.5000	Calcium Carbonate (natural, un coated)	Natural Calcium Carbonate, grinded & converted into fine powder state	Solid Powder form	Reactive under acidic condition	Omya Pack (Pvt) Ltd. Kot Radha Kishan Road, Kasur
CGO S. No. 305	7213.1010	M.S. Bars, Deformed Bar & Tor Bar (Hot Rolled)	Range 25 to 60mm Length = 6 to 12 Mtr.	ASTM A-36, SR-24, G-60 & 40 and as per Pakistan Steel and Peoples Steel Mills Standard.	As Per Standard	Jabbar Steel Industry A-46/C S.I.T.E Near Pakistan Cable Karachi. Amreli Steels Ltd. D/89, Shershah Road SITE, Karachi

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
CGO S. No. 306	7213.1010	M.S. Bars, Deformed Bar & Tor Bar (Hot Rolled)	Range 25 to 60mm Length = 6 to 12 Mtr.	ASTM A-36, SR-24, G-60 & 40 and as per Pakistan Steel and Peoples Steel Mills Standard.	As Per Standard	Jabbar Steel Industry A-46/C S.I.T.E Near Pakistan Cable Karachi. Amreli Steels Ltd. D/89, Shershah Road SITE, Karachi
CGO S. No. 307	7213.1090	Hot Rolled Deformed Bars of Iron or non-alloy steel	As per BSS-4461-1969, ASTM-A36-75, ASTM-615-76a (1977)	As per standard	As per standard	Metropolitan Steel Corporation Limited 706-Progressive Plaza, 101-Bemount Road, Karachi Agha Steel Industries Plot No. NWIZ/I/P-133(SP-6) D-2 Port Qasim Authority, Karachi
CGO S. No. 308	7213.1090	Hot Rolled Deformed Bars of Iron or non-alloy steel	Hot Rolled; Diameter : 18 - 60 mm Length : 4000 - 8000mm	Black surface	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers. See Annex-I	Peoples Steel Mills Ltd. Javedan Nagar, Manghpir Karachi
CGO S. No. 309	7213.1090	Hot Rolled Deformed Bars of Iron or non-alloy steel	As per BSS-4461-1969, ASTM-A36-75, ASTM-615-76a (1977)	As per standard	As per standard	Metropolitan Steel Corporation Limited 706-Progressive Plaza, 101-Bemount Road, Karachi Agha Steel Industries Plot No. NWIZ/I/P-133(SP-6) D-2 Port Qasim Authority, Karachi
CGO S. No. 310	7213.1090	Hot Rolled Deformed Bars of Iron or non-alloy steel	ASTM grade 60, BS4449, DIN 488	ASTM grade 60, Tensile Strength 450N/mm sq, Yield Strength 680N/mm sq	C> 0.32%, Mn >1.3%,	Dost Steels (Pvt) Ltd. 101 Chapal Plaza, Hasrat Mohani Road, Karachi Agha Steel Industries Plot No. NWIZ/I/P-133(SP-6) D-2 Port Qasim Authority, Karachi
CGO S. No. 311	7213.1090	Hot Rolled Bars and rods in irregularly wound coils of iron or non-alloy steel	Coils of deformed steel. Diameter of greater than 5.5 mm and less 12 mm. Coil weight of greater than 75 kg. Standard: JIG G 3506-80, ASTM A 615-82 (Containing indentations, ribs, grooves or other deformations produced during the rolling process)	longation greater then 20 %. Yield strength greater 30,000 psi.	C: 0.05 % to 0.50 % Mn: 0.30 % to 0.90 % Si: 0.04 % to 0.40 % P: greater than 0.03 % S: greater than 0.03 %	Frontier Foundry (Pvt) Ltd., Plot No. 166, Road B-7, Hayatabad Industrial Estate, Peshawar Agha Steel Industries Plot No. NWIZ/I/P-133(SP-6) D-2 Port Qasim Authority, Karachi
CGO S. No. 374	7227.9000	Hot Rolled Bars of alloy steel	As per BSS-4461-1969, ASTM-A36-75, ASTM-615-76a (1977)	As per Standard	As per Standard	Metropolitan Steel Corporation Limited 706-Progressive Plaza, 101-Bemount Road, Karachi
CGO S. No. 315	7213.2090	Hot Rolled Bars and rods in irregularly wound coils of iron or non-alloy steel (Other, of free cutting steel)	Steel wire-rod (with no indentation or ribs). Diameter of greater than 5.5 mm and less 12 mm. Coil weight of greater than 75 kg. Standard: JIG G 3506-80, ASTM A 615-82	Elongation greater then 20 %. Yield strength greater 30,000 psi.	C: 0.05 % to 0.50 % Mn: 0.30 % to 0.90 % Si: 0.04 % to 0.40 % P: greater than 0.03 % S: greater than 0.03 %	Frontier Foundry (Pvt) Ltd., Plot No. 166, Road B-7, Hayatabad Industrial Estate, Peshawar Abbas Engineering Industries Ltd. DSU-2, Bin Qasim - Karachi – 75000 Abbas Steel Industries (Pvt) Ltd. Plot No. 8, Sector 19, Korangi Industrial Area Karachi Al-Abbas Steel (Pvt) Ltd. Plot No. 9, Sector 19, Korangi Industrial Area Karachi

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
CGO S. No. 316	7213.9190	Steel Wire Rod	5.5mm to 12 mm SWRH 42A to 42 B, Medium Carbon ASTM. JIS, All International Spec's	Plain Round	SWRH 42 A to 42 B C% = 0.39/0.46, Mn% = 0.40/0.80, P% Max = 0.030, S % Max = 0.030, Si% = 015/0.30	Sandal Bar Rolling Mills (Pvt) Ltd. 1st Floor 48 Nishtar Road, Lahore Abbas Engineering Industries Ltd. DSU-2, Bin Qasim - Karachi – 75000 Abbas Steel Industries (Pvt) Ltd. Plot No. 8, Sector 19, Korangi Industrial Area, Karachi
CGO S. No. 317	7213.9990	Steel Wire Rod	5.5mm to 12 mm SWRH 42A to 42 B, Medium Carbon ASTM. JIS, All International Spec's	Plain Round	SWRH 42 A to 42 B C% = 0.39/0.46, Mn% = 0.40/0.80, P% Max = 0.030, S % Max = 0.030, Si% = 015/0.30	Sandal Bar Rolling Mills (Pvt) Ltd. 1st Floor 48 Nishtar Road, Lahore
CGO S. No. 319	7214.1010 7214.1090 7214.2010	Steel Bars	Grade 60 5.5mm to 32mm ASTM. JIS, All International Spec's	Plain Round, Deform Bars & Twisted	Grade 60 C% = 0.28/0.33, Mn% = 1.15/1.35, P% Max = 0.045, S % Max = 0.045, Si% = 0.35 max, (C+Mn)/6% = 0.47/0.55	Sandal Bar Rolling Mills (Pvt) Ltd. 1st Floor 48 Nishtar Road, Lahore Amreli Steels Ltd. D/89, Shershah Road SITE, Karachi Agha Steel Industries Plot No. NWIZ/1P-133(SP-6) D-2 Port Qasim Authority, Karachi
CGO S. No. 320	7214.2010 7214.2090	Hot rolled, deformed bars	Hot Rolled; Diameter : 12 - 80 mm Length : 4000 - 6000mm	Black surface	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers. See Annex-I	Sandal Bar Rolling Mills (Pvt) Ltd. 1st Floor 48 Nishtar Road, Lahore Amreli Steels Ltd. D/89, Shershah Road SITE, Karachi Agha Steel Industries Plot No. NWIZ/1P-133(SP-6) D-2 Port Qasim Authority, Karachi
New entry	7209.1510	Cold Rolled Coils of a thickness 3 mm or more	Cold Rolled Carbon Steel Sheet, Coils and Strips as per JIS G-3141, ISO 3574, ASTM A-1008 [Excluding SPCE grade and other auto grades]	As per JIS G-3141, ISO 3574, ASTM A-1008	As per JIS G-3141, ISO 3574, ASTM A-1008	BBJ Steel Limited 4 th Floor, BBJ House, 40 Abbot Road, Lahore.
New entry	7209.1590	Cold Rolled Coils of a thickness 3 mm or more	Cold Rolled Carbon Steel Sheet, Coils and Strips as per JIS G-3141, ISO 3574, ASTM A-1008 [Excluding SPCE grade and other auto grades]	As per JIS G-3141, ISO 3574, ASTM A-1008	As per JIS G-3141, ISO 3574, ASTM A-1008	BBJ Steel Limited 4 th Floor, BBJ House, 40 Abbot Road, Lahore.
New entry	7209.1610	Cold Rolled Coils of a thickness exceeding 1 mm but less than 3 mm	Cold Rolled Carbon Steel Sheet, Coils and Strips as per JIS G-3141, ISO 3574, ASTM A-1008 [Excluding SPCE grade and other auto grades]	As per JIS G-3141, ISO 3574, ASTM A-1008	As per JIS G-3141, ISO 3574, ASTM A-1008	BBJ Steel Limited 4 th Floor, BBJ House, 40 Abbot Road, Lahore.
New entry	7209.1690	Cold Rolled Coils of a thickness exceeding 1 mm but less than 3 mm	Cold Rolled Carbon Steel Sheet, Coils and Strips as per JIS G-3141, ISO 3574, ASTM A-1008 [Excluding SPCE grade and other auto grades]	As per JIS G-3141, ISO 3574, ASTM A-1008	As per JIS G-3141, ISO 3574, ASTM A-1008	BBJ Steel Limited 4 th Floor, BBJ House, 40 Abbot Road, Lahore.
New entry	7209.1710	Cold Rolled Coils of a thickness 0.5 mm or more but not exceeding 1 mm	Cold Rolled Carbon Steel Sheet, Coils and Strips as per JIS G-3141, ISO 3574, ASTM A-1008 [Excluding SPCE grade and other auto grades]	As per JIS G-3141, ISO 3574, ASTM A-1008	As per JIS G-3141, ISO 3574, ASTM A-1008	BBJ Steel Limited 4 th Floor, BBJ House, 40 Abbot Road, Lahore.
New entry	7209.1790	Cold Rolled Coils of a thickness 0.5 mm or more but not exceeding 1 mm	Cold Rolled Carbon Steel Sheet, Coils and Strips as per JIS G-3141, ISO 3574, ASTM A-1008 [Excluding SPCE grade and other auto grades]	As per JIS G-3141, ISO 3574, ASTM A-1008	As per JIS G-3141, ISO 3574, ASTM A-1008	BBJ Steel Limited 4 th Floor, BBJ House, 40 Abbot Road, Lahore.
New entry	7209.1810	Cold Rolled Coils of thickness less than 0.5 mm	Cold Rolled Carbon Steel Sheet, Coils and Strips as per JIS G-3141, ISO 3574, ASTM A-1008 [Excluding SPCE grade and other auto grades]	As per JIS G-3141, ISO 3574, ASTM A-1008	As per JIS G-3141, ISO 3574, ASTM A-1008	BBJ Steel Limited 4 th Floor, BBJ House, 40 Abbot Road, Lahore.

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	7209.1890	Cold Rolled Coils of thickness less than 0.5 mm	Cold Rolled Carbon Steel Sheet, Coils and Strips as per JIS G-3141, ISO 3574, ASTM A-1008 [Excluding SPCE grade and other auto grades]	As per JIS G-3141, ISO 3574, ASTM A-1008	As per JIS G-3141, ISO 3574, ASTM A-1008	BBJ Steel Limited 4 th Floor, BBJ House, 40 Abbot Road, Lahore.
New entry	7209.9010	Cold Rolled Coils of 3 mm or above	Cold Rolled Carbon Steel Sheet, Coils and Strips as per JIS G-3141, ISO 3574, ASTM A-1008 [Excluding SPCE grade and other auto grades]	As per JIS G-3141, ISO 3574, ASTM A-1008	As per JIS G-3141, ISO 3574, ASTM A-1008	BBJ Steel Limited 4 th Floor, BBJ House, 40 Abbot Road, Lahore.
New entry	7209.9090	Cold Rolled Coils of 3 mm or above	Cold Rolled Carbon Steel Sheet, Coils and Strips as per JIS G-3141, ISO 3574, ASTM A-1008 [Excluding SPCE grade and other auto grades]	As per JIS G-3141, ISO 3574, ASTM A-1008	As per JIS G-3141, ISO 3574, ASTM A-1008	BBJ Steel Limited 4 th Floor, BBJ House, 40 Abbot Road, Lahore.
New entry	5901.9010	Buckram	Fabric of Cotton/ PC in Rolls for Shirts	--	Coated with Thermoplastic Adhesive	Aruj Industries 2-Km off Raiwind Manga Road, Raiwind Lahore
New entry	5903.9000	Fusible Interlining	Fabric of Polyester in rolls for suits, jackets, and lady wears	--	Coating with Polyamide and Co-Polyester	Aruj Industries 2-Km off Raiwind Manga Road, Raiwind Lahore
CGO S. No. 139	3917.2100	Tubes, Pipes & Hoses, Rigid of Polymers of Ethylene	ISO4437 ISO 4427 DIN 8074 ASTM 2513	Diameter 20mm to 630mm and ¾" to 12" Length of coils as per customer requirement or straight lengths upto 40 feet	Ethylene	Dadex Eternit Ltd. Dadex House, 34-A/1, Block-6, P.E.C.H.S. Shahrah-e-Faisal Karachi Sun International Co. (Pvt) Ltd. 62 CMA Colony Street #4 Lahore Cantt. Lahore Premier Cables (Pvt) Ltd. 43-E, Block 6, P.E.C.H.S., Behind FedEx, Off Razi Road, Shahrah-e-Faisal, Karachi
CGO S. No. 140	3917.2100	PE Gas Pipe Fittings	SNGPL Spec, ASTM-2513, ASTM-D-2683 SSGC Spec. ISO-4437 ISO-8085 EN-1555	Dia: 3/4 inch to 6 inch Length: 12 inch to 36 inch PE Spec: PE-80/100 Steel Spec: ASTM & API 5L Dia: 20mm to 180mm Length: 12 inch to 36 inch PE Spec: PE-80/100 Steel Spec: ASTM & API 5L	Melt Flow 0.8 gm/10mn, Density >0.940 to 0.947 to gm/cm ³ Melt Flow 1.55 gm/10mn, Density >0.940 to 0.955 to gm/cm ³	Mechfit Industries 124-IV, E-Block Model Town, Lahore Swabis Polyplast A-496, St No. 9, Block "N", North Nazimabad Karachi Premier Cables (Pvt) Ltd. 43-E, Block 6, P.E.C.H.S., Behind FedEx, Off Razi Road, Shahrah-e-Faisal, Karachi
CGO S. No. 141	3917.2100	PE Water Pipe Fittings	ASTM-2513	Dia: 3/4 inch to 6 inch Length: 12 inch to 36 inch PE Spec: PE-80/100 Steel Spec: ASTM & API 5L Dia: 20mm to 180mm Length: 12 inch to 36 inch PE Spec: PE-80/100 Steel Spec: ASTM & API 5L	Melt Flow 0.8 gm/10mn, Density >0.940 to 0.947 to gm/cm ³ Melt Flow 1.55 gm/10mn, Density >0.947 to 0.955 to gm/cm ³	Mechfit Industries 124-IV, E-Block Model Town, Lahore Swabis Polyplast A-496, St No. 9, Block "N", North Nazimabad Karachi Premier Cables (Pvt) Ltd. 43-E, Block 6, P.E.C.H.S., Behind FedEx, Off Razi Road, Shahrah-e-Faisal, Karachi
CGO S. No. 142	3917.2100	Blow Moulded Cans/ Jars	HDPE Material	0.25, 0.5 and 1 litre sizes	Density 942	Mechfit Industries 124-IV, E-Block Model Town, Lahore Premier Cables (Pvt) Ltd. 43-E, Block 6, P.E.C.H.S., Behind FedEx, Off Razi Road, Shahrah-e-Faisal, Karachi
CGO S. No. 143	3917.2200	Hoses, polypropylene, rigid	Din 8077	Diameter 20mm to 110mm	--	Sun International Co. (Pvt) Ltd. 62 CMA Colony Street #4 Lahore Cantt. Lahore Premier Cables (Pvt) Ltd. 43-E, Block 6, P.E.C.H.S., Behind FedEx, Off Razi Road, Shahrah-e-Faisal, Karachi

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
CGO S. No. 1021	8544.2000	Telephone Cables PVC Insulated	Range of Sizes: 1 Pair to 50 Pair Pakistan Cable's spec and as per others specification e.g Europeans,American, Japanese,etc (Excluding ultra violet treated cables)	Armoured / Un-Armoured	• High Conductivity Copper • Electrical Grade PVC	Pakistan Cables Limited B-21, SITE, P.O. Box No.5050, Karachi - 75700 Fast Cables Ltd. 192-Y Block, Commercial Area, Phase-III DHA, Lahore Premier Cables (Pvt) Ltd. 43-E, Block 6, P.E.C.H.S., Behind FedEx, Off Razi Road, Shahrah-e-Faisal, Karachi
CGO S. No. 1024	8544.2000	Insulated Cable	Drop Wire and Spiral - 4 Range of Sizes: as per Customers requirement (Excluding ultra violet treated cables)	--	• High Conductivity Copper • Electrical Grade PVC	Pakistan Cables Limited B-21, SITE, P.O. Box No.5050, Karachi - 75700 Newage Cables (Pvt) Ltd. Newage Mansion Mcleod Road, Lahore Fast Cables Ltd. 192-Y Block, Commercial Area, Phase-III DHA, Lahore Premier Cables (Pvt) Ltd. 43-E, Block 6, P.E.C.H.S., Behind FedEx, Off Razi Road, Shahrah-e-Faisal, Karachi
CGO S. No. 1028	8544.4910	Telephone Cables	All telephone cables i.e. telecommunication cables, indoor telephone cables, audio/radio frequency cables, junction cables, primary cables, secondary cables, jelly filled cables, drop wire, switch board & jumper cables. (Excluding ultra violet treated cables)	--	--	Atlas Cables (Pvt) Limited, Karachi 9th Floor Textile Plaza, Mumtaz Hasan Road P.O. 5195, Karachi-74000 A.G.E. Cables 97-A Industrial Estate Jamrud Road, Peshawar Premier Cables (Pvt) Ltd. 43-E, Block 6, P.E.C.H.S., Behind FedEx, Off Razi Road, Shahrah-e-Faisal, Karachi Pakistan Telephone Cables Room No. 107, Elahi Center Preedy Street Saddar Karachi-74400 Pakistan Cables Limited B-21, SITE, P.O. Box No.5050, Karachi - 75700
CGO S. No. 1031	8544.4990	Air field lighting cable and Submersible Cables	Range of Sizes: as per Customers requirement Voltage Grade: a) Upto 5KV b) upto 600/1000 Volts As per customer required Specs and as per others specification. e.g Europeans,American, Japanese,etc (Excluding ultra violet treated cables)	PVC Sheathed	• High Conductivity Copper • Electrical Grade PVC	Pakistan Cables Limited B-21, SITE, P.O. Box No.5050, Karachi - 75700 Newage Cables (Pvt) Ltd. Newage Mansion Mcleod Road, Lahore Fast Cables Ltd. 192-Y Block, Commercial Area, Phase-III DHA, Lahore Premier Cables (Pvt) Ltd. 43-E, Block 6, P.E.C.H.S., Behind FedEx, Off Razi Road, Shahrah-e-Faisal, Karachi
CGO S. No. 449	7312.1010	P.C. Strand	JIS G 3506 / SWRH-82 B (ASTM A-416/B.s. 5896 Grade 250/270-K, Normal Relaxation, Not Electrically Insulated)	7 Wire Strands 1/2", 3/8", 7/16"	C 0.81, Si 0.24, Mn 0.84, P 0.015, S 0.012	Wire Manufacturing Industry Ltd. 45-KM Lahore-Multan Road, Nathay Khalsa, Bhai Pheru District Kasur United Wire Industries (Pvt) Ltd. 19/20 KM, Lahore Sheikhpura Road, Lahore
New entry	7312.1010	Pre-Stressed Concrete steel Wire Spiral/ Plain for Railways Sleeper / Ready made roofs and other	ASTM A421-15 BS 5896, JIS G3536 GB-T 5223-2014 and equivalent	As per specs	As per specs	United Wire Industries (Pvt) Ltd. 19/20 KM, Lahore Sheikhpura Road, Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	3919.1010	Double Sided Tape	Thickness 15mic to 40 mic	White/Brown Colour	--	Osaka Electric & Industrial Co. Ground Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi
New entry	3919.1020	PVC electric insulation tape	Thickness 15mic to 40 mic	Black/white/red/all colours	--	Osaka Electric & Industrial Co. Ground Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi
New entry	3919.1030	Stationery tape	Thickness 15mic to 40 mic	Transparent/Tan/Brown colour	--	Osaka Electric & Industrial Co. Ground Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi
New entry	3919.9010	OPP Packing Tape	Thickness 15mic to 40 mic	Transparent/Tan/Brown colour	--	Osaka Electric & Industrial Co. Ground Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi
New entry	3919.9090	BOPP Packing Tape	Thickness 15mic to 40 mic	Transparent/Tan/Brown colour	--	Osaka Electric & Industrial Co. Ground Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi
New entry	3919.9090	PVC electric insulation tape	Thickness 15mic to 40 mic	Black/white/red/all colours	--	Osaka Electric & Industrial Co. Ground Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi
New entry	3005.1010	Surgical Tape	Thickness 15mic to 40 mic	White Colour / any colour	--	Osaka Electric & Industrial Co. Ground Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi
New entry	3005.1090	Surgical Tape	Thickness 15mic to 40 mic	White Colour / any colour	--	Osaka Electric & Industrial Co. Ground Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi
New entry	4811.4100	Masking Tape	Thickness 15mic to 40 mic	White Colour / any colour	--	Osaka Electric & Industrial Co. Ground Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi
New entry	5906.9900	Cloth Tape	Thickness 15mic to 40 mic	White Colour / any colour	--	Osaka Electric & Industrial Co. Ground Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi
New entry	5903.1000	Coated Fabric/ Artificial Leather	--	Coated /Laminated Fabric	Polyvinyle Chloride (PVC)	AHN Synthetic (Pvt) Ltd. 23-KM, Lahore/ Sheikhpura Road, Sheikhpura
New entry	5903.2000	Coated Fabric/ Artificial Leather	--	Coated /Laminated Fabric	Poly Urethane (PU)	AHN Synthetic (Pvt) Ltd. 23-KM, Lahore/ Sheikhpura Road, Sheikhpura
New entry	8311.1000	Coated Welding Electrodes	Different specifications (for mild steel, chamfering, low/ high-alloyed steel, cast iron machinable, welding Aluminium, welding bronze and overlays). Special Electrodes with high nickel, Brazing Alloys (brass/ nickel silver)	Different	Different	Metallogen (Pvt) Ltd. 175 – S, Industrial Estate, Kot Lakhpat, Town Ship, Lahore 54000.
New entry	8545.2000	Carbon Brush	Carbon Graphite	Electrical	Various	Flecbon Corporation OT 204, 2nd Floor, Techno City Office Tower, Hasrat Mohani Road, Off. I.I. Chundgrigar Road, Opp. Uni Plaza, P.O. Box 6123, Karachi
New entry	8503.0090	Carbon Seal	Carbon Graphite	Mechanical	Various	Flecbon Corporation OT 204, 2nd Floor, Techno City Office Tower, Hasrat Mohani Road, Off. I.I. Chundgrigar Road, Opp. Uni Plaza, P.O. Box 6123, Karachi

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	4411.1200	Medium Density Fibreboard -- of a thickness not exceeding 5 mm	1220 x 2440 x 2.0 mm 1220 x 2440 x 2.2 mm 1220 x 2440 x 3.0 mm 1220 x 2440 x 4.0 mm 1220 x 2440 x 4.5 mm 1220 x 2440 x 5.0 mm	Density Profile EN 323 Swelling EN 317 Surface Soundness EN 311-2002 Screw Pull Force EN 320 MOR & MOE EN 310 Internal Bond EN 319 Moisture Content ASTM D2216 Surface Gloss ASTM D523-14	Emission in Board EN 717-2 Board Standard E1	ZRK Industries (Pvt) Ltd. Plot No. W-16, 17 Industrial Estate Jamrud Road, Hayatabad, Peshawar
New entry	4411.1300	Medium Density Fibreboard -- of a Thickness exceeding 5 mm but not exceeding 9 mm	1220 x 2440 x 5.5 mm 1220 x 2440 x 6.0 mm 1220 x 2440 x 6.5 mm 1220 x 2440 x 7.0 mm 1220 x 2440 x 8.0 mm 1220 x 2440 x 9.0 mm	Density Profile EN 323 Swelling EN 317 Surface Soundness EN 311-2002 Screw Pull Force EN 320 MOR & MOE EN 310 Internal Bond EN 319 Moisture Content ASTM D2216 Surface Gloss ASTM D523-14	Emission in Board EN 717-2 Board Standard E1	ZRK Industries (Pvt) Ltd. Plot No. W-16, 17 Industrial Estate Jamrud Road, Hayatabad, Peshawar
New entry	4411.1400	Medium Density Fibreboard -- of a Thickness exceeding 9 mm	1220 x 2440 x 10 mm 1220 x 2440 x 11 mm 1220 x 2440 x 12 mm 1220 x 2440 x 15 mm 1220 x 2440 x 16 mm 1220 x 2440 x 17 mm 1220 x 2440 x 18 mm 1220 x 2440 x 24 mm 1220 x 2440 x 30 mm	Density Profile EN 323 Swelling EN 317 Surface Soundness EN 311-2002 Screw Pull Force EN 320 MOR & MOE EN 310 Internal Bond EN 319 Moisture Content ASTM D2216 Surface Gloss ASTM D523-14	Emission in Board EN 717-2 Board Standard E1	ZRK Industries (Pvt) Ltd. Plot No. W-16, 17 Industrial Estate Jamrud Road, Hayatabad, Peshawar
New entry	4411.9200	Melamine Moulded Door skin --of a density exceeding 0.8 G/CM2	Width = 27" , 39" , 42" Length = 84"	Density Profile EN 323 Swelling EN 317 Surface Soundness EN 311-2002 Screw Pull Force EN 320 MOR & MOE EN 310 Internal Bond EN 319 Moisture Content ASTM D2216 Surface Gloss ASTM D523-14	Emission in Board EN 717-2 Board Standard E1	ZRK Industries (Pvt) Ltd. Plot No. W-16, 17 Industrial Estate Jamrud Road, Hayatabad, Peshawar

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	4411.9310	Not Mechanically Worked or Surface Covered		Density Profile EN 323 Swelling EN 317 Surface Soundness EN 311-2002 Screw Pull Force EN 320 MOR & MOE EN 310 Internal Bond EN 319 Moisture Content ASTM D2216 Surface Gloss ASTM D523-14	Emission in Board EN 717-2 Board Standard E1	ZRK Industries (Pvt) Ltd. Plot No. W-16, 17 Industrial Estate Jamrud Road, Hayatabad, Peshawar
New entry	4411.9390	Veneered Moulded Door Skin Primed Moulded Fibreboard Door Skin Melamine Moulded Door Skin UV Melamine MDF	Width = 27" , 39" , 42" Length = 84" UV 16mm & 17mm Size=(1220x2440)	Density Profile EN 323 Swelling EN 317 Surface Soundness EN 311-2002 Screw Pull Force EN 320 MOR & MOE EN 310 Internal Bond EN 319 Moisture Content ASTM D2216 Surface Gloss ASTM D523-14	Emission in Board EN 717-2 Board Standard E1	ZRK Industries (Pvt) Ltd. Plot No. W-16, 17 Industrial Estate Jamrud Road, Hayatabad, Peshawar
New entry	4411.9400	BTO Standard Red Stamping Sheet Fibre Board BCC Premium Fibre Board BTO Standard Fibre Board BCR Superior -- of a density not exceeding 0.5 G/CM2		Density Profile EN 323 Swelling EN 317 Surface Soundness EN 311-2002 Screw Pull Force EN 320 MOR & MOE EN 310 Internal Bond EN 319 Moisture Content ASTM D2216 Surface Gloss ASTM D523-14	Emission in Board EN 717-2 Board Standard E1	ZRK Industries (Pvt) Ltd. Plot No. W-16, 17 Industrial Estate Jamrud Road, Hayatabad, Peshawar

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
CGO S. No.193	4411.1200 4411.1300 4411.1400	Medium Density Fiber (MDF) / Lamination Board	Size 8 x 4 (standard) Other sizes as per customer requirement	--	--	Chenab Particle Board (pvt) Ltd. 30.k.m.Gujranwala Road, Alipur Chatta, Al Noor Sugar Mills Ltd. Shahpur Jahania, Taluka Moro, District Naushero Feroze Peshawar Particle Board Ind. (Pvt) Ltd. 16-17, Industrial Estate, Jumrud Road,- Peshawar Ciel Wood Works (Pvt) Ltd. 17, Ind. Estate, Jumrud Road, Peshawar Frontier Green Wood Industries (Pvt) Ltd. W 28, 29 and plot No. 14, 27 Industrial Estate, Jamrud Road, Peshawar Garibsons (Pvt) Ltd. C69-71, 12th Commercial Street Phase 2 Ext, DHA Karachi Taj Board Near Taj Ghee Sakha Kot Road, Sher Ghar, KPK Hamza Board 10 KM Goira Pensra Road, Goira
New entry	4411.1200	MEDIUM DENSITY FIBREBOARD -- OF A THICKNESS NOT EXCEEDING 5 MM	1220 x 2440 x 2.0 mm 1220 x 2440 x 2.2 mm 1220 x 2440 x 3.0 mm 1220 x 2440 x 4.0 mm 1220 x 2440 x 4.5 mm 1220 x 2440 x 5.0 mm	Density Profile EN 323 Swelling EN 317 Surface Soundness EN 311-2002 Screw Pull Force EN 320 MOR & MOE EN 310 Internal Bond EN 319 Moisture Content ASTM D2216 Surface Gloss ASTM D523-14	Emission in Board EN 717-2 Board Standard E2	Peshawar Particle Board Industries (Pvt) Ltd. Plot No. W-16, 17 Industrial Estate Jamrud Road, Hayatabad, Peshawar
New entry	4411.1300	MEDIUM DENSITY FIBREBOARD -- OF A THICKNESS EXCEEDING 5 MM BUT NOT EXCEEDING 9 MM	1220 x 2440 x 5.5 mm 1220 x 2440 x 6.0 mm 1220 x 2440 x 6.5 mm 1220 x 2440 x 7.0 mm 1220 x 2440 x 8.0 mm 1220 x 2440 x 9.0 mm	Density Profile EN 323 Swelling EN 317 Surface Soundness EN 311-2002 Screw Pull Force EN 320 MOR & MOE EN 310 Internal Bond EN 319 Moisture Content ASTM D2216 Surface Gloss ASTM D523-14	Emission in Board EN 717-2 Board Standard E2	Peshawar Particle Board Industries (Pvt) Ltd. Plot No. W-16, 17 Industrial Estate Jamrud Road, Hayatabad, Peshawar

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	4411.1400	Medium Density Fibreboard -- of a thickness exceeding 9 mm	1220 x 2440 x 10 mm 1220 x 2440 x 11 mm 1220 x 2440 x 12 mm 1220 x 2440 x 15 mm 1220 x 2440 x 16 mm 1220 x 2440 x 17 mm 1220 x 2440 x 18 mm 1220 x 2440 x 24 mm 1220 x 2440 x 30 mm	Density Profile EN 323 Swelling EN 317 Surface Soundness EN 311-2002 Screw Pull Force EN 320 MOR & MOE EN 310 Internal Bond EN 319 Moisture Content ASTM D2216 Surface Gloss ASTM D523-14	Emission in Board EN 717-2 Board Standard E2	Peshawar Particle Board Industries (Pvt) Ltd. Plot No. W-16, 17 Industrial Estate Jamrud Road, Hayatabad, Peshawar
New entry	4411.9200	Melamine Moulded Door Skin Laminate Flooring with Moulding Primed Moulded doorkig MDF Boards	Width = 27" , 39" , 42" Length = 84"	Density Profile EN 323 Swelling EN 317 Surface Soundness EN 311-2002 Screw Pull Force EN 320 MOR & MOE EN 310 Internal Bond EN 319 Moisture Content ASTM D2216 Surface Gloss ASTM D523-14	Emission in Board EN 717-2 Board Standard E2	Peshawar Particle Board Industries (Pvt) Ltd. Plot No. W-16, 17 Industrial Estate Jamrud Road, Hayatabad, Peshawar
New entry	4411.9310	Of a density not exceeding .05 g/m2	--	Density Profile EN 323 Swelling EN 317 Surface Soundness EN 311-2002 Screw Pull Force EN 320 MOR & MOE EN 310 Internal Bond EN 319 Moisture Content ASTM D2216 Surface Gloss ASTM D523-14	Emission in Board EN 717-2 Board Standard E2	Peshawar Particle Board Industries (Pvt) Ltd. Plot No. W-16, 17 Industrial Estate Jamrud Road, Hayatabad, Peshawar
New entry	4411.9390	Veneered Moulded Door Skin Primed Molded Fibre Board Door Skin Melamine Moulded Door Skin UV melamine MDF	Width = 27" , 39" , 42" Length = 84" UV 16mm & 17mm Size=(1220x2440)	Density Profile EN 323 Swelling EN 317 Surface Soundness EN 311-2002 Screw Pull Force EN 320 MOR & MOE EN 310 Internal Bond EN 319 Moisture Content ASTM D2216 Surface Gloss ASTM D523-14	Emission in Board EN 717-2 Board Standard E2	Peshawar Particle Board Industries (Pvt) Ltd. Plot No. W-16, 17 Industrial Estate Jamrud Road, Hayatabad, Peshawar

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	4411.9400	BTO Standard Red Stamping Sheet Fibre Board BCC Premium Fibre Board BTO Standard Fibre Board BCR Superior		Density Profile EN 323 Swelling EN 317 Surface Soundness EN 311-2002 Screw Pull Force EN 320 MOR & MOE EN 310 Internal Bond EN 319 Moisture Content ASTM D2216 Surface Gloss ASTM D523-14	Emission in Board EN 717-2 Board Standard E2	Peshawar Particle Board Industries (Pvt) Ltd. Plot No. W-16, 17 Industrial Estate Jamrud Road, Hayatabad, Peshawar
New entry	7308.2000	132/220kV Transmission Line Towers	P139:80, P163:82	Y-26kg/mm2, T-40-56kg/mm2	C-.26, M-0.84, S-0.005, P-0.05	Spleen Manufacturing (Pvt) Ltd. 20-KM Ferozepur Road, Off 3/4 KM Asif Town # 2, Lahore
New entry	7308.2000	132/220kV Sub-Station Steel Gantries	P139:80, P163:82	Y-35kg/mm2, T-50-80kg/mm2	C-.20, M-1.36, S-0.005, P-0.05	Spleen Manufacturing (Pvt) Ltd. 20-KM Ferozepur Road, Off 3/4 KM Asif Town # 2, Lahore
New entry	7308.2000	Telecommunication Tower (Self Supported Towers, Guyed Mast Towers, Monopoles & Related Accessories)	ASTM A-36	Y-250Mpa, T-400-500Mpa	C-.26, M-0.84, S-0.005, P-0.05	Spleen Manufacturing (Pvt) Ltd. 20-KM Ferozepur Road, Off 3/4 KM Asif Town # 2, Lahore
New entry	7308.2000	Steel Lighting Tubular & Octagonal Poles& 132kV Tubular Pole	--	Y-250Mpa, T-400-500Mpa	C-.26, M-0.84, S-0.005, P-0.05	Spleen Manufacturing (Pvt) Ltd. 20-KM Ferozepur Road, Off 3/4 KM Asif Town # 2, Lahore
New entry	7308.2000	11kV Steel Structure	--	Y-25kg/mm2, T-40-56kg/mm2	C-.26, M-0.84, S-0.005, P-0.05	Spleen Manufacturing (Pvt) Ltd. 20-KM Ferozepur Road, Off 3/4 KM Asif Town # 2, Lahore
New entry	3925.1000	Oil Storage Tanks	--	As per Customer Specification	As per Customer Specification	Spleen Manufacturing (Pvt) Ltd. 20-KM Ferozepur Road, Off 3/4 KM Asif Town # 2, Lahore
New entry	9406.1030	Silos	--	As per Customer Specification	As per Customer Specification	Spleen Manufacturing (Pvt) Ltd. 20-KM Ferozepur Road, Off 3/4 KM Asif Town # 2, Lahore
New entry	7308.9010	Steel Structures	--	Y-25kg/mm2, T-40-56kg/mm2	C-.26, M-0.84, S-0.005, P-0.05	Spleen Manufacturing (Pvt) Ltd. 20-KM Ferozepur Road, Off 3/4 KM Asif Town # 2, Lahore
New entry	3920.1000 3920.2020 3920.2040 3920.2090 3920.6390 3923.2100 3923.2900 3926.9099	Laminate for Flexible Packaging	Plastic based laminates used for Packaging	Solid in roll form or bags	Polymer	Packages Ltd. Shahrah-e-Roomi, P.O. Amer Sidhu Lahore-54760
New entry	7607.2000	Laminate for Flexible Packaging (Backed)	Plastic and Aluminum Foil based laminates for flexible packaging	Solid in roll form or bags	Aluminum Foil & Polymer	Packages Ltd. Shahrah-e-Roomi, P.O. Amer Sidhu Lahore-54760
New entry	4811.4100	Laminate for Flexible Packaging (Self-adhesive)	Paper and plastic based self-adhesive labels	Solid in roll form of stacks	Cellulosic material & Polymer	Packages Ltd. Shahrah-e-Roomi, P.O. Amer Sidhu Lahore-54760
New entry	4803.0000	Jumbo Reel of Toilet or Facial Tissue or similar kind of paper	Toilet or facial tissue stock, towel or napkin stock and similar paper of a kind in Jumbo tissue reel form (Grammage 13.5 gsm to 32 gsm)	Solid in roll form, Packed finished product after converting it into different consumer specific requirements	Wood pulp and recycled paper, board & tissue material	Packages Ltd. Shahrah-e-Roomi, P.O. Amer Sidhu Lahore-54760
New entry	4818.1000	Toilet Paper	Finished product, converted in roll form (Grammage from 15 gsm to 24 gsm)	Solid in roll form, Packed finished product after converting it into different consumer specific requirements	Wood pulp and recycled paper, board & tissue material	Packages Ltd. Shahrah-e-Roomi, P.O. Amer Sidhu Lahore-54760
New entry	4818.2000	Handkerchiefs, cleansing or facial tissues and towels	Finished product, converted in box, rolls, or packed in poly form, folded or in sheets (Grammage 13.5 gsm to 32 gsm)	Solid in roll form, Packed finished product after converting it into different consumer specific requirements	Wood pulp and recycled paper, board & tissue material	Packages Ltd. Shahrah-e-Roomi, P.O. Amer Sidhu Lahore-54760

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	4818.3000	Tablecloths and serviettes	Finished product, converted in box, or packed in poly form, folded or in sheets (Grammage 13.5 gsm to 22 gsm)	Solid in roll form, Packed finished product after converting it into different consumer specific requirements	Wood pulp and recycled paper, board & tissue material	Packages Ltd. Shahrah-e-Roomi, P.O. Amer Sidhu Lahore-54760
New entry	4823.6900	Disposable paper or paperboard plates, trays, dishes & cups of different sizes	Multilayer coated board, ranging from 160 cc to 21 OZ, plain and customized.	Blend of various pulps / Recycled Fiber	Paper and board material	Packages Ltd. Shahrah-e-Roomi, P.O. Amer Sidhu Lahore-54760
New entry	7019.9090	Glass Reinforced Epoxy (GRE) Pipes	ASTM D-2996 Length up to 40 ft. Diameter up to 600mm Pressure rating up to 32 bars Application: for Sewerage and drinking water & Chemical transfer lines.	As per Standard	As per standard	Fibre Craft Industries, Canal Bank Hanif Park Harbanspura Lahore - 54850
New entry	7019.9090	Glass Reinforced Epoxy (GRE) fittings, i.e. Elbow, Tee, Flange, Reducer & End Cap etc.	ASTM D-2996 Diameter up to 600mm Pressure rating up to 32 bars Application: for Sewerage and drinking water & Chemical transfer lines.	As per Standard	As per Standard	Fibre Craft Industries, Canal Bank Hanif Park Harbanspura Lahore - 54850
New entry	7020.0090	Glass Reinforced Polyester (GRP) Pipe	Length up to 40 ft. Diameter up to 4000mm Pressure rating up to 32 bars Application: for Sewerage and drinking water & Chemical transfer lines.	As per Standard	As per Standard	Fibre Craft Industries, Canal Bank Hanif Park Harbanspura Lahore - 54850
New entry	7020.0090	Glass Reinforced Polyester (GRP) fittings, i.e. Elbow, Tee, Flange, Reducer & End Cap etc.	Diameter up to 4000mm Pressure rating up to 32 bars Application: for Sewerage and drinking water & Chemical transfer lines.	As per Standard	As per Standard	Fibre Craft Industries, Canal Bank Hanif Park Harbanspura Lahore - 54850
New entry	7020.0090	Glass Reinforced Polyester (GRP) Pipes	ASTM D-351704 ASTM D-3262-04 ASTM D-3754-04 Length up to 40 ft. Diameter up to 4000mm Pressure rating up to 32 bars Application: for Sewerage and drinking water & Chemical transfer lines.	As per Standard	As per Standard	Fibre Craft Industries, Canal Bank Hanif Park Harbanspura Lahore - 54850
New entry	7020.0090	Glass Reinforced Polyester (GRP) fittings, i.e. Elbow, Tee, Flange, Reducer & End Cap etc.	ASTM D-351704 ASTM D-3262-04 ASTM D-3754-04 Diameter up to 4000mm Pressure rating up to 32 bars Application: for Sewerage and drinking water & Chemical transfer lines.	As per Standard	As per Standard	Fibre Craft Industries, Canal Bank Hanif Park Harbanspura Lahore - 54850
New entry	7019.9090	Fiber Glass Tanks	In-house fabricated tanks: ASTM D-4097-01 ASTM D-3299-00 Diameter: up to 4m Length: 12m Field Erected tanks: ASTM D-4097-01 ASTM D-3299-00 Diameter: up to 10m Height: 12m	- Tanks with vertical & horizontal orientations with dish end having spherical, conical, flat or ellipsoidal shapes. - Vertical Tanks having raised bottom with flat base, false bottom, with flat top & bottom. - Vertical Tanks having dish top or flat top & bottom	Food Grade, Chemical storage	Fibre Craft Industries, Canal Bank Hanif Park Harbanspura Lahore - 54850
New entry	7019.9090	Fiber Glass Panel Tanks	ASTM D- 3299 ASTM D-4097 Min. Storage capacity: 1000 Liters Max. Storage capacity: As per requirement.	- Insulated material. - Feasible for colder & hotter environment ranging from - 10oC to +80oC - No Algae Growth	Food Grade, Chemical storage	Fibre Craft Industries, Canal Bank Hanif Park Harbanspura Lahore - 54850

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	7019.9090	Fiber Glass Manhole	ASTM D-3753 H-20 Length up to 12m Diameter up to 2m	As per requirement	Corrosion Resistant	Fibre Craft Industries, Canal Bank Hanif Park Harbanspura Lahore - 54850
New entry	7019.9090	Fiber Glass Manhole covers	ASTM D-3753 H-20 Length up to 12m Diameter: 400,500,600,900 mm	As per requirement	Corrosion Resistant	Fibre Craft Industries, Canal Bank Hanif Park Harbanspura Lahore - 54850
New entry	7019.9090	Fiber Glass Rebars	ASTM D-7205 ASTM D7617 ASTM D-5117 Strength up to 60,000 psi Diameter: 5mm-40mm	As per requirement	Corrosion Resistant	Fibre Craft Industries, Canal Bank Hanif Park Harbanspura Lahore - 54850
New entry	7019.9090	Fiber Glass Grating (Molded & Pultruded)	Height from 25mm-60mm	As per requirement	Corrosion Resistant	Fibre Craft Industries, Canal Bank Hanif Park Harbanspura Lahore - 54850
New entry	7019.9090	Fiber Glass Disconnecting Stick/ Rod	DDS-43:2008 Insulated up to 90kV	As per Standard	As per Standard	Fibre Craft Industries, Canal Bank Hanif Park Harbanspura Lahore - 54850
New entry	7019.9090	Tree Trimmer	PP-99	As per Standard	As per Standard	Fibre Craft Industries, Canal Bank Hanif Park Harbanspura Lahore - 54850
New entry	8903.9100 8903.9200 8903.9300	Fiber Glass boat	Ranging from 10 ft to 70 ft long (International Maritime Specs) Seating Capacity: 1-100 Persons	As per standard	As per standard	Fibre Craft Industries, Canal Bank Hanif Park Harbanspura Lahore - 54850
New entry	3917.2900	Fiber Reinforced Polyester (Fiberglass) Ladder	Straight Ladder up to 16 ft Extendable Ladder ranging from 10ft to 70 ft A-Frame Ladder with light, medium & heavy duty	As per standard	As per standard	Fibre Craft Industries, Canal Bank Hanif Park Harbanspura Lahore - 54850
New entry	8426.9900	Cable way/ Cable Trays	Ladder Type & Perforated Type with & without covers (size 50mm ~ 300mm wide)	Fiber Glass Reinforced Plastic	Corrosion Resistant	Fibre Craft Industries, Canal Bank Hanif Park Harbanspura Lahore - 54850
New entry	8419.8910	Cooling tower	Cooling Tower Designs: Counter flow and Cross flow Air Flow: Induced and Forced Fills: Film Fill and Splash Fill Type: Industrial and Package Size per Cell: 50 GPM to 12000 GPM Other Accessories: Drift Eliminators (PVC/FRP), FRP Louvers, FRP/GRP Water Distribution Header, Fan Blades, FRP/GRP Fan Stack etc.	Structural material: FRP Pultruded Profiles, Stainless Steel, Concrete	As per standard	Fibre Craft Industries, Canal Bank Hanif Park Harbanspura Lahore - 54850
New entry	8708.9910	Fan Blade	Cooling Fan blades Diameter up to 48 ft	Fiber Glass Reinforced Plastic	As per standard	Fibre Craft Industries, Canal Bank Hanif Park Harbanspura Lahore - 54850
New entry	3920.4910	Grounding Set	DD PD 21_2008 Insulation rating 11kV	As per standard	As per standard	Fibre Craft Industries, Canal Bank Hanif Park Harbanspura Lahore - 54850
New entry	8418.6990	Residential Containers, Offices, Dining Hall, Guard Rooms, Washrooms etc	- Containers suitable for mounting on locally manufactured vehicles/ chasis. - Insulated - Length up to 40 ft - Width up to 10 ft - Height up to 12 ft	Fiber Glass Reinforced Plastic (FRP) - Steel Structure	As per standard	Fibre Craft Industries, Canal Bank Hanif Park Harbanspura Lahore - 54850
New entry	8464.9000	Diamond Wire Saw Stone Cutting Machine	Diamond Wire Linear Speed 30-50 m/Sec, Feed 300-1000 mm/min, length of Rail 2-3 meter, size 880x800x730, weight 650kg to 2000 kg, Flywheel die meter 405mm to 1000 mm.	- D75 HP, D50 HP, D25 HP	--	Pakistan Machine Tool Factory (Pvt) Limited PMTF Road, Off National Highway, Landhi, Karachi-75030

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	8464.9000	Down the Hole Drilling	Hight/Width max 2870 x 680mm, Rotation speed max 70rpm, Hammer up/down 5m/min, Drilling Depth max, 15m, Hammer and Road Diameter Max 90mm, Air Consumption 5100 L/m, Supply Pressure 6-7 bar, Machine Weight 160 kg	- Drilling Depth 15 m	--	Pakistan Machine Tool Factory (Pvt) Limited PMTF Road, Off National Highway, Landhi, Karachi-75030
New entry	8464.9000	Air Pillow Plant	Machine Tools for working stone, ceramics concrete asbestos-cement	--	--	Pakistan Machine Tool Factory (Pvt) Limited PMTF Road, Off National Highway, Landhi, Karachi-75030
New entry	8461.5010	Hack Sawing Machine	Diemension of Saw Blade 450x32x1.6x10mm, Round Bar Dia 180mm, Squar Bar 160x160mm, Flat 180mm, Stoke 160mm	Stoke 160 mm	--	Pakistan Machine Tool Factory (Pvt) Limited PMTF Road, Off National Highway, Landhi, Karachi-75030
New entry	8461.5010	Band Sawing Machine	Band Speed 16-30-52-98 m/min, Blade Size16"x1 1/4" x0.042" 4876,8 x 31.75x1mm, Size 2430x700x1180 mm, weight 700 kg	--	--	Pakistan Machine Tool Factory (Pvt) Limited PMTF Road, Off National Highway, Landhi, Karachi-75030
New entry	9305.9111	Padistal Mount for Gun MG1A3	Firing Mechanism	--	--	Pakistan Machine Tool Factory (Pvt) Limited PMTF Road, Off National Highway, Landhi, Karachi-75030
New entry	8311.1000	Welding Electrode: (OVERCORD S, E-7018, NIFE-55, UNIVERSE, 80 R, DUR 350,V 1000 & INOX 29/9)	AWS/ASME SFA-5.1 E6013 AWS/ASME SFA-5.1 E7018 AWS/ASME SFA-5.15 E NiFe-C1 AWS/ASME SFA-5.1 E 7016 DIN 8555 E 6-UM-60 DIN 8555 E 1-UM-300 DIN 8555 E-10-UM-60 R AWS/ASME SFA-5.4 E 312-16	--	--	Pakistan Welding Electrodes (Pvt) Ltd. Plot No. E-19, S.I.T.E. Karachi
New entry	8536.9090	Insulating Piercing connector	IPC 16-95 / 4-35mm ² for Connecting XLPE Insulator LT ABC Sub Main to Service Cable Specification K-R&D-PD-19	--	--	Alsons Industries (Pvt) Ltd. S-18, S.I.T.E., Karachi
New entry	8535.1000	LT HRC Fuse Base	630A for Low Voltage Distribution System	--	--	Alsons Industries (Pvt) Ltd. S-18, S.I.T.E., Karachi
New entry	7326.9060	LT ABC Dead End (Anchoring) clamp	Cable Messenger at the Dead End Point	--	--	Alsons Industries (Pvt) Ltd. S-18, S.I.T.E., Karachi
New entry	7326.9060	HT ABC Dead end Clamp (Anchoring)	Aerial Bundled Cable (3x185 mm ² Dead End End Connections Specification K-R&D-HTABC-PD-29	--	--	Alsons Industries (Pvt) Ltd. S-18, S.I.T.E., Karachi
New entry	8536.9090	Line Tap	120mm ² for 230/400/110000 Volts Overhead Distribution System	--	--	Alsons Industries (Pvt) Ltd. S-18, S.I.T.E., Karachi
New entry	8536.9090	PMT Bus Bar arrangement	Pole mounted Distribution Transformer Specification K-TPRE-BBA-285.	--	--	Alsons Industries (Pvt) Ltd. S-18, S.I.T.E., Karachi
New entry	7326.9060	Dead End Clamp for Dog & Ospery conductor	Holding the Conductor at Dead End in 11 KV Over Head Distribution System	--	--	Alsons Industries (Pvt) Ltd. S-18, S.I.T.E., Karachi
New entry	7326.9060	Loop dead end clamp LC 10	Making the LT Dead Ends & Tee Offs in Over Head Distribution System	--	--	Alsons Industries (Pvt) Ltd. S-18, S.I.T.E., Karachi
New entry	8481.4000	Safety shut off valve Model # LA/BP250 Safety shut off valve Model # LA/TR-507	LFC-968 LFC-969	--	--	Alsons Industries (Pvt) Ltd. S-18, S.I.T.E., Karachi
New entry	8511.1000	Spark Plug sleeve	For Janbacher Gas Engine JMS-620 - GS-NL	--	--	Alsons Industries (Pvt) Ltd. S-18, S.I.T.E., Karachi
New entry	8540.8900	Pre-chamber gas valve	For Janbacher Gas Engine JMS-620 - GS-NL	--	--	Alsons Industries (Pvt) Ltd. S-18, S.I.T.E., Karachi
New entry	8426.1110	Cranes	•Electric Overhead Cranes •Hand Operated Cranes •Gantry Cranes •Double boom level luffing cranes. •Magnetic Crane. Ranging Capacities to Client's Requirements	--	--	Karachi Shipyard & Engineering Works Ltd. West Wharf Dockyard P.O. Box 4419, Karachi

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	8419.5000	Heat Exchangers	•Multi Blow Double Heat Exchangers. •Air Cooled Cross Flow Heat Exchangers.	--	--	Karachi Shipyard & Engineering Works Ltd. West Wharf Dockyard P.O. Box 4419, Karachi
New entry	8402.1910	Fire Tube Boilers	Ranging Capacities to Client's Requirements	--	--	Karachi Shipyard & Engineering Works Ltd. West Wharf Dockyard P.O. Box 4419, Karachi
New entry	8402.1110	Baggase/Oil Fired Water tube Boilers	Ranging Capacities to Client's Requirements	--	--	Karachi Shipyard & Engineering Works Ltd. West Wharf Dockyard P.O. Box 4419, Karachi
New entry	7308.2000	Steel Structures	Ranging Capacities to Client's Requirements	--	--	Karachi Shipyard & Engineering Works Ltd. West Wharf Dockyard P.O. Box 4419, Karachi
New entry	7308.9090	Steel Gates/DAM Gates	Relief Valve Bulkhead Gates, Redial Gates , Gate Guides and Frame , Draft Tube Gates, Vertical Lift Gates	--	--	Karachi Shipyard & Engineering Works Ltd. West Wharf Dockyard P.O. Box 4419, Karachi
New entry	7616.9910	Cast Steel Castings	As per client's requirement	--	Steel Scrap=95.7% Ferro Manganese=2% Ferro Silicon=2% Ferro Chrome=0.3%	Karachi Shipyard & Engineering Works Ltd. West Wharf Dockyard P.O. Box 4419, Karachi
New entry	7616.9910	Mn Steel Casting	As per client's requirement	--	Steel Scrap=82% Ferro Manganese=14% Ferro Silicon=0.8% Ferro Chrome=2.5% Recarborizer=1.3%	Karachi Shipyard & Engineering Works Ltd. West Wharf Dockyard P.O. Box 4419, Karachi
New entry	7616.9910	Cast Iron Castings	As per client's requirement	--	Pig Iron=75% Steel Scrap=21% Ferro Manganese=2% Ferro Silicon=2%	Karachi Shipyard & Engineering Works Ltd. West Wharf Dockyard P.O. Box 4419, Karachi
New entry	8474.1010	Cement Plant/Equipments	As per client's requirement	Chain Cleats, End Carriage, Steel Mandrills, Kiln Supporting Structures, Clinker Dryer Shell, Apron Feeder, Screw Conveyors, Air Slide Conveyors, Pan Conveyor, Bucket Elevators, Chain Conveyors, Dust Collectors, Dust Chamber, Cyclones, Hoppers / Silos, Clinker Cooler's Supporting Structure, Kiln shell, M.S Pans, Fabrication of vertical grinding Mill (VR-7), Grate Coolers, Electrostatic Precipitators for Kiln & Cooler de-dusting up gradation	--	Karachi Shipyard & Engineering Works Ltd. West Wharf Dockyard P.O. Box 4419, Karachi
New entry	8438.3010	Sugar Plants	Ranging capacities to client's requirements	Mill Roller (various types) – for Sugar Mills (Local & Export Customers)	Different As Per Client Requirements	Karachi Shipyard & Engineering Works Ltd. West Wharf Dockyard P.O. Box 4419, Karachi
New entry	8419.3100	Dehydration Plant	Ranging capacities to client's requirements	--	--	Karachi Shipyard & Engineering Works Ltd. West Wharf Dockyard P.O. Box 4419, Karachi
New entry	8430.4100 8430.4900 7309.0000	Mud Suction Tank With Valves And Gates	Ranging capacities to client's requirements	--	--	Karachi Shipyard & Engineering Works Ltd. West Wharf Dockyard P.O. Box 4419, Karachi
New entry	8474.8090 8907.9000 7309.0000 7310.2900	Storage Tanks/Pressure Vessels	Ranging capacities to client's requirements	--	--	Karachi Shipyard & Engineering Works Ltd. West Wharf Dockyard P.O. Box 4419, Karachi
New entry	7309.0000	Oil / Water Storage tanks	Ranging capacities to client's requirements	--	--	Karachi Shipyard & Engineering Works Ltd. West Wharf Dockyard P.O. Box 4419, Karachi

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	7311.0090	LPG STORAGE TANKS	Ranging capacities to client's requirements	--	--	Karachi Shipyard & Engineering Works Ltd. West Wharf Dockyard P.O. Box 4419, Karachi
New entry	8901.1000 8901.2000 8901.3000 8901.9000 8902.0000 8903.9200 8903.9100 8904.0000 8905.1000 8905.2000 8905.9000 8906.1000 8906.9000	All types and sizes of sea going, Coastal, Harbour and other floating vessels / ships including but not limited to Submarines, Mine Hunters / Sweepers, Destroyers, Frigates, Corvettes, Missile Crafts, Gun Boats, Patrol vessels, LCMs, MCMVs, all inshore and offshore crafts, Auxiliary Support Ships, Landing craft, Landing Platform Dock, Tankers, Cargo Ships, Bulk carriers, Container Ships, Survey Ships / Boats, Bridge Erection Boats, River Boats, Fishing vessels / Boats / Trawlers, Pushers, Tugs, Dredgers, Cutter Section Dredgers, Grab Dredgers, Bucket Dredgers, Dredge Tenders, Multipurpose Auxiliary Craft, Utility Boats / Ships, Diving Tenders, Hopper Barges, Propelled and non-propelled Barges, Split Hopper Barges, Dump Barges, Buoy Lifting Vessels, Floating Docks, Anchor Handling Boats / Tugs, Hydrographic Survey Vessel, Floating Cranes, Floating Rigs, Floating Storages, pontoons.	As per client's requirement	Steel / Aluminum / Composite material	--	Karachi Shipyard & Engineering Works Ltd. West Wharf Dockyard P.O. Box 4419, Karachi
New entry	8414.4000	Air Compressor mounted on Wheeled Chasis	0-15 bar screw type 3.5-250 kw	Screw type	--	Alpine Industrialcon (Pvt) Ltd. 305/2, G.T. Road, Baghbanpura, Lahore
New entry	8414.8010	Piston Type Compressor	300-500 bar pressure	Piston type	--	Alpine Industrialcon (Pvt) Ltd. 305/2, G.T. Road, Baghbanpura, Lahore
New entry	8414.8020	Low Pressure Compressor	0-15 bar screw type 3.5-250 kw	Screw type	--	Alpine Industrialcon (Pvt) Ltd. 305/2, G.T. Road, Baghbanpura, Lahore
New entry	8414.4000	Air Compressor Mounted	4.5-12 kw	Screw type	--	Alpine Industrialcon (Pvt) Ltd. 305/2, G.T. Road, Baghbanpura, Lahore
New entry	8501.3190	DC Connector with O/P power of not exceed 12 kw	4.5-12 kw	DC O/P Generator	--	Alpine Industrialcon (Pvt) Ltd. 305/2, G.T. Road, Baghbanpura, Lahore
New entry	7326.1910	Crank Shaft Forgings	Crank shaft forging for motor cycle engine	Apprearance smooth forged steel. Silver grey. Hardness HRC 17-25	AISI 1045 C = 0.43-0.50 Si = ≤0.15-0.35 Mn = 0.30-0.60	Jin Kwang Jaz (Pvt) Ltd. DSU-33, Down Stream Industrial Estate, Pakistan Steel, Bin Qasim, Karachi
New entry	7326.1990	Other Forgings	Car forging component for towing, hub front axle wheel, engine assembly, gear assembly etc.	Apprearance smooth forged steel. Silver grey. Hardness HRC 17-25	AISI 1025 C= 0.22-0.28 Si = ≤0.15-0.35 Mn = 0.30-0.60 AISI 1035 C = 0.32-0.38 Si = 0.15-0.35 Mn = 0.6-0.9 AISI 1045 C = 0.43-0.50 Si = ≤0.15-0.35 Mn = 0.30-0.60 SVDH23F C = 0.25-0.26 Si = 0.26 Mn = 1.54-1.55 S40VCSS1A C = 0.38-0.43 Si = 0.40-0.60 Mn = 0.70-1.00 S53C C = 0.5-0.56 Si = 0.15 - 0.35 Mn = 0.6 - 0.9	Jin Kwang Jaz (Pvt) Ltd. DSU-33, Down Stream Industrial Estate, Pakistan Steel, Bin Qasim, Karachi
New entry	7326.1990	Other Forgings	Tractor forging components for coupling, pump, shaft, weight, differential and gear assembly	Apprearance smooth forged steel. Silver grey. Hardness HB 248-323	SAE-8620 C= 0.17-0.23 Si = ≤0.15-0.35 Mn = 0.6-0.9 SAE-8620-H C = 0.17-0.23 Si = ≤0.15-0.35 Mn = 0.6-0.95	Jin Kwang Jaz (Pvt) Ltd. DSU-33, Down Stream Industrial Estate, Pakistan Steel, Bin Qasim, Karachi

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	7229.9090	CO ₂ Gas Shielded Arc Welding/Mig Welding Wire 0.80 mm, 0.90 mm, 1.00 mm, 1.20 mm and 1.60 mm	AWS ER70S6/DIN SG2/GB ER56-6	Copper Coated/Tensile Strength>490 Mpa/Elongation>26%/Shrinkage>72%	C: 0.06~ 0.15 Si: 0.80~ 1.15 Mn: 1.40~ 1.85	Bead Tech (Pvt) Ltd. 22-KM, Lhr-Skp. Rd, Stop Qilla Sattar Shah, Pindi Das Rd., Lahore
New entry	7213.1010	Deformed Steel Bars	ASTM-615 Grade - 60	Yield Strength 73,000 psi Tensile Strength 94,000 psi Elongation in 8 inches 17%	Carbon = 0.27% Sulfur = 0.015% Magnese = 0.98% Phosphorus = 0.023% Silicon = 0.24%	Faizan Steel B-37/B-69, S.I.T.E. Karachi
New entry	7213.1090	Deformed Steel Bars	ASTM-706 Grade - 60	Yield Strength min 70,000 psi Yield Strength max 75,000 psi Tensile Strength 94,000 psi Elongation in 8 inches 19%	Carbon = 0.25% Sulfur = 0.035% Magnese = 1.25% Phosphorus = 0.023% Silicon = 0.24%	Faizan Steel B-37/B-69, S.I.T.E. Karachi
New entry	7213.1090	Deformed Steel Bars	BS-4449 Grade - B 500 C	Yield Strength 72,500 psi Tensile Strength 95,000 psi Elongation in 8 inches 12% - 15%	Carbon = 0.24% Sulfur = 0.055% Magnese = 1.25% Phosphorus = 0.023% Silicon = 0.24% Copper = 0.82% Nitrogen = 0.013%	Faizan Steel B-37/B-69, S.I.T.E. Karachi
CGO S. No. 1097	9406.0010 9406.0020 9406.0030 9406.0040 9406.0090	Pre-fabricated Buildings	Built up with H.R. Sheets, G.I. Sheets, Zinalume Sheet, High Tensile Nuts & bolts and Fiber glass Mat Insulation. Beams & Columns = Yield Strength 34.5 kN/cm ³ Galvanized Steel = Yield Strength 34.0 kN/cm ³ Zinalume Steel = Yield Strength 34.5 kN/cm ³ High Strength Bolts = Tensile Strength 83.0 kN/cm ³	Beams & Columns = ASTM A 572 M Gr 345 type 1 Galvanized Steel = ASTM A 653 M SS GR 340 Class 1 Zinalume Steel = ASTM A 792 M Grade 345 B High Strength Bolts = ASTM A 325 M	--	Izhar Steel Izhar House, 35-Tipu Block, New Garden Town, Lahore Pakistan Insulations (Pvt.) Ltd. 107 Business Avenue PECHS BLock-6, Karachi Banu Mukhtar Steel (Pvt) Ltd. 5-A, Ali Block, Main Blvd. New Garden Town, Lahore
CGO S. No. 169	4011.1000	Tyres,rubber,pneumatic	4.50-12wt,6.00-16f wot,6.00-16 Jeep ND WOT , motor cars	--	--	Mian Tyre & Rubber Co. Limited- 29.5 Km, Sheikhpura Road -Lahore Panther Tyre Ltd. Panther House, Aziz Avenue, Canal Bank, Jail Road, Lahore
CGO S. No. 176	4011.4000	Tyres	2.25/17 Front/Rear 2.25/17Front/nylo grip 2.50/17Front/Rear 2.50/17 R Panther Power and Mt1 2.50/17 Trail Plus 2.50/18 Front/Rear.Nylo Grip, Power, Power Mt1, Trial Plus, Trail Enduro 2.75/17 Rear, Rear Laser 2.75/18 Front, Rear, Trail 3.00/17 Rar,Panther Power ,Trail Plus,trail Enduro 3.00/18 Rear,Trail,Trail Enduro 3.5/8 Scooter 3.5/10 Scooter,and Scooter Laser 4.00-8 Front and Rear, for motorcycles - 225-17,250-17, 300-17,250-18,275-18	--	--	Mian Tyre & Rubber Co. Limited- 29.5 Km, Sheikhpura Road -Lahore Panther Tyre Ltd. Panther House, Aziz Avenue, Canal Bank, Jail Road, Lahore
CGO S. No. 178	4011.5000	Tyres,rubber,pneumatic,	Panther Special4 PR delux and super Panther Power Road Life and Grip Panther nylon Delux Panther Sports Panther BMX Bodyline and Black Panther BMX Red and Black, for bicycles	--	--	Mian Tyre & Rubber Co. Limited- 29.5 Km, Sheikhpura Road -Lahore Panther Tyre Ltd. Panther House, Aziz Avenue, Canal Bank, Jail Road, Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
CGO S. No. 185	4013.1020	Inner Tubes of Rubber	12,13,14,16 , 450-12, 600-12, 615-13, 165-13 for vehicles	--	--	Mian Tyre & Rubber Co. Limited- 29.5 Km, Sheikhpura Road Lahore Panther Tyre Ltd. Panther House, Aziz Avenue, Canal Bank, Jail Road, Lahore United Rubber (Pvt) Ltd. 70-Industrial Estate Jamrud Road Peshawar
CGO S. No. 186	4013.2000	Inner Tubes of Rubber	28*1-1/2,28*1-3/8 24*1-3/8,26*2-1.25 for bicycles	--	--	Mian Tyre & Rubber Co. Limited- 29.5 Km, Sheikhpura Road Lahore Panther Tyre Ltd. Panther House, Aziz Avenue, Canal Bank, Jail Road, Lahore Service Industries Ltd. Service House-2, Main Gulberg Lahore
CGO S. No. 188	4013.9020	Inner Tubes of Rubber	2.25-17, 2.5-75/17, 2.5-75/18, 3.00-17, 3.00-18, 3.5-8, 3.5-10, 4.00-8, 2.50-17, 3.00-17, 2.50-18, 2.75-18 for motorcycles and scooters	--	--	Mian Tyre & Rubber Co. Limited- 29.5 Km, Sheikhpura Road Lahore Panther Tyre Ltd. Panther House, Aziz Avenue, Canal Bank, Jail Road, Lahore United Rubber (Pvt) Ltd. 70-Industrial Estate Jamrud Road Peshawar The General Tyre & Rubber Co. of Pakistan Ltd. H-23/2, Landhi Industrial Trading Estate, Landhi, Karachi
New entry	7612.9090 8309.9090	Pilfer Proof Aluminium Caps	22mm, 25mm, 28mm 30 x 35mm	Aluminium caps	--	National Metal Packaging Ltd. Plot No. 148, Sector-30, K.I.A, Karachi-74900
New entry	8705.3000	Fire Fighting Vehicles	Fire Fighting Vehicles Fire fighting vehicles, built on locally-available Chassis	Truck Mounted Trailer Mounted	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	9931.0000	Ambulance Lifter	Ambulance Lifter Upto 22ft working height from ground suitable for aircraft upto Boeing 777	Truck Mounted Trailer Mounted	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	8705.9000 8707.9090	Suction & Jetting Vehicles.	Special Purpose	Truck Mounted Trailer Mounted	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	8705.9000 8707.9090	Recovery Vehicles/cranes	Special Purpose	--	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	8705.9000 8707.9090	Wreckers	Special Purpose	--	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	8705.9000 8707.9090	Tow Trucks	Special Purpose	--	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	8705.9000 8707.9090	Skip Loaders	Special Purpose	--	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	8705.9	Refuse Compactor Collector truck	Special Purpose	--	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	8707.909	Stationary Compactor	Special Purpose	--	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	8705.9000 8707.9090	Street Sweeper	Special Purpose	--	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	8705.9000 8707.9090	Cranes	Special Purpose	--	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	8705.9000 8707.9090	Aerial Ladder	Special Purpose	--	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	8705.9000 8707.9090	Insualted Aerial Platform /utility truck	Special Purpose	--	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	8705.9000 8707.9090	Snorkel	Special Purpose	--	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	8705.9000 8707.9091	Scissor Lift /cross lift	Special Purpose	--	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	8705.9000 8707.9091	Hi Catering Truck	Truck Mounted Lifts	--	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	8705.9000 8707.9090	Flatbed Trailer	Special Purpose	--	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	8705.9000 8707.9090	Low Bed Trailer	Special Purpose	--	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	8708.991	Bowser/fuel bowser	For Liquid Transportation and related	Superstructure	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	8705.9000 8707.9090	Rotavator	Tractor Attachment	Tractor Attachment	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	84.33	lawn mower	For Cleaning and ground leveling	Tractor Attachment	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	8429.51	Front End Loaders for Tractor	loading and lifting of material	Tractor Attachment	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	8428.9020	Solar Lifting and Claning Washing Truck	For Cleaning and ground leveling	Superstructure	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	8428.9010	Tractor Lift Crane	For Lifting And Material Handling	Tractor Attachment	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	8433.1100	Tree Transplanter	Digging and Trenching	--	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	8433.11	Backhoe / Excavator	Digging and Trenching	Tractor Attachment	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	8432.9000	Mouldboard for plough	Mouldboard for plough 2,3,4 furrows with Hydraulically Revisable and One way Simple fabrication. For 2 Furrow: 32" For 3 Furrow: 60" For 4 Furrow: 88"	Tractor Attachment	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	8426.4100	Catering High Loader	Catering High Loader Upto 22Ft Working Height from ground Suitable for aircraft upto Boeing 777	Truck Mounted	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	8432.2910	Cultivators for agricultural Machines	Cultivators, for agricultural Machines 5, 9, 11, 14, 19 tines with ront and fixed frame. Have an options with Tyres assembly and Hydraulic Functions With 5 Tines: 66" With 9 Tines: 86" With 11 Tines: 96" With 13 Tines: 106" With 19 Tines: 146"	Tractor Attachment	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	8432.1090	Ploughs, for agricultural Machines	Ploughs for 2,3,4,5 Discs. Reversible and Standard with tubular frame. With 2 Discs: 42" With 3 Discs: 63" With 4 Discs: 84" With 5 Discs: 105"	Tractor Attachment	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	8432.2100	Harrows, disc, for agricultural Machines	14, 16, 18, 22 and more discs with hydraulic attachments With 14 Discs: Front 70" & Rear 65" With 16 Discs: Front 78" & Rear 70" With 18 Discs: Front 86" & Rear 78" With 22 Discs: Front 102" & Rear 94	Tractor Attachment	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	8426.9100	Cranes, Designed for Mounting on Road Vehicles	Lift Capacity: 800, 1000, 1500, 2000, 2500 and 3000 kg. Can be Mounted on any available local truck chassis.	Truck Mounted	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	8432.1010	Chisel ploughs, for agricultural Machines	Ploughs for 2,3,4,5 Discs. Reversible and Standard with tubular frame. With 2 Discs: 42" With 3 Discs: 63" With 4 Discs: 84" With 5 Discs: 105	Tractor Attachment	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	8431.4900	Blades for Tractors Dozing Blades for different hp of Tractors	Blades for Tractors Dozing Blades for different hp of Tractors; Width: 6ft, 7ft, 8ft	Tractor Attachment	--	Javaid Iqbal Industrial (JIC) Jinnah Interchange G.T. Road Gujranwala
New entry	3824.6000	Sorbitol Solution	C ₆ H ₁₄ O ₆	A Clear Viscouse Syrup having sweet taste	1 - PH - 5.0 - 7.0 2 - Brix - 66 - 68 3 - Ash - 0.1%	Habib ADM Ltd. 2nd Floor, UBL Building, I.I. Chundrigar Road Karachi
New entry	2905.4400	Sorbitol Powder	C ₆ H ₁₄ O ₆	White crystalline powder	1 - PH - 50 - 70 - 4	Habib ADM Ltd. 2nd Floor, UBL Building, I.I. Chundrigar Road Karachi
New entry	1702.3000	Liquid Glucose	C ₆ H ₁₂ O ₆	Clear Viscouse Syrup, sweet in taste	1 - Baume at (100°F) - 43 2 - Dextrose equivalent - 38-46 3 - Total Solids - 79-80.5 4 - Brix - 81.5-83.0 5 - Moisture Contant - 21-19.5% 6 - PH - 4.5-5.5 7 - So2 - 03ppm Max 8 - Solubility - Soluble in water	Habib ADM Ltd. 2nd Floor, UBL Building, I.I. Chundrigar Road Karachi
New entry	1702.9030	Maltodextrin	C ₆ H ₁₂ O ₆	A free flowing white powder odourless having Blend taste	1 - Dextrose equivalent - 12-19 DE 2 - PH - 5.0-6.0 3 - Ash - 0.2%	Habib ADM Ltd. 2nd Floor, UBL Building, I.I. Chundrigar Road Karachi
New entry	1702.5000	High Fructose	C ₆ H ₁₂ O ₆	Light Yellow Viscous Syrup having sweet taste	1 - Brix - 69.5 2 - PH - 3.5-4.5 3 - Ash - 0.1%	Habib ADM Ltd. 2nd Floor, UBL Building, I.I. Chundrigar Road Karachi
CGO entry No. 1002	8535.2110 8535.2190	Circuit breakers	Automatic, voltage below 72.5 kV Oil / Vacuum Type	--	--	Schneider Electric Pakistan (Pvt) Ltd. (formerly AREVA T & D Pakistan (Pvt) Ltd) D-163, S.I.T.E Karachi Johnson & Phillips (Pakistan) Ltd. C-10, South Avenue, S.I.T.E. P.O Box No. 3603, Karachi - 75700
New entry	9017.2000	Geometry Box	All Type Mathematical Geometry Box for Students	-Polypropylene -SAN RESIN -ABS -Zinc Alloy	--	Brother Industries 190/1, Sector 23, Korangi Industrial Area, Karachi
New entry	9017.2000	Compass	All types of Metal Compass for Students.	- Zinc Alloy	--	Brother Industries 190/1, Sector 23, Korangi Industrial Area, Karachi
New entry	9017.2000	Geometry Box	--	--	--	Toray Plast Al Jannat Road, Saggian Ravi By Pass, Nain Sukh, Lahore
New entry	9017.2000	Scales	--	--	--	Toray Plast Al Jannat Road, Saggian Ravi By Pass, Nain Sukh, Lahore
New entry	4016.9210 4016.9290	Eraser & Tip Eraser	--	--	--	Toray Plast Al Jannat Road, Saggian Ravi By Pass, Nain Sukh, Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New entry	8214.1000	Sharpener	--	--	--	Toray Plast Al Jannat Road, Saggian Ravi By Pass, Nain Sukh, Lahore
New entry	9608.1000	Fine Liner	--	--	--	Toray Plast Al Jannat Road, Saggian Ravi By Pass, Nain Sukh, Lahore
New entry	9608.3000	Fountain Pen	--	--	--	Toray Plast Al Jannat Road, Saggian Ravi By Pass, Nain Sukh, Lahore
New entry	9608.2000	White Board/ Permanent Markers & Highlighters	--	--	--	Toray Plast Al Jannat Road, Saggian Ravi By Pass, Nain Sukh, Lahore
New entry	9017.2000	Rulers	Rulers in sizes 6 inches,8 inches & 12 inches	- SAN RESIN	--	Oro Industries 86-87, Sector 23, Korangi Industrial, Karachi
New entry	8214.1000	Pencil Sharpeners	All types of Pencil Sharpeners with Single Screw, Double Scw and Fancy type.	- ABS - SAN RESIN - Iron Steel Blade - Iron wire Screw	--	Oro Industries 86-87, Sector 23, Korangi Industrial, Karachi
New entry	9608.2000	Fiber Tip Pen with both side Tips (Ink Remover)	Writing & Erasing pen with both side tips	- Polypropylene - HDPE - Syntehtic Fibre Reservoir - Fibre Tips	- Water Base Ink - Dyes	Oro Industries 86-87, Sector 23, Korangi Industrial, Karachi
New entry	9608.2000	Fine Liner Pen / Sign Pen	Writing & Marking Pen with fibre tip with metal adaptor	-- Polypropylene - HDPE -ABS/PC - Syntehtic Reservoir Fibre - Fibre Tips	- Water Base Ink - Dyes	Oro Industries 86-87, Sector 23, Korangi Industrial, Karachi
New entry	9608.2000	Marker	Permanent & White Board Marker with Acrylic & Polyster Nibs	- Polypropylene - HDPE - Syntehtic Fibre Reservoir - Acrylic Nibs - Polyester Nibs	- Alcohol Base Ink - Water Base Ink	Oro Industries 86-87, Sector 23, Korangi Industrial, Karachi
New entry	8402.1110	Baggase/Oil Fired Water tube Boilers	As per client requirement	-	-	Descon Engineering Limited DESCON Manufacturing Business Area 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000
New entry	8402.1200	Packaged type boilers	As per client requirement	-	-	Descon Engineering Limited DESCON Manufacturing Business Area 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000
CGO S. No. 1016	8541.4000	Photovoltaic Modules (Solar Panels)	Maximum Power: 5 Watts to 440 Watts Nominal Voltage: 6V/ 12V / 24V/48V	Photovoltaic Cells Junction Box: Plastic Frame: Aluminium Front Side: Tempered Glass Back Side: Tedlar Cell Encapsulation: EVA - Operating Temp. -40°C to +90 °C - Storage Temp. -40°C to +90 °C - Pressure bearing < 5400 Pa - Wind bearing < 2400 Pa - Hail Impact test 25mm diameter hail - Ball at 23.00 m/s, directed at 11 impact location - Temp. Coff of Isc +0.05% / C - Temp. Coff. of Voc – 0.34% / C - Temp. Coff. of Pm-0.5%/C - Power Output Tolerance + 3%	--	Tesla Industries Pvt. Ltd. Plot No. 81-F, St. 6, I-10/3 Islamabad

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New Entry	8504.4090	Infinity 5 KW Solar Inverter	Hybrid (On Grid + Off Grid) Inverter with/without Energy Storage.	-	-	Tesla Industries Pvt. Ltd. Plot No. 81-F, St. 6, I-10/3 Islamabad
New Entry	8504.4090	Infinity 9 KW Solar Inverter	Hybrid (On Grid + Off Grid) Inverter with/without Energy Storage.	-	-	Tesla Industries Pvt. Ltd. Plot No. 81-F, St. 6, I-10/3 Islamabad
New Entry	8504.4090	Infinity 15 KW Solar Inverter	Hybrid (On Grid + Off Grid) Inverter with/without Energy Storage.	-	-	Tesla Industries Pvt. Ltd. Plot No. 81-F, St. 6, I-10/3 Islamabad
CGO S. No. 14	2806.1000	Acid, Hydrochloric	35% (+/-1)	Colorless to yellow liquid	HCl	Sitara Chemical Industries Ltd. 32-KM Sheikupura Road, Faisalabad Engro Polymer & Chemicals Limited 16th Floor, The Harbor Front Building, HC # 3, Marine Drive, Block-4, Clifton, Karachi Nimir Industrial Chemicals Ltd. 14.8 KM, Sheikupura Faisalabad Road, Lahore.
CGO S. No. 18	2815.1200	Caustic Soda, liquid	50%	Colorless solution, liquid	NaOH	Sitara Chemical Industries Ltd. 32-KM Sheikupura Road, Faisalabad Engro Polymer & Chemicals Limited 16th Floor, The Harbor Front Building, HC # 3, Marine Drive, Block-4, Clifton, Karachi Nimir Industrial Chemicals Ltd. 14.8 KM, Sheikupura Faisalabad Road, Lahore.
CGO S. No. 26	2828.9000	Sodium Hypochlorite	19 - 20%	Pale Greenish / yellow, Commercial grade	NaOCl	Sitara Chemical Industries Ltd. 32-KM Sheikupura Road, Faisalabad Engro Polymer & Chemicals Limited 16th Floor, The Harbor Front Building, HC # 3, Marine Drive, Block-4, Clifton, Karachi Nimir Industrial Chemicals Ltd. 14.8 KM, Sheikupura Faisalabad Road, Lahore.
New Entry	3307.2000	Body Sprays / Deodorants	Deodoriser/Perfume for personal care in form of Aerosol spray - 120ml to 250ml	Filled in aluminium cans of various dia (40-65mm) and various heights (110-205mm)	Ethanol/Perfume based in Gas & Non Gas variant	Nimir Industrial Chemicals Ltd. 14.8 KM, Sheikupura Faisalabad Road, Lahore.
New Entry	3307.4900	Air Freshener	Air & room deodoriser for home care in aerosol spray - 230 - 350ml	Filled in tin cans of various dia (52-65mm) and various heights (110-240mm)	Ethanol/Fragrance/Surfactant and gas based	Nimir Industrial Chemicals Ltd. 14.8 KM, Sheikupura Faisalabad Road, Lahore.
New Entry	3808.9110	Insecticides	Insect killer for flying & crawling types of insects in aerosol spray - 300 - 600ml	Filled in tin cans of various dia (52-65mm) and various heights (170-320mm)	Active insecticide ingredients/Solvent and gas based	Nimir Industrial Chemicals Ltd. 14.8 KM, Sheikupura Faisalabad Road, Lahore.
New Entry	3808.9400	Hand Sanitizers & Disinfectant Spray	Hand & skin care germicide disinfectant in aerosol spray - 50ml - 300ml	Filled in aluminium/tin cans of various dia (35-53mm) and various heights (88-240mm)	Ethanol/Germicides/Vitamins and gas based	Nimir Industrial Chemicals Ltd. 14.8 KM, Sheikupura Faisalabad Road, Lahore.
New Entry	3401.1100	Soap for Toilets use (including medicated products)	Moisture = 11.0- 19% FFA= % 1.5 max. Sod. Chloride = 0.85 max Na2O % = 0.10 max TFM 74.0 Min	White Soap Noodles	Sodium salt of fatty acids	Nimir Industrial Chemicals Ltd. 14.8 KM, Sheikupura Faisalabad Road, Lahore.
New Entry	3907.9100	Unsaturated polyester Resins (UPR)	60 - 70 % NVM in Monomers	Clear & Hazy Yellow Thick Liquid	Thermoset Unsaturated Polyester Resins	Nimir Resins Ltd. 14.5 KM, Sheikupura Road, Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New Entry	3903.9010	Styrene Acrylic Emulsion	49 - 51 % NVM in Water	Milky white thick liquid	Styrene Acrylic binder for emulsion paints, Opacifying agent, Mortor Modifier & Textile printing binder.	Nimir Resins Ltd. 14.5 KM, Sheikhpura Road, Lahore
New Entry	3906.9090	Acrylic Resins (2 Component Resins)	50 - 70% NVM in aromatic solvents	Clear Colourless thick Liquid	Thermoset, Thermoplastic & Acrylic Polyol for 2-k Coatings	Nimir Resins Ltd. 14.5 KM, Sheikhpura Road, Lahore
New Entry	3906.9090	Acrylic Emulsions	49 - 51 % NVM in Water	Milky white thick liquid	Acrylic binder for emulsion paints	Nimir Resins Ltd. 14.5 KM, Sheikhpura Road, Lahore
New Entry	3910.0000	Antifoam Silicon Base	10 - 20 % NVM in Water	Milky white thick liquid	Defoamer Silicon base	Nimir Resins Ltd. 14.5 KM, Sheikhpura Road, Lahore
New Entry	3809.9200	Surface Sizing Agent (SSA)	Sizing agent for various types of papers i.e. packaging paper, white board coated paper and food packaging etc.	Light / Dark Brown liquid	Cationic Styrene Acrylic emulsion	Nimir Resins Ltd. 14.5 KM, Sheikhpura Road, Lahore
New Entry	8409.9110	Crank Case - Lift	--	Aluminium Alloy Part	ADC 12	Pirani Engineering (Pvt) Ltd. Plot No. 75/C, 11th Commercial Street, DHA Phase-II Ext., Karachi
New Entry	8409.9110	Crant Case - Right	--	Aluminium Alloy Part	ADC 12	Pirani Engineering (Pvt) Ltd. Plot No. 75/C, 11th Commercial Street, DHA Phase-II Ext., Karachi
New Entry	8409.9110	Clutch Cover	--	Aluminium Alloy Part	ADC 12	Pirani Engineering (Pvt) Ltd. Plot No. 75/C, 11th Commercial Street, DHA Phase-II Ext., Karachi
New Entry	8409.9110	Magnet Cover	--	Aluminium Alloy Part	ADC 12	Pirani Engineering (Pvt) Ltd. Plot No. 75/C, 11th Commercial Street, DHA Phase-II Ext., Karachi
New Entry	8714.1020	Panel Brake Shoe Front	--	Aluminium Alloy Part	ADC 12	Pirani Engineering (Pvt) Ltd. Plot No. 75/C, 11th Commercial Street, DHA Phase-II Ext., Karachi
New Entry	8714.1020	Panel Brake Shoe Rear	--	Aluminium Alloy Part	ADC 12	Pirani Engineering (Pvt) Ltd. Plot No. 75/C, 11th Commercial Street, DHA Phase-II Ext., Karachi
New Entry	8714.1020	Hub Rear	--	Aluminium Alloy Part	ADC 12	Pirani Engineering (Pvt) Ltd. Plot No. 75/C, 11th Commercial Street, DHA Phase-II Ext., Karachi
New Entry	8714.1020	Hub Front	--	Aluminium Alloy Part	ADC 12	Pirani Engineering (Pvt) Ltd. Plot No. 75/C, 11th Commercial Street, DHA Phase-II Ext., Karachi
New Entry	8714.1020	Logo Plate	--	Aluminium Alloy Part	ADC 12	Pirani Engineering (Pvt) Ltd. Plot No. 75/C, 11th Commercial Street, DHA Phase-II Ext., Karachi
New Entry	8714.1090	Outer Clutch	--	Aluminium Alloy Part	ADC 12	Pirani Engineering (Pvt) Ltd. Plot No. 75/C, 11th Commercial Street, DHA Phase-II Ext., Karachi
New Entry	8409.9110	Cyliner block	--	Die Casting	Cast Iron	Pirani Engineering (Pvt) Ltd. Plot No. 75/C, 11th Commercial Street, DHA Phase-II Ext., Karachi
New Entry	8714.1090	Handle Holder Upper	--	Aluminium Alloy Part	ADC 12	Pirani Engineering (Pvt) Ltd. Plot No. 75/C, 11th Commercial Street, DHA Phase-II Ext., Karachi
New Entry	8714.1090	Handle Holder Lower	--	Aluminium Alloy Part	ADC 12	Pirani Engineering (Pvt) Ltd. Plot No. 75/C, 11th Commercial Street, DHA Phase-II Ext., Karachi
New Entry	8714.1020	Main Frame	--	MS Sheet Part	SPCC / SPCD	Pirani Engineering (Pvt) Ltd. Plot No. 75/C, 11th Commercial Street, DHA Phase-II Ext., Karachi
New Entry	8714.1020	Fuel tank	--	MS Sheet Part	SPCC / SPCD	Pirani Engineering (Pvt) Ltd. Plot No. 75/C, 11th Commercial Street, DHA Phase-II Ext., Karachi
New Entry	8714.1020	Front Fender	--	MS Sheet Part	SPCC / SPCD	Pirani Engineering (Pvt) Ltd. Plot No. 75/C, 11th Commercial Street, DHA Phase-II Ext., Karachi
New Entry	8714.1020	Rear Fender	--	MS Sheet Part	SPCC / SPCD	Pirani Engineering (Pvt) Ltd. Plot No. 75/C, 11th Commercial Street, DHA Phase-II Ext., Karachi
New Entry	8714.1020	Chain Case	--	MS Sheet Part	SPCC / SPCD	Pirani Engineering (Pvt) Ltd. Plot No. 75/C, 11th Commercial Street, DHA Phase-II Ext., Karachi

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New Entry	8714.1020	Front Glass Right & Left	--	MS Sheet Part	SPCC / SPCD	Pirani Engineering (Pvt) Ltd. Plot No. 75/C, 11th Commercial Street, DHA Phase-II Ext., Karachi
New Entry	8714.1090	T-Plate	--	MS Sheet Part	SPCC / SPCD	Pirani Engineering (Pvt) Ltd. Plot No. 75/C, 11th Commercial Street, DHA Phase-II Ext., Karachi
New Entry	8714.1020	Muffler Bracket	--	MS Sheet Part	SPCC / SPCD	Pirani Engineering (Pvt) Ltd. Plot No. 75/C, 11th Commercial Street, DHA Phase-II Ext., Karachi
New Entry	8714.1040	Bottom Tube Right & Left	--	Aluminium Alloy Part	ADC 12	Pirani Engineering (Pvt) Ltd. Plot No. 75/C, 11th Commercial Street, DHA Phase-II Ext., Karachi
New Entry	3808.9400	Sanitizers	Disinfectants	Color Water White	Alcohol Based	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New Entry	3808.9400	Disinfectant	Disinfectants	Liqued solution of Disinfectant	Additives solution in alcohol	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New Entry	3402.2000	Toilet cleaners	Organic surface- active agents (other than soap); surface- active preparations, washing preparations (including auxiliary washing preparations) and cleaning preparations, whether or not containing soap,	Thick Liqued Blue color	Acid solution with additive	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New Entry	3402.9099	Floor Cleaner	Organic surface- active agents (other than soap); surface- active preparations, washing preparations (including auxiliary washing preparations) and cleaning preparations, whether or not containing soap,	Milky Liqued	Solution of Pine oil , disinfectant and additives in Water.	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New Entry	3903.2000	Styrenated Acrylic	Styrenated Acrylic Emulsion , used for a wide range of products like paint, coatings etc	Liqued at room temperature	Acrylate polymers upon drying form films that yield desired properties on the substrate	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
New Entry	3402.9000	Glass cleaners	Organic surface- active agents (other than soap); surface- active preparations, washing preparations (including auxiliary washing preparations) and cleaning preparations, whether or not containing soap,	Liqued blue color solution of cleaning additives.	additives solution in water and alcohol.	Berger Paints Pakistan Limited 28- Km Multan Road, Lahore.
CGO S. No. 792	8421.3990	Filters, Air	Other than automotive (All Types and Sizes)	--	--	Malik Auto and Agricultural Ind. (Pvt) Ltd. 80-Badami Bagh, P.O. Box 465 Lahore Qaim Automotive Mfg. (Pvt) Ltd. 203-206, Prince Centre, Preedy Street Saddar, Karachi-74400 Skyways Manufacturers (Pvt) Ltd. A/1-A-3, SITE Karachi
CGO S. No. 264	7209.1510	Cold Rolled Coils Of a thickness 3 mm or more	Cold Rolled Carbon Steel Sheets, Strips and Coils As per JIS G-3141, ASTM A-1008 [Excluding SPCE (SDH) grade and other auto grades]	--	--	International Steel Ltd. 399-404, Rehri Road, Landhi Karachi
CGO S. No. 265	7209.1590	Cold Rolled Coils Of a thickness 3 mm or more	Cold Rolled Carbon Steel Sheets, Strips and Coils As per JIS G-3141, ASTM A-1008 [Excluding SPCE (SDH) grade and other auto grades]	--	--	International Steel Ltd. 399-404, Rehri Road, Landhi Karachi
CGO S. No. 266	7209.1610	Cold Rolled Coils Of a thickness exceeding 1 mm but less than 3 mm:	Cold Rolled Carbon Steel Sheets, Strips and Coils As per JIS G-3141, ASTM A-1008 [Excluding SPCE (SDH) grade and other auto grades]	--	--	International Steel Ltd. 399-404, Rehri Road, Landhi Karachi
CGO S. No. 267	7209.1690	Cold Rolled Coils Of a thickness exceeding 1 mm but less than 3 mm:	Cold Rolled Carbon Steel Sheets, Strips and Coils As per JIS G-3141, ASTM A-1008 [Excluding SPCE (SDH) grade and other auto grades]	--	--	International Steel Ltd. 399-404, Rehri Road, Landhi Karachi

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
CGO S. No. 268	7209.1710	Cold Rolled Coils Of a thickness of 0.5 mm or more but not exceeding 1 mm:	Cold Rolled Carbon Steel Sheets, Strips and Coils As per JIS G-3141, ASTM A-1008 [Excluding SPCE (SDH) grade and other auto grades]	--	--	International Steel Ltd. 399-404, Rehri Road, Landhi Karachi
CGO S. No. 269	7209.1790	Cold Rolled Coils Of a thickness of 0.5 mm or more but not exceeding 1 mm:	Cold Rolled Carbon Steel Sheets, Strips and Coils As per JIS G-3141, ASTM A-1008 [Excluding SPCE (SDH) grade and other auto grades]	--	--	International Steel Ltd. 399-404, Rehri Road, Landhi Karachi
CGO S. No. 270	7209.1810	Cold Rolled Coils Of thickness of less than 0.5 mm:	Cold Rolled Carbon Steel Sheets, Strips and Coils As per JIS G-3141, ASTM A-1008 [Excluding SPCE (SDH) grade and other auto grades]	--	--	International Steel Ltd. 399-404, Rehri Road, Landhi Karachi
CGO S. No. 271	7209.1890	Cold Rolled Coils Of thickness of less than 0.5 mm:	Cold Rolled Carbon Steel Sheets, Strips and Coils As per JIS G-3141, ASTM A-1008 [Excluding SPCE (SDH) grade and other auto grades]	--	--	International Steel Ltd. 399-404, Rehri Road, Landhi Karachi
CGO S. No. 272	7209.2510	Cold Rolled of a thickness of 3mm or more (Not in Coils)	Cold Rolled Carbon Steel Sheets, Strips and Coils As per JIS G-3141, ASTM A-1008 [Excluding SPCE (SDH) grade and other auto grades]	--	--	International Steel Ltd. 399-404, Rehri Road, Landhi Karachi
CGO S. No. 273	7209.2590	Cold Rolled of a thickness of 3mm or more (Not in Coils)	Cold Rolled Carbon Steel Sheets, Strips and Coils As per JIS G-3141, ASTM A-1008 [Excluding SPCE (SDH) grade and other auto grades]	--	--	International Steel Ltd. 399-404, Rehri Road, Landhi Karachi
CGO S. No. 274	7209.2610	Cold Rolled Of a thickness of exceeding 1 mm but less than 3 mm: (Not in Coils)	Cold Rolled Carbon Steel Sheets, Strips and Coils As per JIS G-3141, ASTM A-1008 [Excluding SPCE (SDH) grade and other auto grades]	--	--	International Steel Ltd. 399-404, Rehri Road, Landhi Karachi
CGO S. No. 275	7209.2690	Cold Rolled Of a thickness of exceeding 1 mm but less than 3 mm: (Not in Coils)	Cold Rolled Carbon Steel Sheets, Strips and Coils As per JIS G-3141, ASTM A-1008 [Excluding SPCE (SDH) grade and other auto grades]	--	--	International Steel Ltd. 399-404, Rehri Road, Landhi Karachi
CGO S. No. 276	7209.2710	Cold Rolled Of thickness of 0.5 mm or more but not exceeding 1 mm: (Not in Coils)	Cold Rolled Carbon Steel Sheets, Strips and Coils As per JIS G-3141, ASTM A-1008 [Excluding SPCE (SDH) grade and other auto grades]	--	--	International Steel Ltd. 399-404, Rehri Road, Landhi Karachi
CGO S. No. 277	7209.2790	Cold Rolled Of thickness of 0.5 mm or more but not exceeding 1 mm: (Not in Coils)	Cold Rolled Carbon Steel Sheets, Strips and Coils As per JIS G-3141, ASTM A-1008 [Excluding SPCE (SDH) grade and other auto grades]	--	--	International Steel Ltd. 399-404, Rehri Road, Landhi Karachi
CGO S. No. 278	7209.2810	Cold Rolled Of thickness of less than 0.5 mm: (Not in coils)	Cold Rolled Carbon Steel Sheets, Strips and Coils As per JIS G-3141, ASTM A-1008 [Excluding SPCE (SDH) grade and other auto grades]	--	--	International Steel Ltd. 399-404, Rehri Road, Landhi Karachi
CGO S. No. 279	7209.2890	Cold Rolled Of thickness of less than 0.5 mm: (Not in coils)	Cold Rolled Carbon Steel Sheets, Strips and Coils As per JIS G-3141, ASTM A-1008 [Excluding SPCE (SDH) grade and other auto grades]	--	--	International Steel Ltd. 399-404, Rehri Road, Landhi Karachi
CGO S. No. 280	7209.9010	Cold Rolled Coils Of 3 mm and above:	Cold Rolled Carbon Steel Sheets, Strips and Coils As per JIS G-3141, ASTM A-1008 [Excluding SPCE (SDH) grade and other auto grades]	--	--	International Steel Ltd. 399-404, Rehri Road, Landhi Karachi
CGO S. No. 281	7209.9090	Cold Rolled Coils Of 3 mm and above:	Cold Rolled Carbon Steel Sheets, Strips and Coils As per JIS G-3141, ASTM A-1008 [Excluding SPCE (SDH) grade and other auto grades]	--	--	International Steel Ltd. 399-404, Rehri Road, Landhi Karachi

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
CGO S. No. 295	7211.1910	Cold Rolled Steel strips of thickness below 0.5mm and upto 100 mm wide	Cold Rolled Carbon Steel Sheets, Strips and Coils As per JIS G-3141, ASTM A-1008 [Excluding SPCE (SDH) grade and other auto grades]	--	--	International Steel Ltd. 399-404, Rehri Road, Landhi Karachi
CGO S. No. 296	7211.1920	Cold Rolled Steel strips of thickness exceeding 0.5mm	Cold Rolled Carbon Steel Sheets, Strips and Coils As per JIS G-3141, ASTM A-1008 [Excluding SPCE (SDH) grade and other auto grades]	--	--	International Steel Ltd. 399-404, Rehri Road, Landhi Karachi
CGO S. No. 298	7211.1990	Cold Rolled Steel strips of thickness exceeding 0.5mm	Cold Rolled Carbon Steel Sheets, Strips and Coils As per JIS G-3141, ASTM A-1008 [Excluding SPCE (SDH) grade and other auto grades]	--	--	International Steel Ltd. 399-404, Rehri Road, Landhi Karachi
CGO S. No. 368	7225.5000	Cold Rolled of a width of 600 mm or more	Cold Rolled Alloy Steel Sheets, Strips and Coils As per JIS G-3141, ASTM A-1008 [Excluding SPCE (SDH) grade and other auto grades]	--	--	International Steel Ltd. 399-404, Rehri Road, Landhi Karachi
CGO S. No. 372	7226.9200	Cold Rolled of less than 600mm	Cold Rolled Alloy Steel Sheets, Strips and Coils As per JIS G-3141, ASTM A-1008 [Excluding SPCE (SDH) grade and other auto grades]	--	--	International Steel Ltd. 399-404, Rehri Road, Landhi Karachi
New Entry	4819.1000 4819.2000	Carton, cases & boxes of corrugated paper or Paper board (4819.1000). Folding carton, boxes and cases of non- corrugated paper or Paper board (4819.2000).	Multi layer Coated / un-coated Printed board of various grammages as per customer specs	Produced in HL & Glued printed carton	Paper and Board material	Packages Ltd. Shahrah-e-Roomi, P.O. Amer Sidhu Lahore-54760
New Entry	4811.5100	Poly coated board (Bleach board weighing more than 150gsm)	combination of multi layer Coated / un-coated Printed board and PE of various grammages as per customer specs	Produced in roll & sheet form	Paper and Board and polymer of Ethlene	Packages Ltd. Shahrah-e-Roomi, P.O. Amer Sidhu Lahore-54761
New Entry	4811.5900	Poly coated board (other poly coated board)	combination of multi layer Coated / un-coated Printed board and PE of various grammages as per customer specs	Produced in roll & sheet form	Paper and Board and polymer of Ethlene	Packages Ltd. Shahrah-e-Roomi, P.O. Amer Sidhu Lahore-54762
New Entry	4823.9090	Metalized board	combination of multi layer Coated / un-coated Printed board and Meatlized PET of various grammages as per customer specs	Produced in roll & sheet form	Paper and Board and polymer of Ethlene terrathelate (PET)	Packages Ltd. Shahrah-e-Roomi, P.O. Amer Sidhu Lahore-54763
New Entry	8406.8200	Combined Cycle Power Plants	As per customer requirements	--	--	Ravi Green Engineering (Pvt) Ltd. 20th KM (Pajian), Raiwind Road, Lahore
New Entry	8402.1920	Waste heat boilers (WHB's)	ASME Sect. I or VIII 0.2 tons/ hr steam to as required by customers	--	--	Ravi Green Engineering (Pvt) Ltd. 20th KM (Pajian), Raiwind Road, Lahore
New Entry	8419.5000	Heat exchange units, Industrial	Shell & Tube Type of Carbon, Alloy & Stainless Steel. Fixed & Floating Tube sheets with straight & U-Tubes. Air Cooled with Finned Tubes of Carbon, Alloy & Non-Ferrous Materials ASME Sec. VIII Div. 1 & 2, TEMA, HEI, API-660, API-661, ANSI B-78.1, ANSI B-78.2 & as per customers requirements	--	--	Ravi Green Engineering (Pvt) Ltd. 20th KM (Pajian), Raiwind Road, Lahore
New Entry	8419.5000	Air Receiver	As per customer requirements	--	--	Ravi Green Engineering (Pvt) Ltd. 20th KM (Pajian), Raiwind Road, Lahore
New Entry	8419.8990	Slug Catcher	Finger type, Vessel type & as per customers requirements	--	--	Ravi Green Engineering (Pvt) Ltd. 20th KM (Pajian), Raiwind Road, Lahore
New Entry	8419.8990	Knock Out Drums	as per customer requirements	--	--	Ravi Green Engineering (Pvt) Ltd. 20th KM (Pajian), Raiwind Road, Lahore
New Entry	8419.8990	Coalescer Vessels	as per customer requirements	--	--	Ravi Green Engineering (Pvt) Ltd. 20th KM (Pajian), Raiwind Road, Lahore
New Entry	8419.8990	Columns and Strippers	as per customer requirements	--	--	Ravi Green Engineering (Pvt) Ltd. 20th KM (Pajian), Raiwind Road, Lahore
New Entry	8419.8990	Spherical Tank (LPG)	as per customer requirements	--	--	Ravi Green Engineering (Pvt) Ltd. 20th KM (Pajian), Raiwind Road, Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New Entry	8419.8990	Steel Vessels and equipment	LPG Tanks - Static (Cylindrical upto 125 Mton capacity, Spherical upto 500 Mton capacity)LPG Bowzers capacity 30 Ton StoragePressure Vessel (cylindrical/spherical), up to 250 mm plate thick (Columns, Stripper, absorption, distillation, dehydration, Deaeration Equipment & De Gasifiers etc.) & as per customers requirements	--	--	Ravi Green Engineering (Pvt) Ltd. 20th KM (Pajian), Raiwind Road, Lahore
New Entry	8419.8990 and respective headings	Absorption Tower, Columns, Process Reactors, Heat Exchange, Condensers, Air Coolers, LPG/Oil/LNG Storage Tanks, Heat Recovery Boilers, Steel Structure, Process And Utility Piping, Gas Sweetening Unit, Amine Absorption, Flare	as per customer requirements	--	--	Ravi Green Engineering (Pvt) Ltd. 20th KM (Pajian), Raiwind Road, Lahore
New Entry		Stack System, LPG Recovery Unit, Sulphur Recovery Unit.		--	--	Ravi Green Engineering (Pvt) Ltd. 20th KM (Pajian), Raiwind Road, Lahore
New Entry	8419.8990	Chemical Injection / Dosing Skids	Pneumatic & Motor Driven, Solar	Gas Driven, Motor Driven, Solar Powered	--	Ravi Green Engineering (Pvt) Ltd. 20th KM (Pajian), Raiwind Road, Lahore
New Entry	8419.8990	Gas / Fuel Conditioning Skids 1- Instrument Gas Scrubber Skid 2- Sour Gas Conditioning Skid 3- Scrubbers 4- Filters	Stainless Steel, Carbon Steel, Alloy Steel	--	--	Ravi Green Engineering (Pvt) Ltd. 20th KM (Pajian), Raiwind Road, Lahore
New Entry	8419.8990 8419.8910	Atmospheric Tanks from 500 barrels to 380,000 barrels capacity. Large tanks can be of a fixed roof, floating roof or dome roof.ASME Sec. VIII, Div. 1 & 2, API-650, API-620, API-12B, API-12D, API-12F	as per customer requirements	--	--	Ravi Green Engineering (Pvt) Ltd. 20th KM (Pajian), Raiwind Road, Lahore
New Entry	8421.3990	Gas Filter Separators	as per customer requirements	--	--	Ravi Green Engineering (Pvt) Ltd. 20th KM (Pajian), Raiwind Road, Lahore
New Entry	8421.3990	2 and 3 Phase Separators (Test & Production)	as per customer requirements	--	--	Ravi Green Engineering (Pvt) Ltd. 20th KM (Pajian), Raiwind Road, Lahore
New Entry		Overhead Crane Installation	as per customer requirements	--	--	Ravi Green Engineering (Pvt) Ltd. 20th KM (Pajian), Raiwind Road, Lahore
New Entry		Process and Power Piping Installation and Modification	as per customer requirements	--	--	Ravi Green Engineering (Pvt) Ltd. 20th KM (Pajian), Raiwind Road, Lahore
New Entry		Insulation and Cladding	as per customer requirements	--	--	Ravi Green Engineering (Pvt) Ltd. 20th KM (Pajian), Raiwind Road, Lahore
New Entry	4802.5700	Photo Copy Paper	--	--	--	Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore-54760
New Entry	4802.6100	Writing Printing Paper	--	--	--	Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore-54761
New Entry	4803.0000	Tissue Paper	--	--	--	Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore-54762
New Entry	4804.4900	Un-coated board used for liquid packaging	--	--	--	Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore-54763
New Entry	4805.1200	Fluting Paper	--	--	--	Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore-54764
New Entry	4819.1000	Master Cartons (Corrugated Boxes)	--	--	--	Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore-54765
New Entry	4819.2000	Primary Packaging made of Board	--	--	--	Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore-54766
New Entry	2710.1919 2710.1250 2710.1999	Aliphatic Hydrocarbon	Aliphatic Hydrocarbon Fluids with Very Low Aromatic content. Used in formulating aerosols, insecticides, pesticides, cleaning & degreasing agents, paints and coatings applications.	Clear colorless liquid at room temperature. Density @ 15 °C 0.78-0.82 g/cm3 Flash Point ≥ 60 °C	Hydrocarbon solvent with negligible reactive impurities. Low toxicity. Extended evaporation rate.	Mijokum (Pvt) Ltd. F-48 & F-52, Sector 50-C, Korangi, Karachi.
New Entry	2710.1919 2710.1250 2710.1999	Aliphatic Hydrocarbon	Aliphatic Hydrocarbon Fluids with Very Low Aromatic content. Used in formulating aerosols, insecticides, pesticides, cleaning & degreasing agents, paints and coatings applications.	Clear colorless liquid at room temperature. Density @ 15 °C 0.77-0.80 g/cm3 Flash Point °C ≥ 50°C	Hydrocarbon solvent with negligible reactive impurities. Low toxicity. Controlled evaporation rate.	Mijokum (Pvt) Ltd. F-48 & F-52, Sector 50-C, Korangi, Karachi.

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New Entry	2710.1250 2710.1919 2710.1999	Aliphatic Hydrocarbon	Aliphatic Hydrocarbon Fluids with Very Low Aromatic content. Used in formulating aerosols, insecticides, pesticides, cleaning & degreasing agents, paints and coatings applications.	Clear colorless liquid at room temperature. Density @ 15 °C 0.760-0.79 g/cm3 Flash Point ≥ 40°C	Hydrocarbon solvent with negligible reactive impurities. Low toxicity. Fast evaporation rate.	Mijokum (Pvt) Ltd. F-48 & F-52, Sector 50-C, Korangi, Karachi.
New Entry	2710.1240	Narrow Boiling Range Hydrocarbon Solvent	Hydrocarbon Fluids with Aromatic content. Used as solvents or diluents in paints & coatings, waxes, varnishes/polishes, adhesives, inks and cleaners & degreasers.	Clear colorless liquid at room temperature. Density @ 15 °C 0.77-0.80 g/cm3 Flash Point ≥ 40°C	Chemically stable and non-corrosive hydrocarbon solvent. Possess a mild odor. Fast evaporation rate.	Mijokum (Pvt) Ltd. F-48 & F-52, Sector 50-C, Korangi, Karachi.
New Entry	2710.1919	Narrow Boiling Range Hydrocarbon Solvent	Hydrocarbon Fluids with Aromatic content. Used for machine and parts cleaning and diluents in waxes, cleaners & degreasers.	Clear colorless to yellow liquid at room temperature. Density @ 15 °C 0.78-0.810 g/cm3 Flash Point ≥ 60 °C	Chemically stable and non-corrosive hydrocarbon solvent. Possess a mild odor. Extended evaporation rate.	Mijokum (Pvt) Ltd. F-48 & F-52, Sector 50-C, Korangi, Karachi.
New Entry	3402.9000 3814.0000	Lithographic Offset Printing Rubber Blanket & Roller Wash	Washing and cleaning solution to use in sheet-fed offset printing machines, cold-set and heat-set offset printing machines. It is adjusted for the cleaning of rubber materials like EPDM & NBR, Damping rollers, Brush rollers, Impression cylinders and machine parts. Recommended for manual application	Clear colorless liquid at room temperature. Density @ 15 °C 0.77-0.81 g/cm3 Flash Point ≥ 40°C	Mixtures of different chemical compounds like hydrocarbons, emulsifiers and corrosion inhibitors. Can also be mixed with water to remove the water-soluble accumulated dirt (such as paper components) together with the printing ink.	Mijokum (Pvt) Ltd. F-48 & F-52, Sector 50-C, Korangi, Karachi.
New Entry	3402.9000 3814.0000	Lithography Offset Printing Rubber Blanket & Roller Wash	Washing and cleaning solution to use in sheet-fed offset printing machined, coldest and heatset offset printing machines. It is adjusted for the cleaning of rubber materials like EPDM & NBR, Damping rollers, Brush rollers, Impression cylinders and machine parts. Recommended for automatic and manual applications	Clear colorless liquid at room temperature. Density @ 15 °C 0.77-0.80 g/cm3 Flash Point ≥ 60°C	Mixtures of different chemical compounds like hydrocarbons, emulsifiers and corrosion inhibitors. Aromatic Free. Can also be mixed with water to remove the water-soluble accumulated dirt (such as paper components) together with the printing ink.	Mijokum (Pvt) Ltd. F-48 & F-52, Sector 50-C, Korangi, Karachi.
New Entry	3402.9000 3301.9090	Lithographic offset printing plates cleaner	For cleaning, conditioning and activation of the printing plates. Used for the cleaning of lithographic offset printing plates especially PS and Computerized plates.	Medium viscosity liquid at room temperature. Density @ 15 °C 0.98 – 1.05 g/cm3	Blend of solvents & salts. Miscible in water. Quickly removes the ink from conventional and computerized offset printing plates and makes them ready for re printing.	Mijokum (Pvt) Ltd. F-48 & F-52, Sector 50-C, Korangi, Karachi.
New Entry	3402.9000 3814.0000 3301.9090	Deglazer and cleaner	Removes all types of glaze and used for the pore deep cleaning of offset printing rubber roller and blanket. Removes Paper dust and ink impurities from the rubber rollers and blanket in one operation. Regenerates the surface to enable them for reprinting. To be used in sheet fed, web offset heatset printing machines.	Clear brown liquid at room temperature. Density @ 15 °C 0.80 – 1.0 g/cm3	Miscible in water. Quickly removes the ink from rubber rollers and blanket. Suitable for conventional ink.	Mijokum (Pvt) Ltd. F-48 & F-52, Sector 50-C, Korangi, Karachi.
New Entry	2702.1000 3402.9000 3814.0000	Blanket repairing solution	Temporary repair for spots and indentations on lithographic offset printing blankets.	Clear liquid at room temperature. Density @ 15 °C 1.05 – 1.32 g/cm3	Synergistic mixture of hydrocarbons and emulsifiers. Swell the offset printing blanket rubber in a short period of time to enable it for reprinting.	Mijokum (Pvt) Ltd. F-48 & F-52, Sector 50-C, Korangi, Karachi.

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New Entry	3402.9000 3824.9999 3402.2000	Roller deglazer and cleaner	Cleaning and rejuvenating paste for lithographic offset inking rollers; removes stubborn deposits on older inking rollers; for use on dismantled rollers; suitable for NBR and EPDM compounds. To be used in sheet fed, web offset heatset printing machines	Yellow to light brown paste at room temperature. Density @ 15 °C 0.95 – 1.05 g/cm ³	Cleaning paste for inking rollers. Quickly removes the ink from rubber rollers and blanket. Suitable for conventional ink.	Mijokum (Pvt) Ltd. F-48 & F-52, Sector 50-C, Korangi, Karachi.
New Entry	3403.1990 3404.9090 3402.1300	Paraffin wax emulsion	Aqueous paraffin wax emulsion recommended for use in different coating applications like Construction, Paints & Textile. Specially suitable for spray & padding application. Its advanced formula provides water repellency.	Medium to low viscosity white liquid at room temperature. Density @ 25 °C 0.90 – 1.0 g/cm ³	Anionic/cationic/non-ionic emulsion. They are prepared from a mixture of carefully chosen paraffins treated to guarantee the best coating applications performance.	Mijokum (Pvt) Ltd. F-48 & F-52, Sector 50-C, Korangi, Karachi.
New Entry	3214.9090	Multipurpose aerosol lubricant spray	Multipurpose aerosol lubricant spray is a multipurpose product that protects metal from oxidation and corrosion. It penetrates and lubricates the locked parts and prevents any surface to be damaged by humidity. It also removes stains of grease, tar and glue from no matter what non-porous surface.	Light amber cloudy liquid at room temperature Density @ 15 °C 0.80 – 0.85 g/cm ³	Synergistic mixture of petroleum distillate solvents, lubricants, corrosion inhibitors, surface active materials & propellants. Its multi action properties effective for moving parts lubrication, penetrant, drive out moisture, removes and protects surfaces from corrosion.	Mijokum (Pvt) Ltd. F-48 & F-52, Sector 50-C, Korangi, Karachi.
New Entry	2712.9090 2712.2000	Paraffin Wax	It is used in various industrial applications like water proofing, wax paper, polishes, cosmetics, electrical insulation, paint, fire works and matches industry and paraffin emulsions	White to pale yellow semi solid at room temperature.	Petroleum based product consists of a mixture of hydrocarbons.	Mijokum (Pvt) Ltd. F-48 & F-52, Sector 50-C, Korangi, Karachi.
New Entry	3824.9999	Antifoaming Agent/Defoamer	Antifoaming agent is a mineral oil based defoamer for aqueous systems. It is typically applied in aqueous coating systems, wood stains, varnishes, printing inks, textile & adhesive	Opaque white to pale yellow liquid at room temperature. Density @ 25 °C 0.85 – 0.95 g/cm ³	Synergistic mixture of mineral oil and surface-active materials to accelerate the defoaming efficiency.	Mijokum (Pvt) Ltd. F-48 & F-52, Sector 50-C, Korangi, Karachi.
New Entry	3824.4000	Concrete Curing Compound	Concrete curing compound are suitable for spray application to freshly poured concrete. The resultant film retains sufficient moisture in the concrete to ensure full hydration of the cement; essential for optimum strength development.	Milky liquid at room temperature. Density @ 25 °C 0.95 - 1.05 g/cm ³	Synergistic mixture of aqueous wax emulsion & surface-active materials. It is recommended on freshly poured concrete surfaces for high curing efficiency.	Mijokum (Pvt) Ltd. F-48 & F-52, Sector 50-C, Korangi, Karachi.
New Entry	3402.2000 3208.9090	Oven and Grill Cleaner	It is a heavy duty foaming oven and grill cleaner for the removal of tough baked on grease carbon deposits, grease and other related problems from ovens, griddles, burners, deep fat fryers and ventilating tools. It is highly effective on cold oven soils and the most rapid cleaner for warm ovens.	Clear to colorless liquid at room temperature. Density @ 25 °C 1.00 – 1.10 g/cm ³	Synergistic mixture of surface-active materials to accelerate the cleaning efficiency.	Mijokum (Pvt) Ltd. F-48 & F-52, Sector 50-C, Korangi, Karachi.
New Entry	3808.9400	Disinfectant	It is highly effective & extremely versatile in sanitizing & disinfecting contaminated surfaces. Advanced formula to kill 99.9% germs from hands & surfaces without the use of harmful chemicals.	Clear to colorless liquid at room temperature. Density @ 25 °C 1.00 ± 0.05 g/cm ³	Synergistic mixture of carefully selected disinfecting agents. Includes Hydrogen Peroxide.	Mijokum (Pvt) Ltd. F-48 & F-52, Sector 50-C, Korangi, Karachi.

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New Entry	3401.1990 3401.2000 3401.3000 3402.9000	Hand Sanitizer	W.H.O compliant Instant Sanitizer. Kills most bacteria, fungi and enveloped viruses such as Coronaviruses and influenza. Its strong smelling formula evaporates completely with no rinsing required.	Clear to colorless viscous gel at room temperature. Density @ 25 °C 0.85 - 0.95 g/cm ³ pH Conc. @ 25 °C 6 - 8	Blend of alcohol & humectants. Reduces population of bacteria, fungi, and enveloped viruses.	Mijokum (Pvt) Ltd. F-48 & F-52, Sector 50-C, Korangi, Karachi.
New Entry	3401.2000 3401.3000	Hand Wash/Face Wash/Body Wash	It is designed for safe, simple and effective hand hygiene, cleansing of face and body	Creamy/gel liquid at room temperature. Density @ 25 °C 1.00 ± 0.1 g/cm ³	Blend of surface-active materials, moisturizer and other chemicals.	Mijokum (Pvt) Ltd. F-48 & F-52, Sector 50-C, Korangi, Karachi.
New Entry	3303.0090 3304.9910	Moisturizing lotion/Moisturizing Cream	It designed to moisturize all types of skin. Prevents dryness, hydrates and leaves skin feeling soft, smooth and replenished.	Milky white viscous liquid at room temperature. Density @ 25 °C 0.90 – 1.00 g/cm ³	Blends of natural oils, emollients & humectants. This is excellent for all types of skin that require intensive moisturization for all day soft, smooth and nourished skin.	Mijokum (Pvt) Ltd. F-48 & F-52, Sector 50-C, Korangi, Karachi.
New Entry	3305.1000 3305.9090	Hair Shampoo/Hair Conditioner	Designed to protect hair from breakage, drying & damage. Improve moisture retention and elasticity. Suitable for all hair type.	Milky white creamy texture at room temperature. Relative Density @ 25 °C ≥ 0.90	Blend of surface-active materials, salt & moisturizer. It is effective for all types of hair for shining & moisturizing from root to tip.	Mijokum (Pvt) Ltd. F-48 & F-52, Sector 50-C, Korangi, Karachi.
New Entry	3808.94 3402.2	Multi-Surface Cleaner & Disinfectant	Cleaning agent for all hard washable surfaces with protection of Home & office from invasive viruses & germs.	Clear to variant colors liquid at room temperature. Density @ 25 °C 0.95 - 1.10 g/cm ³	Aqueous blend of surface-active materials & anti-bacterial agents suitable for cleaning & disinfecting hard surfaces.	Mijokum (Pvt) Ltd. F-48 & F-52, Sector 50-C, Korangi, Karachi.
New Entry	3402.2000	Toilet Cleaner	Toilet cleaner prevents the build-up of tough stains and lime scale in the toilet bowl and keeps it noticeably clean with effective elimination of germs in the toilet.	Clear blue color gel at room temperature. Density @ 25 °C 1.00 - 1.15 g/cm ³	Blend of selective surface-active materials, acid & anti-bacterial agents suitable for cleaning & disinfecting toilet bowl.	Mijokum (Pvt) Ltd. F-48 & F-52, Sector 50-C, Korangi, Karachi.
New Entry	3402.2000	Glass Cleaner	Glass cleaner designed to give a streak free shine to glass, mirrors and washable surfaces. This product removes dirt, dust, fingerprints and smudges. Special formulation helps to remove lint, grime, bugs and other contamination from glass.	Clear liquid at room temperature. Density @ 25 °C 0.90 - 1.05 g/cm ³	Blend of surface-active materials & organic actives suitable for effective cleaning with a streak free shine & fast-drying formula.	Mijokum (Pvt) Ltd. F-48 & F-52, Sector 50-C, Korangi, Karachi.
New Entry	3808.9110	Aerosol Contact Insecticide/Household Insecticide	Insecticide Aerosols are meant to kill flying and crawling insects when sprayed or dispersed in air.	Colorless liquid at room temperature Relative Density @ 15 °C 0.60 – 0.80	Mixtures of petroleum distillate solvents, corrosion inhibitors, insecticide actives & propellants. Contains actives that kill insects.	Mijokum (Pvt) Ltd. F-48 & F-52, Sector 50-C, Korangi, Karachi.
New Entry	3307.4900	Air Freshener	Air fresheners emit fragrance when sprayed or dispersed in air. May be used indoors in residential, commercial, hospitality, medical facilities and public arenas.	Colorless liquid at room temperature Relative Density @ 15 °C 0.60 – 0.80	Ingredients in air fresheners can include fragrances, aerosol propellants, corrosion inhibitors, preservatives, and solvents.	Mijokum (Pvt) Ltd. F-48 & F-52, Sector 50-C, Korangi, Karachi.
New Entry	3824.9999 3209.9090	Aerosol Paint	Aerosol paint is a type of paint that comes in a sealed pressurized container. Spray paint leaves a smooth, evenly coated surface.	Colored liquid at room temperature Relative Density @ 15 °C 0.7 – 0.8	Ingredients in aerosol paint can include petroleum distillate solvents, propellant, pigments and corrosion inhibitors	Mijokum (Pvt) Ltd. F-48 & F-52, Sector 50-C, Korangi, Karachi.
New Entry	9607.1900	Zipper in Rolls Zipper Chain	Brass fitted with polyester tape	65% Brass 35% Alloy Polyester tape	--	Monika Enterprises 2110/93, Nawaz Chowk, Mian Bagerian Road, Green Town Lahore

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New Entry	9607.1900	Zipper in Rolls Zipper Chain	Polyester Nylon Plastic fitted with polyester tape	Polyester Yarn Moofilment Acetol Polyester tap	--	Monika Enterprises 2110/93,Nawaz Chowk, Mian Bagerian Road, Green Town Lahore
New Entry	9607.1900	Zipper in Rolls Zipper Chain	Aluminium fitted with polyester chain	Aluminium Polyester Chain tape	--	Monika Enterprises 2110/93,Nawaz Chowk, Mian Bagerian Road, Green Town Lahore
New Entry	9607.2000	Zipper slider Pin box stoppers	Zipper sliders for chain close pinbox for ends stoppers for ends	Zin Brass	--	Monika Enterprises 2110/93,Nawaz Chowk, Mian Bagerian Road, Green Town Lahore
New Entry	8448.39	Textile Spinning Ring Rubber Cots	Sizes: 19x30x28 19x30x26 19x29x20 19x40x20 19x32x26 19x34x26 19x29x39 Hardness: 65, 68, 70, 72, 75, 80,82 -with aluminium bush inside.	press fit type with aluminium bush	antistatic properties Ozone resistance vegetable oil resistance abrasion resistance moisture resistance tear resistance	Punjab Spring & Engg. Works Chak no.65, Manga Road Near Makkah Sugar Mill.
New Entry	8448.39	Textile Spinning simplex Rubber Cots	Sizes: 19x29x39 Hardness: 65, 68, 70, 72, 75, 80,82	press fit type with aluminium bush	antistatic properties Ozone resistance vegetable oil resistance abrasion resistance moisture resistance tear resistance	Punjab Spring & Engg. Works Chak no.65, Manga Road Near Makkah Sugar Mill.
New Entry	8448.39	Textile Spinning Dawing Rubber Cots	Sizes: 22x34x180 23x34x190 26x38x160 24x34x180 26x38x200 30x35x200 16x25x348 16x25x340 Hardness: 65, 68, 70, 72, 75, 80,82 -with aluminium bush inside.	press fit type with aluminium bush	antistatic properties Ozone resistance vegetable oil resistance abrasion resistance moisture resistance tear resistance	Punjab Spring & Engg. Works Chak no.65, Manga Road Near Makkah Sugar Mill.
New Entry	4016.109	Textile Spinning Rubber Apron	Sizes: 83x30 73x30 91x30 37x28 43x30 hardness: 70	Ozone crack resistance -vegetable oil resistance -abrasion resistance -moisture resistance -tear resistance -antistatic resistance	Ozone crack resistance -vegetable oil resistance -abrasion resistance -moisture resistance -tear resistance -antistatic resistance	Punjab Spring & Engg. Works Chak no.65, Manga Road Near Makkah Sugar Mill.
New Entry	8448.39	Mesh Apron For Compact Spinning	Sizes: 110x25 140x25 117x22 122x17 124x25 127x25 128x25 129x25 mash: 80, 90,100, 110, 120, 130, 140	nylon monofilament resistant yarn	antistatic resistance -tear resistance -abrasion resistance -moisture resistance	Punjab Spring & Engg. Works Chak no.65, Manga Road Near Makkah Sugar Mill.

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company
New Entry	3926.9099	Textile Spinning Ring Bobbin	Polycarbonate with glass fibre -polypropylene with glass fibre Sizes (mm): 180, 190, 200, 205, 210, 225, 230,240 -with bush and ring	highly flexural strength -impact strength	polycarbonate glass fibre	Punjab Spring & Engg. Works Chak no.65, Manga Road Near Makkah Sugar Mill.
New Entry	3926.9099	Ring Bobbin crate	Size (mm): 520x300x320 -CoPolypropylene	highly flexural strength -impact strength	CoPolypropylene	Punjab Spring & Engg. Works Chak no.65, Manga Road Near Makkah Sugar Mill.
New Entry	8448.333	Spinning Ring	Sizes: 35x54 36x54 38x54 40x54 42x54 45x54 Alloy bearing steal	Alloy bearing steal	Chrome plated	Punjab Spring & Engg. Works Chak no.65, Manga Road Near Makkah Sugar Mill.
New Entry	7607.1990 7607.2000	Alu Alu Cold forming Foil Alu Alu Blister Foil		Almost Silver Clean and Plain with uniform coating	Sealing Point: 140°C - 240°C Peeling strength: 5-6 Newton/15mm Tensile Strength: 140-160 Newton/15mm Brusting pressure: 1400KPA-1700 KPA	Zenith Packages Industries (Pvt) Ltd. Village Dhonday Pajian Road, Raiwind Lahore
New Entry	2933.499	Moxifloxacin HCL	BP & USP Specifications	Light Yellow or Yellow Powder or crystals, slightly hygroscopic.	Active Pharmaceutical Ingredient (API) Solubility sparingly soluble in water, slightly soluble in Ethanol (96%), Practically insoluble in Acetone PH: (3.9-4.6) Water: K/F 4.5 Chemical Formula: C ₂₁ H ₂₅ ClFN ₃ O ₄ Molecular Weight: 437.9	Zenith Packages Industries (Pvt) Ltd. Village Dhonday Pajian Road, Raiwind Lahore
New Entry	8309.9	Aluminium PP Caps for Bottles	22mmPP; 25mmPP, 25mmRO, 28mmRO, 30*34mmED, 30*60mmED	-----	Food Grade	Daim Pak (Pvt) Ltd.
New Entry	3204.17	Pigment Blue 15:0 Pigment Blue 15:03	Pigment Dye for rrextile Industries	Blue odorless Liquid	Copper Ptha locyn ine Pigment	M.N CHEMICAL INDS. (PVT) Ltd. M.N Plaza West Canal Road, Skan College Faisalabad
New Entry	3204.17	Pigments Yellows	Pigment Dye for rrextile Industries	Yellow odorless Liquid	Diazo Pigment	M.N CHEMICAL INDS. (PVT) Ltd. M.N Plaza West Canal Road, Skan College Faisalabad
New Entry	3204.17	Pigments Reds	Pigment Dye for rrextile Industries	Red odorless Liquid	Diazo Pigment	M.N CHEMICAL INDS. (PVT) Ltd. M.N Plaza West Canal Road, Skan College Faisalabad
New Entry	3204.17	Pigments Pinks	Pigment Dye for rrextile Industries	Pink odorless Liquid	Diazo Pigment	M.N CHEMICAL INDS. (PVT) Ltd. M.N Plaza West Canal Road, Skan College Faisalabad
New Entry	3204.17	Pigments Oranges	Pigment Dye for rrextile Industries	Orange odorless Liquid	Diazo Pigment	M.N CHEMICAL INDS. (PVT) Ltd. M.N Plaza West Canal Road, Skan College Faisalabad
New Entry	1702.902	Caramel Color	Food Color	Dark brown Color Very Milled Flavor	Spacific Gravity 1.2635-1.2805 P.H 2.30-3.20	National Chemical Pakistan Plot # 68 Industrial Triangle Kahuta Road humak Town Islamabad

S. No.	PCT Head	Products	Specifications	Physical Properties	Chemical Properties	Company