

Draft Revised / Updated List of Locally Manufactured Goods (CGO-04/2022)

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
1	15200000	Glycerol (glycerin), crude	Glycerol % 99 Min. Boiling point 250 Min, Iron content (ppm) 0.5 max. Chloride (PPM) 2.0 max.	Appearance Clear white liquid, Sugar +ve (0.25) Specific Gravity 1.256 ~ 1.260	Acidity as Na ₂ O 0.00052%, Fatty Acids & Ester as Na ₂ O Eqv. 0.0077%	Mijokum (Pvt) Ltd., F-48 & F-52, Sector 50-C, Korangi, Karachi.	No Change
2	17023000	Liquid Glucose (less than 1% Fructose)	C ₆ H ₁₂ O ₆	Clear Viscouse Syrup, sweet in taste	Baume at (100°F)-43, Dextrose equivalent-38-46, Total Solids-79-80.5, Brix-81.5-83.0, Moisture Contant-21-19.5%, PH-4.5-5.5, So2-03ppm Max, Solubility - Soluble in water	Habib Rice Products Ltd., 2nd Floor, UBL Building, I.I. Chundrigar Road, Karachi	No Change
3	17025000	High Fructose	C ₆ H ₁₂ O ₆ , Fructose 42%, Glucose 54%, Maltose 4%	Light Yellow Viscous Syrup having sweet taste	Brix - 69.5, PH - 3.5-4.5, Ash - 0.1%	Habib Rice Products Ltd., 2nd Floor, UBL Building, I.I. Chundrigar Road, Karachi	No Change
4	17029030	Malto dextrin	C ₆ H ₁₂ O ₆ (10DE to 19DE)	A free flowing white powder odourless having Blend taste	Dextrose equivalent-12-19 DE, PH-5.0-6.0 3 - Ash - 0.2%	Habib Rice Products Ltd., 2nd Floor, UBL Building, I.I. Chundrigar Road, Karachi	No Change
5	25010010	Sodium Chloride (Table Salt)	Pyrogen free grade	Salt and Pure Sodium Chloride	NaCl	Hub-Pak Salt Refinery, C-206 Hub Industrial Trading Estate Hub, Balochistan	No Change
6	25010090	Sodium Chloride	Pyrogen free grade	Salt including table salt and Pure Sodium Chloride	NaCl	Hub-Pak Salt Refinery, C-206 Hub Industrial Trading Estate Hub, Balochistan	No Change
7	25081000	Bentonite	Viscosity (Fann viscometer 600 RPM): 15 cps. min. Filtrate Loss (at 100 psi, 30 min.): 15 cc max. pH: 9-10 F36 (Excluding untreated Bentonite meeting API specifications)	Dry Particle Size: 80% < 200 mesh Wet Particle Size: 80-90% < 0.5 micron Residue 75 microns: 4% max. Moisture: 10% max.	SiO ₂ : 50-60 %, Al ₂ O ₃ : 15-20 %, Fe ₂ O ₃ : 2-4 % MgO: 4-6 % CaO: 3-6 %, K ₂ O: 0.2-0.5 % TiO ₂ : 0.2 – 0.5 % Others: 0.5 – 1 % Moisture: 5-10 % Loss on Ignition: 10-15%	Ahmad Saeed and Company, 2nd Floor, Sindhu Trade Centre, 473, G-III, Johar Town, Lahore	No Change
8	25201010	Gypsum Powder	100 mesh Gypsum Board Grade	Fine Powder	CaSO ₄ 1/2 H ₂ O	1) DFB Gypsum Industries, Suit No. 105, 1st Floor, Business & Finance Center, II Chundrigar Road, Karachi 2) Lodhia Gypsum Industries (Pvt) Ltd., Suite # 105, Business & Finance Centre, I.I Chundrigar Road, Karachi	2) Lodhia Gypsum Industries added, as per their request.
9	25202000	Plaster of Paris/ Gypsum Plaster / Gypsum Crack Filler	100 mesh Gypsum Board Grade	Fine P+K14:K22owder Dehydrated by Calcination	CaSO ₄ 1/2 H ₂ O	1) DFB Gypsum Industries, Suit No. 105, 1st Floor, Business & Finance Center, II Chundrigar Road, Karachi 2) Lodhia Gypsum Industries (Pvt) Ltd., Suite # 105, Business & Finance Centre, I.I Chundrigar Road, Karachi	2) Lodhia Gypsum Industries added, as per their request.
10	25232100	White Portland Cement	PS (1630:1984): Blane: 4887- Min 2250, CM2/gm Soundness: a) Le-Chatelier Method: 0.5 mm Max 10 mm Setting Time: Initial: 120- Min 45 minutes Final: 150 - Max 600 minutes	3 Days: 36.5 Min 12 Mpa 7 Days: 55.5 Min 19 Mpa 28 Days: 77.5 Mpa	Lime Saturation Factor: 0.94 - Min 0.66, Max 1.02 Insoluble Residual: 0.22% - Max 1.50% Iron Oxide: 0.22% - Max 1.0% Megnesia: 1.27% - Max 4% Sulphuric Anhydride: 2.77% - Max 3%	Maple Leaf Cement Factory Ltd., 42-Lawrence Road, Lahore	No Change
11	25232900	i) Ordinary Portland Cement	(PS 232-2008) R: Blane: 332-Min 225 M2/Kg Soundness: a) Le-Chatelier Method: 0.5 mm Max 10 mm b) Autoclave Method: 0.02 Max 0.80% Setting Time: Initial: 150 - Min 30 Minutes Final: 180-Max 600 Minutes	3 Days: 37.4-Min 33 Mpa PSI 7 Days: 45-Min 37 Mpa PSI 28 Days: 57.7-Min 53 Mpa PSI	Lime Saturation Factor: 0.94-Min 0.80, Max 1.02 Alumina Iron Ratio: 1.73- Min 0.66 Insoluble Residual: 0.47% - Max 1.50% Megnesia: 2.21% - Max 6% Sulphuric Anhydride: 2.76% - Max 3% Loss on Ignition: 2.71 - Max 3%	Maple Leaf Cement Factory Ltd., 42-Lawrence Road, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		ii) Sulphate Resisting Portland Cement	(PS 612:1989) Blane: 2882-Min 2500 CM2/g a) Le-Chatelier Method: 0.5 mm Max 10 mm Setting Time: Initial: 215- Min 45 Minutes Final: 270-Max 600 Minutes	3 Days: 4322- Min 2176 Mpa 7 Days: 5497 - Min 3409 Mpa 28 Days: 7252- Min 4932 Mpa	Lime Saturation Factor: 0.91-Min 0.66, Max 1.02 Alumina Iron Ratio: 0.80 Insoluble Residual: 0.38% - Max 2.0% Megnesia: 1.99% - Max 4% Sulphuric Anhydride: 2.11% - Max 2.50% Loss on Ignition: 1.12- Max 3% Tri- Calcium Aluminates: 2.11 - Max 3.50%		No Change
		iii) Low Alkali Cement	PS (232:1983): Blane: 2985- Min 2250 CM2/g Soundness:a) Le-Chatelier Method: 0.5 mm Max 10 mm b) Autoclave Method: 0.002 % Setting Time: Initial: 210 - Min 45 minutes Final: 260- Max 600 minutes	3 Days: 4409- Min 2200 Mpa 7 Days: 5555- Min 3400 Mpa 28 Days: 7310- Min 5000 Mpa	Lime Saturation Factor: 0.91- Min 0.66, Max 1.02 Alumina Iron Ratio: 0.80 Insoluble Residual: 0.41% - Max 1.50% Megnesia: 1.97% - Max 4% Sulphuric Anhydride: 2.10% - Max 3% Loss on Ignition: 1.12- Max 3%		No Change
12	27021000	Blanket repairing solution	Temporary repair for spots and indentations on lithographic offset printing blankets.	Clear liquid at room temperature. Density @ 15 °C 1.05 – 1.32 g/cm3	Synergistic mixture of hydrocarbons and emulsifiers. Swell the offset printing blanket rubber in a short period of time to enable it for reprinting.	Mijokum (Pvt) Ltd., F-48 & F-52, Sector 50-C, Korangi, Karachi.	No Change
13	27081000	i) Coatar Enamel ii) Primer Synthetic Type II	BS-4164	Black Soild Smooth finish	Hotmelt Application Coheasion Resistance	Berger Paints Pakistan Limited, 28- Km Multan Road, Lahore.	No Change
14	27101240	Narrow Boiling Range Hydrocarbon Solvent	Hydrocarbon Fluids with Aromatic content. Used as solvents or diluents in paints & coatings, waxes, varnishes/ polishes, adhesives, inks and cleaners & degreasers.	Clear colorless liquid at room temperature. Density @ 15 °C 0.77-0.80 g/cm3 Flash Point ≥ 40°C	Chemically stable and non-corrosive hydrocarbon solvent. Possess a mild odor. Fast evaporation rate.	Mijokum (Pvt) Ltd., F-48 & F-52, Sector 50-C, Korangi, Karachi.	No Change
15	27101919	Narrow Boiling Range Hydrocarbon Solvent	Hydrocarbon Fluids with Aromatic content. Used for machine and parts cleaning and diluents in waxes, cleaners & degreasers.	Clear colorless to yellow liquid at room temperature. Density @ 15 °C 0.78-0.810 g/cm3 Flash Point ≥ 60 °C	Chemically stable and non-corrosive hydrocarbon solvent. Possess a mild odor. Extended evaporation rate.	Mijokum (Pvt) Ltd., F-48 & F-52, Sector 50-C, Korangi, Karachi.	No Change
16	27101991	Mineral oil (Coning oil) (Spin Finish oil)	Density@ 20C = 0.85 – 0.88g/cm3 Flash Point = 200F and above Pour Point = -21 Water Content = 0.5% Max Viscosity at 40C = 8.5 – 10.5 CST	Colorless to slightly yellowish oily Liquid	A mineral oil is light mixtures of alkanes in the C15 to C40	Reliance Petrochem Industries (Pvt) Ltd., 1301, 13th Floor, Chappal Plaza Hasrat Mohani Road, Karachi	No Change
17	27101996	White oil	Density@20C = 0.82 - 0.85g/cm3 Flash Point = 320F Pour Point = -18 Color = +30 Doctor Test=Negative Odour = Odorless Viscosity @ 40C = 15 – 22 CST (can be adjusted according to demand) Ultraviolet Absorbance, CFR 178.3620 (b) 280 to 289 nm 4.5 290 to 299 nm 3.5 300 to 329 nm 2.5 330 to 350 nm 1.1	Transparent, colorless, bright and crystal clear oily liquid.	mixtures of paraffinic and naphthenic hydrocarbons components; consists of alkanes (isoparaffins), saturated cyclic alkanes (naphthenic), alkylated aromatics processed of sulphuric acid treatment, dewaxing and hydro treating. pure, stable, colorless, odorless, non-toxic and chemically inert. for application as industrial lubricant & process oils, cosmetics and chemical processing. 21 CFR 172.878, 21 CFR 178.3620, 21 CFR 573.680,	Reliance Petrochem Industries (Pvt) Ltd., 1301, 13th Floor, Chappal Plaza Hasrat Mohani Road, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
	27101999	Knitted Oil	Density @ 20C : 0.8501 Kinematic Viscosity @ 40C : 22 Cst Flash Point C : 180C	Slightly Yellowish Oily Liquid	High Viscosity Index Paraffinic base stocks treated with oxidation corrosion and foam inhibitor an antiwear additive package with highly stable emulsifier system	Gani Star Industries, D-67, Q-1, S.I.T.E Super High Way, Phase I Karachi.	Ghani Star Industries included as a new entry and company, as per their request
18	28011000	Chlorine	99.9% pure chlorine	Yellow liquid with very irritating odor	Cl ₂	1) Sitara Chemical Industries Ltd., 32-KM Sheikupura Road, Faisalabad 2) Engro Polymer & Chemicals Limited, 16th Floor, The Harbor Front Building, HC # 3, Marine Drive, Block-4, Clifton, Karachi	No Change
19	28030010	Carbon Black (Rubber Grade)	N-220, N-330, N-339, N-375, N-326, N-550, N-660 and N-77	N-220, N-330, N-339, N-375, N-550, N-660, N-7	C % 97-98	National Petrocarbon (Pvt) Ltd., 301-304 3rd Floor Beamount Plaza behind PIDC House Karachi	No Change
20	28042100	Liquid Argon	<5 ppm Oxygen	A colourless, odorless, tasteless, noncorrosive, nonflammable and extremely cold noble gas.	Chemical formula: Ar, Mol. Weight: 39.95g/mol, Specific gravity: 1.4, B.P: -185.8 C and Freezing point: -189.3 C	Ghani Chemical Industries Limited, 10-N, Model Town, Extension, Lahore.	No Change
21	28042900	i) Compressed Oxygen in cylinders	99.70%	Colourless, odorless and tasteless gas. 21% in air by volume.	Symbol: O ₂ , Atomic Number: 8, Atomic mass: 15.9994	Ghani Chemical Industries Limited, 10-N, Model Town, Extension, Lahore.	No Change
		ii) Compressed Nitrogen in cylinders	<10 ppm Oxygen	Colourless, odorless inert gas. 78% of air by volume.	Chemical formula: N ₂ , atomic Number: 7, atomic weight: 14.0067, specific gravity: 0.97, density: 1.2506 Kg/m ³		No Change
		iii) Compressed Argon in cylinders	<5 ppm Oxygen	A colourless, odorless, tasteless noble gas. Boiling point: -185.8 C and Freezing point: -189.3 C.	Chemical formula: Ar, Mol. Weight: 39.95g/mol, Specific gravity: 1.4, density: 1.7837 Kg/m ³		No Change
22	28043000	Liquid Nitrogen	<10 ppm Oxygen	A colourless, odorless clear liquid, evaporates rapidly producing cold gaseous Nitrogen. It is denser than air.	Chemical formula: N ₂ , Mol. Weight: 28.01 g/mol, Specific gravity: 0.808, Specific heat: 2.042 KJ/Kg and Boiling point: -195.8 C	Ghani Chemical Industries Limited, 10-N, Model Town, Extension, Lahore.	No Change
23	28044000	Liquid Oxygen	99.70%	An odorless, pale blue colour and is strongly paramagnetic. Boiling Point: -182.6 C and Freezing point: -218.8 C	Symbol: O ₂ , density: 1141 g/l (slightly denser than water).	Ghani Chemical Industries Limited, 10-N, Model Town, Extension, Lahore.	No Change
24	28061000	Acid, Hydrochloric	35% (+/-1)	Colorless to yellow liquid	HCl	1) Sitara Chemical Industries Ltd. 32-KM Sheikupura Road, Faisalabad 2) Engro Polymer & Chemicals Limited, 16th Floor, The Harbor Front Building, HC # 3, Marine Drive, Block-4, Clifton, Karachi 3) Nimir Industrial Chemicals Ltd., 14.8 KM, Sheikupura Faisalabad Road, Lahore.	No Change
25	28070000	Acid, Sulphuric	96% and above	Specific gravity 1.84 Sour Taste Colorless Odorless Iron contents < 100 ppm Hardness < 60 ppm	Formula H ₂ SO ₄ , strong exothermic reaction when diluted, excelent dehydrating agent, reacts with metals to form metallic sulphates, (Copper sulphate, Zinc sulphate, Nickel Sulphate), strong oxidizing agent. Reacts with non metal substances to make nonmetallic sulphides. Reacts with carbon to make CO ₂ and SO ₂ . Reacts with NaCl to mak NaHSO ₄ and HCl.	1) Tufail Chemical Industries Ltd., Progressive Centre, Mezz Floor, 30-A/6, PECHS, Shahrah-e-Faisal, Karachi 2) Faras Combine Marketing Co (Pvt) Ltd., 77 D New Muslim Town Main Wahdat Road Lahore 3) Prime Chemical (Pvt) Ltd., 18-A, Civic Centre, Faisla Town (Women Welfare Complex), Lahore 4) Exide Pakistan Ltd., A/45, Hill Street, P.O. Box No. 3680 SITE Karachi-75400 5) Engro Polymer & Chemicals Limited, 16th Floor, The Harbor Front Building, HC # 3, Marine Drive, Block-4, Clifton, Karachi	No Change
26	28112100	Carbon Di Oxide	99.99% Purity	Liquified Colorless, Odorless gas	CO ₂	Sitara Chemical Industries Ltd., 32-KM Sheikupura Road, Faisalabad	No Change
27	28151100	Caustic Soda, solid	97%	Flakes and Solid	NaOH	Sitara Chemical Industries Ltd., 32-KM Sheikupura Road, Faisalabad	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
28	28151200	Caustic Soda, liquid	50%	Colorless solution, liquid	NaOH	1) Sitara Chemical Industries Ltd., 32-KM Sheikupura Road, Faisalabad 2) Engro Polymer & Chemicals Limited, 16th Floor, The Harbor Front Building, HC # 3, Marine Drive, Block-4, Clifton, Karachi 3) Nimir Industrial Chemicals Ltd., 14.8 KM, Sheikhpura Faisalabad Road, Lahore.	No Change
29	28259000	Calcium Hydroxide, excluding natural	96% (by weight)	White fine powder	Ca (OH) ₂	Sitara Chemical Industries Ltd., 32-KM Sheikupura Road, Faisalabad	No Change
30	28271000	Ammonium Chloride	99.70%	White crystals	NH ₄ Cl	Sitara Chemical Industries Ltd., 32-KM Sheikupura Road, Faisalabad	No Change
31	28272000	Calcium Chloride	77% min. & 94% minimum	Granular Powder Form and Prills	CaCl ₂	Sitara Chemical Industries Ltd., 32-KM Sheikupura Road, Faisalabad	No Change
32	28273100	Magnesium Chloride	Min 46% & Max. 98%	Off White Granular Solid	MgCl ₂ .6H ₂ O	Sitara Chemical Industries Ltd., 32-KM Sheikupura Road, Faisalabad	No Change
33	28273500	Nickel Chloride	24% as Nickel	Yellowish green crystalline powder	NiCl ₂	Sitara Chemical Industries Ltd., 32-KM Sheikupura Road, Faisalabad	No Change
34	28273900	Iron / Ferric Chloride	40% (+/-2) solution	Dark red / brown liquid	Fe Cl ₃	Sitara Chemical Industries Ltd., 32-KM Sheikupura Road, Faisalabad	No Change
35	28281010	Calcium Hypochlorite	30% and 35% (+/-1)	White, Crystalline solid	Ca (OCl) ₂	Sitara Chemical Industries Ltd., 32-KM Sheikupura Road, Faisalabad	No Change
36	28289000	Sodium Hypochlorite	19 - 20%	Pale Greenish / yellow, Commercial grade	NaOCl	1) Sitara Chemical Industries Ltd., 32-KM Sheikupura Road, Faisalabad 2) Engro Polymer & Chemicals Limited, 16th Floor, The Harbor Front Building, HC # 3, Marine Drive, Block-4, Clifton, Karachi 3) Nimir Industrial Chemicals Ltd., 14.8 KM, Sheikhpura Faisalabad Road, Lahore.	No Change
37	28331900	Sodium Sulphates, other	98% and above	Industrial grade for Glass, Detergent Tile	Na ₂ SO ₄ (98%)	Tufail Chemical Industries Ltd., Progressive Centre, Mezz Floor, 30-A/6, PECHS, Shahrah-e-Faisal, Karachi	No Change
38	28332100	Magnesium Sulphate	48% Min	Colorless prismatic crystals	MgSO ₄ .7H ₂ O	Sitara Chemical Industries Ltd., 32-KM Sheikupura Road, Faisalabad	No Change
39	28332200	Sulphates; aluminum	Of Aluminium 14-15%	In Lumps Form.	14-15%	1) Tufail Chemical Industries Ltd., Progressive Centre, Mezz Floor, 30-A/6, PECHS, Shahrah-e-Faisal, Karachi 2) Faras Combine Marketing Co (Pvt) Ltd., 77 D New Muslim Town Main Wahdat Road Lahore 3) Prime Chemical (Pvt) Ltd., 18-A, Civic Centre, Faisla Town (Women Welfare Complex), Lahore 4) Exide Pakistan Ltd., A/45, Hill Street, P.O. Box No. 3680 SITE Karachi-75400 5) Sitara Chemical Industries Ltd., 32-KM Sheikupura Road, Faisalabad	No Change
40	28332400	Nickel Sulphate	Nickel 22 ± 1%	Greenish Crystals	NiSO ₄ .6H ₂ O	Sitara Chemical Industries Ltd., 32-KM Sheikupura Road, Faisalabad	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
41	28333000	Alum (Double Salt)	Contain 98% as AL 2 (SO4) (3) (NH4)2 SO4. 24H2	Purifies Water	Soluble in water. In alum crystals, 6 water molecules are held by monovalent ion. 6 water molecules are held by trivalent ion. 12 water molecules are held in the crystal structure. Aqueous solution of alum are acidic due to carionic hydrolysis of trivalent cation. On heating an alum at high temperature the alum swells up in to a porous mass which is called burn alum. Alum acts as coagulants as they are effective in precipitating colloids. Alum have germicide properties. Alum is stable in air.	Exide Pakistan Ltd., A/45, Hill Street, P.O. Box No. 3680 SITE Karachi-75400	No Change
42	28362000	i) Sodium Carbonate (di-sodium)	Total Alkalinity as (Na ₂ CO ₃) = >=98% Chloride as NaCl = <=0.85% Iron as Fe ₂ O ₃ = <=0.007% Matter Insoluble In Water = <=0.15% Sulphates as Na ₂ SO ₄ = <=0.08%	White Crystalline powder packed in 50Kg or 1000Kg polypropylene bags Pouring Density = 450 to 600 gms / Liter for Light Ash grade and Pouring Density = 950 to 1200 gms / liter for Dense Ash grade	Purity or Total Alkalinity as Na ₂ CO ₃ >=98%	Lucky Core Industries Limited, Soda Ash Business, 63, Mozang Road, Lahore 54000	Name of ICI changed to Lucky Core Industries Ltd. Proof of name change provided.
		ii) Sodium Carbonate (Light)	Name: Soda Ash – Light Grade Specifications: As per Pakistan Standard (PSS 10-1979)	CAS No:497-19-8, EC No: 207-838-8 <u>DETAILS:</u> Chemical Formula: Na ₂ CO ₃ Appearance: A white granular hygroscopic powder. Bulk Density (g/L): 450 – 600 Boiling Point (°C): Decomposes Melting Point (°C): 854 Flash Point (°C): None pH of a freshly prepared 1% Solution: 11.3	Chemical Properties Soda Ash (Light) <u>DETAILS:</u> Chemical Formula: Na ₂ CO ₃ Purity as Na ₂ CO ₃ (%): 98.0 minimum Chloride as NaCl (%): 0.85 maximum Iron as Fe ₂ O ₃ (%): 0.007 maximum Sulphate as Na ₂ SO ₄ (%): 0.08 maximum	Olympia Chemicals Ltd., 25-A, Davis Road, Lahore	No Change
		iii) Sodium Carbonate (Dense)	Name: Soda Ash – Dense Grade Specifications: As per Pakistan Standard (PSS 10-1979)	CAS No:497-19-8, EC No:207-838-8 <u>DETAILS:</u> Formula: Na ₂ CO ₃ Appearance: A white granular hygroscopic powder. Bulk Density (g/L): 950 – 1200 Boiling Point (°C): Decomposes Melting Point (°C): 854 Flash Point (°C): None pH of a freshly prepared 1% Solution: 11.3	Chemical Properties Soda Ash (Light) <u>DETAILS:</u> Formula: Na ₂ CO ₃ Purity as Na ₂ CO ₃ (%): 98.0 minimum Chloride as NaCl (%): 0.85 maximum Iron as Fe ₂ O ₃ (%): 0.007 maximum Sulphate as Na ₂ SO ₄ (%): 0.08 maximum		No Change
43	28363000	Sodium bicarbonate	Purity as NaHCO ₃ = >=99% Insoluble substance = 1 gm in 20ml water gives clear solution pH of 1% solution at 25°C = 8.5	CAS No:144-55-8, EC No: 205-633-8 Description: Refined Sodium Bicarbonate (free flowing white powder) <u>DETAILS:</u> Formula: NaHCO ₃ Appearance: A white fine crystalline hygroscopic powder. pH of a freshly prepared 5% Solution: 8.6 maximum White granular powder packed in 25Kg Laminated Polypropylene Bags	<u>DETAILS:</u> Assay (%): 99.0 – 100.5 CO ₃ (%): 0.23% maximum Ammonium NH ₄ : 20.0 mg/kg maximum Arsenic As: 2 mg/kg maximum Calcium Ca: 100 mg/kg maximum Chloride Cl: 150 mg/kg maximum Heavy Metals (as Lead Pb): 5 mg/kg maximum Iron Fe: 20 mg/kg maximum Sulphate SO ₄ : 150 mg/kg maximum	1) Lucky Core Industries Limited (LCI), Soda Ash Business, 63, Mozang Road, Lahore 54000 2) Olympia Chemicals Ltd., 25-A, Davis Road, Lahore	1) Name of ICI changed to Lucky Core Industries Ltd. Proof of name change provided.

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
44	28365000	Calcium Carbonate/ Precipitated Calcium Carbonate (natural, un coated)	(2.5 - 100) microns Top Cut 3 µm-50 µm Natural Calcium Carbonate, grinded & converted into fine powder state	White Powder / Solid Powder form Reactive under acidic condition	CaCO ₃	1) Shaheen Grinding Mills, 9-KM, Raiwind Road, Lahore 2) Newage Cables (Pvt) Ltd., Newage Mansion Mcleod Road, Lahore 3) Omya Pack (Pvt) Ltd., Kot Radha Kishan Road, Kasur	No Change
45	28470000	Hydrogen Per Oxide	35%, 50%, 60% w/w Concentration and all other Concentrations	Clear Color Less, odour less liquid. Density 1.13-1.24kg/m ³ Mol weight 34.01 Kmole/Kg	Viscosity @25°C 1.11cp, Boiling Point @101.3KPa is 108-120 °C, Melting Point -33 to -62 °C, Heat of Decomposition is 233.1 to 334.7 Kcal/Kg	1) Descon Oxychem Limited., 18-Km, Ferozpur Road, Lahore 2) Sitara Peroxide Limited., 26-Km, Sheikhpura Road, Faisalabad.	No Change
46	28491000	Calcium Carbide	--	--	--	Sino Pak Electrochemical Industries Ltd., Plot No. DSU-20, Zulfikarabad, Bin Qasim, Karachi (Pipri)	No Change
47	29012990	Dissolved Acetylene in cylinders	99.70%	--	--	Ghani Chemical Industries Limited, 10-N, Model Town, Extension, Lahore.	No Change
48	29049900	i) Reserver Salt ii) Oxydizing Agent (Textile grade)	Drying Agent	White Powder Yellow Powder	Drying Agent	1) S & F Enterprises, Plot No. F-22, Qabail Colony, Block 11, Gulberg Town, F.B. Area, Karachi 2) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900	No Change
49	29054400	Sorbitol Powder	C ₆ H ₁₄ O ₆	White crystalline powder	1 - PH - 50 - 70 - 4	Habib Rice Products Ltd., 2nd Floor, UBL Building, I.I. Chundrigar Road, Karachi	No Change
50	29054500	Glycerol (Glycerine), refined	Concentration: 98.5 % min, Specific Gravity: 1.258-1.266 @20°C	Clear water white Liquid	C ₃ H ₈ O ₃	Nimir Industrial Chemicals Ltd., 14.8 KM, Sheikhpura Faisalabad Road, Lahore.	No Change
51	29151100	Acid, formic	85% and above	Transparent Liquid Form	HCOOH 85%	1) Tufail Chemical Industries Ltd., Progressive Centre, Mezz Floor, 30-A/6, PECHS, Shahr-e-Faisal, Karachi 2) Faras Combine Marketing Co (Pvt) Ltd., 77 D New Muslim Town Main Wahdat Road Lahore	No Change
52	29153100	Ethyl Acetate	colourless all 98.5 - 99.5% & Pu grade	Used for packages, Printing inks, Paint dilutants, Thiner & as a Solvent in different industries	All are acetates based on Acetic Acid & relevant alcohols	1) PureChem (Pvt) Ltd., 550-551E, Sundar Industrail State, Lahore 2) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	2) Name of MB Dyes Chemicals added into this entry, as per performa. Also physically verified.
53	29153300	N-Butyl Acetate / Sabutol Acetate	colourless all 98.5 - 99.5% & Pu grade	Used for packages, Printing inks, Paint dilutants, Thiner & as a Solvent in different industries	All are acetates based on Acetic Acid & relevant alcohols	1) PureChem (Pvt) Ltd., 550-551E, Sundar Industrail State, Lahore 2) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	2) Name of MB Dyes Chemicals added into this entry, as per performa. Also physically verified.
54	29153930	Sec-Butyl Acetate	colourless all 98.5 - 99.5% & Pu grade	Used for packages, Printing inks, Paint dilutants, Thiner & as a Solvent in different industries	All are acetates based on Acetic Acid & relevant alcohols	1) PureChem (Pvt) Ltd., 550-551E, Sundar Industrail State, Lahore 2) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	2) Name of MB Dyes Chemicals added into this entry, as per performa. Also physically verified.
55	29153940	Mehtyl Acetate	colourless all 98.5 - 99.5% & Pu grade	Used for packages, Printing inks, Paint dilutants, Thiner & as a Solvent in different industries	All are acetates based on Acetic Acid & relevant alcohols	1) PureChem (Pvt) Ltd., 550-551E, Sundar Industrail State, Lahore 2) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	2) Name of MB Dyes Chemicals added into this entry, as per performa. Also physically verified.

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
56	29153990	N-Propyl Acetate / Iso-Butyl Acetate	colourless all 98.5 - 99.5% & Pu grade	Used for packages, Printing inks, Paint dilutants, Thiner & as a Solvent in different industries	All are acetates based on Acetic Acid & relevant alcohols	1) PureChem (Pvt) Ltd., 550-551E, Sundar Industrail State, Lahore 2) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	2) Name of MB Dyes Chemicals added into this entry, as per performa. Also physically verified.
57	29157010	Acid, stearic, chemically pure	IV 1.0 ~ 3.0, Acid Value 198 ~ 206, Sponification Value 199 ~ 206, Specific Gravity 0.86, Molecular wt 284.47	Color White, Appearance Small Flakes, Melting point 61 ~ 65	C ₁₇ H ₃₅ COOH	1) Nimir Industrial Chemicals Ltd., 14.8 KM, Sheikhpura Faisalabad Road, Lahore. 2) Gamalux Oleochemicals (Pvt.) Ltd. A-8, NWIZ, Port Qasim Industrial Area, Bin Qasim, Karachi	No Change
58	29163910	Ibuprofen	- Current pharamacopoi al BP/EP, USP Specifications - White or almost white crystalline powder or colorless crystals.	Solid (Powder) (1) Melting Point: 75.0°C — 78.0°C (2) LOD NMT 0.5% (3) Density 1.03 gm/cc	- Propionic Acid Derivative - nonsteroidal anti-inflammatory drug used for relief of symptoms of arthritis, fever, as an analgesic for pain,	1) Pharmagen Ltd., 34-Km Ferozepur Road, Lahore 2) Zenith Chemical Industries (Pvt) Ltd., Village Dhonday Pajian Road, Raiwind Lahore	No Change
59	29171400	Maleic anhydride	Solidification point: 52.4°C Maleic Acid (%): <0.1 Purity By G.C (%Wt): Min. 99.0 Colour (APHA): Max. 15 - 20 Citraconic Acid %: <0.1 Benzoic Acid %: <0.1 Ortho Toulaldehyde %: <0.1	A colorless crystalline needles, flakes, pellets, rods, briquettes, lumps or a fused mass with pungent odour. Chemical Name: 2 – 5 Furandione Molecular formula: C ₄ H ₂ O ₃ Molecular Weight: 98.06 Melting Point: 52.4 °C Boiling Point: 202 °C Thermal Decomposition Temp: > = 200 °C Solubility in water: Soluble in water.	- Moderately toxic white solid chemical. - Reacts vigorously on contact with oxidizing materials and exothermically with water or steam. - Undergoes violent exothermic decomposition reactions, producing carbon dioxide, in the presence of strong bases (sodium hydroxide, potassium hydroxide, calcium hydroxide), alkali metals (lithium, sodium, potassium), aliphatic amines (dimethylamine, trimethylamine), aromatic amines (pyridine, quinoline) at temperatures above 150° C. - The presence of a residue of weak sodium hydroxide solution in a pressure vessel caused maleic anhydride to decompose in a runaway explosive reaction.	Nimir Chemicals Pakistan Ltd., 14.8 Km, Sheikhpura-Faisalabad Road, Mouza Ghikki Distt. Sheikhpura	No Change
60	29173200	Diocetyl Orthophthalates (DOP)	Acid value 0.02%, MC 0.05% Colour 15 APHA	A colorless, odorless, oily liquid mild odour. Slightly less dense than water and insoluble in water. Hence floats on water. Molecular Formula : C ₂₄ H ₃₈ O ₄ Molecular Weight : 390 Melting Point : ~ 50.0 °C Boiling Point : 384.0 °C Specific Gravity : 0.978 ~ 0.985 at 20 °C Vapour Pressure : 1.0X10 ⁻⁷ mm Hg at 25 °C.	It emits acid smoke and irritating fumes on heating. It reacts with acids to liberate heat along with alcohols and acids. Strong oxidizing acids may cause a vigorous reaction that is sufficiently exothermic to ignite the reaction products. Heat is also generated by the interaction with caustic solutions. Flammable hydrogen may be generated by mixing with alkali metals and hydrides. It can generate electrostatic charges by swirling or pouring. It is incompatible with Strong oxidizing agents. DOP is an indirect food additive for use only as a component of adhesives.	1) Nimir Chemicals Pakistan Ltd., 14.8 Km, Sheikhpura-Faisalabad Road, Mouza Ghikki Distt. Sheikhpura 2) AHN Colloids Chemicals (Pvt) Ltd., 10-Abbott Road, Lahore 3) A.T.S Synthetic (Pvt) Ltd., 4-Km, Kacha Road, Kahna Nau, Lahore.	No Change
61	29173410	Di-Butyl Phthalate	99.5% Purity	Appearance: clear, color APHA: 30-40, MC%: 0.1, Acid Value (mgKOH/gm): 0.1		Nimir Chemicals Pakistan Ltd., 14.8 Km, Sheikhpura-Faisalabad Road, Mouza Ghikki Distt. Sheikhpura	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
62	29173500	Phthalic anhydride (PA)	Solidification point: 130.9 Colour (APHA): 20 Heat Hazen at 250 C (APHA): 40 Purity By G.C (%Wt): Min. 99.85 Benzoic Acid %: 0.05	A colorless to white lustrous solid in the form of needles with a mild distinctive odor. Forms a corrosive solution when mixed with water. Chemical Name :1, 2 Benzene Di Carboxylic Acid Anhydride (C ₈ H ₄ O ₃) Molecular Weight : 148 Melting Point: 131.9 °C Boiling point: 284.5 °C Vapor pressure : 5.17X10-4 mm Hg at 25 °C Vapor density: 6.6 (Air = 1) Water solubility : 6,000 mg/L at 25 °C Slightly soluble: in ethyl ether Soluble in Ethanol, acetone, benzene	Hydrolyzes rapidly in the presence of water forming Phthalic Acid. Incompatible with acids, strong oxidizing agents, alcohols, amines, and bases. Reacts with strong oxidants, strong acids, strong bases and reducing agents. Reacts violently with copper oxide and sodium nitrite on heating. This generates explosion hazard. Attacks many metals in the presence of water. Naphthoquinones (byproduct of Naphthalene) reacts with iron salts of phthalic acid & iron sulfides to form fire & explosion. The material is stable at normal conditions even under fire exposure conditions and do not react with water.	Nimir Chemicals Pakistan Ltd., 14-8 Km, Sheikhpura-Faisalabad Road, Mouza Ghikki Distt. Sheikhpura	No Change
63	29173610	Purified Terephthalic Acid	--	White, free flowing crystalline powder	--	Lotte Chemical Pakistan Ltd., Eastern Industrial Zone, EZ/1-P-4, Port Qasim Road, Karachi	No Change
64	29242910	Paracetamol	Current pharamacopoial BP/EP, USP Specifications	Solid (Powder)	Para Aminophenol Derivative	Pharmagen Ltd., 34-Km Ferozepur Road, Lahore	No Change
65	29315999	Booster Agent	Textile grade			Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900	No Change
66	29319090	Sequester agent	Textile grade			Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900	No Change
67	29321900	Empagliflozin	current pharamacopoial BP/EP, USP Specifications	Solid (Powder)	Sugur derivatives	Pharmagen Ltd., 34-Km Ferozepur Road, Lahore	No Change
68	29333990	Omeprazole (Powder/ Pellets) - Esomeprazole (Powder/ Pellets)	Current pharamacopoial BP/EP, USP Specifications	Solid (Powder)	Benzimidazole Derivative	Pharmagen Ltd., 34-Km Ferozepur Road, Lahore	No Change
69	29334990	i) Moxifloxacin	- current pharamacopoial BP/EP, USP Specifications - Light yellow or yellow, slightly hygroscopic powder or crystals	- Solid (Powder) - Solubility: Sparingly soluble in water, slightly soluble in ethanol (96 per cent), practically insoluble in acetone - Water MAX 4.5% - pH 3.9 – 4.6	- Quinolones derivatives - hydrochloride salt of a fluoroquinolone antibacterial antibiotic. It binds to and inhibits the bacterial enzymes DNA gyrase (topoisomerase II) and topoisomerase IV, resulting in inhibition of DNA replication and repair and cell death in sensitive bacterial species	1) Pharmagen Ltd., 34-Km Ferozepur Road, Lahore 2) Zenith Chemical Industries (Pvt) Ltd., Village Dhonday Pajian Road, Raiwind Lahore	No Change
		ii) Moxifloxacin HCL	BP & USP Specifications	Light Yellow or Yellow Powder or crystals, slightly hygroscopic.	Active Pharmaceutical Ingredient (API) Solubility sparingly soluble in water, slightly soluble in Ethanol (96%), Practically insoluble in Acetone PH: (3.9-4.6), Water: K/F 4.5 Chemical Formula: C ₂₁ H ₂₅ ClFN ₃ O ₄ Molecular Weight: 437.9	Zenith Chemical Industries (Pvt) Ltd., Village Dhonday Pajian Road, Raiwind Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		iii) Montelukast Sodium	White or almost white, hygroscopic powder	(1)Solutbility Freely soluble in water and in methylene chloride, freely soluble to very soluble in ethanol (2) Water Max 2.0%	Orally bioavailable monosodium salt of montelukast, a selective cysteinyl leukotriene receptor antagonist with anti-inflammatory and bronchodilating activities. Blocks the cysteinyl leukotriene 1 (CysLT1) receptor, preventing binding of the inflammatory mediator leukotriene D4 (LTD4). Inhibition of LTD4 activity results in inhibition of leukotriene-mediated inflammatory events including: migration of eosinophils and neutrophils; adhesion of leukocytes to vascular endothelium, monocyte and neutrophil aggregation; increased airway edema; increased capillary permeability; and bronchoconstriction		No Change
70	29335930	Ciprofloxacin Hydrochloride	- Current pharamacopioal BP/EP, USP Specifications - A pale yellow, Crystalline, Hygroscopic powder	- Solid (Powder) - Soluble in water, slightly soluble in methanol, very slightly soluble in anhydrous ethanol, practically insoluble in acetone, in ethyl acetate and in methylene Chloride - LOD MAX 6.7%, - pH 3.5 – 4.5	Fluoroquinolone derivative, used to treat a wide variety of infections, including infections of bones and joints, endocarditis, gastroenteritis, malignant otitis externa, respiratory tract infections, cellulitis, urinary tract infections, prostatitis, anthrax, and chancroid.	1) Pharmagen Ltd., 34-Km Ferozepur Road, Lahore 2) Zenith Chemical Industries (Pvt) Ltd., Village Dhonday Pajian Road, Raiwind Lahore 3) Zafa Chemie, Raiwind Manga Bypass, Near Sundar Industrial Estate, Mouza Bhaikot, Tehsil & District Lahore.	3) Zafa Chemie added into this entry. Also, it is a new company. All relevant documents provided.
71	29335990	Cetirizine dihydrochloride	White or almost white powder	(1)Solutbility: Freely soluble in water, practically insoluble in acetone and in methylene chloride (2) LOD MAX 0.5% (3) pH 1.2 – 1.8	A synthetic phenylmethyl-piperazinyl derivative, antihistaminic Cetirizine is a metabolite of hydroxyzine and a selective peripheral histamine H1-receptor antagonist. It is used for symptomatic treatment of seasonal and perennial allergic rhinitis and for chronic urticaria. (NCI04)	Zenith Chemical Industries (Pvt) Ltd., Village Dhonday Pajian Road, Raiwind Lahore	No Change
72	29339990	i) Sitagliptin Phosphate	White or almost white powder	(1) Solubility: Soluble in water, very slightly soluble in anhydrous ethanol, practically insoluble in heptane (2) Water: (Limit .3.3 – 3.7%)	Chemical Name: 4-oxo-4-(3-(trifluoromethyl)-5,6-dihydro(1,2,4)triazolo(4,3-a)pyrazin-7(8H)-yl)-1-(2,4,5-trifluorophenyl)butan-2-amine Sitagliptin is an oral dipeptidyl peptidase-4 (DPP-4) inhibitor used in conjunction with diet and exercise to improve glycemic control in patients with type 2 diabetes mellitus. The effect of this medication leads to glucose dependent increases in insulin and decreases in glucagon to improve control of blood sugar	Zenith Chemical Industries (Pvt) Ltd., Village Dhonday Pajian Road, Raiwind Lahore	No Change
		ii) Vildagliptin	current pharamacopioal BP/EP, USP Specifications	Solid (Powder)	Sugur derivatives	Pharmagen Ltd., 34-Km Ferozepur Road, Lahore	No Change
73	29349910	Furazolidine	Active Pharmaceutical Ingredient (API) & Feed grade	Yellow Powder	--	Alpha Chemicals (Pvt) Limited, 430-GI, Johar Town Lahore	No Change
74	29349990	i) Levofloxacin hemihydrate	- Light yellowish-white or light yellow, crystalline powder - Current pharamacopioal BP/EP, USP Specifications	(1)Solutbility: Sparingly soluble in water, freely soluble 111 acetic acid, sparingly soluble in methanol, slightly soluble 111 anhydrous ethanol. (2) Water 2.0 – 3.0 % (3) Solid (Powder)	- Fluoroquinolone derivative - Levofloxacin is a broad-spectrum, third-generation fluoroquinolone antibiotic and optically active L-isomer of ofloxacin with antibacterial activity. Levofloxacin diffuses through the bacterial cell wall and acts by inhibiting DNA gyrase (bacterial topoisomerase II), an enzyme required for DNA replication, RNA transcription, and repair of bacterial DNA. Inhibition of DNA gyrase activity leads to blockage of bacterial cell growth	1) Pharmagen Ltd., 34-Km Ferozepur Road, Lahore 2) Zenith Chemical Industries (Pvt) Ltd., Village Dhonday Pajian Road, Raiwind Lahore	No Change
		ii) Sofosbuvir	Manufacturer Specifications	Solid (Powder)	Antiviral		No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		iii) Ofloxacin	Pale yellow or bright yellow, crystalline powder.	(1) Solubility: Slightly soluble in water, soluble in glacial acetic acid, slightly soluble or soluble in methylene chloride, slightly soluble in methanol. (2) LOD MAX 0.2% (3) Optical Rotation: -0.10 to + 0.10	Used to treat a wide variety of infections, including infections of bones and joints, endocarditis, gastroenteritis, malignant otitis externa, respiratory tract infections, cellulitis, urinary tract infections, prostatitis, anthrax, and chancroid.		No Change
75	29359030	Sulfamethoxazole	Current pharmacopoeial BP/EP, USP Specifications	Solid (Powder), Almost White Crystalline	Sulfonamide Derivative Solubility: Practically insoluble in water, freely soluble in Acetone, sparingly soluble in Ethanol (96%). Melting Point: 169 °C-172°C LOD: Not more than 0.5 % Assay: 99.0 %-101.0 %	1) Pharmagen Ltd., 34-Km Ferozepur Road, Lahore 2) Alpha Chemicals (Pvt) Limited, 430-GI, Johar Town Lahore	No Change
76	29372200	Betamehasone Valerate	Current pharmacopoeial BP/EP, USP Specifications	Solid (Powder)	Glucocorticoid derivative	Pharmagen Ltd., 34-Km Ferozepur Road, Lahore	No Change
77	29394100	Ephedrine Hydrochloride / Ephedrine Sulphate	Active Pharmaceutical Ingredient (API)	White Crystalline Powder	--	Alpha Chemicals (Pvt) Limited, 430-GI, Johar Town Lahore	No Change
78	29394200	Pseudoephedrine Hydrochloride / Pseudoephedrine Sulphate	Active Pharmaceutical Ingredient (API)	White Crystalline Powder	--	Alpha Chemicals (Pvt) Limited, 430-GI, Johar Town Lahore	No Change
79	29411000	- Amoxycillin Trihydrate - Ampicillin Trihydrate - Cloxacillin Sodium	Current pharmacopoeial BP/EP, USP Specifications	Solid (Powder)	Penicillin Derivatives	1) Pharmagen Ltd., 34-Km Ferozepur Road, Lahore 2) Zafa Chemie, Raiwind Manga Bypass, Near Sundar Industrial Estate, Mouza Bhaikot, Tehsil & District Lahore.	2) Zafa Chemie added into this entry. Also, it is a new company. All relevant documents provided. Physically verified as well.
80	29415000	Clarithromycin	current pharmacopoeial BP/EP, USP Specifications	Solid (Powder)	Macrolide derivatives	Pharmagen Ltd., 34-Km Ferozepur Road, Lahore	No Change
81	29419010	Cephalexin hydrate	Current pharmacopoeial BP/EP, USP Specifications	Solid (Powder)	Cephalosporins (I-st Generation)	Pharmagen Ltd., 34-Km Ferozepur Road, Lahore	No Change
82	29419040	Cephadrine	Current pharmacopoeial BP/EP, USP Specifications	Solid (Powder)	Cephalosporins (I-st Generation)	Pharmagen Ltd., 34-Km Ferozepur Road, Lahore	No Change
83	29419060	Cefixime	Current pharmacopoeial BP/EP, USP Specifications	Solid (Powder)	Cephalosporins (III-rd Generation)	1) Pharmagen Ltd., 34-Km Ferozepur Road, Lahore 2) Zafa Chemie, Raiwind Manga Bypass, Near Sundar Industrial Estate, Mouza Bhaikot, Tehsil & District Lahore.	2) Zafa Chemie added into this entry. Also, it is a new company. All relevant documents provided. Physically verified as well.
84	29419090	i) Cefadroxil / Cephradine-L- Arginine Sterile ii) Cefaclor iii) Ceftriaxone Sodium Sterile	Current pharmacopoeial BP/EP, USP Specifications	Solid (Powder)	i) Cephalosporins (I-st Generation) ii) Cephalosporins (II-nd Generation) iii) Cephalosporins (III-rd Generation)	Pharmagen Ltd., 34-Km Ferozepur Road, Lahore	No Change
85	30045090	Medicaments containing vitamins-	Soya-based vitamin and minerals- Instant beverage-	Food grade	--	Matrix Pharma Pvt. Ltd., Plot 12, Seeotr-15-Korangi Industrial Area, Karachi	Matrix Pharma requested to delete this entry against their name, as it is a marketing company and not a manufacturer.

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
86	30049092	Paracetamol	White or almost white, crystalline powder.	(1)Melting Point: 168.0°C — 172.0°C (2) LOD NMT 0.5% (3) pH 5.3 – 6.5 at 25°C (4) Density 1.293gm/cc	Paracetamol (p-Hydroxyacetanilide) undergoes usual reaction of Phenols because of the presence of its hydroxyl functional groups. It undergoes reactions such as acetylation, oxidation, reacts with sodium hydroxide and it gives a positive test to iron (iii) chloride test based on the presence of the phenolic group	1) Zenith Chemical Industries (Pvt) Ltd., Village Dhonday Pajian Road, Raiwind Lahore 2) Zafa Chemie, Raiwind Manga Bypass, Near Sundar Industrial Estate, Mouza Bhaikot, Tehsil & District Lahore.	2) Zafa Chemie added into this entry. Also, it is a new company. All relevant documents provided. Physically verified as well.
87	30051010	Surgical Tape (Woven/ Cloth type)	Thickness from 15 microns to 500 microns	White colour or with any colour	--	1) Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore 2) Osaka Electric & Industrial Co., Ground Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi	No Change
88	30051090	Surgical Tape (Paper / PET / Non Woven Type)	Thickness from 15 microns to 150 microns	White colour or with any colour	--	1) Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore 2) Osaka Electric & Industrial Co., Ground Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi	No Change
89	32021000	Synthetic organic tanning substances	Tanning is the process of treating skins and hides of animals to produce leather. The substance used to achieve the desired affect are known as tanning substances.	May be solid or liquid at room temperature	Crosslinking of the protein structure of skin, making it more durable and less susceptible to decomposition.	1) Chemical Process Ind. (Pvt) Ltd., 103-Habitat, Shadman-II, Jail Road Lahore 2) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 3) SRC (Pvt) LTD, 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore	No Change
90	32029010	Tanning preparations	used to achieve the desired affect are known as tanning substances.	May be solid or liquid at room temperature	Crosslinking of the protein structure of skin, making it more durable and less susceptible to decomposition.	1) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 2) Chemical Process Ind. (Pvt) Ltd., 103-Habitat, Shadman-II, Jail Road Lahore 3) Industrial Chemicals (Pvt.) Ltd. , D-29 SITE, South Avenue, Manghopir Road , Karachi 4) SRC (Pvt) LTD, 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore	No Change
91	32029090	Bates, artificial	In the bating process, proteases are used to remove scud and unwanted proteins. The process also deswells swollen pelts. The result of bating with the use of enzymes is a clean,smooth and soft hide surface.	May be solid or liquid at room temperature	Enzymes	1) BASF Pakistan (Pvt.) Ltd., 46-A, Block – 6, P.E.C.H.S, Karachi – 75400 2) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 3) SRC (Pvt) LTD, 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore	No Change
92	32041120	Disperse dyes and preparations (Liquid)	Water-insoluble dyes that are used for the dyeing of polyester and acetate fibers. Normally comes with a dispersing agent to disperse them in water.	semi-solid or liquid at room temperature	Water-insoluble dyes	Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900	No Change
93	32041190	Disperse dyes and preparations (Other)	Water-insoluble dyes that are used for the dyeing of polyester and acetate fibers. Normally comes with a dispersing agent to disperse them in water.	May be solid, semi-solid or liquid at room temperature	Water-insoluble dyes	1) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 2) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd, Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	2) Name of MB Dyes Chemicals added into this entry, as per performa.

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
94	32041200	i) Dyes, acid ii) Acid Dyes for Leather	Water soluble dyes used for the dyeing of silk, wool, nylon and modified acrylics	May be solid, semi-solid or liquid at room temperature	Water soluble dyes	1) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 2) Sardar Chemical Industries, Suit # 9, 2nd Floor, Hafeez Centre, Main Boulevard, Gulberg-III, Lahore 3) Sardar Dyes & Chemical Industries, 4) Chemi-Dystuff Industries (Pvt) Ltd., 5) Nimir Resins Ltd., 14.5 KM, Lahore - Sheikhupura Road, Lahore 6) Sandal Dystuffs Industries, 305-308, 2nd Floor, The Business Center, 8/8 New Civil Lines Faisalabad 7) Chemical Process Ind. (Pvt) Ltd., 103-Habitat, Shadman-II, Jail Road Lahore 8) SRC (Pvt) LTD, 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore 9) BASF Pakistan (Pvt.) Ltd., 46-A, Block – 6, P.E.C.H.S, Karachi – 75400	No Change
95	32041300	Basic Dyes	Textile grade			Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900	No Change
96	32041400	Direct dyes and preparations	Water soluble substantive dyes that have affinity for cellulosic fibres	--	--	1) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 2) Sandal Dyestuff Industries Ltd., 4 KM Chak Jhumra Sangla Hill Road, Faisalabad 3) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	3) Name of MB Dyes Chemicals added into this entry, as per performa.
97	32041510	Indigo Blue	Textile grade			Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900	No Change
98	32041600	Reactive dyes and preparations	primarily used for tinting textiles, that attach themselves to their substrates by a chemical reaction by forming a covalent bond between the molecule of dye and that of the fibre.	May be solid or liquid at room temperature	Water soluble organic substances that are attached to the fibers through a dyeing process with the help of certain chemicals	1) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 2) Sandal Dyestuff Industries Ltd., 4 KM Chak Jhumra Sangla Hill Road, Faisalabad 3) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	3) Name of MB Dyes Chemicals added into this entry, as per performa.

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
99	32041710	Pigments and preparations	Pigments are water insoluble and are applied as finely ground solid particles through a liquid matrix. Pigments may be organic.	May be solid, semi-solid or liquid at room temperature	Main organic pigment includes azo pigments and Copper phthalocyanines.	1) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 2) Mobil Master Batch Industries (Pvt) Ltd., 92- Main Ravi Road, Lahore 3) BASF Pakistan (Pvt.) Ltd., 46-A, Block – 6, P.E.C.H.S, Karachi – 75400 4) Sandal Dyestuff Industries Ltd., 4 KM Chak Jhumra Sangla Hill Road, Faisalabad 5) Bin Rasheed Color & Chemical Mfg Co., 338A-341, Sundar Industrial Estate, Raiwind Road, Lahore 53804 6) SRC (Pvt) LTD, 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore 7) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	5) Address of Bin Rasheed Color & Chemical changed from 10 Abbot Road, Lahore to given one. 7) MB Dyes added in this entry, as per the request and physically verified as well.
100	32041720	i) Pigments Blue (15:0 & 15:03), Yellow, Reds, Pinks & Oranges	Pigment Dye for Textile Industries	Blue, Yellow, Red, Pink & Orange (odorless Liquid)	Copper Pthalocyn ine Pigment Diazo Pigment	M.N CHEMICAL INDS. (PVT) Ltd., M.N Plaza West Canal Road, Skan College Faisalabad	No Change
		ii) Liquid Masterbatch Organic Colors	Liquid Colorants for PU, PVC, W/B & S/B, Paints, Textile printing	Liquid color components viscosity of 900-3500cps	Combination of organic resins, solvents and organic pigments	Bin Rasheed Color & Chemical Mfg Co., 338A-341, Sundar Industrial Estate, Raiwind Road, Lahore 53804	No Change
		iii) Pigments in Liquid form	Textile grade			Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900	No Change
101	32041790	Solid Masterbatch Organic Colors	Plastic granulated Colorants for PE, PET, PC, ABS, PS etc., Textile	Solid plastic color component melting range 150-280	Combination of plastic resins, additives and pigments	Bin Rasheed Color & Chemical Mfg Co., 338A-341, Sundar Industrial Estate, Raiwind Road, Lahore 53804	Address of Bin Rasheed Color & Chemical changed from 10 Abbot Road, Lahore to given one.
102	32041910	Dyes Sulphur	Textile grade			Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900	No Change
103	32042000	Synthetic organic products of a kind used as fluorescent brightening agents	Optical brighteners, optical brightening agents (OBAs), fluorescent brightening agents (FBAs) or fluorescent whitening agents (FWAs) are chemical compounds that absorb light in the ultraviolet and violet region (usually 340-370 nm) of the electromagnetic spectrum, and re-emit light in the blue region (typically 420-470). These additives are often used to enhance the appearance of fabric and paper, causing a "whitening" effect"; they make intrinsically yellow materials look less so, by compensating the deficit in blue and purple light reflected by the material, with the blue and purple optical emission.	May be solid or liquid at room temperature	--	1) Sardar Dyes & Chemical Industries, 2) Sandal Dystuffs Industries, 305-308, 2nd Floor, The Business Center, 8/8 New Civil Lines Faisalabad 3) Chemi-Dystuff Industries (Pvt) Ltd., 4) Chemical Process Ind. (Pvt) Ltd., 103-Habitat, Shadman-II, Jail Road Lahore, 5) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 6) Sardar Chemical Industries, Suit # 9, 2nd Floor, Hafeez Centre, Main Boulevard, Gulberg-III, Lahore 7) Nimir Resins Ltd., 12-B, New Muslim Town, Lahore 8) S & F Enterprises, Karachi 9) SRC (Pvt) LTD, 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore 10) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	10) Name of MB Dyes added in this entry. All relevant documents provided and also physically verified.

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
104	32049000	Whitening agent	Textile grade	May be solid, semi-solid or liquid at room temperature	--	1) Sardar Dyes & Chemical Industries, 2) Sandal Dystuffs Industries, 305-308, 2nd Floor, The Business Center, 8/8 New Civil Lines Faisalabad 3) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 4) Chemi-Dystuff Industries (Pvt) Ltd., D/4, South Avenue, S.I.T.E Karachi-75700 5) Nimir Resins Ltd., 14.5 KM, Lahore - Sheikhupura Road, Lahore 6) Sardar Chemical Industries, Suit # 9, 2nd Floor, Hafeez Centre, Main Boulevard, Gulberg-III, Lahore 7) Chemical Process Ind. (Pvt) Ltd., 103-Habitat, Shadman-II, Jail Road Lahore, 8) SRC (Pvt) LTD, 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore	No Change
105	32061900	Pigments and preparations	Textile/Leather grade Preparations containing less than 80% titanium dioxide , include dispersions in plastics, natural rubber, synthetic rubber or plasticizers, used for colouring plastics and rubber etc in the mass.	May be solid, semi-solid or liquid at room temperature	Mainly inorganic pigment based on TiO ₂ .	1) BASF Pakistan (Pvt.) Ltd., 46-A, Block – 6, P.E.C.H.S, Karachi – 75400 2) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 3) Mobil Master Batch Industries (Pvt) Ltd., 92- Main Ravi Road, Lahore 4) Bin Rasheed Color & Chemical Mfg Co., 338A-341, Sundar Industrial Estate, Raiwind Road, Lahore 53804 5) SRC (Pvt) LTD, 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore	Address of Bin Rasheed Color & Chemical changed from 10 Abbot Road, Lahore to given one.
106	32062010	Chrome Yellow for oil Paint, Industrial Paints, Master Batches, Artificial Leather, NC Paints, Road Marking and printing Inks	Chrome Yellow Pigments (Inorganic) 99%	Appearance Yellow Colour	PH. Value 5.7 to 7.8 PbCrO4 <86 to < 90% S.P. Gravity 5.6 to 6.1 Heat stability: 180 °C to 240 °C Light fastness :6-7 Moisture 0.5% Full strength: 100 +- 5% Particle size: 325 to 450 Mesh	Poplon Pakistan (Pvt.) Ltd., 34-N, Gulberg II, Lahore	Poplon Pakistan requested to amend the specification and properties of this entry, as highlighted.
107	32064290	Masterbatches	Based on Lithopane/ Zinc Sulphide:	Solid form	Dispersion of Lithopane and Zinc Sulphide in polymers	1) Clariant Chemicals Pakistan (Pvt) Ltd. Sector 20, Korangi Industrial Area, Karachi. 2) Bin Rasheed Color & Chemical Mfg Co., 338A-341, Sundar Industrial Estate, Raiwind Road, Lahore 53804 3) Mobil Master Batch Industries (Pvt) Ltd., 92- Main Ravi Road, Lahore	Address of Bin Rasheed Color & Chemical changed from 10 Abbot Road, Lahore to given one.
108	32064910	Masterbatches	Master Batches - Solid	Solid form	Organic and inorganic in nature, resistance to solvents, nature is acidic /alkali	1) Clariant Chemicals Pakistan (Pvt) Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi. 2) Bin Rasheed Color & Chemical Mfg Co., 338A-341, Sundar Industrial Estate, Raiwind Road, Lahore 53804 3) Mobil Master Batch Industries (Pvt) Ltd., 92- Main Ravi Road, Lahore 4) Intra-Keck (Pvt) Ltd., 112/2, Q.I.E., Kot Lakhpat, Lahore-54770	Address of Bin Rasheed Color & Chemical changed from 10 Abbot Road, Lahore to given one.

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
109	32064990	Masterbatches	Master Batches- Liquid	Paste form	Organic and inorganic in nature, resistance to solvents, nature is acidic /alkali	1) Clariant Chemicals Pakistan (Pvt) Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi. 2) Bin Rasheed Color & Chemical Mfg Co., 338A-341, Sundar Industrial Estate, Raiwind Road, Lahore 53804 3) Mobil Master Batch Industries (Pvt) Ltd., 92- Main Ravi Road, Lahore 4) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 5) Intra-Keck (Pvt) Ltd., 112/2, Q.I.E., Kot Lakhpat, Lahore-54770	Address of Bin Rasheed Color & Chemical changed from 10 Abbot Road, Lahore to given one.
110	32081010	Paints and varnishes (including enamels and Nitro cellulose lacquers)	Based on polyesters and Nitro cellulose	Stoving Type	Polyester + Melamine Base	1) Berger Paints Pakistan Limited, 28- Km Multan Road, Lahore. 2) Intra-Keck (Pvt) Ltd., 112/2, Q.I.E., Kot Lakhpat, Lahore-54770 3) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	3) MB Dyes added in this entry, relevant documents received and also physically verified. Product Description and Specifications amended
111	32081090	i) Stoving clear Coats	Polyester based	Clear Coat for Glossy Finish. Clear coat (Baking)	UV resistant, water Resistant & Protective Clear coat.	1) Kansai Kaizen Paint (Pvt) Ltd., 139-CCA, Sector DD, Phase IV, Defence Housing Authority, Lahore 2) Berger Paints Pakistan Limited, 28- Km Multan Road, Lahore. 3) Intra-Keck (Pvt) Ltd., 112/2, Q.I.E., Kot Lakhpat, Lahore-54770	1) Name of Kansai Paints changed to Kaizen Paints. Proof of name change provided.
		ii) Aluminium Paints	Polyester based	Metal finishing	Metallic effect finishes.		No Change
		iii) Metallic / Pearl basecoat (Baking Paint)	Polyester based (Resins with Aluminium & Mica).	Colored properties with Mica & Aluminium.	To give assorted colors.		No Change
		iv) Stoving enamels	Polyester based	Give color & Protection.	Corossion resistant.		No Change
		v) Stoving Primer/ Intermediate Coat	Polyester based	- For Smooth finish & good adhesion. - Liquid coloured paint with anti-chipping property	- Anti corrosive property. - Mild Acid/Alkali resistant middle coat		No Change
		vi) Solid Colour Topcoat (Baking Paint)	Polyester based	Coloured liquid paint for automotive vehicles	Protection & good appreance.		No Change
		vii) Cathodic Electro-Deposition Primer (CED)	Acrylic based CED paint (Two Component- Baking paint) - F-1 Pigment Paste & F-2 Resin Emulsion	i) Coloured liquid paint ii) Milky liquid emulsion paint	Anti-corrosive paint		No Change
112	32082090	i) Plastic Parts Clear Coat	Special synthetic Acrylic Polyol based resin.	Clear Coat for Glossy Finish.	UV resistant, water Resistant.	1) Kansai Kaizen Paint (Pvt) Ltd., 139-CCA, Sector DD, Phase IV, Defence Housing Authority, Lahore 2) Berger Paints Pakistan Limited, 28- Km Multan Road, Lahore.	1) Name of Kansai Paints changed to Kaizen Paints. Proof of name change provided.
		ii) Clear coat (Baking paint)	Acrylic Melamine based Resin.	Clear Coat for Glossy Finish.	UV resistant & Protective Clear coat.		No Change
		iii) Stoving clear Coats	Acrylic based	Clear Coat for Glossy Finish. Clear coat (Baking)	UV resistant, water Resistant & Protective Clear coat.		No Change
		iv) Aluminium Paints	Acrylic based	Metal finishing	Metallic effect finishes, Based on acrylic or vinyl polymers:		No Change
		v) Metallic / Pearl basecoat (Baking Paint)	Acrylic based (Resins with Aluminium & Mica).	Colored properties with Mica & Aluminium. Metal finishing	To give assorted colors. Based on acrylic or vinyl polymers:		No Change
		vi) PU Clears Paints	Polyurethane (PU) Polyol /Acrylic Urethane (AU) Resin based.	Clear Coat for Glossy Finish.	UV resistant, water resistant & good weatherability.		No Change
		vii) Primer / Base Coat for Plastic Parts	Special synthetic Acrylic Polyol based resin.	Pigmented Colored Paint. Pigmented color for Automotive vehicles. Clear Coat for Glossy Finish.	For Smooth surface adhesion & Finish. To give assorted colors. UV resistant, water Resistant.		No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		viii) PU Enamels / PU Primers	Polyurethane (PU) Polyol /Acrylic Urethane (AU) Resin based.	Give color & Protection. For Smooth finish & good adhesion.	Protect against weather. UV resistant, water Resistant & good adhssion to the substrate.		No Change
		ix) Intermediate Coat	Acrylic based	- Liquid coloured paint with anti-chipping property	- Mild Acid/Alkali resistant middle coat		No Change
		x) Paints and varnishes (including enamels and lacquers)	Based on acrylic or vinyl polymers:	For Smooth finish & good adhesion.	Stoving & Air drying,		No Change
		xi) Stoving enamels	Acrylic based	Give color & Protection.	Based on acrylic or vinyl polymers:		No Change
113	32089090	i) Primer Surfacers / Intermediate Coat (Baking Paint)	Polyester/Melamine resin based paint for automotive	Liquid coloured paint with anti-chipping property	Mild Acid/Alkali resistant middle coat	1) Kansai - Kaizen Paint (Pvt) Ltd. , 139-CCA, Sector DD, Phase IV, Defence Housing Authority, Lahore 2) Berger Paints Pakistan Limited, 28- Km Multan Road, Lahore.	1) Name of Kansai Paints changed to Kaizen Paints. Proof of name change provided.
		ii) Stoving clear Coats	Alkyd Melamine Based Resin.	Clear Coat for Glossy Finish. Clear coat (Baking)	UV resistant, water Resistant & Protective Clear coat.		No Change
		iii) Aluminium Paints	Alkyd Melamine Based Resin.	Metal finishing	Based on varnishes		No Change
		iv) Metallic / Pearl basecoat (Baking Paint)	Alkyd Melamine Based (Resins with Aluminium & Mica).	- Colored properties with Mica & Aluminium. - Metal finishing	- To give assorted colors. - Based on varnishes		No Change
		v) Stoving enamels	Alkyd Melamine Based Resin.	Give color & Protection.	Corossion resistant, Based on varnishes		No Change
		vi) Stoving Primer/ Intermediate Coat	Alkyd Melamine Based Resin.	- For Smooth finish & good adhesion. - Liquid coloured paint with anti-chipping property - Give color & Protection.	- Anti corrosive property. - Mild Acid/Alkali resistant middle coat - Based on varnishes		No Change
		v) Solid Colour Topcoat (Baking Paint)	Alkyd Melamine Based Resin.	Coloured liquid paint for automotive vehicles	Protection & good appreance. Based on varnishes		No Change
		vi) PU Clears Paints	Polyurethane (PU) Polyol /Acrylic Urethane (AU) Resin based.	Clear Coat for Glossy Finish.	UV resistant, water resistant & good weatherability.		No Change
		vii) Primer / Base Coat for Plastic Parts	- Special synthetic Acrylic Polyol based resin. - Based on varnishes	Pigmented Colored Paint.	- For Smooth surface adhesion & Finish. - Based on varnishes / To give assorted colors.		No Change
		viii) PU Enamels/Primers	Polyurethane (PU) Polyol /Acrylic Urethane (AU) Resin based.	Give color & Protection. For Smooth finish & good adhesion.	Protect against weather. UV resistant, water Resistant & good adhssion to the substrate. Based on varnishes		No Change
		ix) Cathodic Electro-Deposition Primer (CED)	Modified Epoxy resin based CED paint (Two Component- Baking paint) - F-1 Pigment Paste & F-2 Resin Emulsion	i) Coloured liquid paint ii) Milky liquid emulsion paint	Anti-corrosive paint		No Change
		x) PU (Polyurethane Resin)	Sp. Gravity : 1.30, Acid Value:, <1 NCO value: 1, Viscosity: 100,000 Cps	Colorless thick Liquid	Reaction Mixture of polyol, pure MDI and additives		No Change
114	32091090	i) Road Marking Paint Material	Water Base	PVA Base	Drying Application	Berger Paints Pakistan Limited, 28- Km Multan Road, Lahore.	No Change
		ii) Cathodic Electro-	Acrylic based CED paint	Coloured liquid paint	Anti-corrosive paint		No Change
115	32099090	i) Deposition Primer (CED)	Modified Epoxy resin based CED paint (Two Component- Baking paint) - F-1 Pigment Paste & F-2 Resin Emulsion	ii) Milky liquid emulsion paint	--	Berger Paints Pakistan Limited, 28- Km Multan Road, Lahore.	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		ii) Aerosol Paint	Aerosol paint is a type of paint that comes in a sealed pressurized container. Spray paint leaves a smooth, evenly coated surface.	Colored liquid at room temperature Relative Density @ 15 °C 0.7 – 0.8	Ingredients in aerosol paint can include petroleum distillate solvents, propellant, pigments and corrosion inhibitors	Mijokum (Pvt) Ltd., F-48 & F-52, Sector 50-C, Korangi, Karachi.	No Change
116	32100010	Other paints and varnishes (including enamels, lacquers and distempers); prepared water pigments of a kind used for finishing leather.	Distempers	For Smooth finish	Water Base	Berger Paints Pakistan Limited, 28- Km Multan Road, Lahore.	No Change
117	32100020	Prepared water pigments	For Textile	May be solid, semi-solid or liquid at room temperature	--	1) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 2) BASF Pakistan (Pvt.) Ltd., 46-A, Block – 6, P.E.C.H.S, Karachi – 75400 3) Gulf Chemicals ((Pvt) Limited, Plot No. 80, Sector 7-A, Korangi Industrial Area, Karachi	No Change
118	32110090	Dryers, prepared	For paints	Liquid	Dryer for Paints	1)Nimir Resins Ltd., 14.5 KM, Lahore - Sheikhpura Road, Lahore 2) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	2) MB Dyes added in this entry. Relevant information received and also physically verified.
119	32131000	Water Color Sets/ Poster Color Sets	Semi Liquid Filled in plastic tubes	--	--	Indus Pencil Industries, B-54, Manghopir Road SITE Karachi	No Change
120	32149010	Silicon Sealant	Acetox & Neutral Cure Sealants	For use in Construction, Automotive, Solar Panels, Home Appliances, Electronics, Textiles, Glass Processing, Sanitary, and others	Sealant made using, but not solely comprising of, silicone polymer [-Si-O-Si-] backbone	Harris Silicones & Glass (Pvt.) Ltd., Farooque Industrial Estate, Anam Road, 20km Ferozepur Road, Lahore	No Change
121	32151110	Rolling coating printing ink	Rolling coating printing ink	(Fexo, Grevier & Off Set)	Solvent Base Water Base	1) Berger Paints Pakistan Limited, 28- Km Multan Road, Lahore. 2) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	2) MB Dyes added in this entry. Relevant information received and also physically verified.
122	32151190	Black - Flexographic, Rotogravure & Offset Sheet fed Printing inks	Printng inks for packaging, lithography	Liquid/Paste	Water based / Solvent Based / Oil Based	1) DIC Pakistan Ltd, Shahrach-e-Roomi, P.O. Amer Sidhu, Lahore 2) Pakistan Coating Chemicals (Pvt) Ltd., 10- Abbot Road, Lahore 2) Bin Rasheed Color & Chemical Mfg Co., 338A-341, Sundar Industrial Estate, Raiwind Road, Lahore 53805 3) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	2) Pakistan Coating Chemicals merged with Bin Rasheed Color & Chemical Mfg. Co. Therefore, Pakistan Coating Chemicals to be excluded. 3) MB Dyes added in this entry as well, as per the request and physical verification.

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
123	32151920	Digital printing inks	Printng inks for textile application	Liquid/Paste	Water based / Solvent Based	Pakistan Coating Chemicals (Pvt) Ltd., 10-Abbot Road, Lahore 1) Bin Rasheed Color & Chemical Mfg Co., 338A-341, Sundar Industrial Estate, Raiwind Road, Lahore 53805 2) MB Dyes Chemical & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	1) Pakistan Coating Chemicals merged with Bin Rasheed Color & Chemical Mfg. Co. Therefore, Pakistan Coating Chemicals to be excluded. 2) MB Dyes added in this entry as well, as per the request and physical verification.
124	32151990	Colored - Flexographic, Rotogravure & Offset Sheet fed (lithographic) Printing inks, screen printing inks	Printng inks for packaging, lithography, plastic substrates	Liquid/Paste	Water based / Solvent Based / Oil Based	1) DIC Pakistan Ltd., Shahrach-e-Roomi, P.O. Amer Sidhu, Lahore 2) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	2) MB Dyes added in this entry as well, as per the request and physical verification.
125	32159010	Inks for ball point, pens, fine liner and fiber tips	Colored inks for stationery	Liquid/Paste	Water based / Solvent Based / Oil Based	Pakistan Coating Chemicals (Pvt) Ltd., 10-Abbot Road, Lahore Bin Rasheed Color & Chemical Mfg Co., 338A-341, Sundar Industrial Estate, Raiwind Road, Lahore 53805	Pakistan Coating Chemicals merged with Bin Rasheed. However, Bin Rasheed requested to delete this entry, as it in the developing phase.
126	32159090	i) Ink	Fountain Pens inks in Bottles, Sachets and Catridges	Colour: Black, Blue, Red, Green, Form: Liquid, Boiling Point (at 760 mmHg): 99°C, PH:5.46~7.85, Specific Gravity: 1.004~1.017gm/cm³, Viscosity at 25°C: 3.3~4.72cps, Surface Tension: 51.813~65.944dyne/cm		Dollar Industries (Pvt) Ltd., D-85, SITE, Karachi – 75700	No Change
		ii) Inkjet inks	Solvent based inks for advertisement bill boards, flex printing	Liquid/Paste	Water based / Solvent Based	1) Intra-Keck (Pvt) Ltd., 112/2, Q.I.E., Kot Lakhpat, Lahore-54770 2) Pakistan Coating Chemicals (Pvt) Ltd., 10-Abbot Road, Lahore 2) Bin Rasheed Color & Chemical Mfg Co., 338A-341, Sundar Industrial Estate, Raiwind Road, Lahore 53804	Pakistan Coating Chemicals merged with Bin Rasheed; therefore, Pakistan Coating is replaced here with Bin Rasheed Color & Chemical
127	33051000	Hair Shampoo	Designed to protect hair from breakage, drying & damage. Improve moisture retention and elasticity. Suitable for all hair type.	Milky white creamy texture at room temperature. Relative Density @ 25 °C ≥ 0.90	Blend of surface-active materials, salt & moisturizer. It is effective for all types of hair for shining & moisturizing from root to tip.	1) Mijokum (Pvt) Ltd., F-48 & F-52, Sector 50-C, Korangi, Karachi. 2) Nimir Industrial Chemical Limited, 14.8 KM/ Sheikhpura- Faisalabad Roaod ,Bhikhi,Dist. Sheikhpura	No Change
128	33059090	Hair Conditioner	Designed to protect hair from breakage, drying & damage. Improve moisture retention and elasticity. Suitable for all hair type.	Milky white creamy texture at room temperature. Relative Density @ 25 °C ≥ 0.90	Blend of surface-active materials, salt & moisturizer. It is effective for all types of hair for shining & moisturizing from root to tip.	1) Mijokum (Pvt) Ltd., F-48 & F-52, Sector 50-C, Korangi, Karachi. 2) Nimir Industrial Chemical Limited, 14.8 KM/ Sheikhpura- Faisalabad Roaod ,Bhikhi,Dist. Sheikhpura	No Change
129	33072000	Body Sprays / Deodorants	Deodoriser/Perfume for personal care in form of Aerosol spray - 120ml to 250ml	Filled in aluminium cans of various dia (40-65mm) and various heights (110-205mm)	Ethanol/Perfume based in Gas & Non Gas variant	Nimir Industrial Chemicals Ltd., 14.8 KM, Sheikhpura Faisalabad Road, Lahore.	No Change
130	33074900	Air Freshener	Emit fragrance when sprayed or dispersed in air. May be used indoors in residential, commercial, hospitality, medical facilities and public arenas.	Colorless liquid at room temperature Relative Density @ 15 °C 0.60 – 0.80	Ingredients in air fresheners can include fragrances, aerosol propellants, corrosion inhibitors, preservatives, and solvents.	1) Mijokum (Pvt) Ltd., F-48 & F-52, Sector 50-C, Korangi, Karachi. 2) Nimir Industrial Chemical Limited, 14.8 KM/Sheikhpura- Faisalabad Roaod, Bhikhi, Dist. Sheikhpura	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
131	34011100	Soap for Toilets use (including medicated products)	Moisture = 11.0- 19% FFA= % 1.5 max. Sod. Chloride = 0.85 max Na2O % = 0.10 max TFM 74.0 Min	White Soap Noodles	Sodium salt of fatty acids	Nimir Industrial Chemicals Ltd., 14.8 KM, Sheikhpura Faisalabad Road, Lahore.	No Change
132	34011990	Hand Sanitizer	W.H.O compliant Instant Sanitizer. Kills most bacteria, fungi and enveloped viruses such as Coronaviruses and influenza. Its strong smelling formula evaporates completely with no rinsing required.	Clear to colorless viscous gel at room temperature. Density @ 25 °C 0.85 - 0.95 g/cm3 pH Conc. @ 25 °C 6 - 8	Blend of alcohol & humectants. Reduces population of bacteria, fungi, and enveloped viruses.	1) Mijokum (Pvt) Ltd., F-48 & F-52, Sector 50-C, Korangi, Karachi. 2) Nimir Industrial Chemical Limited, 14.8 KM/Sheikhpura- Faisalabad Road, Bhikhi, Dist. Sheikhpura	No Change
133	34012000	Soap Noodles	Moisture: 11.0-19%, FFA: 1.5% max, Sod. Chloride: 0.85% max, Na2O: 0.10% max, TFM: 74.0 Min	White Soap Noodles	Sodium salt of fatty acids	1) Mijokum (Pvt) Ltd., F-48 & F-52, Sector 50-C, Korangi, Karachi. 2) Nimir Industrial Chemical Limited, 14.8 KM/Sheikhpura- Faisalabad Road, Bhikhi, Dist. Sheikhpura	No Change
134	34013000	Hand Wash/Face Wash/Body Wash	It is designed for safe, simple and effective hand hygiene, cleansing of face and body	Creamy/gel liquid at room temperature. Density @ 25 °C 1.00 ± 0.1 g/cm3	Blend of surface-active materials, moisturizer and other chemicals.	1) Mijokum (Pvt) Ltd., F-48 & F-52, Sector 50-C, Korangi, Karachi. 2) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900	No Change
135	34023100	Linear Alkyl Benzene Sulphonic Acid	96% & 90%	Liquid	--	Tufail Chemical Industries Ltd., Progressive Centre, Mezz Floor, 30-A/6, PECHS, Shahrah-e-Faisal, Karachi	No Change
136	34023900	i) Sodium Lauryl Ether Sulphate ii) Sodium Lauryl Sulphate iii) Wetting Agent (for textiles)	70%	Powder & Paste	--	1) Tufail Chemical Industries Ltd., Progressive Centre, Mezz Floor, 30-A/6, PECHS, Shahrah-e-Faisal, Karachi 2) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900	No Change
137	34024110	Organic surface Active Agent other than Soap (cationic)	Pharmaceutical Grade			Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900	No Change
138	34024190	Levelling Agent	For Textile Industry			1) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 2) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	2) MB Dyes added in this entry. Relevant information received and also physically verified.
139	34024200	Non Ionic Surface-active agents	Surfactants are compounds that lower the surface tension (or interfacial tension) between two liquids or between a liquid and a solid. Surfactants may act as detergents, wetting agents, emulsifiers, foaming agents, and dispersants.	May be solid or liquid at room temperature	Surfactants that do have an ionic character	1) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 2) Nimir Resins Ltd., 14.5 KM, Lahore - Sheikhpura Road, Lahore 3) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	3) MB Dyes added in this entry. Relevant information received and also physically verified.
140	34024990	Car Shampoo	Car Care Products	Cleaning Agents	--	Harris Silicones & Glass (Pvt.) Ltd., Farooque Industrial Estate, Anam Road, 20km Ferozepur Road, Lahore	No Change
141	34025000	i) Engine Cleaner	Car Care Products	Cleaning Agents	--	Harris Silicones & Glass (Pvt.) Ltd., Farooque Industrial Estate, Anam Road, 20km Ferozepur Road, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		ii) Toilet cleaners	Organic surface- active agents (other than soap); surface- active preparations, washing preparations (including auxiliary washing preparations) and cleaning preparations, whether or not containing soap,	Thick Liqued Blue color	Acid solution with additive	1) Berger Paints Pakistan Limited, 28- Km Multan Road, Lahore. 2) Mijokum (Pvt) Ltd., F-48 & F-52, Sector 50-C, Korangi, Karachi.	No Change
		iii) Glass Cleaner	Designed to give a streak free shine to glass, mirrors and washable surfaces, removes dirt, dust, fingerprints, smudges, lint, grime, bugs and other contamination from glass.	Clear liquid at room temperature. Density @ 25 °C 0.90 - 1.05 g/cm3	Blend of surface-active materials & organic actives suitable for effective cleaning with a streak free shine & fast-drying formula.	Mijokum (Pvt) Ltd., F-48 & F-52, Sector 50-C, Korangi, Karachi.	No Change
		iv) Roller deglazer and cleaner	Cleaning and rejuvenating paste for lithographic offset inking rollers; removes stubborn deposits on older inking rollers; for use on dismantled rollers; suitable for NBR and EPDM compounds. To be used in sheet fed, web offset heatset printing machines	Yellow to light brown paste at room temperature. Density @ 15 °C 0.95 – 1.05 g/cm3	Cleaning paste for inking rollers. Quickly removes the ink from rubber rollers and blanket. Suitable for conventional ink.	1) Mijokum (Pvt) Ltd., F-48 & F-52, Sector 50-C, Korangi, Karachi. 2) Nimir Industrial Chemical Limited, 14.8 KM/Sheikhupura- Faisalabad Road ,Bhikhi,Dist. Sheikhupura	No Change
142	34029000	i) Surface Active Preparations and cleaning agents	Mainly act as detergents, wetting agents, emulsifiers, foaming agents or dispersants. Surfactants of various nature may be blended for the synergistic effect.	May be solid or liquid at room temperature	May be blend of ingredients containing one or more surfactant. May include auxiliaries to boost the performance of the formulation.	1) BASF Pakistan (Pvt.) Ltd., 46-A, Block – 6, P.E.C.H.S, Karachi – 75400 2) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 3) S & F Enterprises, Plot No. F-22, Qabail Colony, Block 11, Gulberg Town, F.B. Area Karachi 4) SRC (Pvt) LTD, 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore 5) Berger Paints Pakistan Limited, 28- Km Multan Road, Lahore.	No Change
		ii) Glass cleaners / Floor Cleaner	Organic surface- active agents (other than soap); surface- active preparations, washing preparations (including auxiliary washing preparations) and cleaning preparations, whether or not containing soap,	Liqued blue color solution of cleaning additives. Milky Liqued	additives solution in water and alcohol. Solution of Pine oil , disinfectant and additives in Water.	Berger Paints Pakistan Limited, 28- Km Multan Road, Lahore.	No Change
143	34031110	Preparation	Preparations are intended to prepare leather and give it desirable properties.	--	--	1) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 2) BASF Pakistan (Pvt.) Ltd., 46-A, Block – 6, P.E.C.H.S, Karachi – 75400 3) Chemical Process Ind. (Pvt) Ltd., 103-Habitat, Shadman-II, Jail Road Lahore 4) SRC (Pvt) LTD, 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore 5) Gulf Chemicals ((Pvt) Limited, Plot No. 80, Sector 7-A, Korangi Industrial Area, Karachi	No Change
144	34031910	i) Silicone Grease	Greases	For lubricating and preserving rubber parts	--	Harris Silicones & Glass (Pvt.) Ltd., Farooque Industrial Estate, Anam Road, 20km Ferozepur Road, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		ii) Grease	ASTMD 217, ASTMD 2265, ASTMD 2270, ASTMD 942, ASTMD 1743, ASTMD 2509, ASTMD 2596, Visual= Color, Visual= Appearance	NLGI=0,1,2,3 Used for Lubrication of Automotive & industrial Bearings, Bushing & slides.	Lithium Soap Contaning Lithium Hydro Oxide & 12 Hydroxyls Steric Acid Or Hydrogenated Castor Oil & Base Oil	Guard Friction (Pvt) Ltd., 8th KM Raiwand Road Lahore.	No Change
145	34039110	Preparation	Fat Liquor	Mainly liquid at room temperature	Reduce friction and enhance smoothness/ slippage property.	1) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 2) BASF Pakistan (Pvt.) Ltd., 46-A, Block – 6, P.E.C.H.S, Karachi – 75400 3) Chemical Process Ind. (Pvt) Ltd., 103-Habitat, Shadman-II, Jail Road Lahore 4) SRC (Pvt) LTD, 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore 5) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd, Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	5) MB Dyes added in this entry. Relevant information received and also physically verified.
146	34059000	Car Wax Protectant	Car Care Products	Wax & Polish for Cars & Motorbikes	--	Harris Silicones & Glass (Pvt.) Ltd., Farooque Industrial Estate, Anam Road, 20km Ferozepur Road, Lahore	No Change
147	35051090	Dextrene and other modified starch (Preparations)	For Textile Industry			Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900	No Change
148	35061000	Adhesive Glue	PVA Base Glue Water & Solvent Based	White, Transparent or any colour	Adhesive	1) Berger Paints Pakistan Limited, 28- Km Multan Road, Lahore. 2) Indus Pencil Industries, B-54, Manghopir Road SITE Karachi 3) Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore	No Change
149	35069110	Hot Melt Adhesive	SU-600 SU-900	White Pellets & Light Yellow Pellets	Viscosity Thermosel, Temperature 170 C, 160 C Average (cps) 3500	1) Pak Daehan, H. No. 29, Bhagat Pura Hussain Bakhsh Park New Shad Bagh, Lahore 2) Intra-Keck (Pvt) Ltd., 112/2, Q.I.E., Kot Lakhpat, Lahore-54770 3) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd, Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	3) MB Dyes added in this entry. Relevant information received and also physically verified.
150	35069190	Hot Melt Adhesive (Excluding Auto grade)	SU-600 SU-900	White Pellets & Light Yellow Pellets	Viscosity Thermosel, Temperature 170 C, 160 C Average (cps) 3500	Pak Daehan, H. No. 29, Bhagat Pura Hussain Bakhsh Park New Shad Bagh, Lahore	amendment in specification of this entry.
151	35069990	Pressure Sensitive Adhesive Glue	Water & Solvent Based	Transparent or any colour	Adhesive	Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
152	35079000	Enzymes	Textile grade	-	-	1) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 2) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	2) MB Dyes added in this entry. Relevant information received and also physically verified.
153	36020000	Prepared Explosive: (Super Balster, Balster, Super Breaker, Seismic, explosive, Pre-Splitter	-	-	-	Biafo Industries Ltd., 1st Floor Biafo House, Plot No. 23, St No. 38-40, I&T Centre, G-10/4, Islamabad	No Change
154	36031000	Safety Fuse	-	-	-	Biafo Industries Ltd., 1st Floor Biafo House, Plot No. 23, St No. 38-40, I&T Centre, G-10/4, Islamabad	No Change
155	36032000	Detonators: (Plain, Electric, Seismic Electric, Milli Second Delay Electric, Half Second Delay Electric / Non Electric, Milli Second Delay Non Electric Detonator)	-	-	-	Biafo Industries Ltd., 1st Floor Biafo House, Plot No. 23, St No. 38-40, I&T Centre, G-10/4, Islamabad	No Change
156	36033000	Two Way Delays Relays	-	-	-	Biafo Industries Ltd., 1st Floor Biafo House, Plot No. 23, St No. 38-40, I&T Centre, G-10/4, Islamabad	No Change
157	36034000	Detonating Cord	-	-	-	Biafo Industries Ltd., 1st Floor Biafo House, Plot No. 23, St No. 38-40, I&T Centre, G-10/4, Islamabad	No Change
158	37013020	CTP/CTCP Printing plates	Aluminum Plates Lithographic	H18, H19, A1050, A1052	Si 0.037,Mn0.007, Cu 0.003 Fe0.30, Mg0.001, Zn 0.007, Al 99.56.	DuTech (Pvt) Limited, Plot No.18, Sector No. 28, Korangi Industrial Area, Karachi	No Change
159	37013030	Presensitized printing plates	Aluminum Plates Lithographic Thickness ranging from 0.15mm to 0.30mm. Packing in Corrugated cartons	<u>Thickness 0.15mm:</u> 450mm x 370mm (100 Plates); 500mm x 370mm (100 Plates); 510mm x 400mm (100 Plates); 900mm x 715mm (50 Plates) <u>Thickness 0.20mm:</u> 645mm x 510mm; 745mm x 585mm; 760mm x 603mm; 840mm x 603mm; 840mm x 625mm (all in 50 Plates). <u>Thickness 0.24mm:</u> 650mm x 550mm (50 Plates); 724mm x 615mm (50 Plates); 745mm x 585mm (50 Plates); 745mm x 605mm (50 Plates); 914mm x 625mm (30 Plates); 915mm x 715mm (30 Plates) <u>Thickness 0.30mm:</u> 840mm x 586mm (30 Plates); 890mm x 586mm (30 Plates); 914mm x 585mm (30 Plates); 914mm x 625mm (30 Plates); 915mm x 715mm (30 Plates); 925mm x 625mm (30 Plates); 925mm x	Si 0.037,Mn0.007, Cu 0.003 Fe0.30,Mg0.001,Zn 0.007, Al 99.56.	DuTech (Pvt) Limited, Plot No.18, Sector No. 28, Korangi Industrial Area, Karachi	No Change
160	38062000	Sodium Resinates	pH 9 -12	Dark Brown Paste	Sodium Resinate	Nimir Resins Ltd., 14.5 KM, Lahore - Sheikhpura Road, Lahore	No Change
161	38069000	Thermoplastic Road Marking Paint Material	Solvent Base	Thermoplastic Resin Base	Hotmelt Road Marking Paint	Berger Paints Pakistan Limited, 28- Km Multan Road, Lahore.	No Change
162	38089110	i) Insecticides	Insect killer for flying & crawling types of insects in aerosol spray - 300 - 600ml	Filled in tin cans of various dia (52-65mm) and various heights (170-320mm)	Active insecticide ingredients/Solvent and gas based	Nimir Industrial Chemicals Ltd., 14.8 KM, Sheikhpura Faisalabad Road, Lahore.	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		ii) Aerosol Contact Insecticide/ Household Insecticide	Insecticide Aerosols are meant to kill flying and crawling insects when sprayed or dispersed in air.	Colorless liquid at room temperature Relative Density @ 15 °C 0.60 – 0.80	Mixtures of petroleum distillate solvents, corrosion inhibitors, insecticide actives & propellants. Contains actives that kill insects.	Mijokum (Pvt) Ltd., F-48 & F-52, Sector 50-C, Korangi, Karachi.	No Change
163	38089400	i) Hand Sanitizers & Disinfectant Spray ii) Multi-Surface Cleaner & Disinfectant	Hand & skin care germicide disinfectant in aerosol spray - 50ml - 300ml Cleaning agent for all hard washable surfaces with protection of Home & office from invasive viruses & germs.	Filled in aluminium/tin cans of various dia (35-53mm) and various heights (88-240mm), Clear to variant colors liquid at room temperature. Density @ 25 °C 0.95 - 1.10 g/cm3	Ethanol/Germicides/Vitamins and gas based Alcohol Based Aqueous blend of surface-active materials & anti-bacterial agents suitable for cleaning & disinfecting hard surfaces.	1) Nimir Industrial Chemicals Ltd., 14.8 KM, Sheikhpura Faisalabad Road, Lahore. 2) Berger Paints Pakistan Limited, 28- Km Multan Road, Lahore. 3) Mijokum (Pvt) Ltd., F-48 & F-52, Sector 50-C, Korangi, Karachi.	No Change
164	38099110	Printing gum	Main use is in printing applications where gums are used to increase the medium viscosity enabling localized coloration.	May be solid or liquid at room temperature	Food grade Non-toxic Non-corrosive Chemical resistant	1) ASF Pakistan (Pvt.) Ltd., 46-A, Block – 6, P.E.C.H.S, Karachi – 75400 2) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 3) Nimir Resins Ltd., 14.5 KM, Lahore - Sheikhpura Road, Lahore 4) ICI Pakistan, 63, Mozang Road, Lahore-54000 4) Lucky Core Industries Limited, Soda Ash Business, 63, Mozang Road, Lahore 54000 5) Universal Chemicals, B-45, Estate Avenue, S.I.T.E, Karachi 6) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	4) ICI Pakistan changed to LCI. 6) MB Dyes added in this entry as well.
165	38099190	Dyeing Auxiliaries and Finishing Agents	Dyeing and Finishing agents are used to impart desired effect on textiles. Use of agents facilitate the dyeing and finishing of the fabrics.	May be solid or liquid at room temperature	Improve the performance of the dyeing process and imparts desirable aesthetic to the treated fabric.	1) BASF Pakistan (Pvt.) Ltd., 46-A, Block – 6, P.E.C.H.S, Karachi – 75400 2) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 4900 3) Nimir Resins Ltd., 14.5 KM, Lahore - Sheikhpura Road, Lahore 4) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	4) MB Dyes added in this entry. Relevant documents provided and physically verified.
166	38099200	Paper Chemicals (Surface Sizing Agent)/Finishing Agents	15 - 20% NVM, Sizing agent for various types of papers i.e. packaging paper, white board coated paper and food packaging etc. Finishing agents (dye-carriers) for textile and paper industry	White Thin Emulsion Light / Dark Brown liquid	AKD Emulsion/ Cationic Styrene Acrylic emulsion	1) Nimir Resins Ltd., 14.5 KM, Lahore - Sheikhpura Road, Lahore 2) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900	No Change
167	38099300	Finishing agents	Finishing agents are used to impart desired effect on textiles. Use of agents facilitate finishing of the fabrics.	May be solid or liquid at room temperature	Imparts desirable aesthetic to the treated fabric.	1) BASF Pakistan (Pvt.) Ltd., 46-A, Block – 6, P.E.C.H.S, Karachi – 75400 2) Archroma Pakistan Ltd. 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 3) Gulf Chemicals ((Pvt) Limited, Plot No. 80, Sector 7-A, Korangi Industrial Area, Karachi 4) Intra-Keck (Pvt) Ltd., 112/2, Q.I.E., Kot Lakhpat, Lahore-54770	No Change
168	38123900	PVC Liquid Stabilizer - Barium Cadmium zinc - Barium Zinc - Potassium Zinc Kicker	Sp. Gravity : 9.5, Acid Value; <1	Yellowish Liquid	Metal Salts of Barium, Cadmium, potassium, and zinc	A.T.S Synthetic (Pvt) Ltd., 4-Km, Kacha Road, Kahna Nau, Lahore.	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
169	38140000	Organic Composite Solvents and Thinners	Organic Hydrocarbon Compound.	Dilution & smooth application.	Rehology control & adjustment of the Paint according to various environment.	1) Kansai Kaizen Paint (Pvt) Ltd., 139-CCA, Sector DD, Phase IV, Defence Housing Authority, Lahore 2) Berger Paints Pakistan Limited, 28- Km Multan Road, Lahore.	1) Kansai Paint changed to Kaizen Paint. Proof of name change provided.
170	38159000	Catalyst	Sp. Gravity : 1.10, Acid Value:, <1 OH value: 216, Viscosity: 100 Cps	Slightly Yellowish Liquid	Mixture of Amine and short chain glycol	A.T.S Synthetic (Pvt) Ltd., 4-Km, Kacha Road, Kahna Nau, Lahore.	No Change
171	38160000	Refractory cements, mortars, concretes and similar compositions, other than products of heading 38.01.	Tap Hole Repair Mass & Mastic Tubes	<u>Tap Hole Repair Mass:</u> Specific Gravity:3.0 min Cold Crushing Strength (kg/cm2):250 min Grain Size:0 - 3 mm Bulk density (Kg/dm3): 2.70 min <u>Mastic Tubes:</u> LOI(%):45 max Maximum Grain Size:(-) 60 BS Mesh	<u>Tap Hole Repair Mass:</u> MgO(%) :91 min, Al ₂ O ₃ (%):0.8 max, Fe ₂ O ₃ (%):1.8 max, CaO(%) :2.5 max, SiO ₂ (%):4.5 max <u>Mastic Tubes:</u> C(%): 25 min, Al ₂ O ₃ (%):30 min, SiC (%) : 03 min, SiO ₂ (%): 15 max K ₂ O + Na ₂ O(%):0.2 max	Bhanbhore Ceramics Industries, Plot DSU-18, Pakistan Steel Down Stream Industrial Estate, Bin Qasim Karachi	No Change
172	38231100	Acid, stearic	IV 1.0 ~ 3.0, Melting point 61 ~ 65, Specific Gravity 0.86	Small Flakes, colour: White	C ₁₇ H ₃₅ COOH	1) Nimir Industrial Chemicals Ltd., 14.8 KM, Sheikhpura Faisalabad Road, Lahore. 2) Gamalux Oleochemicals (Pvt.) Ltd. A-8, NWIZ, Port Qasim Industrial Area, Bin Qasim, Karachi	No Change
173	38231910	Acid oils for refining	Palm fatty acid distillate (PFAD)	Colour 5 ~ 6, -1, Melting point 48 ~ 52	Acid Value 190 Min.	Gamalux Oleochemicals (Pvt.) Ltd. A-8, NWIZ, Port Qasim Industrial Area, Bin Qasim, Karachi	No Change
174	38231930	Acid oils for refining	Fatty Acid Distilled (FAD) 92% to 99%, IV 30 ~ 55	Colour 5 ~ 6, -1, Melting point 45 ~ 58	Acid Value 190 Min.	1) Nimir Industrial Chemicals Ltd., 14.8 KM, Sheikhpura Faisalabad Road, Lahore. 2) Gamalux Oleochemicals (Pvt.) Ltd. A-8, NWIZ, Port Qasim Industrial Area, Bin Qasim, Karachi	No Change
175	38231990	Distilled Fatty Acid	Acid Value: 200-215, Iodine Value: 38-44, Melting Point: 50±2, Saponification Value = 200-216.	White solid material	Distilled fatty acid blend	Nimir Industrial Chemicals Ltd., 14.8 KM, Sheikhpura Faisalabad Road, Lahore.	No Change
176	38244000	Concrete Curing Compound	Concrete curing compound are suitable for spray application to freshly poured concrete. The resultant film retains sufficient moisture in the concrete to ensure full hydration of the cement; essential for optimum strength development.	Milky liquid at room temperature. Density @ 25 °C 0.95 - 1.05 g/cm3	Synergistic mixture of aqueous wax emulsion & surface-active materials. It is recommended on freshly poured concrete surfaces for high curing efficiency.	Mijokum (Pvt) Ltd., F-48 & F-52, Sector 50-C, Korangi, Karachi.	No Change
177	38246000	Sorbitol Solution	C ₆ H ₁₄ O ₆	A Clear Viscouse Syrup having sweet taste	H - 5.0 - 7.0, Brix - 66 - 68, Ash - 0.1%	Habib Rice Products Ltd., 2nd Floor, UBL Building, I.I. Chundrigar Road, Karachi	No Change
178	38249950	Correction Pen	With liquid ink	--	--	Indus Pencil Industries, B-54, Manghopir Road SITE Karachi	No Change
179	38249993	Coated or Precipated Coated or Treated Calcium Carbonate	Top Cut 3 µm-50 µm	Fine Powder	CACO ₃	1) Newage Cables (Pvt) Ltd., Newage Mansion Mcleod Road, Lahore 2) Omya Pack (Pvt) Ltd., Kot Radha Kishan Road, Kasur	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
180	38249999	i) Antifoaming Agent/Defoamer	A mineral oil based defoamer for aqueous systems. It is typically applied in aqueous coating systems, wood stains, varnishes, printing inks, textile & adhesive	Opaque white to pale yellow liquid at room temperature. Density @ 25 °C 0.85 – 0.95 g/cm3	Synergistic mixture of mineral oil and surface-active materials to accelerate the defoaming efficiency.	Mijokum (Pvt) Ltd., F-48 & F-52, Sector 50-C, Korangi, Karachi.	No Change
	38249999	ii) Filler Masterbatch	Mineral filler e.g. CaCO ₃ based plastic granulated material	Solid plastic color component melting range 150-280	Combination of plastic resins, additives and mineral fillers	Bin Rasheed Color & Chemical Mfg Co., 338A-341, Sundar Industrial Estate, Raiwind Road, Lahore 53804	Address of Bin Rasheed Color & Chemical changed from 10 Abbot Road, Lahore to given one.
181	39012000	HDPE Fittings Butt Fusion type	63mm to 315mm Dia Piping	- Strong - Light weight - Easy jointing - Durable	Food grade Non-toxic Non-corrosive Chemical resistant	New Tech, Suit 4 & 5, 2nd Floor, Rehman Plaza, I-10 Markaz, Islamabad. Tarnol Industrial Area, Off. G.T. Road, Sector D-15, Islamabad	Address of New Tech changed, as per the request of the firm.
182	39031100	Polystyrene expansible, in primary forms	(i) Plastic foaming grade (ii) Plastic moulding grade (iii) Plastic extrusion grade	Resins and Granules	Polymer	Pak Petrochemical Industries (Pvt) Ltd., Polymer House, Survey No. 136, 25th km, on Main National Highway, Karachi-75030	No Change
183	39031910	General purpose polystyrene (GPPS)	(i) Plastic moulding grade (ii) Plastic extrusion grade	Resins and Granules	Polymer	Pak Petrochemical Industries (Pvt) Ltd., Polymer House, Survey No. 136, 25th km, on Main National Highway, Karachi-75030	No Change
184	39031920	High Impact Polystyrene (HIPS)	(i) Plastic moulding grade (ii) Plastic extrusion grade	Resins and Granules	- Polymer with more than 95% styrene - Co polymer with less than 95% styrene	Pak Petrochemical Industries (Pvt) Ltd., Polymer House, Survey No. 136, 25th km, on Main National Highway, Karachi-75030	No Change
185	39032000	Styrenated Acrylic	Stryenated Acrylic Emulsion , used for a wide range of products like paint, coatings etc	Liqued at room temperature	Acrylate polymers upon drying form films that yield desired properties on the substrate	Berger Paints Pakistan Limited, 28- Km Multan Road, Lahore.	No Change
186	39039010	Styrene Acrylic Emulsion	49 - 51 % NVM in Water	Milky white thick liquid	Styrene Acrylic binder for emulsion paints, Opacifying agent, Mortor Modifier & Textile printing binder.	Nimir Resins Ltd., 14.5 KM, Lahore - Sheikhpura Road, Lahore	No Change
187	39041090	Poly Vinyl Chloride (PVC) Resin	Suspension	Appearance Color White Volatile Matter 0.4% wt max Particle size 40 mesh pass 100% wt min Particle Size 270 mesh pass 3% wt max	Polyvinyle Chloride , C ₂ H ₃ Cl, is an inert material, it does not react with most chemicals and solvents. Resistant to Acids, bases, slats and most solvents. Partially soluble in acetone.	Engro Polymer & Chemicals Limited, 16th Floor, The Harbor Front Building, HC # 3, Marine Drive, Block-4, Clifton, Karachi	No Change
188	39042200	PVC not mixed with other substances, plasticised PVC Compound (Plasticized)	(PVC Compound) International /National Standard (Cable Grade only)/ BSS 7655	Granules	C ₂ H ₃ Cl	1) Newage Cables (Pvt) Ltd., Newage Mansion Mcleod Road, Lahore 2) Atlas Rubber & Plastic Industries, 9th Floor, Textile Plaza, Mumtaz Hassan Road Karachi – 74000 3) Bismillah Plastic Works, Sohail Manzil, Street No. 30 Sector “F” Allama Iqbal Road, Manzoor Colony Karachi 4) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore 5) Pakistan Cables Limited, B-21, SITE, P.O. Box No.5050, Karachi - 75700	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
189	39051200	Vinyl Acetate Copolymers	Vinyl acetate-acrylic copolymers, emulsion products that are used for a wide range of applications including paints, bond coats, binders, pigmented paper coatings, textiles, and nonwovens	Liquid at room temperature	Crosslink to form film that imparts desirable properties to the treated surface.	1) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 2) Nimir Resins Ltd., 14.5 KM, Lahore - Sheikhpura Road, Lahore 3) SRC (Pvt) LTD, 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore 4) Berger Paints Pakistan Limited, 28- Km Multan Road, Lahore. 5) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	5) MB Dyes added in this entry. Relevant information received and also physically verified.
190	39052100	Polyvinyl acetate	Polyvinyl acetate polymers, emulsion products that are used for a wide range of applications including paints, bond coats, binders, pigmented paper coatings, textiles, and nonwovens	Liquid at room temperature	Crosslink to form film that imparts desirable properties to the treated surface.	1) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 2) SRC (Pvt) LTD, 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore 3) Berger Paints Pakistan Limited, 28- Km Multan Road, Lahore. 4) Nimir Resins Ltd., 14.5 KM, Lahore - Sheikhpura Road, Lahore 5) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	5) MB Dyes added in this entry. Relevant information received and also physically verified.
191	39053000	Polyvinyl Alcohol	For paint and wood furniture industry			Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900	No Change
192	39059990	Glue/Adhesives/Binders	For paint, wood furniture and paper industry (Pigment thickener)	Paste form	Used by different industries	1) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 2) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	2) MB Dyes added in this entry. Relevant information received and also physically verified.
193	39069030	Pigment thickener	Pigment thickener	--	--	1) BASF Pakistan (Pvt.) Ltd., 46-A, Block – 6, P.E.C.H.S, Karachi – 75400 2) Nimir Resins Ltd., 14.5 KM, Lahore - Sheikhpura Road, Lahore 3) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 4) ICI Pakistan Limited, 63, Mozang Road, Lahore 54000 4) Lucky Core Industries Limited, Soda Ash Business, 63, Mozang Road, Lahore 54000 5) T & N Chemical, 12.5 KM Sitara Road, Faisalabad 6) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	4) ICI Pakistan changed to LCI. 6) MB Dyes added in this entry as well.

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
194	39069040	Dispersing Agent	20-45 % NVM	Light yellow to yellow clear liquid	Polyacrylate and Styrene/Maleic anhydride based	1) Nimir Resins Ltd., 14.5 KM, Sheikhpura Road, Lahore 2) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 3) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	3) MB Dyes added in this entry. Relevant information received and also physically verified.
195	39069090	i) Acrylic polymers	Belong to a group of polymers based on acrylic acid, methacrylic and their esters. They are noted for their transparency, resistance to breakage, and elasticity. They are also commonly known as acrylics or polyacrylates.	Mainly liquid at room temperature. However, can be produced in solid form	form films upon drying that yield desired properties on the substrate	1) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 2) Nimir Resins Ltd., 14.5 KM, Lahore - Sheikhpura Road, Lahoree 3) BASF Pakistan (Pvt.) Ltd., 46-A, Block – 6, P.E.C.H.S Karachi – 75400 4) Sandal Dyestuff Industries Ltd., 4 KM Chak Jhumra Sangla Hill Road, Faisalabad 5) SRC (Pvt) LTD, 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore 6) Berger Paints Pakistan Limited, 28- Km Multan Road, Lahore. 7) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	7) MB Dyes added in this entry. Relevant documents provided and also physically verified.
		ii) Acrylic Resins (2 Component Resins)	50 - 70% NVM in aromatic solvents	Clear Colourless thick Liquid	Thermoset, Thermoplastic & Acrylic Polyol for 2-k Coatings	Nimir Resins Ltd., 14.5 KM, Lahore - Sheikhpura Road, Lahore 2) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	No Change
		iii) Acrylic Emulsions	49 - 51 % NVM in Water	Milky white thick liquid	Acrylic binder for emulsion paints		2) MB Dyes added in this entry. Relevant information received and also physically verified.
196	39073000	i) Epoxide in primary forms	Electrostatic Coating Powder	--	--	1) Oxyplast Pakistan (Pvt.) Ltd., Silver House, 11/E, Block-6, P.E.C.H.S., Karachi. 2) Nimir Resins Ltd., 14.5 KM, Lahore - Sheikhpura Road, Lahore	No Change
		ii) Fusion Bonded Epoxy (FBE)	Jotapipe & Corro-Coat (Anti-Corrosion Coating for Piping)	1350-1500G/L >0.5% Moisture Contents Hardness Avg. 85 (ASTM. STD)	Polarized Cracking Pass Impact resistance >1.5J	1) Jotun Powder Coatings Pakistan (Pvt) Ltd., 2 KM Defence Road, Off 9 KM Raiwind Road, Adj. Valancia Homes Gate, Lahore 2) Nimir Resins Ltd., 14.5 KM, Lahore - Sheikhpura Road, Lahore 3) Berger Paints Pakistan Limited, 28- Km Multan Road, Lahore.	No Change
		iii) Epoxy Resin ER-12P, ER-20P	Solid Epoxy Resin	Granular Solid	Epoxide	Premier Coating Resin (Pvt) Ltd.; C-42, SITE Super Highway Industrial Area Scheme # 33, Karachi	No Change
		iv) Epoxy Resin ER-128, ER-20x75	Liquid Epoxy Resin	Liquid	Epoxide		No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
197	39075000	Resins, alkyd, in primary forms	Viscosity 3-1000 poises Acid Value less than 12	Colour Max 10GH	Esters	1) Nimir Resins Ltd., 14.5 KM, Lahore - Sheikhpura Road, Lahore 2) Nimir Chemicals Pakistan Ltd., 14.8 Km, Sheikhpura-Faisalabad Road, Mouza Ghikki Distt. Sheikhpura 3) Berger Paints Pakistan Limited, 28- Km Multan Road, Lahore. 4) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	4) MB Dyes added in this entry. Relevant documents provided and physically verified.
198	39076110	Polyethylene terephthalate in primary (Having a viscosity number of 78 ml/g or higher)	Polyester Chips - Yarn and Film grade	Yarn and Film Grade	--	1) Gatron (Industries) Limited, 11th Floor, G&T Tower No. 18, Beaumont, Civil Lines – 10, Karachi. 2) Novatex Ltd. , Ground Floor, G&T Tower # 18, Beaumont Road, Civil Lines - 10, Karachi - 75530	No Change
199	39076120	Polyethylene terephthalate in primary (Having a viscosity number of 78 ml/g or higher)	Polyester Chips - Bottle grade (Pet Resin)	Bottle grade (Pet Resin)	--	1) Gatron (Industries) Limited, 11th Floor, G&T Tower No. 18, Beaumont, Civil Lines – 10, Karachi. 2) Novatex Ltd. , Ground Floor, G&T Tower # 18, Beaumont Road, Civil Lines - 10, Karachi - 75530	No Change
200	39076910	Other Yarn and Film Grade (Having a viscosity number of 78 ml/g or higher)	Polyester Chips Yarn and Film Grade	Yarn And Film Grade	Polyester Resin made from PTA & MEG with I.V. 0.6 to 0.68 in Amorphous form capable of being upgraded to PET Bottle Grade.	1) Gatron (Industries) Limited, 11th Floor, G&T Tower No. 18, Beaumont, Civil Lines – 10, Karachi. 2) Novatex Ltd. , Ground Floor, G&T Tower # 18, Beaumont Road, Civil Lines - 10, Karachi - 75530 3) Nimir Resins Ltd., 14.5 KM, Lahore - Sheikhpura Road, Lahore	No Change
201	39076920	Other Bottle Grade (having a viscosity number of 78 ml/g or lower)	Polyester Chips - Bottle grade (Pet Resin)	Bottle grade (Pet Resin)	--	1) Gatron (Industries) Limited, 11th Floor, G&T Tower No. 18, Beaumont, Civil Lines – 10, Karachi. 2) Novatex Ltd. , Ground Floor, G&T Tower # 18, Beaumont Road, Civil Lines - 10, Karachi - 75530	No Change
202	39076990	Other (having a viscosity number of 78 ml/g or lower)	Polyester Chips Amorphous	Plastic Resin in Granules	--	1) Novatex Ltd., Ground Floor, G&T Tower # 18, Beaumont Road, Civil Lines - 10, Karachi - 75530 2) Nimir Resins Ltd., 14.5 KM, Sheikhpura Road, Lahore	No Change
203	39079100	Polyesters, unsaturated, in primary forms	60 - 70 % NVM in Monomers	Clear & Hazy Yellow Thick Liquid	Thermoset Unsaturated Polyester Resins	1) BASF Pakistan (Pvt.) Ltd., 46-A, Block – 6, P.E.C.H.S, Karachi – 75400 2) Nimir Resins Ltd., 14.5 KM, Sheikhpura Road, Lahore	No Change
204	39079900	i) Powder Coating Pure Polyester	Corro-Coat PE (Exterior Polyester Powder Coating	Film Hardness >70 (EN ISO 2815) 100% Adhesion	Exceed 5mm without Film Cracking Salt Spray Resistance Excellent	1) Jotun Powder Coatings Pakistan (Pvt) Ltd., 2 KM Defence Road, Off 9 KM Raiwind Road, Adj. Valancia Homes Gate, Lahore 2) Berger Paints Pakistan Limited, 28- Km Multan Road, Lahore. 3) Nimir Resins Ltd., 14.5 KM, Lahore - Sheikhpura Road, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		ii) Epoxy Polyester Hybrid	Corro-Coat MX (Interior Hybrid Powder Coating	Film Hardness >80 (EN ISO 2815) 100% Adhesion	Exceed 60 Inch Pounds without film cracking Salt Spray Resistance Excellent		No Change
		iii) PE – F Polyester Facade	Corro-Coat PE-F (Exterior Durable Polyester Powder Coating	Film Hardness >80 (EN ISO 2815) 100% Adhesion	2.5 Nm without film cracking		No Change
		iv) Polyol (Polyurethane Pre-Polymer for PU Sole)	Sp. Gravity : 1.18, Acid Value,; <1 OH value: 80, Viscosity: 1000 Cps	Slightly Yellowish Liquid	Adipate of Dicarboxic acid	A.T.S Synthetic (Pvt) Ltd., 4-Km, Kacha Road, Kahna Nau, Lahore.	No Change
		v) Polyester Resin (50:50, 70:30, 93:07, 60:40, 80:20, 90:10)	Saturated Polyester Resin	Granular Solid	Carboxlated Terminated	Premier Coating Resin (Pvt) Ltd. C-42, SITE Super Highway Industrial Area Scheme # 33, Karachi	No Change
205	39089000	Polyamide Resin (H-140, H-115, H-125)	Liquid Hardener for Epoxy	Liquid	Amine	Premier Coating Resin (Pvt) Ltd. C-42, SITE Super Highway Industrial Area Scheme # 33, Karachi 2) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	2) MB Dyes added in this entry. Relevant information received and also physically verified.
206	39091090	Urea Formaldehyde Resin	58-62 % NVM	Water white thick liquid	Butylated Urea formaldehyde resin in solution form	Nimir Resins Ltd., 14.5 KM, Lahore - Sheikhpura Road, Lahore	No Change
207	39092000	Resins , melamine, in primary forms	Viscosity 75 Poises Acid Value less than 2	Colour Water White	Amino	1) Nimir Resins Ltd., 14.5 KM, Lahore - Sheikhpura Road, Lahore 2) Berger Paints Pakistan Limited, 28- Km Multan Road, Lahore.	No Change
208	39094000	Phenolic Formaldehyde Resin	69-71 % NVM	Reddish thick liquid	Phenol formaldehyde resin in solution form	1) Nimir Resins Ltd., 14.5 KM, Lahore - Sheikhpura Road, Lahore 2) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	2) MB Dyes added in this entry. Relevant information received and also physically verified.
209	39095000	i) Isocyanate (Polyurethane Pre-Polymer for PU Sole)	Sp. Gravity : 1.15, Acid Value,; <1 NCO value: 23, Viscosity: 400 Cps	Slightly Yellowish Liquid	Oligimers of polyol, pure MDI and Modified MDI	1) A.T.S Synthetic (Pvt) Ltd., 4-Km, Kacha Road, Kahna Nau, Lahore. 2) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	2) MB Dyes added in this entry. Relevant information received and also physically verified.
		ii) PUR (Polyurethane Resin) for shoe sole polyester polyol TPU (Thermoplastic Polyurethane) Polyester Ploylol for flexible laminating adhesive / coating	Polyester Polyolol for shoe sole acid value less then 1 TPU foe shoe adhesive OH 38-42 Polyester Ploylol for flexible laminating adhesive / coating having OH 184-234	Its 2K system the counter part is premoler based on TDI/MDI	Used foe shoe sole for shoe adhesive for packages industries	MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	Documents Received. New Company. Need to be visited
210	39100000	Antifoam Silicon Base	10 - 20 % NVM in Water	Milky white thick liquid	Defoamer Silicon base	1) Nimir Resins Ltd., 14.5 KM, Sheikhpura Road, Lahore 2) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 3) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.	3) MB Dyes added in this entry. Relevant information received and also physically verified.

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
211	39119000	Fixing Agent	For Textile			Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 2) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	2) MB Dyes added in this entry. Relevant information received and also physically verified.
212	39122090	Nitrocellulose in primary forms	Used in leather industry to impart special finish	Mainly liquid at room temperature.	Based on Nitrocellulose	1) Archroma Pakistan Ltd., 1-A/1, Sector 20, Korangi Industrial Area, Karachi – 74900 2) BASF Pakistan (Pvt.) Ltd., 46-A, Block – 6, P.E.C.H.S, Karachi – 75400 3) SRC (Pvt) LTD, 3-KM Bulhar Road, off 22-km Ferozpur Road, Rohi Nala, Lahore 4) MB Dyes Chemicals & Silk Industry (Pvt.) Ltd. Gadoon Fac. 320/2, Gadoon Amazai Industrial Estate, Swabi, K.P.K	4) MB Dyes added in this entry. Relevant information received and also physically verified.
213	39172100	i) Tubes, Pipes & Hoses, Rigid of Polymers of Ethylene	ISO4437 ISO 4427 DIN 8074 ASTM 2513	Dial 20mm to 630mm and ¾" to 12" Length of coils as per customer requirement or straight lengths upto 40 feet	Ethylene	1) Dadex Eternit Ltd., Dadex House, 34-A/1, Block-6, P.E.C.H.S. Shahrah-e-Faisal Karachi 2) Sun International Co. (Pvt) Ltd., 62 CMA Colony Street #4, Lahore Cantt. Lahore 3) Premier Cables (Pvt) Ltd. , 43-E, Block 6, P.E.C.H.S., Behind FedEx, Off Razi Road, Shahrah-e-Faisal, Karachi	No Change
		ii) PE Gas/Water Pipe Fittings	SNGPL Spec, ASTM-2513, ASTM-D-2683 SSGC Spec. ISO-4437 ISO-8085 EN-1555	Dia: 3/4 inch to 6 inch Length: 12 inch to 36 inch PE Spec: PE-80/100 Steel Spec: ASTM & API 5L Dia: 20mm to 180mm Length: 12 inch to 36 inch PE Spec: PE-80/100 Steel Spec: ASTM & API 5L	Melt Flow 0.8 gm/10mn, Density >0.940 to 0.947 to gm/cm ³ Melt Flow 1.55 gm/10mn, Density >0.940 to 0.955 to gm/cm ³	1) Mechfit Industries, 124-IV, E-Block Model Town, Lahore 2) Swabis Polyplast, A-496, St No. 9, Block "N", North Nazimabad Karachi 3) Premier Cables (Pvt) Ltd., 43-E, Block 6, P.E.C.H.S., Behind FedEx, Off Razi Road, Shahrah-e-Faisal, Karachi	No Change
		iii) Blow Moulded Cans/ Jars	HDPE Material	0.25, 0.5 and 1 litre sizes	Density 942		No Change
		iv) High Density/Medium Density Polyethylene (HDPE/MDPE) pipes	12 mm to 1600 mm diameter 1.8 mm to 103.7 mm	As per Standard	As per Standard	International Industries Ltd., LX 15-16, Landhi Industrial Area, Karachi	No Change
		v) HDPE water pipes	HDPE water pipes Dia: (6mm to 500 mm)	As per ISO4427, DIN8074/8075 specifications	As per ISO4427, DIN8074/8075 specifications	BBJ Pipe Industries (Pvt) Ltd., BBJ House, 40 Abbot Road, Lahore	BBJ Pipe industries requested to include this item in the list. Relevant documents received.
		vi) MDPE gas pipes	MDPE gas pipes Dia: (20 to 250 mm)	As per ISO4437, ASTM-D2513 specifications	As per ISO4437, ASTM-D2513 specifications		
		vii) HDPE Cable Duct Pipes	HDPE cable duct pipes Dia: (16 mm to 250 mm)	As per ASTM F-2160 specifications	As per ASTM F-2160 specifications		
		viii) PPRC Pipes & Fittings	PPRC pipe & fittings Dia: (20 to 110 mm)	As per DIN 8077/8078 specifications	As per DIN 8077/8078 specifications		
214	39172200	i) Hoses, polypropylene, rigid	Din 8077	Diameter 20mm to 110mm	--	1) Sun International Co. (Pvt) Ltd., 62 CMA Colony Street #4, Lahore Cantt. Lahore 2) Premier Cables (Pvt) Ltd., 43-E, Block 6, P.E.C.H.S., Behind FedEx, Off Razi Road, Shahrah-e-Faisal, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		ii) Poly propylene random co-polymer (PPRC) Pipes for Hot and Cold/Chilled water	20 mm to 630 mm diameter 2.8mm to 35.7 mm Wall Thickness	As per Standard	As per Standard	International Industries Ltd., LX 15-16, Landhi Industrial Area, Karachi	No Change
		iii) PPF Water Filter Cartridge 10' S, 20' S, 30' S, 40' S, 20' Jumbo	PP	Melt Folw 23% Density 0.9	PP TANSEE	International Caps Company, F-202, Phase II, SITE II, Super High Way, Karachi	No Change
215	39172390	Glass reinforced Polyester (GRP) Pipe	Pipe Size Range 300 mm to DN 2000 mm	--	--	Hi-Tech Pipe & Engineering Industries (Pvt) Ltd., Plot # X-22, Extension Area, S.ITE, Kotri, Sindh	No Change
216	39172900	i) Glass Reinforced Epoxy (GRE) Pipes	20 ft. upto: 18" dia (Pipe Size Range 300 mm to DN 2000 mm) For Tube Well Pipes etc.	Food Grade & other grades	--	1) Creative Engineering (Pvt) Ltd., 160/ S, Q.I.E. Kot Lakhpat Lahore 2) Hi-Tech Pipe & Engineering Industries (Pvt) Ltd., Plot # X-22, Extension Area, S.ITE, Kotri, Sindh	No Change
		ii) Fiber Reinforced Polyester (Fiberglass) Ladder	Straight Ladder up to 16 ft Extendable Ladder ranging from 10ft to 70 ft A-Frame Ladder with light, medium & heavy duty	As per standard	As per standard	1) Creative Engineering (Pvt) Ltd. , 160/ S, Q.I.E. Kot Lakhpat Lahore 2) Fibre Craft Industries, Canal Bank Hanif Park, Harbanspura Lahore - 54850	No Change
217	39174000	Fittings, plastic/ PPRC	Joints, elbows, flanges etc. ASTM 2513	As per API 5LB for steel As per ASTM 2513 for Polyethylene	As per API 5LB for steel As per ASTM 2513 for Polyethylene	1) Swabis Polyplast, A-496, St No. 9, Block "N", North Nazimabad Karachi 2) International Industries Ltd., LX 15-16, Landhi Industrial Area, Karachi	No Change
218	39181000	Polyvinyl Chloride floor covering	PVC Flooring	--	--	1) A.T.S Synthetic (Pvt) Ltd., 4-Km, Kacha Road, Kahna Nau, Lahore. 2) Green Earth Recycling Pakistan, 208/A-Street # 5, Cavalry Grounds, Cantt. Lahore 3) Asia Vinyl & Rubber Industries, 40 Ferozpur Road, Lahore	2) Green Earth is a metal recycling company and does not produce any plastic materials; therefore, as per company information its name to be deleted. 3) Asia vinyl & Rubber Industries added, as per provided information.
219	39191010	Double Sided Tape	Foam type: Thickness 200 to 1200 microns PET Type: Thickness 15 to 500 microns	White colour or with any colour	--	1) Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore 2) Osaka Electric & Industrial Co., Ground Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi	No Change
220	39191020	PVC Electric Insulation Tape - Width not exceeding 20 cm - (Retail Packing)	Thickness from 15 microns to 200 microns	Black, red, yellow, blue & white colour	--	1) Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore 2) Osaka Electric & Industrial Co., Ground Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi	No Change
221	39191030	Stationery Tape	Thickness from 15 microns to 80 microns	Transparent / with any colour	--	1) Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore 2) Osaka Electric & Industrial Co., Ground Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi	No Change
222	39191090	i) Detectable Underground Tape	LDPE Sheet with Aluminium foil	Thickness 4-7 mils, Elongation 80%, Tensile 20 lb/ inch	Al thickness 0.3 mils	Mechfit Industries, 124-IV, E-Block Model Town, Lahore	No Change
		ii) Sef Adhesive Tape	Thickness from 15 microns to 80 microns	Transparent/ with any colour	--	Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
223	39199010	Self Adhesive (Transparent/ BOPP/OPP) Tape	Thickness from 15 microns to 80 microns	Transparent / with any colour	--	1) Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore 2) Osaka Electric & Industrial Co., Ground Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi	No Change
224	39199090	i) Self Adhesive BOPP/OPP Tape - Width exceeding 20cm-Log Rolls	Thickness from 15 microns to 80 microns	Transparent / with any colour	--	1) Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore 2) Osaka Electric & Industrial Co., Ground Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi 3) Universal Coating Films Company (Pvt.) Ltd., Plot No. G-20 SITE Super Highway, Phase 2, Scheme-33, Industrial Area, Karachi	3) Universal Coating Films requested to include their name in this entry. Documents provided.
		ii) PVC Electric Insulation Tape - Width exceeding 20cm - (Log Roll)	Thickness from 15 microns to 200 microns	Black, red, yellow, blue & white colour	--	1) Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore 2) Osaka Electric & Industrial Co., Ground Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi	No Change
225	39202010	Biaxially Oriented Polypropylene (BOPP) film, all category except metallized	--	BOPP Films	Polymer	Tri-Pack Films Limited, House No 18, Sir Abdullah Haroon Road, Adjacent Marriot Hotel, Karachi	No Change
226	39202020	Biaxially Oriented Polypropylene (BOPP) film, printed	--	BOPP Films	Polymer	Tri-Pack Films Limited, House No 18, Sir Abdullah Haroon Road, Adjacent Marriot Hotel, Karachi	No Change
227	39202030	i) BOPP Film	Capacitor grade: width of roll 30mm to 120mm Thickness: 04 to 12 microns	Metallized	Ash contents ≤ 30 PPM	1) Khawaja Electronics (Pvt) Ltd., 4-H, Gulberg-III, Lahore 2) K. Caps. (Pvt.) Ltd., 4-H, Gulberg-III, Lahore.	1) Khawaja Electronics requested to delete their name from CGO, as it taken over by K. Caps.
		ii) Biaxially Oriented Polypropylene (BOPP) film, Pearl & metallized	--	BOPP Films	Polymer	Tri-Pack Films Limited, House No 18, Sir Abdullah Haroon Road, Adjacent Marriot Hotel, Karachi	No Change
228	39202040	i) Laminate for Flexible Packaging ii) Biaxially Oriented Polypropylene (BOPP) film, laminated	Plastic based laminates used for Packaging	Solid in roll form or bags	Polymer	1) Packages Convertors Ltd., Shahrah-e-Roomi, P.O. Amer Sidhu, Lahore-54760 2) Tri-Pack Films Limited, House No 18, Sir Abdullah Haroon Road, Adjacent Marriot Hotel, Karachi	No Change
229	39202090	i) Polypropylene Sheets, films, foil, strip of polypropylene	PP/PE sheet 1.5mm to 12mm (6'x4' Sheet) Flat sheeting combination of Polypropylene and Polyethylene. Thickness ranging from 1.5mm to 12mm and width upto 4 feet	Can be customized according to customer requirements	--	Green Earth Recycling Pakistan, 208/A Street #5, Cavalry Grounds, Cantt. Lahore	Green Earth is a metal recycling company and does not produce any plastics; therefore, the name of Green Earth to be deleted from CGO.
		ii) Others, Cast Polypropylene (CPP) film, all category	--	CPP Films	Polymer	Tri-Pack Films Limited, House No 18, Sir Abdullah Haroon Road, Adjacent Marriot Hotel, Karachi	No Change
		iii) Other (Sheets, films, foil, strip of polypropylene)	Plastic Corrugated Sheets	Hollow Plastic Sheets with GSM 450-1600 range of and thickness range 2-6mm	Combination of plastic resins, and masterbatches	Bin Rasheed Color & Chemical Mfg Co., 338A-341, Sundar Industrial Estate, Raiwind Road, Lahore 53801	Bin Rasheed Color requested to include this item in existing Code.

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
230	39203000	Polystyrene plates, sheets, film,	- HIPS 1mm to 4mm (6*4" sheet) - GPPS, Polystyrene Sheet Thickness 0.25 mm to 7.00 mm Width 48" - Flat sheeting made from Polystyrene (PS), High Impact Polystyrene (HIPS), General Purpose Polystyrene (GPPS), Acrylic (PMMA), Acrylonitrile Butadiene Styrene (ABS), a combination of HIPS and GPPS and a combination of ABS and PMMA. Thickness ranging from 1 mm to 10 mm and width upto 4.5 feet	--	Polystyrene sheet is a high impact grade of polystyrene with improved stress crack resistance, developed for extrusion and thermoforming applications, especially for the refrigerator industry in various thickness and sizes.	1) Lucky Plastic Industries (Pvt) Ltd., Polymer House E-110 Main Boulevard Defence, Lahore Cantt, Lahore. 2) Cool Industries (Pvt) Limited, 9th KM Multan Road, Hanjarwal Lahore 3) Green Earth Recycling Pakistan, 208/A Street # 5, Cavalry Grounds, Cantt. Lahore	No Change
231	39204300	Polyvinyl Chloride plates, sheets,	PVC Flexible Sheet Width = Upto 132 Inches Minimum Thickness = 30Micron, Maximum Thickness = 2000Micron, Length = As per customer requirement	--	--	A.T.S Synthetic (Pvt) Ltd., 4-Km, Kacha Road, Kahna Nau, Lahore.	No Change
232	39204910	i) Polyvinyl Chloride plates, sheets, rigid	Width 24" Thickness 50 to 500 Micron (PVC)	--	--	Lucky Plastic Industries (Pvt) Ltd., Polymer House E-110 Main Boulevard Defence, Lahore Cantt, Lahore.	No Change
		ii) PVC Rigid Sheet	Thickness = 0.05 mm to 0.8 mm, Width = 1520 mm, Color = Transparent / Any	As per standard	As per standard	A.T.S Synthetic (Pvt) Ltd., 4-Km, Kacha Road, Kahna Nau, Lahore.	No Change
		iii) Grounding Set	DD PD 21_2008 Insulation rating 11kV	As per standard	As per standard	Fibre Craft Industries, Canal Bank Hanif Park, Harbanspura Lahore - 54850	No Change
233	39204990	Polyvinyl Chloride plates, sheets,	Width 24" Thickness 50 to 500 Micron (PVC)	--	--	Lucky Plastic Industries (Pvt) Ltd., Polymer House E-110 Main Boulevard Defence, Lahore Cantt, Lahore.	No Change
234	39205900	Polyacrylic, other, plates, sheets,	Width Acrylic 1.5mm to 12mm 6*4	--	--	Lucky Plastic Industries (Pvt) Ltd., Polymer House E-110 Main Boulevard Defence, Lahore Cantt, Lahore.	No Change
235	39206200	BOPET Film (All types i.e. transparent, chemical coated, metalized, etc.)	Having thickness of various micron	--	--	1) Novatex Ltd., Ground Floor, G&T Tower # 18, Beaumont Road, Civil Lines - 10, Karachi - 75530 2) Astro Plastics (Pvt) Ltd., 17-Banglore Town, Shahrach-e-Faisal, Karachi	No Change
236	39206310	Polyester rigid film	Micron 150 to 1800	--	--	Krystalite Products (Pvt) Ltd., 11th Floor, G&T Tower No. 18, Beaumont, Civil Lines - 10, Karachi.	No Change
	39206390	Modified Solid Surface Sheet	Length 3600mm and width 760mm. Th: 6 to 18mm	Sheets with different color and design		Prisma Tech. (Pvt) Limited. 93CCA, Block-DD, Phase-4, DHA Lahore	Prisma Tech requested to include this new item in the list. Relevant data provided and also physically verified.
237	39206900	i) BOPET Film (All types i.e. transparent, chemical coated, metalized, etc.)	Having thickness of various micron	--	--	1) Novatex Ltd., Ground Floor, G&T Tower # 18, Beaumont Road, Civil Lines - 10, Karachi - 75530 2) Astro Plastics (Pvt) Ltd., 17-Banglore Town, Shahrach-e-Faisal, Karachi	
		ii) Modified Solid Surface Sheet	Length 3600mm and width 760mm. Th: 6 to 18mm	Sheets with different color and design		Prisma Tech. (Pvt) Limited. 93CCA, Block-DD, Phase-4, DHA Lahore	Prisma Tech requested to include this new item in the list. Relevant data provided and also physically verified.

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
238	39211200	Polyvinyl Chloride plates, sheets,	PVC Film	--	--	A.T.S Synthetic (Pvt) Ltd., 4-Km, Kacha Road, Kahna Nau, Lahore.	No Change
239	39211300	Polyurethane plates, sheets, film,	Polyurethane Sandwich Panels	Thickness from 60mm to 150mm	--	Pakistan Insulations Pvt. Ltd., 107 Business Avenue, PECHS Block-6, Karachi	No Change
240	39219090	i) Tooth paste tube Laminate	100-125 mic PE+Co-polymer laminated to foil 20-40 mic + PE + Co-polymer both sides. (Total thickness 290 to 300 mic)	--	--	Aluminum Processing Industries Int'l (Pvt) Ltd., D-76, S.I.T.E. Karachi	No Change
		ii) PVC Flex Vinyl/Banner	GSM = 240 gm to 610 gm, Width = 40 inch to 126 inch, Color = White / Any	--	--	A.T.S Synthetic (Pvt) Ltd., 4-Km, Kacha Road, Kahna Nau, Lahore.	No Change
		iii) PVC Geo Membrane	Thickness = 0.25 mm to 3 mm, Width = 84 inch to 132 inch, Color = Black / Any	--	--		No Change
		iv) Other, Pet Sheet	Micron 150 to 1800 Width upto 1.8mm	--	--	Krystalite Products (Pvt) Ltd., 11th Floor, G&T Tower No. 18, Beaumont, Civil Lines - 10, Karachi.	No Change
		v) Other (Sheets, films, foil, strip of plastics)	Liquid Colorants for PU, PVC, W/B & S/B, Paints, Textile printing	Hollow Plastic Sheets with GSM 450-1600 range of and thickness range 2-6mm	Combination of plastic resins, and masterbatches	Bin Rasheed Color & Chemical Mfg Co. 338A-341, Sundar Industrial Estate, Raiwind Road, Lahore 53802	Bin Rasheed Color requested to include this item in existing Code.
	39229000	i) Polyvinyl Chloride (PVC) Waterstopper	PVC Waterstopper	Comes in various thicknesses and widths	PVC Plasticiser Stabiliser Calcium	Asia Vinyl & Rubber Industries, 40 Ferozpur Road, Lahore	Asia Vinyl Requestd to include this new item against their name. relevant information provided and also physically verified.
		ii) Rubber Waterstopper		Comes in various thicknesses and widths	Rubber, Natural		
		iii) Polyvinyl Chloride (PVC) Mudflaps	Mudflaps used for commercial vehicles Comes with or without logo in printed form with UV coating layer protection	Various thicknesses, widths and length as per the customer demand and vehicle size	PVC Plasticiser Stabiliser Calcium UV Coating		
241	39231000	Boxes, cases, plastic caps and plastic similar articles	Boxes, plastic, for conveyance or packing Range Ø44mm to 32 OZ	--	--	1) Polycon Pakistan Pvt. Ltd., 62-CMA Officers Colony, 4th Street, Lahore Cantt. Lahore 2) Krystalite Products (Pvt) Ltd., 11th Floor, G&T Tower No. 18, Beaumont, Civil Lines - 10, Karachi.	No Change
	39232100	Sacks and bags, of polymers of ethylene	Made of pure HDPE virgin, UV stabilized	Rolls and Bags	Polymer based	Pak Agro Packaging Ltd., Plot 23, Phase IV, Hattar Industrial Estate Haripur, KPK	Pak Agro requested to add this in the list. Sample and proforma provided.
	39232900	Sacks and bags, of other plastics	Made of pure HDPE virgin, UV stabilized	Rolls and Bags	Polymer based	Pak Agro Packaging Ltd., Plot 23, Phase IV, Hattar Industrial Estate Haripur, KPK	Pak Agro requested to add this in the list. Sample and proforma provided.
242	39233010	Bottle	Weight 17gm to 50.64gm, Neck 28mm I.V 85	--	--	Krystalite Products (Pvt) Ltd., 11th Floor, G&T Tower No. 18, Beaumont, Civil Lines - 10, Karachi.	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
243	39235000	Plastic caps	Plastic caps	--	--	1) International Caps Company, 121/A, Ishaqabad, Sir Shah Mohd Suleman Road, Karachi-75900 2) Krystalite Products (Pvt) Ltd., 11th Floor, G&T Tower No. 18, Beaumont, Civil Lines - 10, Karachi.	No Change
244	39239010	Preforms	Made from PET Resin	All ranges including and above 11.5 grams.	--	1) Gatron (Industries) Limited, 11th Floor, G&T Tower No. 18, Beaumont, Civil Lines – 10, Karachi. 2) Novatex Ltd. , Ground Floor, G&T Tower # 18, Beaumont Road, Civil Lines - 10, Karachi - 75530	No Change
	39239090	articles for conveyance or packaging of plastics (others)	Plastic Corrugated Sheets	Plastic reusable boxes and plastic crates of different dimensions	Combination of plastic resins, and masterbatches	Bin Rasheed Color & Chemical Mfg Co., 338A-341, Sundar Industrial Estate, Raiwind Road, Lahore 53803	Bin Rasheed Color requested to include this new code in the list.
245	39249000	Cans, plastic (Household)	10 ml to 40 litres.	--	Hydensity polyethylene,ABS, PP	Plasticans (Pvt) Ltd. 120/3 Industrial Estate, Kot Lakhpat Lahore	No Change
246	39251000	Oil Storage Tanks	--	As per Customer Specification	As per Customer Specification	Spleen Manufacturing (Pvt) Ltd., 20-KM Ferozepur Road, Off 3/4 KM Asif Town # 2, Lahore	No Change
	39259090	PVC Wall Panels	PVC Wall Panels	Width various – 10”, 14”, 16” 24” Thickness – 8mm	PVC Stabiliser Calcium ACR CPE Titanium	Asia Vinyl & Rubber Industries, 40 Ferozpur Road, Lahore	Asia Vinyl Requestd to include this new item against their name. relevant information provided and also physically verified.
247	39269099	i) Textile Spinning Ring Bobbin	Polycarbonate with glass fibre Polycarbonate –ABS Any Size with and without bush and ring	highly flexural strength -impact strength	polycarbonate glass fibre	Punjab Spring & Engg. Works, Chak no.65, Manga Road Near Makkah Sugar Mill.	No Change
		ii) Ring Bobbin crate	Size (mm): 520x300x320 -CoPolypropylene		CoPolypropylene		No Change
		iii) Dyeing Cone & Cheese Cone	Any Size		Polypropylene		No Change
		iv) Mulching Film Nets	15-30 micron 2-4 ft width	Rolls & Kgs	Polymer based	Pak Agro Packaging Ltd., Plot 23, Phase IV, Hattar Industrial Estate Haripur, KPK	No Change
	40029900	Synthetic Rubber - Other -- Other	TPR Thermoplastic Rubber Compounds	Melting range of 100-180oC., 0 Shore A – 80 Shore A, Density 0.5-1.8 g/cm3	Combination of plastic resins, additives and mineral fillers	Bin Rasheed Color & Chemical Mfg Co., 338A-341, Sundar Industrial Estate, Raiwind Road, Lahore 53804	Bin Rasheed Color requested to include this new code in the list.
248	40030000	Rubber, reclaimed	PS: 1915 - 1987 ISO: 4633/ 1 - 1983	Natural or Synthatic rubber	--	Dadex Eternit Ltd., Dadex House, 34-A/1, Block-6, P.E.C.H.S. Shahrah-e-Faisal Karachi	No Change
249	40070010	Vulcanized Ruber	Use in Elastic	High Elongation	Homogenized Bland of Latex & different Chemical	Fintex Mfg. Crop. (Pvt) Ltd., Plot # G-17-18,H.I.T.E, Hub, Balucistan	No Change
250	40070090	Thread &Cord	Use in Elastic	High Elongation	Homogenized Bland of Latex & different Chemical	Fintex Mfg. Crop. (Pvt) Ltd., Plot # G-17-18,H.I.T.E, Hub, Balucistan	No Change
251	40091190	Pipes and tubing	All types, un-hardened vulcanized rubber excluding bearing API certification., Rubber hoses	--	--	1) Longman Mills, Lahore, 14-N Industrial Area Gulberg-II Lahore-45660 2) Samad Rubber Works Ltd., 409-Ferozepur Road P.O. FC, College Lahore-54600 3) Darson Rubber Works Ltd., Darson Road, G.T. Road, P.O. Box 5, Wazirabad – 52000	No Change
252	40091200	i) Hoses, vulcanised rubber,	ASTM & SAE, with Fittings, excl hard rubber, with their fittings	--	--	Darson Industries Private Limited, Darson Road, P O Box 5, Wazirabad-52000	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		ii) Hoses, vulcanised rubber, not reinforced or Combined	Size ½”, 3/8”, length 3’, 3.5’, 4’, 6’ available for Nat Gas LPG, confirming to BS 669-1:1989 [Excluding High Pressure Hoses of over 30 PSI & having API Certification]	--	--	Tesla Industries Pvt. Ltd., Plot No. 81-F, St. 6, I-10/3, Islamabad	No Change
253	40101100	Belt Conveyors	5 Ton To 300 Ton / hour	--	--	TDFC (Pvt) Ltd., East Pharange Drainage, Millat Town, Millat Road, Faisalabad	No Change
254	40101900	Conveyors Belts and Transmission Belts (of Vulcanized Rubber)	Belts from 25mm in width to 2300mm width with any length and thickness and number of plies. (as per customers requirements)	--	Heat Resistant and abrasion resistant	Chawla Rubber & Plastic Ind. (Pvt) Ltd., 43-Industrial Area, Township, Kot Lakhpat, Lahore	No Change
255	40111000	Tyres	145/70R12, 145/80R12, 155/70R12, 165/70R12, 145/80 R13, 155/80R13, 185/70R13, 165/80R13, 165/65R13, 175/70R13, 185/65R14, 185/60 R15, 175/70R14, 195/65 R14, 195/65 R15, 175/65R15, 205/55R16, 215/55R16 for Motor Cars and 450-12, 600-12, 615-13, 165-13, motor cars/ station wagons	--	--	1) The General Tyre & Rubber Co. of Pakistan Ltd. , Ghandhara Tyre & Rubber Company Ltd., H-23/2, Landhi Industrial Trading Estate, Landhi, Karachi 2) United Rubber (Pvt) Ltd., 70-Industrial Estate Jamrud Road Peshawar	1) The General Tyre & Rubber Co. of Pakistan changed to Ghanghara Tyre & Rubber Company Ltd. Proof of name change also provided.
256	40112011	Tyres/ Light Truck Radial Tyre	4.50-12, 6.50-14, , 6.00-16, 6.50-16, 7.00-16, 7.50-16, 145R12, 185R14, 195R14, 7.50 R16, 195R15, 205/70R15 for Light Trucks Commercial Vehicles, 450-12 8PR, 600-14, 650-14, 750-16, for light trucks - 4.50-12, 6.50-14, 6.00-16, 1.75/80-16, 6.50-16, 7.50-16, 185 R 14C, 195 R 14C, 750 R 16C	--	--	1) The General Tyre & Rubber Co. of Pakistan Ltd. , Ghandhara Tyre & Rubber Company Ltd., H-23/2, Landhi Industrial Trading Estate, Landhi, Karachi 2) United Rubber (Pvt) Ltd., 70-Industrial Estate Jamrud Road Peshawar 3) Service Long March Tyres (Pvt.) Ltd. B-61, Sindh Industrial Trading Estate Nooriabad, Jamshoro.	1) The General Tyre & Rubber Co. of Pakistan changed to Ghanghara Tyre & Rubber Company Ltd. Proof of name change also provided. 3) Service Long March Tyres added in this entry. Relevant information provided.
257	40112019	Tyres	4.50-12, 6.50-14, , 6.00-16, 6.50-16, 7.00-16, 7.50-16, 145R12, 185R14, 195R14, 7.50 R16, 195R15, 205/70R15 for Light Trucks Commercial Vehicles, 450-12 8PR, 600-14, 650-14, 750-16, for light trucks - 4.50-12, 6.50-14, 6.00-16, 1.75/80-16, 6.50-16, 7.50-16, 185 R 14C, 195 R 14C, 750 R 16C	--	--	1) The General Tyre & Rubber Co. of Pakistan Ltd. , Ghandhara Tyre & Rubber Company Ltd., H-23/2, Landhi Industrial Trading Estate, Landhi, Karachi 2) United Rubber (Pvt) Ltd., 70-Industrial Estate Jamrud Road Peshawar	1) The General Tyre & Rubber Co. of Pakistan changed to Ghanghara Tyre & Rubber Company Ltd. Proof of name change also provided.
258	40112019	Tyres, rubber, pneumatic	4.50-12, 5.00-12, 6.50-14, 7.50-16 Jeep, 6.00-16 Jeep, 6.00-9, 7.00-12 Light Truck & Jeep	--		Panther Tyres Ltd., Panther House, Aziz Avenue, Canal Bank, Jail Road, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
259	40112091	Tyres/ Bus Radial Tyre	- 350-8, 400-8 for Rickshaw,Scooter - 8.25-20, 9.00-20, 10.00-20, 11.00-20 12.00-20, for heavy Trucks/Buses & Lorries	--	--	1) The General Tyre & Rubber Co. of Pakistan Ltd. ; Ghandhara Tyre & Rubber Company Ltd., H-23/2, Landhi Industrial Trading Estate, Landhi, Karachi 2) United Rubber (Pvt) Ltd., 70-Industrial Estate Jamrud Road Peshawar 3) Service Long March Tyres (Pvt.) Ltd. B-61, Sindh Industrial Trading Es	1) The General Tyre & Rubber Co. of Pakistan changed to Ghanghara Tyre & Rubber Company Ltd. Proof of name change also provided. 3) Service Long March Tyres added in this entry. Relevant information provided.
260	40112099	Tyres	- 350-8, 400-8 for Rickshaw,Scooter - 8.25-20, 9.00-20, 10.00-20, 11.00-20 12.00-20, for heavy Trucks/Buses & Lorries	--	--	1) The General Tyre & Rubber Co. of Pakistan Ltd. ; Ghandhara Tyre & Rubber Company Ltd., H-23/2, Landhi Industrial Trading Estate, Landhi, Karachi 2) United Rubber (Pvt) Ltd., 70-Industrial Estate Jamrud Road Peshawar	1) The General Tyre & Rubber Co. of Pakistan changed to Ghanghara Tyre & Rubber Company Ltd. Proof of name change also provided.
261	40114000	Pneumatic Tyres	i) For 2/3 Wheelers (Motorcyels, Scooters, Auto Rickshaws, Motorcycles Rickshaws, wheel barrow) ii) 2.25-17, 2.50-17, 2.50-18, 3.00-17, 4.00-8, 135-10 for Motorcycles & Rickshaws/Scooters iii) 100/90-18, 110/90-16, 2.25-17, 2.50-17, 2.50-18, 2.75-17, 2.75-18, 3.00-16, 3.00-17, 3.00-18, 3.50-10, 3.50-8, 90/90-12, 90/90-18 Motorcycle Front & Rear	--	--	1) Service Industries Ltd., Service House-2, Main Gulberg, Lahore 2) The General Tyre & Rubber Co. of Pakistan Ltd. ; Ghandhara Tyre & Rubber Company Ltd., H-23/2, Landhi Industrial Trading Estate, Landhi, Karachi 3) Crown Tyres Limited, Taj Chowk, Ahmad Pur Lama Road, Sadiq Abad District, Rahim Yar Khan. 4) Panther Tyres Ltd., Panther House, Aziz Avenue, Canal Bank, Jail Road, Lahore	2) The General Tyre & Rubber Co. of Pakistan changed to Ghanghara Tyre & Rubber Company Ltd. Proof of name change also provided.
262	40115000	Pneumatic Tyres	bicycles (28"*1.50"); (26"*2.125"); (26"*2.125"); (16"*1.75"); (26"*2.125"); (26"*1.95"); (24"*1.95"); (20"*2.125"); (16"*2.125"); (26"*1.3/8"); (24"*1.3/8"); (20"*1.3/8")	--	--	Service Industries Ltd., Service House-2, Main Gulberg, Lahore	No Change
263	40117000	i)Tyres,rubber,pneumatic	12.4/11-24, 12.4/11-28, 12.4-24, 14.9/13-28, 15.5-38, 16.9/14-30, 18.4/15-30, 7.50-20, 6.00-16 Tractor, 7.50-16 Tractor, 9.00-20 Tractor Agriculture	--	--	Panther Tyres Ltd., Panther House, Aziz Avenue, Canal Bank, Jail Road, Lahore	4) CG
		ii) Agri Tyre R	6.00-16, 7.50-16, 7.50-20, 12.4-28, 18.4-30, 14.9-28, 15.5-38	--	--	Service Industries Ltd., Service House-2, Main Gulberg, Lahore	Service Industries added in this existing entry. Relevant information provided.
264	40118000	Tyres,rubber,pneumatic	20.5-25, 23.5-25	--	--	Panther Tyres Ltd., Panther House, Aziz Avenue, Canal Bank, Jail Road, Lahore	No Change
265	40119010	Tyres,rubber,pneumatic	1.35-10, 4.00-8, 5.00-10 Rickshaw Front & Rear	--	--	Panther Tyres Ltd., Panther House, Aziz Avenue, Canal Bank, Jail Road, Lahore	No Change
266	40139010	Inner Tubes of Rubber	Truck/Bus 10.00-20, 11.00-20, 9.00-20	--	--	Panther Tyres Ltd., Panther House, Aziz Avenue, Canal Bank, Jail Road, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
267	40131020	Inner Tubes of Rubber	12,13,14,16 , 450-12, 600-12, 615-13, 165-13 for vehicles	--	--	1) Panther Tyre Ltd., Panther House, Aziz Avenue, Canal Bank, Jail Road, Lahore 2) United Rubber (Pvt) Ltd., 70-Industrial Estate Jamrud Road Peshawar 3) Crown Tyres Limited, Taj Chowk, Ahmad Pur Lama Road, Sadiq Abad District, Rahim Yar Khan.	No Change
268	40132000	Inner Tubes of Rubber	28*1-1/2,28*1-3/8 24*1-3/8,26*2-1.25 for bicycles	--	--	1) Panther Tyres Ltd., Panther House, Aziz Avenue, Canal Bank, Jail Road, Lahore 2) Service Industries Ltd., Service House-2, Main Gulberg, Lahore	No Change
269	40139010	Inner Tubes of Rubber	5.50-16, 6.00-16, 7.50-16 for Agricultural vehicles	--	--	1) United Rubber (Pvt) Ltd., 70-Industrial Estate Jamrud Road Peshawar 2) The General Tyre & Rubber Co. of Pakistan Ltd. , Ghandhara Tyre & Rubber Company Ltd., H-23/2, Landhi Industrial Trading Estate, Landhi, Karachi	2) The General Tyre & Rubber Co. of Pakistan changed to Ghanghara Tyre & Rubber Company Ltd. Proof of name change also provided.
270	40139020	Inner Tubes of Rubber	Motorcycle & Scooter 2.25-17, 2.25-50-17, 2.50-75-17, 2.50-75-18, 3.00-16, 3.00-17, 3.00-18, 3.50-10, 3.50-16, 3.50-8, 90/90-18	--	--	1) Panther Tyres Ltd., Panther House, Aziz Avenue, Canal Bank, Jail Road, Lahore 2) United Rubber (Pvt) Ltd., 70-Industrial Estate Jamrud Road Peshawar 3) The General Tyre & Rubber Co. of Pakistan Ltd. , Ghandhara Tyre & Rubber Company Ltd., H-23/2, Landhi Industrial Trading Estate, Landhi, Karachi 4) Crown Tyres Limited, Taj Chowk, Ahmad Pur Lama Road, Sadiq Abad District, Rahim Yar Khan. 5) Service Industries Ltd., Service House-2, Main Gulberg, Lahore	3) The General Tyre & Rubber Co. of Pakistan changed to Ghanghara Tyre & Rubber Company Ltd. Proof of name change also provided. 5) Service Industries added in this entry. Relevant information provided.
271	40139030	Inner Tubes of Rubber	600-14, 650-14 for Jeep	--	--	United Rubber (Pvt) Ltd., 70-Industrial Estate Jamrud Road Peshawar	No Change
272	40139090	Inner Tubes of Rubber	350-8, 400-8 for Rickshaws and Scooters Rickshaw 1.35-10, 4.00-8	--	--	1) United Rubber (Pvt) Ltd., 70-Industrial Estate Jamrud Road Peshawar 2) Service Industries Ltd., Service House-2, Main Gulberg, Lahore 3) Panther Tyres Ltd., Panther House, Aziz Avenue, Canal Bank, Jail Road, Lahore	No Change
273	40161090	Textile Spinning Rubber Apron	Any Size with any Hardness	Ozone crack resistance -vegetable oil resistance -abrasion resistance -moisture resistance -tear resistance -antistatic resistance	Ozone crack resistance -vegetable oil resistance -abrasion resistance -moisture resistance -tear resistance -antistatic resistance	Punjab Spring & Engg. Works, Chak no.65, Manga Road Near Makkah Sugar Mill.	No Change
274	40169210	Tip Erasers	Plastic	--	--	1) Indus Pencil Industries, B-54, Manghopir Road SITE Karachi 2) Toray Plast, Al Jannat Road, Saggian Ravi By Pass, Nain Sukh, Lahore	No Change
275	40169290	Erasers	Plastic	--	--	1) Indus Pencil Industries, B-54, Manghopir Road SITE Karachi 2) Toray Plast, Al Jannat Road, Saggian Ravi By Pass, Nain Sukh, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
	40169990	Rubber Stopper	Bromobutyl Rubber Stoppers of Pharma Grade (however, does not comply with USP Specifications)	Height : 12.2 mm, Top Dia: 30.8 mm, Neck Dia: 23.6 mm, Thickness: 4.0 mm	--	Ghani Metal & Rubber Industries (Pvt.) Ltd., Plot No. 62-A, Phase-II, M-3 Industrial City FIEDMC, Faisalabad.	Ghani Metal & Rubber Industries requested to include this new item in the list. Relevant information provided and <u>also physically verified</u>
276	40169390	Swivel and Nut Assembly	1/2"	Denisty 8.41 g/cm3	60/40 Brass	Sindh Standard Engineering Works, F-713-A, S.I.T.E, Metrovill, Karachi	No Change
277	42010000	Belts or Belting of rubber and/or leather excluding those conforming to API specifications.	Conforming to BSS-351 & 490 (excluding grades, N 17, M 24 & above) Also conforming to DIN 22102 (excluding grades; M, N and above)	--	--	Premier Rubber Belting Mfg. Co., C-13, SITE Karachi	No Change
278	44109000	Chipboard	Board made of chips of wood	Sheets size 8*4 density 600	Glue Urea Formaldehyde	Chenab Particle Board (Pvt) Ltd., 30.k.m. Gujranwala Road, Alipur Chatta,	No Change
279	44111200	Medium Density Fiber (MDF) / Lamination Board	Size 8 x 4 (standard) OR, as per customer requirement OR 1220 x 2440 x 2.0 mm 1220 x 2440 x 2.2 mm 1220 x 2440 x 3.0 mm 1220 x 2440 x 4.0 mm 1220 x 2440 x 4.5 mm 1220 x 2440 x 5.0 mm	Density Profile: EN 323 Swelling: EN 317 Surface Soundness: EN 311-2002 Screw Pull Force: EN 320 MOR & MOE: EN 310 Internal Bond: EN 319 Moisture Content: ASTM D2216 Surface Gloss: ASTM D523-14	Emission in Board: EN 717-2 Board Standard: E1	1) Chenab Particle Board (pvt) Ltd., 30.k.m. Gujranwala Road, Alipur Chatta, 2) Al Noor Sugar Mills Ltd., Shahpur Jahania, Taluka Moro, District Naushero Feroze 3) Ciel Wood Works (Pvt) Ltd., 17, Ind. Estate, Jumrud Road, Peshawar 4) Frontier Green Wood Industries (Pvt) Ltd., W 28, 29 and plot No. 14, 27 Industrial Estate, Jamrud Road, Peshawar 5) Garibsons (Pvt) Ltd., C69-71, 12th Commercial Street Phase 2 Ext, DHA Karachi 6) Taj Board, Near Taj Ghee Sakha Kot Road, Sher Ghar, KPK 7) Hamza Board, 10 KM Gojra Pensra Road, Gojra. 8) ZRK Industries (Pvt) Ltd., Plot No. W-16, 17 Industrial Estate Jamrud Road, Hayatabad, Peshawar 9) Peshawar Particle Board Industries (Pvt) Ltd., Plot No. W-16, 17 Industrial Estate Jamrud Road, Hayatabad, Peshawar	No Change
280	44111300	Medium Density Fiber (MDF) / Lamination Board	Size 8 x 4 (standard) OR, as per customer requirement OR 1220 x 2440 x 5.5 mm 1220 x 2440 x 6.0 mm 1220 x 2440 x 6.5 mm 1220 x 2440 x 7.0 mm 1220 x 2440 x 8.0 mm 1220 x 2440 x 9.0 mm	Density Profile: EN 323 Swelling: EN 317 Surface Soundness: EN 311-2002 Screw Pull Force: EN 320 MOR & MOE: EN 310 Internal Bond: EN 319 Moisture Content: ASTM D2216 Surface Gloss: ASTM D523-14	Emission in Board: EN 717-2 Board Standard: E1	1) Chenab Particle Board (pvt) Ltd., 30.k.m. Gujranwala Road, Alipur Chatta, 2) Al Noor Sugar Mills Ltd., Shahpur Jahania, Taluka Moro, District Naushero Feroze 3) Ciel Wood Works (Pvt) Ltd., 17, Ind. Estate, Jumrud Road, Peshawar 4) Frontier Green Wood Industries (Pvt) Ltd., W 28, 29 and plot No. 14, 27 Industrial Estate, Jamrud Road, Peshawar 5) Garibsons (Pvt) Ltd., C69-71, 12th Commercial Street Phase 2 Ext, DHA Karachi 6) Taj Board, Near Taj Ghee Sakha Kot Road, Sher Ghar, KPK 7) Hamza Board, 10 KM Gojra Pensra Road, Gojra 8) ZRK Industries (Pvt) Ltd., Plot No. W-16, 17 Industrial Estate Jamrud Road, Hayatabad, Peshawar 9) Peshawar Particle Board Industries (Pvt) Ltd., Plot No. W-16, 17 Industrial Estate Jamrud Road, Hayatabad, Peshawar	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
281	44111400	Medium Density Fiber (MDF) / Lamination Board	Size 8 x 4 (standard) OR, as per customer requirement OR 1220 x 2440 x 10 mm 1220 x 2440 x 11 mm 1220 x 2440 x 12 mm 1220 x 2440 x 15 mm 1220 x 2440 x 16 mm 1220 x 2440 x 17 mm 1220 x 2440 x 18 mm 1220 x 2440 x 24 mm 1220 x 2440 x 30 mm	Density Profile: EN 323 Swelling: EN 317 Surface Soundness: EN 311-2002 Screw Pull Force: EN 320 MOR & MOE: EN 310 Internal Bond: EN 319 Moisture Content: ASTM D2216 Surface Gloss: ASTM D523-14	Emission in Board: EN 717-2 Board Standard: E1	1) Chenab Particle Board (pvt) Ltd., 30.k.m. Gujranwala Road, Alipur Chatta, 2) Al Noor Sugar Mills Ltd., Shahpur Jahania, Taluka Moro, District Naushero Feroze 3) Ciel Wood Works (Pvt) Ltd., 17, Ind. Estate, Jumrud Road, Peshawar 4) Frontier Green Wood Industries (Pvt) Ltd., W 28, 29 and plot No. 14, 27 Industrial Estate, Jamrud Road, Peshawar 5) Garibsons (Pvt) Ltd., C69-71, 12th Commercial Street Phase 2 Ext, DHA Karachi 6) Taj Board, Near Taj Ghee Sakha Kot Road, Sher Ghar, KPK 7) Hamza Board, 10 KM Gojra Pensra Road, Gojra 8) ZRK Industries (Pvt) Ltd., Plot No. W-16, 17 Industrial Estate Jamrud Road, Hayatabad, Peshawar 9) Peshawar Particle Board Industries (Pvt) Ltd., Plot No. W-16, 17 Industrial Estate Jamrud Road, Hayatabad, Peshawar	No Change
282	44119200	Melamine Moulded Door skin of a density exceeding 0.8 G/CM2	Width = 27" , 39", 42" Length = 84"	Density Profile: EN 323 Swelling: EN 317 Surface Soundness: EN 311-2002 Screw Pull Force: EN 320 MOR & MOE: EN 310 Internal Bond: EN 319 Moisture Content: ASTM D2216 Surface Gloss: ASTM D523-14	Emission in Board: EN 717-2 Board Standard: E1	1) ZRK Industries (Pvt) Ltd., Plot No. W-16, 17 Industrial Estate Jamrud Road, Hayatabad, Peshawar 2) Peshawar Particle Board Industries (Pvt) Ltd., Plot No. W-16, 17 Industrial Estate Jamrud Road, Hayatabad, Peshawar	No Change
283	44119310	Not Mechanically Worked or Surface Covered		Density Profile: EN 323 Swelling: EN 317 Surface Soundness: EN 311-2002 Screw Pull Force: EN 320 MOR & MOE: EN 310 Internal Bond: EN 319 Moisture Content: ASTM D2216 Surface Gloss: ASTM D523-14	Emission in Board: EN 717-2 Board Standard: E1	1) ZRK Industries (Pvt) Ltd., Plot No. W-16, 17 Industrial Estate Jamrud Road, Hayatabad, Peshawar 2) Peshawar Particle Board Industries (Pvt) Ltd., Plot No. W-16, 17 Industrial Estate Jamrud Road, Hayatabad, Peshawar	No Change
284	44119390	Veneered Moulded Door Skin Primed Molded Fibre Board Door Skin Melamine Moulded Door Skin UV melamine MDF	Width = 27" , 39", 42" Length = 84" UV 16mm & 17mm Size=(1220x2440)	Density Profile: EN 323 Swelling: EN 317 Surface Soundness: EN 311-2002 Screw Pull Force: EN 320 MOR & MOE: EN 310 Internal Bond: EN 319 Moisture Content: ASTM D2216 Surface Gloss: ASTM D523-14	Emission in Board: EN 717-2 Board Standard: E1	1) ZRK Industries (Pvt) Ltd., Plot No. W-16, 17 Industrial Estate Jamrud Road, Hayatabad, Peshawar 2) Peshawar Particle Board Industries (Pvt) Ltd., Plot No. W-16, 17 Industrial Estate Jamrud Road, Hayatabad, Peshawar	No Change
285	44119400	BTO Standard Red Stamping Sheet Fibre Board BCC Premium Fibre Board BTO Standard Fibre Board BCR Superior of a density not exceeding 0.5 G/CM2		Density Profile: EN 323 Swelling: EN 317 Surface Soundness: EN 311-2002 Screw Pull Force: EN 320 MOR & MOE: EN 310 Internal Bond: EN 319 Moisture Content: ASTM D2216 Surface Gloss: ASTM D523-14	Emission in Board: EN 717-2 Board Standard: E1	1) ZRK Industries (Pvt) Ltd., Plot No. W-16, 17 Industrial Estate Jamrud Road, Hayatabad, Peshawar 2) Peshawar Particle Board Industries (Pvt) Ltd., Plot No. W-16, 17 Industrial Estate Jamrud Road, Hayatabad, Peshawar	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
286	48025510	Writing Printing Paper	General category of white paper suitable for printing and writing	Bleached Pulp	Cellulosic material	1) Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore 2) Century Paper & Board Mills Ltd., 62 KM Lahore Multan Highway, N-5, District Kasur	No Change
287	48025590	Writing Printing Paper	General category of white paper suitable for printing and writing	Bleached Pulp	Cellulosic material	Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore	No Change
288	48025600	Photo Copy Paper	Paper designed to run of Photo coping machines	Bleached Pulp	Cellulosic material	1) Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore 2) Century Paper & Board Mills Ltd., 62 KM Lahore Multan Highway, N-5, District Kasur	No Change
289	48025700	Photo Copy Paper	--	--	--	Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore	No Change
290	48026100	Writing Printing Paper	--	--	--	Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore	No Change
291	48026200	Photo Copy Paper	Paper designed to run of Photo coping machines	Bleached Pulp	Cellulosic material	1) Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore 2) Century Paper & Board Mills Ltd., 62 KM Lahore Multan Highway, N-5, District Kasur	No Change
292	48026990	Photo Copy Paper	Paper designed to run of Photo coping machines	Bleached Pulp	Cellulosic material	1) Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore 2) Century Paper & Board Mills Ltd., 62 KM Lahore Multan Highway, N-5, District Kasur	No Change
293	48030000	Jumbo Reel of Toilet or Facial Tissue or similar kind of paper	Toilet or facial tissue stock, towel or napkin stock and similar paper of a kind in Jumbo tissue reel form (Grammage 13.5 gsm to 32 gsm)	Solid in roll form, Packed finished product after converting it into different consumer specific requirements	Wood pulp and recycled paper, board & tissue material	1) Packages Convertors Ltd., Shahrach-e-Roomi, P.O. Amer Sidhu, Lahore-54760 2) Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore	No Change
294	48041100	Semi Kraft	Outer Paper for corrugated containers	Mix of Kraft pulp and recovered fiber	Cellulosic material	1) Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore 2) Century Paper & Board Mills Ltd., 62 KM Lahore Multan Highway, N-5, District Kasur	No Change
295	48041900	Semi Kraft	Outer Paper for corrugated containers	Mix of Kraft pulp and recovered fiber	Cellulosic material	1) Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore 2) Century Paper & Board Mills Ltd., 62 KM Lahore Multan Highway, N-5, District Kasur	No Change
296	48044900	Un-coated board used for liquid packaging	--	--	--	Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore	No Change
297	48045900	LPB - Kraft Back Board	Multilayered board with white surface, produced from virgin pulps and suitable for food packaging	Bleached / unbleached virgin pulp	Cellulosic material	1) Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore 2) Century Paper & Board Mills Ltd., 62 KM Lahore Multan Highway, N-5, District Kasur	No Change
298	48051100	Fluting Paper	Paper for corrugated containers	Recovered fiber	Cellulosic material	1) Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore 2) Century Paper & Board Mills Ltd., 62 KM Lahore Multan Highway, N-5, District Kasur	No Change
299	48051200	Fluting Paper	--	--	--	Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
300	48051900	Fluting Paper	Paper for corrugated containers	Recovered fiber	Cellulosic material	1) Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore 2) Century Paper & Board Mills Ltd., 62 KM Lahore Multan Highway, N-5, District Kasur	No Change
301	48052400	White Test Liner	Outer Paper for corrugated containers having white surface	Bleached and un-bleached recovered fiber may also contain virgin fiber	Cellulosic material	1) Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore 2) Century Paper & Board Mills Ltd., 62 KM Lahore Multan Highway, N-5, District Kasur	No Change
302	48052500	Test Liner	Outer Paper for corrugated containers	Recovered fiber	Cellulosic material	1) Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore 2) Century Paper & Board Mills Ltd., 62 KM Lahore Multan Highway, N-5, District Kasur	No Change
303	48059210	Uncoated FBB	Used for Poly Coating and Cupboards	Bleached virgin pulp	Cellulosic material	Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore	No Change
304	48109200	i) LPB - Kraft Back Board ii) Folding Box Board	Multilayered board with white surface, produced from virgin pulps and suitable for food packaging	- Bleached / unbleached virgin pulp - Chemical and Mechanical Bleached virgin pulps	Cellulosic material	1) Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore 2) Century Paper & Board Mills Ltd., 62 KM Lahore Multan Highway, N-5, District Kasur	No Change
305	48109900	Duplex Board	Multilayer board with white top	Bleached Chemical pulp and recovered fiber	Cellulosic material	1) Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore 2) Century Paper & Board Mills Ltd., 62 KM Lahore Multan Highway, N-5, District Kasur	No Change
306	48114100	i) Masking Tape	Thickness 15mic to 40 mic	White Colour / any colour	--	1) Osaka Electric & Industrial Co., Ground Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi 2) Universal Coating Films Company (Pvt.) Ltd., Plot No. G-20 SITE Super Highway, Phase 2, Scheme-33, Industrial Area, Karachi.	Universal Coating Films requested to include their name in this entry.
		ii) Laminate for Flexible Packaging (Self-adhesive)	Paper and plastic based self-adhesive labels	Solid in roll form of stacks	Cellulosic material & Polymer	Packages Convertors Ltd., Shahrah-e-Roomi, P.O. Amer Sidhu, Lahore-54760	No Change
307	48115100	Poly coated board (Bleach board weighing more than 150gsm)	combination of multi layer Coated / un-coated Printed board and PE of various grammages as per customer specs	Produced in roll & sheet form	Paper and Board and polymer of Ethlene	1) Packages Ltd., Shahrah-e-Roomi, P.O. Amer Sidhu, Lahore 2) Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore	No Change
308	48115990	Poly coated board (other poly coated board)	combination of multi layer Coated / un-coated Printed board and PE of various grammages as per customer specs	Produced in roll & sheet form	Paper and Board and polymer of Ethlene	1) Packages Ltd., Shahrah-e-Roomi, P.O. Amer Sidhu, Lahore 2) Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore	No Change
309	48119000	Printed Decorative Paper	width-1250mm, 50-75GSM, Various wood grain effects and fancy designs	Excellent wet Strength, Good Wet opacity, fully Absorbent, Specially formulated water base Inks with high and thermal stability	Chemically bleached wood pulp (Fibers), Thickness: 80mm, Moisture: <5% Conn: 50-60g/m2, Ash content upto 35%	Wali Laminates (Pvt) Ltd., 17 KM, Ferozpur Road, Lahore	No Change
310	48181000	Toilet Paper	Finished product, converted in roll form (Grammage from 15 gsm to 24 gsm)	Solid in roll form, Packed finished product after converting it into different consumer specific requirements	Wood pulp and recycled paper, board & tissue material	Packages Convertors Ltd., Shahrah-e-Roomi, P.O. Amer Sidhu, Lahore-54760	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
311	48182000	Handkerchiefs, cleansing or facial tissues and towels	Finished product, converted in box, rolls, or packed in poly form, folded or in sheets (Grammage 13.5 gsm to 32 gsm)	Solid in roll form, Packed finished product after converting it into different consumer specific requirements	Wood pulp and recycled paper, board & tissue material	Packages Convertors Ltd., Shahrah-e-Roomi, P.O. Amer Sidhu, Lahore-54760	No Change
312	48183000	Tablecloths and serviettes	Finished product, converted in box, or packed in poly form, folded or in sheets (Grammage 13.5 gsm to 22 gsm)	Solid in roll form, Packed finished product after converting it into different consumer specific requirements	Wood pulp and recycled paper, board & tissue material	Packages Convertors Ltd., Shahrah-e-Roomi, P.O. Amer Sidhu, Lahore-54760	No Change
313	48191000	Carton, cases & boxes of corrugated paper or Paper board (4819.1000). Folding carton, boxes and cases of non- corrugated paper or Paper board (4819.2000).	Multi layer Coated / un-coated Printed board of various grammages as per customer specs	Produced in HL & Glued printed carton	Paper and Board material	1) Packages Ltd., Shahrah-e-Roomi, P.O. Amer Sidhu, Lahore 2) Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore	No Change
314	48192000	Carton, cases & boxes of corrugated paper or Paper board (4819.1000). Folding carton, boxes and cases of non- corrugated paper or Paper board (4819.2000).	Multi layer Coated / un-coated Printed board of various grammages as per customer specs	Produced in HL & Glued printed carton	Paper and Board material	1) Packages Ltd., Shahrah-e-Roomi, P.O. Amer Sidhu, Lahore 2) Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore	No Change
315	48193000	Sacks, paper	Papersacks made from Extensible / Clupak and Non Extensible Sack Kraft Paper base width 40 cm or more	--	--	Pakistan Papersack Corporation Limited Plot No. 749-749A, Zila Moza Pathra, Tehsil Hub, District Lasbella, Hub Baluchistan	No Change
316	48221000	Bobbins, Spools, Cops used for winding Textile yarn.	Made of Paper & Paper Board.	50-505 mm I/D Upto 3 Meter Length O/D upto 530 mm.	--	Coastal Converters (Pvt) Ltd., Room # 311, 3rd Floor, Korangi Association of Trade & Industry, Sector # 23, K.I.A, Karachi	No Change
317	48229000	Bobbins, Cops, Cores, Tubes and other winding supports of Paper & Paper Board	Made of Paper & Paper Board.	50-505 mm I/D Upto 3 Meter Length O/D upto 530 mm.	--	Coastal Converters (Pvt) Ltd., Room # 311, 3rd Floor, Korangi Association of Trade & Industry, Sector # 23, K.I.A, Karachi	No Change
318	48236900	Disposable paper or paperboard plates, trays, dishes & cups of different sizes	Multilayer coated board, ranging from 160 cc to 21 OZ, plain and customized.	Blend of various pulps / Recycled Fiber	Paper and board material	Packages Convertors Ltd., Shahrah-e-Roomi, P.O. Amer Sidhu, Lahore-54760	No Change
319	48239090	Metalized board	combination of multilayer coated / un-coated printed board and Metalized PET of various grammages as per customer specs	Produced in roll & sheet form	Paper and Board and polymer of Ethlene terrathelate (PET)	1) Packages Ltd., Shahrah-e-Roomi, P.O. Amer Sidhu, Lahore 2) Bulleh Shah Packaging (Pvt) Ltd, Sharah-e-Roomi, P.O. Amer Sidhu, Lahore	No Change
320	49081000	Transfers, vitrifiable, excluding window transparencies	Stickers, Transfer Labels (Decalcomania) and Chassis Aluminium ID Plates.	--	--	Allco Transfer Printers (Pvt) Ltd., 3 Haider Chamber, 11-B, Rizvia Society, Karachi-74600	No Change
321	49089000	Decalcomanias, excluding vitrifiable decalcomanias	Transfer Labels (Decalcomania)	--	--	Allco Transfer Printers (Pvt) Ltd., 3 Haider Chamber, 11-B, Rizvia Society, Karachi-74600	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
322	54023300	Yarn,textured,of polyesters	Polyester Filament Yarn	--	--	Gatron (Industries) Limited, 11th Floor, G&T Tower No. 18, Beaumont, Civil Lines – 10, Karachi.	No Change
323	54023400	Synthetic filament Textured yarn - made of polypropylene	Polypropylene Melt-spun Textured Yarn	Low specific gravity, environmentally friendly	Thermoplastic polymer of propylene (CH ₃) _n	Syntech Fibres (Pvt) Ltd., 5-3-1 Sector 15, Korangi Industrial Area, Karachi	No Change
324	54023900	Synthetic filament yarn - made of polypropylene	Polypropylene Melt-spun Filament Yarn	Low specific gravity, environmentally friendly	Thermoplastic polymer of propylene (CH ₃) _n	Syntech Fibres (Pvt) Ltd., 5-3-1 Sector 15, Korangi Industrial Area, Karachi	No Change
325	54024600	Others of polyester, partially oriented	Polyester Filament Yarn	--	--	Gatron (Industries) Limited, 11th Floor, G&T Tower No. 18, Beaumont, Civil Lines – 10, Karachi.	No Change
326	54024700	Yarn,oriented polyester, Single, untwisted	Polyester Filament Yarn	--	--	Gatron (Industries) Limited, 11th Floor, G&T Tower No. 18, Beaumont, Civil Lines – 10, Karachi.	No Change
327	54024800	Synthetic filament yarn - made of polypropylene	Polypropylene Melt-spun Filament Yarn	Low specific gravity, environmentally friendly	Thermoplastic polymer of propylene (CH ₃) _n	Syntech Fibres (Pvt) Ltd., 5-3-1 Sector 15, Korangi Industrial Area, Karachi	No Change
328	54025200	Other yarn, single, with a twist exceeding 50 turns per metre, of polyester	Polyester Filament Yarn	--	--	Gatron (Industries) Limited, 11th Floor, G&T Tower No. 18, Beaumont, Civil Lines – 10, Karachi.	No Change
329	54025900	Synthetic filament yarn twisted - made of other synthetic material	Polypropylene Melt-spun Twisted Yarn	Low specific gravity, environmentally friendly	Thermoplastic polymer of propylene (CH ₃) _n	Syntech Fibres (Pvt) Ltd., 5-3-1 Sector 15, Korangi Industrial Area, Karachi	No Change
330	54026200	i) Other yarn multi or cabled of polyester	Polyester Filament Yarn	--	--	Gatron (Industries) Limited, 11th Floor, G&T Tower No. 18, Beaumont, Civil Lines – 10, Karachi.	No Change
		ii) Air Coverd Yarn	Use in Denim	High Elongation	--	Fintex Mfg. Crop. (Pvt) Ltd., Plot # G-17-18,H.I.T.E, Hub, Balucistan	No Change
331	54041100	Knitted & Woven Elastic,Tape,Ribbon, Cords used in Garment & Home Textiles Export Industry.	Narrow Fabrics of 5mm - 200mm	Made from Cotton,Polyester,Polypropylene,Nylon,Rubber & Spandex.	--	Gigi Industries (Pvt) Limited, L/A,8/2, F.B Area, Karaci-Pakistan	No Change
332	54075200	Knitted & Woven Elastic,Tape,Ribbon, Cords used in Garment & Home Textiles Export Industry.	Narrow Fabrics of 5mm - 200mm	Made from Cotton,Polyester,Polypropylene,Nylon,Rubber & Spandex.	--	Gigi Industries (Pvt) Limited, L/A,8/2, F.B Area, Karaci-Pakistan	No Change
333	54076900	Weaved Fabric	Automotive Grade	Tensile Strength, Tear Strength, Constant Load Elongation, Permanent Set, Crease Flex, Seam Strength, Seam Fatigue, Flexibility, Flamability, Color Fastness, Light Fastness, Washing Fastness, Heat Resistance, Light Resistance, etc	Cleanability, Chemical Resistance-part1, Chemical Resistance part-2	Procon Engineering (Private) Limited, D-57, to D-57, N.W.I, Zone, Port Qasim, Karachi-75020	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
334	55032010	Polyester Staple Fibre	Synthetic staple fibres, not carded or combed. Of polyesters not exceeding 2.22 decitex.	0.5-2 Denier staple fibre	PTA= 0.865, MEG= 0.334, Textile Finish= 0.10-0.20,	ICI Pakistan Limited-Polyester Fibres Business, 63-Mozang Road Lahore Lucky Core Industries Limited, Soda Ash Business, 63, Mozang Road, Lahore 54000	Name of ICI Pakistan Ltd. changed to Lucky Core Industries. Proof of name change provided.
335	55034000	Synthetic staple fibre - made of polypropylene	Polypropylene Melt-spun Staple Fibre	Low specific gravity, environmentally friendly	Thermoplastic polymer of propylene (CH ₃) _n	Syntech Fibres (Pvt) Ltd., 5-3-1 Sector 15, Korangi Industrial Area, Karachi	No Change
	56031100	Non Woven Fabric of manmade filaments (Spunlace)	Weighing not more than 25 g/m2	As per Customer Specification	As per Customer Specification	Tapal Tex (Pvt.) Ltd. Plot No. 47, Industrial Estate, Phase-II, M-3, Faisalabad.	Tapal Tex requested to add this new item in the list. Relevant information provided. To be viusited.
	56031200	Non Woven Fabric of manmade filaments (Spunlace)	Weighing more than 25 g/m2 but not more than 70 g/m2	As per Customer Specification	As per Customer Specification	Tapal Tex (Pvt.) Ltd. Plot No. 47, Industrial Estate, Phase-II, M-3, Faisalabad.	Tapal Tex requested to add this new item in the list. Relevant information provided. To be viusited.
	56031300	Spunlace Non Woven Fabric	Weighing more than 70 g/m ² but not more than 150 g/m ²	Application Areas: Wet Wipes, Leather Substrate, Hygiene, Medical Application, Cosmetic Application.	--	Tapal Tex (Pvt.) Ltd. Plot No. 47, Industrial Estate, Phase-II, M-3, Faisalabad.	Tapal Tex requested to add this new item in the list. Relevant information provided. To be viusited.
336	56031400	Non Woven Fabric of manmade filaments (Geotextile)	Weight 200-1500 gm/ m2; Width (max): 3 meter	Material: Polyester/ Polypropylene; Type: Needle punch non woven fabric; Weight/ Density: 150gsm and above; Thickness: 1-20mm; Color: As per requirement; Width: 3 meter max; Length: As per requirement.	--	1) PCI Materials (Pvt.) Ltd. Unik Fabrics (Pvt) Ltd. , 401, Deh Drigh, Rafa-Aam Society, Malik Halt, Karachi 2) Tapal Tex (Pvt.) Ltd. Plot No. 47, Industrial Estate, Phase-II, M-3, Faisalabad.	1) Name of Unik Fabrics changed to PCI Materials. 2) Tapal Tex requested to include their name in this entry.
337	56039100	i. Knitted & Woven Elastic, Tape, Ribbon, Cords	Narrow Fabrics of 5mm - 200mm, used in Garment & Home Textiles Export Industry.	Made from Cotton,Polyester,Polypropylene,Nylon,Rubber & Spandex.	--	Gigi Industries (Pvt) Limited, L/A,8/2, F.B Area, Karaci-Pakistan	No Change
		ii. Spunlace Non Woven Fabric	Blend of made of cotton, polyester, viscose, bamboo, lyocell with different compositions	--	--	Tapal Tex (Pvt.) Ltd. Plot No. 47, Industrial Estate, Phase-II, M-3, Faisalabad.	Tapal Tex requested to add this new item in the list. Relevant information provided. To be viusited.
	56039200	Other nonwoven fabric (Spunlace)	Weighing more than 25 g/m2 but not more than 70 g/m2	As per Customer Specification	As per Customer Specification	Tapal Tex (Pvt.) Ltd. Plot No. 47, Industrial Estate, Phase-II, M-3, Faisalabad.	Tapal Tex requested to add this new item in the list. Relevant information provided. To be viusited.
338	56039300	i) Knitted & Woven Elastic, Tape, Ribbon, Cords	Narrow Fabrics of 5mm - 200mm, used in Garment & Home Textiles Export Industry.	Made from Cotton,Polyester,Polypropylene,Nylon,Rubber & Spandex.	--	Gigi Industries (Pvt) Limited, L/A,8/2, F.B Area, Karaci-Pakistan	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		ii) Other nonwoven fabric (Spunlace)	Weighing more than 70 g/m2 but not more than 150 g/m2	As per Customer Specification	As per Customer Specification	Tapal Tex (Pvt.) Ltd. Plot No. 47, Industrial Estate, Phase-II, M-3, Faisalabad.	Tapal Tex requested to add this new item in the list. Relevant information provided. To be viusited.
339	56039400	i) Knitted & Woven Elastic, Tape, Ribbon, Cords	Narrow Fabrics of 5mm - 200mm, used in Garment & Home Textiles Export Industry.	Made from Cotton,Polyester,Polypropylene,Nylon,Rubber & Spandex.	--	Gigi Industries (Pvt) Limited, L/A,8/2, F.B Area, Karaci-Pakistan	
		ii) Polyester Non Woven Fabric (Automotive Grade)	gsm range of 15gsm - 500gsm	Made from cotton, polyester, polypropylene	--	Procon Engineering (Private) Limited, D-57, to D-57, N.W.I, Zone, Port Qasim, Karachi-75020	Procon Engineering requested to add their name in entry.
		iii. Spunlace Non Woven Fabric	gsm range of 15gsm - 500gsm	Blend of made of cotton, polyester, viscose, bamboo, lyocell with different compositions	--	Tapal Tex (Pvt.) Ltd. Plot No. 47, Industrial Estate, Phase-II, M-3, Faisalabad.	Tapal Tex requested to add this new item in the list. Relevant information provided. To be viusited.
340	56041000	Knitted & Woven Elastic, Tape, Ribbon, Cords	Narrow Fabrics of 5mm - 200mm, used in Garment & Home Textiles Export Industry.	Made from Cotton,Polyester,Polypropylene,Nylon,Rubber & Spandex.	--	Gigi Industries (Pvt) Limited, L/A,8/2, F.B Area, Karaci-Pakistan	No Change
	56050000	i) Glitter Powder		PET film	Resin/ Dyes/ Solvent	Brightex Industries (Pvt) Limited. Office No. 24-25, Mohmand Plaza, Chowk Yadgar, Peshawar	Brightex Industries requested to include this item in the list. Relevant information provided and also physically verified. Metalized yarn and glitter powder have two different PCT Heads. To be evaluated.
		ii) Metallized Yarn,					
341	56060000	Yarn,chenille, including flock chenille	Chenille Yarn Ecru and Dyed	Standard	Acrylic, Blended	Khawaja Woollen Mills (Pvt) Ltd., 4-H, Gulberg-III, Lahore-54660	No Change
	56074100	Binder or baler twine: Of polyethylene or polypropylene	Made of pure HDPE virgin, UV stabilized	Rolls	Polymer based	Pak Agro Packaging Ltd., Plot 23, Phase IV, Hattar Industrial Estate Haripur, KPK	Pak Agro requested to add this in the list. Sample and proforma provided.
342	56074900	Twine, cordage, rope and cables- made of polypropylene	Polypropylene Braided & Knitted twine, cordage, rope and cables	Low specific gravity, environmentally friendly	Thermoplastic polymer of propylene (CH ₃) _n	1) Syntech Fibres (Pvt) Ltd., 5-3-1 Sector 15, Korangi Industrial Area, Karachi 2) Pak Agro Packaging Ltd., Plot 23, Phase IV, Hattar Industrial Estate Haripur, KPK	Pak Agro requested to include this in the list. Sample and proforma provided.
	56081100	Twine, cordage or rope; Made up Fishing Nets	Made of pure HDPE virgin, UV stabilized	Rolls	Polymer based	Pak Agro Packaging Ltd., Plot 23, Phase IV, Hattar Industrial Estate Haripur, KPK	Pak Agro requested to add this in the list. Sample and proforma provided.

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
343	56081900	i) Anti-insect Nets	Mesh 25x50, 40x80, GSM 100-115	Net rolls	Polymer based	Pak Agro Packaging Ltd., Plot 23, Phase IV, Hattar Industrial Estate Haripur, KPK	No Change
		ii) Anti-Hail Nets	1/2 Inch Mesh, 13x60 ft				No Change
		iii) Anti-Birds Nets	1 inch Mesh, 20x100 ft				No Change
		iv) Other	Made of pure HDPE virgin, UV stabilized	Net rolls	Polymer based		
344	56089000	i) Vegetable/Crop Nets	HDPE 280D/ 6 ply, Mesh 16"	9x210 ft	Polymer based	Pak Agro Packaging Ltd., Plot 23, Phase IV, Hattar Industrial Estate Haripur, KPK	No Change
		ii) Green Shade Nets	40-80% Shading ratio, 80-200 GSM	Rolls of 4x50 m	Polymer based		No Change
		iii) Fruit/Vegetable Packing Nets	1-25 Kgs packing	Bags	Ploymer based		No Change
	56090000	Articles of yarn, strip or the like of heading 54.04 or 54.05, twine, cordage, rope or cables, not elsewhere specified or include	Made of pure HDPE virgin, UV stabilized	Rolls	Polymer based	Pak Agro Packaging Ltd., Plot 23, Phase IV, Hattar Industrial Estate Haripur, KPK	Pak Agro requested to add this in the list. Sample and proforma provided.
345	58019000	Weaved Fabric	Automotive Grade	Tensile/Tear Strength, Constant Load Elongation, Permanent Set, Crease Flex, Seam Strength/Fatigue, Flexibility, Flamability, Color/Light Fastness, Washing Fastness, Heat Resistance, Light Resistance, etc	Cleanability, Chemical Resistance-part1, Chemical Resistance part-2	Procon Engineering (Private) Limited, D-57, to D-57, N.W.I, Zone, Port Qasim, Karachi-75020	No Change
346	58062000	Knitted & Woven Elastic, Tape, Ribbon, Cords	Narrow Fabrics of 5mm - 200mm, used in Garment & Home Textiles Export Industry.	Made from Cotton,Polyester,Polypropylene,Nylon,Rubber & Spandex.	--	Gigi Industries (Pvt) Limited, L/A,8/2, F.B Area, Karaci-Pakistan	No Change
347	58063200	i) Ribbons, nylon, narrow woven	Hook and Loop Fastener tapes, made from 100% nylon material and available in widths 10mm up to 100mm	--	--	NFU Industries (PVT) Ltd., 20 Km, Raiwind Road, Lahore.	No Change
		ii) Knitted & Woven Elastic, Tape, Ribbon, Cords	Narrow Fabrics of 5mm - 200mm, used in Garment & Home Textiles Export Industry.	Made from Cotton,Polyester,Polypropylene,Nylon,Rubber & Spandex.	--	Gigi Industries (Pvt) Limited, L/A,8/2, F.B Area, Karaci-Pakistan	No Change
348	58071020	Knitted & Woven Elastic, Tape, Ribbon, Cords	Narrow Fabrics of 5mm - 200mm, used in Garment & Home Textiles Export Industry.	Made from Cotton,Polyester,Polypropylene,Nylon,Rubber & Spandex.	--	Gigi Industries (Pvt) Limited, L/A,8/2, F.B Area, Karaci-Pakistan	No Change
349	58071030	i) Narrow woven fabrics, woven, ribbons, tapes, webbing and other:	Made from yarns of cotton, polyester and/or polypropylene used in curtain headers, usually for the home-textile export-oriented industry	Narrow woven fabrics of 1 to 6-inches width	Textile material	Karachi Webbing Company, Plot No. 501, Sector 05, Korangi Industrial Area, Karachi	No Change
		ii) Knitted & Woven Elastic, Tape, Ribbon, Cords	Narrow Fabrics of 5mm - 200mm, used in Garment & Home Textiles Export Industry.	Made from Cotton,Polyester,Polypropylene,Nylon,Rubber & Spandex.	--	Gigi Industries (Pvt) Limited, L/A,8/2, F.B Area, Karaci-Pakistan	No Change
350	58071040	i) Narrow woven fabrics, woven, ribbons, tapes, webbing and other:	Made from yarns of cotton, polyester and/or polypropylene, used in sports goods and luggage/bags manufacturing as straps and handles,	Narrow woven fabrics of 0.5 to 5-inches width	Textile material	Karachi Webbing Company, Plot No. 501, Sector 05, Korangi Industrial Area, Karachi	No Change
351	58071040	ii) Knitted & Woven Elastic, Tape, Ribbon, Cords	Narrow Fabrics of 5mm - 200mm, used in Garment & Home Textiles Export Industry.	Made from Cotton,Polyester,Polypropylene,Nylon,Rubber & Spandex.	--	Gigi Industries (Pvt) Limited, L/A,8/2, F.B Area, Karaci-Pakistan	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
352	58071090	Knitted & Woven Elastic, Tape, Ribbon, Cords	Narrow Fabrics of 5mm - 200mm, used in Garment & Home Textiles Export Industry.	Made from Cotton,Polyester,Polypropylene,Nylon,Rubber & Spandex.	--	Gigi Industries (Pvt) Limited, L/A,8/2, F.B Area, Karaci-Pakistan	No Change
353	58079000	Knitted & Woven Elastic, Tape, Ribbon, Cords	Narrow Fabrics of 5mm - 200mm, used in Garment & Home Textiles Export Industry.	Made from Cotton,Polyester,Polypropylene,Nylon,Rubber & Spandex.	--	Gigi Industries (Pvt) Limited, L/A,8/2, F.B Area, Karaci-Pakistan	No Change
354	58081000	Twine, cordage, rope and cables, plaited, knitted or braided: for example used as garment draw-strings, or as filler dori, usually for the garment export-oriented industry	Made from yarns of cotton, polyester and/or polypropylene	1-14 mm diameter	Textile material	Karachi Webbing Company, Plot No. 501, Sector 05, Korangi Industrial Area, Karachi	No Change
355	58090000	Narrow woven fabrics, woven, ribbons, tapes, webbing and other: for example used in manufacturing of furniture such as sofas for domestic consumption.	Made from yarns of cotton, polyester and/or polypropylene, usually including rubber thread	Narrow woven fabrics of 0.5 to 5-inches width	Textile material	Karachi Webbing Company, Plot No. 501, Sector 05, Korangi Industrial Area, Karachi	No Change
356	59019010	Buckram	Interlining Fabric of Cotton/ PC in Rolls for Shirts	--	Coated with Thermoplastic Adhesive	1) Aruj Garment Accessories Ltd, Aruj House, 1 KM Raiwind Road, Lahore 2) Aruj Industries, 2-Km off Raiwind Manga Road, Raiwind, Lahore	No Change
357	59031000	Textile fabrics impregnated, coated, covered or laminated with plastics, (Artificial Leather).	PVC Synthetic Leather	Coated /Laminated Fabric	Polyvinyle Chloride (PVC)	1) A.T.S Synthetic (Pvt) Ltd., 4-Km, Kacha Road, Kahna Nau, Lahore. 2) AHN Synthetic (Pvt) Ltd., 23-KM, Lahore/Sheikhupura Road, Sheikhupura	No Change
358	59032000	Textile fabrics impregnated, coated, covered or laminated with plastics, (Artificial Leather).	i) PU Synthetic Leather	Coated /Laminated Fabric	Poly Urethane (PU)	1) A.T.S Synthetic (Pvt) Ltd., 4-Km, Kacha Road, Kahna Nau, Lahore. 2) AHN Synthetic (Pvt) Ltd., 23-KM, Lahore/Sheikhupura Road, Sheikhupura	No Change
359	59039000	i) Textile fabrics impregnated, coated, covered or laminated with plastics, (Artificial Leather).	PU/ PVC Synthetic Leather	--	--	A.T.S Synthetic (Pvt) Ltd., 4-Km, Kacha Road, Kahna Nau, Lahore.	No Change
		ii) Fusible Interlining	Fabric of Polyester in rolls for suits, jackets, and lady wears	--	Coating with Polyamide and Co-Polyester	Aruj Industries, 2-Km off Raiwind Manga Road, Raiwind, Lahore	No Change
360	59069900	Cloth Tape	Thickness 15mic to 40 mic	White Colour / any colour	--	Osaka Electric & Industrial Co., Ground Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi	No Change
361	59090000	Hose piping, textile material	Fire Hose, Made from High quality Polyester Yarn, woven on Circular Looms, and Rubberlined	Working Pressure 16 bar, Brusting Pressure 32 bar	Polyester 25%, Rubber 75%	National Resources Corporation, 3/E-III, Commercial Area, Nazimabad, Karachi	No Change
362	59119090	i) String Wound Filter Cartridges	Polypropylene Melt-spun Yarn Filter Media, and Polypropylene Filter Core US Patent No. 6,942,106 European Patent No. 1153641	Low specific gravity, environmentally friendly, long service-life	Thermoplastic polymer of propylene (CH ₃) _n	Syntech Fibres (Pvt) Ltd., 5-3-1 Sector 15, Korangi Industrial Area, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
363	59119090	ii) Spun Bonded Filter Cartridges	Polypropylene Melt-spun Bonded Filter Cartridge	Low specific gravity, environmentally friendly, long service-life	Thermoplastic polymer of propylene (CH ₃) _n		No Change
364	60029000	Knitted & Woven Elastic, Tape, Ribbon, Cords	Narrow Fabrics of 5mm - 200mm, used in Garment & Home Textiles Export Industry.	Made from Cotton,Polyester,Polypropylene,Nylon,Rubber & Spandex.	--	Gigi Industries (Pvt) Limited, L/A,8/2, F.B Area, Karaci-Pakistan	No Change
365	60053500	Weaved Fabric/ Knitted Fabric	Automotive Grade	Tensile Strength, Tear Strength, Constant Load Elongation, Permanent Set, Crease Flex, Seam Strength, Seam Fatigue, Flexibility, Flamability, Color Fastness, Light Fastness, Washing Fastness, Heat Resistance, Light Resistance, etc	Cleanability, Chemical Resistance-part1, Chemical Resistance part-2	Procon Engineering (Private) Limited, D-57, to D-57, N.W.I, Zone, Port Qasim, Karachi-75020	Procon Engineering requested to amend the specification of this entry, as shown.
366	60063200	Knitted & Woven Elastic, Tape, Ribbon, Cords	Narrow Fabrics of 5mm - 200mm, used in Garment & Home Textiles Export Industry.	Made from Cotton,Polyester,Polypropylene,Nylon,Rubber & Spandex.	--	Gigi Industries (Pvt) Limited, L/A,8/2, F.B Area, Karaci-Pakistan	No Change
367	60069090	Weaved Fabric/ Knitted Fabric	Automotive Grade	Tensile Strength, Tear Strength, Constant Load Elongation, Permanent Set, Crease Flex, Seam Strength, Seam Fatigue, Flexibility, Flamability, Color Fastness, Light Fastness, Washing Fastness, Heat Resistance, Light Resistance, etc	Cleanability, Chemical Resistance-part1, Chemical Resistance part-2	Procon Engineering (Private) Limited, D-57, to D-57, N.W.I, Zone, Port Qasim, Karachi-75020	Procon Engineering requested to amend the specification of this entry, as shown.
368	61171090	Knitted & Woven Elastic, Tape, Ribbon, Cords	Narrow Fabrics of 5mm - 200mm, used in Garment & Home Textiles Export Industry.	Made from Cotton,Polyester,Polypropylene,Nylon,Rubber & Spandex.	--	Gigi Industries (Pvt) Limited, L/A,8/2, F.B Area, Karaci-Pakistan	No Change
369	61178000	Knitted & Woven Elastic, Tape, Ribbon, Cords	Narrow Fabrics of 5mm - 200mm, used in Garment & Home Textiles Export Industry.	Made from Cotton,Polyester,Polypropylene,Nylon,Rubber & Spandex.	--	Gigi Industries (Pvt) Limited, L/A,8/2, F.B Area, Karaci-Pakistan	No Change
370	68041000	Millstones for Milling, grinding or pulping	Various grit sizes from Coarse (mesh 14) to fine (mesh 320 & above) with Hardness from soft (G) to Hard (R) In Vitrified & Resinoid BondIness. Grinding Disc. Dia x Thickness 4" x 1/4 4 1/2" x 1/4 5" x 1/4 7" x 1/4 9" x 1/4 Steel/Stone cutting Disc. Dia x Thickness 4" x 1/8 4 1/2" x 1/8 5" x 1/8 7" x 1/8 9" x 1/8 12" x 1/8 14" x 1/8 16" x 1/8	Working RPMs from 3000 to 14000 M/S	Abrasive + Resin + Glass Fiber	1) Grind Wheel (Pak) Ltd., 2nd Floor, Karachi Chambers, Hasrat Mohani Road, Karachi 2) Mughal Corporation (Pvt) Ltd., Sharif pura, G.T.Road, Gujranwala.	No Change
371	68051000	- Cloth, abrasive - Coated Abrasives Cloth Roll, Cloth Sheet & Aluminium Oxide cloth belt	Cloth and paper backed abrasives products. Cloth Polyester/ cotton	Grade, Strength etc	Silicon Carbide and Aluminum Oxide Coated on Latex paper cloth	Falcon Abrasives (Pvt) Ltd., Plot No. 36, Sector No. 28, Korangi Industrial Area, Karachi.	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
372	68052000	Sand paper, Buffing Paper & Abrasives paper.	Kraft Linerboard	Moisture 7-9% GSM 100-130	--	Falcon Abrasives (Pvt) Ltd., Plot No. 36, Sector No. 28, Korangi Industrial Area, Karachi.	No Change
373	68053000	i) Leather, abrasive	i) PVC Synthetic Leather, ii) Polyurethane Synthetic Leather iii) Transparent Plastic Sheet iv) Flocked Fabric v) Jersey Fabric, etc.	--	--	Crescent Art Fabrics (Pvt) Ltd., 23rd Kilometer, Lahore/ Sheikhupura Road, Sheikhupura	No Change
		ii) Flap & Fiber Disc 4" 5", 7" & Abrasives Fiber Roll	Vulcanized Fiber Paper	Thickness 0.6 ± 0.03 mm, Tensile strength $\geq 60 \times 10^4$, $\geq 3.5 \times 10^4$, Moisture Content 6.5 - 8.5	--	Falcon Abrasives (Pvt) Ltd., Plot No. 36, Sector No. 28, Korangi Industrial Area, Karachi.	No Change
374	68061000	i) Wool, rock, in bulk, sheets or roll	Rockwool/mineral Wool Blankets, Pipe Sections and Panels Density Upto 150Kg/m ³ , ASTM C 592	Diameter of fibres: 4-10 micron, Length of fibres: avg. 200 MM Shot contents :max. 15% (0.2 MM, mesh): Loss on ignition: 0% Water content: 0% Sulphur content: 0% Asbestos content : 0% Air permeability 70 Kg / CM vf 2 100 Kg / CM 1.1 140 Kg / CM 0.6	S ₂ O ₂ , Al ₂ O ₃ , Fe ₂ O ₃ , TiO ₂ , CaO, MgO, Na ₂ O, K ₂ O	1) Incom Rockwool (Pvt) Ltd., Shernaz House, 8 West Wharf Road, Karachi 2) Pakistan Insulations Pvt. Ltd., 107 Business Avenue, PECHS Block-6, Karachi	No Change
		ii) Rockwool Blanket back with G.I Wire mesh	Density = 60, 80 and 100 kg/m ³ , Thickness = 50, 60, 70, 80, 100 mm	Square metre Cube metre L x W x T	Silica, Aluminium, Iron and Mag.	Pakistan Insulations Pvt. Ltd., 107 Business Avenue, PECHS Block-6, Karachi	No Change
		iii) Rockwool Resinated Board	Density = 60, 80 and 100 kg/m ³ , Thickness = 50, 70, 80, 100 mm				No Change
		iv) Rockwool Pre formed Pipe sections	Density = 100-140 kg/m ³ , Thickness = 25 to 100 mm	Running metre			No Change
		v) Rockwool Sandwich Panels	Density = 100-200 kg/m ³ , Thickness = 20 to 100 mm	Square metre Cube metre L x W x T			No Change
375	68091100	Gypsum Board	4'x8' 9mm & 12mm	Sheet	Paper, Gypsum, Starch & Foam	1) DFB Gypsum Industries, Suit No. 105, 1st Floor, Business & Finance Center, II Chundrigar Road, Karachi 2) Lodhia Gypsum Industries (Pvt) Ltd., Suite # 105, Business & Finance Centre, I.I Chundrigar Road, Karachi	2) Lodhia Gypsum Industries requested to add their name in this entry.
376	68091900	PVC Laminated Gypsum Ceiling Tiles	2'x2' 7.5mm & 9mm 2'x4' 7.5mm & 9mm	Tile	Paper, Gypsum, Starch, PVC Sheets and Glue	1) DFB Gypsum Industries, Suit No. 105, 1st Floor, Business & Finance Center, II Chundrigar Road, Karachi 2) Lodhia Gypsum Industries (Pvt) Ltd., Suite # 105, Business & Finance Centre, I.I Chundrigar Road, Karachi	2) Lodhia Gypsum Industries requested to add their name in this entry.
377	68101900	HT & LT PCC/Spun Hollow Poles, 31 ft to 55 ft	WAPDA Specification DDS-55:2006 (Amended to Date)	--	--	1) Creative Engineering (Pvt) Ltd., 160/ S, Q.I.E. Kot Lakhpat Lahore 2) Junaaid (Pvt.) Limited, 27 Miles, Multan Road Maraka, Lahore.	2) Name of Junaaid (Pvt.) Ltd. added in this entry. Relevant information provided and also physically verified.
378	68109100	Door-frames, prefabricated, concrete, cement	Door frames roll formed	HR 1/2	Commercial grades	1) Irshad Ahmad & Bros., 145 Loha Market Lahore 2) Junaaid (Pvt.) Limited, 27 Miles, Multan Road Maraka, Lahore.	2) Name of Junaaid (Pvt.) Ltd. added in this entry. Relevant information provided and also physically verified.

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
379	68114000	i) Cable Conduits of asbestos cement	PS: 558 - 1991 (R) ISO: 881 - 1980	Resistance to corrosion, abrasion hydraulic characteristics	Hydrous Magnesium Silicate 3MgO 2SiO ₂ 2H ₂ O	Dadex Eternit Ltd., Dadex House, 34-A/1, Block-6, P.E.C.H.S. Shahrah-e-Faisal Karachi	No Change
		ii) Pipe Fittings of asbestos cement	PS 2942 - 1990 ISO 393/4 - 1986, ISO 393/2 - 1986 (E)	Corrosion free, Heat insulation, Fire retardant Termite Proof			No Change
		iii) Joints of asbestos cement	PS: 430 - 1988 (R) ISO 393 part 1&2 1983,1986, ISO 8101-1980, ISO 737-1984	Corrosion Free, Heat insulation, Fire retardant, Termic proof			No Change
		iv) Pipes of asbestos-cement	PS: 579 - 1982 (R) ISO 396/ 1 & 2 - 1980 (E)	Corrosion Free, Heat insulation, Fire retardant, Termic proof,			No Change
		v) Corrugated sheets of Asbestos Cement	PS 430 & ISO 393/1	Corrosion Free Roofing Material, Heat Insulation, Fire Retardant, Termite Proof			No Change
		vi) Asbestos Cement Boards / Flat Sheets	PS 579/2002 ®	Corrosion Free Wall paneling material, weather Resistance, Heat Insulation, Fire Retardant, Termite Proof,			No Change
380	68118900	Cable Conduits of Cellulose fibre-cement	PS: 428 - 1984 (R) ISO 160 - 1980,ISO 2785-1986,ISO 4483-1979	ISO 4480-1979,ISO 4482-1979,ISO-7336-1984 Resistance to corrosion, Resistance against Abrasion Hydraulic Characteristics	Hydrous Magnesium Silicate 3MgO 2SiO ₂ 2H ₂ O	Dadex Eternit Ltd., Dadex House, 34-A/1, Block-6, P.E.C.H.S. Shahrah-e-Faisal Karachi	No Change
381	68129900	Gaskets of asbestos	Asbestos	--	Asbestos + Calcium + Silicon	Sheikh Corporation, 52/3 Lytton Road, Lahore.	No Change
382	69021010	i) Chrome Magnesite Bricks	Chrome Magnesite Bricks	Open porosity (%):16 max , Apparent Density(gm / cm3):2.95 min., Cold Crushing Strength (kg/cm2):700 min, Temp. of Deformation :1500 °C, Under Load of 2Kgf/cm2 (°C), ernal Shock Resistance at:2 thermal 1300 °C (Water Cooling) cycles min. Curvature (Bending Arrow):1 mm max Breakage of Angles :5 mm max Breakage of Ribs (sides):3 mm max	MgO (%) :50 min Cr ₂ O ₃ (%) :20 max SiO ₂ (%) :03 max	Bhanbhore Ceramics Industries, Plot DSU-18, Pakistan Steel Down Stream Industrial Estate, Bin Qasim Karachi	No Change
		ii) Refractory bricks, blocks, tile & similar refractory ceramic construction goods	High Alumina castable/refractory for temperature upto 1600 °C - High wear & Alkali resistant silicate refractory. - Megnesite Refractory - High Temperature Zircon Refractory.	--	--	1) Marshal Ceramics, PO Box.77, K.M.8.9, Lahore Side, G. T Road Gujranwala 2) General Refractories, Landhi Industrial Area, Karachi 3) Commander Ceramics, P.O. Box 514, G.T. Road, Km 11/12 Atawa, Gujranwala	No Change
383	69031000	Crucibles	--	--	--	1) Carborundum Crucibles Industries, 14-A Davis Road Lahore 2) Kundun Crucibles Industries, 14 KM, Sheikupura Road, Lahore 3) Asian Crucibles Industries, 14 KM Sheikupura Road Lahore 4) Pakistan Crucible Industries, 14-A Davis Road Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
384	69032010	Cold tundish lining sets, slide gate refractory sets & nozzles	Cold Tundish Lining Nozzles Well-Block Slide Gate Plates	Loss on Ignition (%) :07 max, Bending Strength (kg / cm2):30 min, Humidity (%) :0.5 max, Bulk Density (gm/cm3): 1.15 min, 3.15 min, 2.60 min, 3.18 - 3.22 min Apparent Porosity(%):45 – 55, 16 max, 2.0 – 6.0, Refractoriness(°C):1620 min Cold Crushing Strength (kg/cm2):900 min, 1000 - 1100 (Kg / cm2)	i) SiO ₂ (%):90 min, Al ₂ O ₃ (%):02 max., CaO (%):02 max., MgO(%):01 max., Fe ₂ O ₃ (%):01 max ii) Al ₂ O ₃ (%):95 min, Fe ₂ O ₃ (%):0.2 max iii) Al ₂ O ₃ (%): 93 min, K ₂ O(%):0.5 max, Na ₂ O(%):0.1 max, Fe ₂ O ₃ (%):0.2 max iv) Al ₂ O ₃ (%):73 – 76, Carbon(%):05 – 07, ZrO ₂ (%):08 – 11	Bhanbhore Ceramics Industries, Plot DSU-18, Pakistan Steel Down Stream Industrial Estate, Bin Qasim Karachi	No Change
385	69072111	Tiles, cubes and similar articles, whether or not rectangular, the largest surface area of which is capable of being enclosed in a square the side of which is less than 7cm	All types of unglazed tiles, cubes and similar articles the side of which is less than 7cm or 2.755 inches	Unglazed tiles are just biscuit of tiles without any finishing process of glazing or polishing.	--	1) Master Tiles & Ceramics Ind. Ltd., G.T. Road, Gujranwala 2) Shabbir Tiles & Ceramics Ltd., 15th Mile Stone, National Highway, Landhi, Karachi – 75120 3) Karam Ceramics Limited, B-C 6, Block – 5, Scheme – 5, Kehkashan, Clifton, Karachi 4) Sonex Tiles & Ceramics Ind. Ltd., 19-K.M.,Lahore Side, (Near Kamoke), G.T.Road, Gujranwala 5) Frontier Ceramics Ltd., 29-Industrial Estate, Jamrud Road, Peshawar. 6) Swat Ceramcis (Pvt) Ltd., Nowshehra 7) Emco Industries Limited, 4th-Floor, National Tower, 28-Edgerton Road, Lahore 8) Ghani Ceramics Limited 40-L, Model Town Ext. Lahore	7) Name of EMCO may be re-evaluated 8) Ghani Ceramic Ltd. requested to add their name in this entry. Relevant information provided and also physically verified.
386	69072119	Tiles, cubes and similar articles, whether or not rectangular, the largest surface area of which is capable of being enclosed in a square the side of which is less than 7cm	All types of unglazed tiles, cubes and similar articles the side of which is less than 7cm or 2.755 inches	Unglazed tiles are just biscuit of tiles without any finishing process of glazing or polishing.	--	1) Master Tiles & Ceramics Ind. Ltd., G.T. Road, Gujranwala 2) Shabbir Tiles & Ceramics Ltd., 15th Mile Stone, National Highway, Landhi, Karachi – 75120 3) Karam Ceramics Limited, B-C 6, Block – 5, Scheme – 5, Kehkashan, Clifton, Karachi 4) Sonex Tiles & Ceramics Ind. Ltd., 19-K.M.,Lahore Side, (Near Kamoke), G.T.Road, Gujranwala 5) Frontier Ceramics Ltd., 29-Industrial Estate, Jamrud Road, Peshawar. 6) Swat Ceramcis (Pvt) Ltd., Nowshehra 7) Emco Industries Limited, 4th-Floor, National Tower, 28-Edgerton Road, Lahore 8) Ghani Ceramics Limited 40-L, Model Town Ext. Lahore	7) Name of EMCO may be re-evaluated 8) Ghani Ceramic Ltd. requested to add their name in this entry. Relevant information provided and also physically verified.

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
387	69072190	Tiles, cubes and similar articles, whether or not rectangular, the largest surface area of which is capable of being enclosed in a square the side of which is less than 7cm	All types of unglazed tiles, cubes and similar articles the side of which is less than 7cm or 2.755 inches	Unglazed tiles are just biscuit of tiles without any finishing process of glazing or polishing.	--	1) Master Tiles & Ceramics Ind. Ltd., G.T. Road, Gujranwala 2) Shabbir Tiles & Ceramics Ltd., 15th Mile Stone, National Highway, Landhi, Karachi – 75120 3) Karam Ceramics Limited, B-C 6, Block – 5, Scheme – 5, Kehkashan, Clifton, Karachi 4) Sonex Tiles & Ceramics Ind. Ltd., 19-K.M.,Lahore Side, (Near Kamoke), G.T.Road, Gujranwala 5) Frontier Ceramics Ltd., 29-Industrial Estate, Jamrud Road, Peshawar. 6) Swat Ceramcis (Pvt) Ltd., Nowshehra 7) Emco Industries Limited, 4th-Floor, National Tower, 28-Edgerton Road, Lahore 8) Ghani Ceramics Limited 40-L, Model Town Ext. Lahore	7) Name of EMCO may be re-evaluated 8) Ghani Ceramic Ltd. requested to add their name in this entry. Relevant information provided and also physically verified.
388	69072211	Tiles, cubes and similar articles, whether or not rectangular, the largest surface area of which is capable of being enclosed in a square the side of which is less than 7cm	All types of unglazed tiles, cubes and similar articles the side of which is less than 7cm or 2.755 inches	Unglazed tiles are just biscuit of tiles without any finishing process of glazing or polishing.	--	1) Master Tiles & Ceramics Ind. Ltd., G.T. Road, Gujranwala 2) Shabbir Tiles & Ceramics Ltd., 15th Mile Stone, National Highway, Landhi, Karachi – 75120 3) Karam Ceramics Limited, B-C 6, Block – 5, Scheme – 5, Kehkashan, Clifton, Karachi 4) Sonex Tiles & Ceramics Ind. Ltd., 19-K.M.,Lahore Side, (Near Kamoke), G.T.Road, Gujranwala 5) Frontier Ceramics Ltd., 29-Industrial Estate, Jamrud Road, Peshawar. 6) Swat Ceramcis (Pvt) Ltd., Nowshehra 7) Emco Industries Limited, 4th-Floor, National Tower, 28-Edgerton Road, Lahore	No Change
389	69072219	Tiles, cubes and similar articles, whether or not rectangular, the largest surface area of which is capable of being enclosed in a square the side of which is less than 7cm	All types of unglazed tiles, cubes and similar articles the side of which is less than 7cm or 2.755 inches	Unglazed tiles are just biscuit of tiles without any finishing process of glazing or polishing.	--	1) Master Tiles & Ceramics Ind. Ltd., G.T. Road, Gujranwala 2) Shabbir Tiles & Ceramics Ltd., 15th Mile Stone, National Highway, Landhi, Karachi – 75120 3) Karam Ceramics Limited, B-C 6, Block – 5, Scheme – 5, Kehkashan, Clifton, Karachi 4) Sonex Tiles & Ceramics Ind. Ltd., 19-K.M.,Lahore Side, (Near Kamoke), G.T.Road, Gujranwala 5) Frontier Ceramics Ltd., 29-Industrial Estate, Jamrud Road, Peshawar. 6) Swat Ceramcis (Pvt) Ltd., Nowshehra 7) Emco Industries Limited, 4th-Floor, National Tower, 28-Edgerton Road, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
390	69072290	Tiles, cubes and similar articles, whether or not rectangular, the largest surface area of which is capable of being enclosed in a square the side of which is less than 7cm	All types of unglazed tiles, cubes and similar articles the side of which is less than 7cm or 2.755 inches	Unglazed tiles are just biscuit of tiles without any finishing process of glazing or polishing.	--	1) Master Tiles & Ceramics Ind. Ltd., G.T. Road, Gujranwala 2) Shabbir Tiles & Ceramics Ltd., 15th Mile Stone, National Highway, Landhi, Karachi – 75120 3) Karam Ceramics Limited, B-C 6, Block – 5, Scheme – 5, Kehkashan, Clifton, Karachi 4) Sonex Tiles & Ceramics Ind. Ltd., 19-K.M.,Lahore Side, (Near Kamoke), G.T.Road, Gujranwala 5) Frontier Ceramics Ltd., 29-Industrial Estate, Jamrud Road, Peshawar. 6) Swat Ceramcis (Pvt) Ltd., Nowshehra 7) Emco Industries Limited, 4th-Floor, National Tower, 28-Edgerton Road, Lahore	No Change
391	69072311	Tiles, cubes and similar articles, whether or not rectangular, the largest surface area of which is capable of being enclosed in a square the side of which is less than 7cm	All types of unglazed tiles, cubes and similar articles the side of which is less than 7cm or 2.755 inches	Unglazed tiles are just biscuit of tiles without any finishing process of glazing or polishing.	--	1) Master Tiles & Ceramics Ind. Ltd., G.T. Road, Gujranwala 2) Shabbir Tiles & Ceramics Ltd., 15th Mile Stone, National Highway, Landhi, Karachi – 75120 3) Karam Ceramics Limited, B-C 6, Block – 5, Scheme – 5, Kehkashan, Clifton, Karachi 4) Sonex Tiles & Ceramics Ind. Ltd., 19-K.M.,Lahore Side, (Near Kamoke), G.T.Road, Gujranwala 5) Frontier Ceramics Ltd., 29-Industrial Estate, Jamrud Road, Peshawar. 6) Swat Ceramcis (Pvt) Ltd., Nowshehra 7) Emco Industries Limited, 4th-Floor, National Tower, 28-Edgerton Road, Lahore	No Change
392	69072319	Tiles, cubes and similar articles, whether or not rectangular, the largest surface area of which is capable of being enclosed in a square the side of which is less than 7cm	All types of unglazed tiles, cubes and similar articles the side of which is less than 7cm or 2.755 inches	Unglazed tiles are just biscuit of tiles without any finishing process of glazing or polishing.	--	1) Master Tiles & Ceramics Ind. Ltd., G.T. Road, Gujranwala 2) Shabbir Tiles & Ceramics Ltd., 15th Mile Stone, National Highway, Landhi, Karachi – 75120 3) Karam Ceramics Limited, B-C 6, Block – 5, Scheme – 5, Kehkashan, Clifton, Karachi 4) Sonex Tiles & Ceramics Ind. Ltd., 19-K.M.,Lahore Side, (Near Kamoke), G.T.Road, Gujranwala 5) Frontier Ceramics Ltd., 29-Industrial Estate, Jamrud Road, Peshawar. 6) Swat Ceramcis (Pvt) Ltd., Nowshehra 7) Emco Industries Limited, 4th-Floor, National Tower, 28-Edgerton Road, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
393	69072390	Tiles, cubes and similar articles, whether or not rectangular, the largest surface area of which is capable of being enclosed in a square the side of which is less than 7cm	All types of unglazed tiles, cubes and similar articles the side of which is less than 7cm or 2.755 inches	Unglazed tiles are just biscuit of tiles without any finishing process of glazing or polishing.	--	1) Master Tiles & Ceramics Ind. Ltd., G.T. Road, Gujranwala 2) Shabbir Tiles & Ceramics Ltd., 15th Mile Stone, National Highway, Landhi, Karachi – 75120 3) Karam Ceramics Limited, B-C 6, Block – 5, Scheme – 5, Kehkashan, Clifton, Karachi 4) Sonex Tiles & Ceramics Ind. Ltd., 19-K.M.,Lahore Side, (Near Kamoke), G.T.Road, Gujranwala 5) Frontier Ceramics Ltd., 29-Industrial Estate, Jamrud Road, Peshawar. 6) Swat Ceramcis (Pvt) Ltd., Nowshehra 7) Emco Industries Limited, 4th-Floor, National Tower, 28-Edgerton Road, Lahore	No Change
394	69073000	Tiles, cubes and similar articles, whether or not rectangular, the largest surface area of which is capable of being enclosed in a square the side of which is less than 7cm	All types of unglazed tiles, cubes and similar articles the side of which is less than 7cm or 2.755 inches	Unglazed tiles are just biscuit of tiles without any finishing process of glazing or polishing.	--	1) Master Tiles & Ceramics Ind. Ltd., G.T. Road, Gujranwala 2) Shabbir Tiles & Ceramics Ltd., 15th Mile Stone, National Highway, Landhi, Karachi – 75120 3) Karam Ceramics Limited, B-C 6, Block – 5, Scheme – 5, Kehkashan, Clifton, Karachi 4) Sonex Tiles & Ceramics Ind. Ltd., 19-K.M.,Lahore Side, (Near Kamoke), G.T.Road, Gujranwala 5) Frontier Ceramics Ltd., 29-Industrial Estate, Jamrud Road, Peshawar. 6) Swat Ceramcis (Pvt) Ltd., Nowshehra 7) Emco Industries Limited, 4th-Floor, National Tower, 28-Edgerton Road, Lahore	No Change
395	69074000	All Types of Unglazed tiles, cubes and similar articles the side of which is more than 7cm or 2.755 inches	Unglazed tiles are just biscuit of tiles without any finishing process of glazing or polishing	--	--	1) Master Tiles & Ceramics Ind. Ltd., G.T. Road, Gujranwala 2) Shabbir Tiles & Ceramics Ltd., 15th Mile Stone, National Highway, Landhi, Karachi – 75120 3) Karam Ceramics Limited, B-C 6, Block – 5, Scheme – 5, Kehkashan, Clifton, Karachi 4) Sonex Tiles & Ceramics Ind. Ltd., 19-K.M.,Lahore Side, (Near Kamoke), G.T.Road, Gujranwala 5) Frontier Ceramics Ltd., 29-Industrial Estate, Jamrud Road, Peshawar. 6) Swat Ceramcis (Pvt) Ltd., Nowshehra 7) Emco Industries Limited, 4th-Floor, National Tower, 28-Edgerton Road, Lahore	No Change
396	70023910	i) Unworked Glass Rods	(Neutral Glass Tubing) U.S.P. Type I	--	SiO ₂ , BaO, CaO, Al ₂ O ₃ , Na ₂ O, K ₂ O, B ₂ O ₃ , Fe ₂ O ₃ , TiO ₂	Cormpak Ltd., Plot Nos. 11 & 26, Sector 20, Korangi Industrial Area Karachi - 74900	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
397	70023910	ii) USP type-I (Clear glassTubing)	Dia: 6.00 - 30.00 mm Wall thickness: 0.45/0.50 or on demand	Coefficient of mean linear thermal expansion $\alpha(20^{\circ}\text{C}; 300^{\circ}\text{C})$ acc. to ISO 7991 : $5.5 \times 10^{-6}\text{K}^{-1}$ Transformation Temperature T:545 $^{\circ}\text{C}$ Glass temperature at viscosity η in dPa.s 10^{13} (annealing point).....545 $^{\circ}\text{C}$ $10^{7.6}$ (softening point)750 $^{\circ}\text{C}$ 10^4 (working point) 1140 $^{\circ}\text{C}$ Density ρ at 25°C 2.38 gcm^{-3}	Hydrolytic resistance acc. to USP Type I Acid resistance (DIN 12116)Class S 1 Alkali resistance (ISO 695).....Class A 2 The heavy metal content for the elements lead, cadmium, mercury and hexavalent chromium is below 100 ppm	Ghani Global Glass Ltd., 10-N, Model Town, Lahore.	No Change
398	70023910	iii) USP type-I Amber Glass Tubing	Dia: 6.00 - 30.00 mm Wall thickness: 0.45/0.50 or on demand	Coefficient of mean linear thermal expansion $\alpha(20^{\circ}\text{C}; 300^{\circ}\text{C})$ acc. to ISO 7991 : $5.6 \times 10^{-6}\text{K}^{-1}$ Transformation Temperature T:550 $^{\circ}\text{C}$ Glass temperature at viscosity η in dPa.s 10^{13} (annealing point).....560 $^{\circ}\text{C}$ $10^{7.6}$ (softening point)770 $^{\circ}\text{C}$ 10^4 (working point) 1165 $^{\circ}\text{C}$ Density ρ at 25°C 2.45 gcm^{-3}	Hydrolytic resistance acc. to Ph. Eur. Type I acc. to USP Type I Acid resistance (DIN 12116)Class S 1 Alkali resistance (ISO 695).....Class A 2 The heavy metal content for the elements lead, cadmium, mercury and hexavalent chromium is below 100 ppm	Ghani Global Glass Ltd., 10-N, Model Town, Lahore.	No Change
	70049000	Sheet Glass				Ghani Glass Limited 40-L, Model Town Ext., Lahore	
	70051000	Reflective Float Glass		LTV: 15% - 20% LTB: 20% - 25% LTV: 25% - 30%		Ghani Glass Limited 40-L, Model Town Ext., Lahore	Ghani Glass Ltd. requested to add this entry in the list. Relevant information provided and also physically verified.
	70052100	Colour Float Glass		LTV:		Ghani Glass Limited 40-L, Model Town Ext., Lahore	Ghani Glass Ltd. requested to add this entry in the list. Relevant information provided and also physically verified.
	70052900	Reflective Float Glass		LTV: 79% - 91%		Ghani Glass Limited 40-L, Model Town Ext., Lahore	Ghani Glass Ltd. requested to add this entry in the list. Relevant information provided and also physically verified.
	70071900	Toughened Safety Glass	2mm to 19mm			Ghani Value Glass Limited 39 - L, Model Town Extn., Lahore	Ghani Value Glass Ltd. requested to add this entry in the list. Relevant information provided and also physically verified.

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
	70072900	Laminated Safety Glass	6.38mm to 72mm			Ghani Value Glass Limited 39 - L, Model Town Extn., Lahore	Ghani Value Glass Ltd. requested to add this entry in the list. Relevant information provided and also physically verified.
399	70080000	Insulation Glass, Double Glazed Glass	Multiple-walled insulating units of glass	Multiple-walled insulating units of glass	--	Harris Silicones & Glass (Pvt.) Ltd., Farooque Industrial Estate, Anam Road, 20km Ferozepur Road, Lahore 2) Ghani Value Glass Limited 39 - L, Model Town Extn., Lahore	2) Ghani Value Glass Ltd. requested to add this entry in the list. Relevant information provided and also physically verified.
	70099200	Mirror Glass	1.8mm to 8mm			Ghani Value Glass Limited 39 - L, Model Town Extn., Lahore	Ghani Value Glass Ltd. requested to add this entry in the list. Relevant information provided and also physically verified.
400	70101000	Glass Ampoules for packing or conveyance	United States Pharmacopoeia Neutral Type I Glass	--	SiO ₂ , BaO, CaO, Al ₂ O ₃ , Na ₂ O, K ₂ O, B ₂ O ₃ , Fe ₂ O ₃ , TiO ₂	Cornpak Ltd., Plot Nos. 11 & 26, Sector 20, Korangi Industrial Area Karachi - 74900	No Change
		Clear Ampoule Form:B Form:C Form:D	1 CC to 10 CC	Coefficient of mean linear thermal expansion α (20°C; 300°C) acc. to ISO 7991 : $5.5 \times 10^{-6} \text{K}^{-1}$ Transformation Temperature T:545°C Glass temperature at viscosity η in dPa.s 10^{13} (annealing point).....545 °C $10^{7.6}$ (softening point)750 °C 10^4 (working point) 1140 °C Density ρ at 25°C 2.38 gcm^{-3}	Hydrolytic resistance acc. to Ph. Eur. Type I acc. to USP Type I Acid resistance (DIN 12116)Class S 1 Alkali resistance (ISO 695).....Class A 2 The heavy metal content for the elements lead, cadmium, mercury and hexavalent chromium is below 100 ppm	Ghani Global Glass Ltd., 10-N, Model Town, Lahore.	No Change
		Amber Ampoule Form:B Form:C Form:D	1 CC to 10 CC	Coefficient of mean linear thermal expansion α (20°C; 300°C) acc. to ISO 7991 : $5.6 \times 10^{-6} \text{K}^{-1}$ Transformation Temperature T:550°C Glass temperature at viscosity η in dPa.s 10^{13} (annealing point).....560 °C $10^{7.6}$ (softening point)770 °C 10^4 (working point) 1165 °C Density ρ at 25°C 2.45 gcm^{-3}	Hydrolytic resistance acc. to Ph. Eur. Type I acc. to USP Type I Acid resistance (DIN 12116)Class S 1 Alkali resistance (ISO 695).....Class A 2 The heavy metal content for the elements lead, cadmium, mercury and hexavalent chromium is below 100 ppm		No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
400	70109000	Clear Vial	1CC to 20 CC	Coefficient of mean linear thermal expansion $\alpha(20^{\circ}\text{C}; 300^{\circ}\text{C})$ acc. to ISO 7991 : $5.5 \times 10^{-6} \text{K}^{-1}$ Transformation Temperature T: 545°C Glass temperature at viscosity η in dPa.s 10^{13} (annealing point)..... 545°C $10^{7.6}$ (softening point) 750°C 10^4 (working point) 1140°C Density ρ at 25°C 2.38 gcm^{-3}	Hydrolytic resistance acc. to Ph. Eur. Type I acc. to USP Type I Acid resistance (DIN 12116)Class S 1 Alkali resistance (ISO 695).....Class A 2 The heavy metal content for the elements lead, cadmium, mercury and hexavalent chromium is below 100 ppm	Ghani Global Glass Ltd., 10-N, Model Town, Lahore.	
		Amber Vial	1CC to 20 CC	Coefficient of mean linear thermal expansion $\alpha(20^{\circ}\text{C}; 300^{\circ}\text{C})$ acc. to ISO 7991 : $5.6 \times 10^{-6} \text{K}^{-1}$ Transformation Temperature T: 550°C Glass temperature at viscosity η in dPa.s 10^{13} (annealing point)..... 560°C $10^{7.6}$ (softening point) 770°C 10^4 (working point) 1165°C Density ρ at 25°C 2.45 gcm^{-3}	Hydrolytic resistance acc. to Ph. Eur. Type I acc. to USP Type I Acid resistance (DIN 12116)Class S 1 Alkali resistance (ISO 695).....Class A 2 The heavy metal content for the elements lead, cadmium, mercury and hexavalent chromium is below 100 ppm		No Change
		ii. Glass Bottles				Ghani Glass Limited 40-L, Model Town Ext., Lahore	Ghani Glass Ltd. added in this entry. Relevant information provided and also physically verified.
401	70111000	Glass Shells 35 Dia, 60 Dia & 80 Dia	Glass Shell 15 W to 200 W	--	--	Crown Lighting (Pvt) Ltd., 483/E 1, Tariq road, Peshwar Cantt.	No Change
402	70196100	Woven Fabrics of glass fibre rovings	Fiberglass Products	--	--	Fibre Tech, 28-E, Safe way House, South Park Avenue, Phase 2, Ext DHA, Karachi	No Change
403	70196200	Woven Fabrics of glass fibre rovings	Fiberglass Products	--	--	Fibre Tech, 28-E, Safe way House, South Park Avenue, Phase 2, Ext DHA, Karachi	No Change
404	70199090	i) Glass Reinforced Epoxy (GRE) Pipes	ASTM D-2996, Length upto 40 ft., dia. upto 600mm, Pressure upto 32 bars, used for Sewerage and drinking water & Chemical transfer lines.	As per Standard	As per Standard	1) Business & Engineering Trends, 100-A Wazir Ali Road, Upper Mall, Opposite Lahore Gymkhana Lahore 2) Fibre Craft Industries, Canal Bank Hanif Park, Harbanspura Lahore - 54850	No Change
		ii) Fiber Glass Tank	In-house fabricated: ASTM D-4097-01, ASTM D-3299-00, dia: upto 4m, Length: 12m Field Erected: ASTM D-4097-01, ASTM D-3299-00, dia: upto 10m, Height: 12m	As per requirement	Food Grade, Chemical storage or As per Standard		No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		iii) Disconnecting Sticks 12 ft	WAPDA Specification DDS-43:2008	--	--	Creative Engineering (Pvt) Ltd., 160/ S, Q.I.E. Kot Lakhpat Lahore	No Change
		iv) Glass Reinforced Epoxy (GRE) fittings, i.e. Elbow, Tee, Flange, Reducer & End Cap etc.	ASTM D-2996, Dia. upto 600mm, Pressure up to 32 bars, used for Sewerage and drinking water & Chemical transfer lines.	As per Standard	As per Standard	Fibre Craft Industries, Canal Bank Hanif Park, Harbanspura Lahore - 54850	No Change
		v) Fiber Glass Panel Tanks	ASTM D- 3299, ASTM D-4097, Min. Storage: 1000 Liters, Max. Storage: As per requirement	Feasible for colder & hotter environment (-10oC to +80oC) - No Algae Growth	Food Grade, Chemical storage		No Change
		vi) Fiber Glass Manhole	ASTM D-3753, H-20, Length upto 12m, dia. upto 2m	As per requirement	Corrosion Resistant		No Change
		vii) Fiber Glass Manhole covers	ASTM D-3753, H-20, Length upto 12m, dia. 400,500,600,900 mm	As per requirement	Corrosion Resistant		No Change
		viii) Fiber Glass Rebars	ASTM D-7205, ASTM D7617, ASTM D-5117 Strength up to 60,000 psi, dia: 5mm-40mm	As per requirement	Corrosion Resistant		No Change
		ix) Fiber Glass Grating (Molded & Pultruded)	Height from 25mm-60mm	As per requirement	Corrosion Resistant		No Change
		x) Fiber Glass Disconnecting Stick/ Rod	DDS-43:2008, Insulated up to 90kV	As per Standard	As per Standard		No Change
		xi) Tree Trimmer	PP-99	As per Standard	As per Standard		No Change
405	70200090	i) Glass Reinforced Polyester (GRP) Pipes	Length upto 40 ft., Dia. upto 4000mm, Pressure upto 32 bars, used for Sewerage and drinking water & Chemical transfer lines. ASTM, D-351704, D3262-04, D-3754-04	Food Grade/As per Standard	--	1) Creative Engineering (Pvt) Ltd., 160/ S, Q.I.E. Kot Lakhpat Lahore 2) Business & Engineering Trends, 100-A Wazir Ali Road, Upper Mall, Opposite Lahore Gymkhana Lahore 3) Fibre Craft Industries, Canal Bank Hanif Park, Harbanspura Lahore - 54850	
		ii) Glass Reinforced Polyester (GRP) fittings, i.e. Elbow, Tee, Flange, Reducer & End Cap etc.	ASTM D-351704, D-3262-04, D-3754-04 Dia. upto 4000mm, Pressure upto 32 bars, used for Sewerage and drinking water & Chemical transfer lines.	As per Standard	As per Standard	Fibre Craft Industries, Canal Bank Hanif Park, Harbanspura Lahore - 54850	No Change
		iii) Appliance Glass Doors / Shelves, Kitchen Hobs (excluding curved shape)	2mm to 19mm			Ghani Value Glass Limited 39 - L, Model Town Extn., Lahore	Ghani Value Glass requested to include their name in this entry. Relevant information provided and also physically verified.
406	72021100	Ferro Manganese High Carbon	Mn: 60% & above, C: 6-7%, Si: 3% max	--	--	Fine Steel, (Mughal Steel Group), 17 KM, Sheikhpura Road, Lahore	No Change
407	72022100	Ferro Silicon	FeSi 75 Al 2 Si: 55% & above	Crystallized lumps of size 10-80mm + 10%	Silicon 72-80%, Aluminium 1-3%, Carbon 0.2% max, Phosphorus 0.05% max, Sulphur 0.04%	1) Al-Abbas Sugar Mills Ltd., 55 Km, Main National Highway, Dhabeji, Distt, Thatta 2) Fine Steel, (Mughal Steel Group), 17 KM, Sheikhpura Road, Lahore	No Change
408	72022900	Ferro Silicon	Si: 55% & above	--	--	Fine Steel, (Mughal Steel Group), 17 KM, Sheikhpura Road, Lahore	No Change
409	72023000	Ferro Silicon Manganese (low Carbon/ High Carbon)	Mn: 60% & Above, C: 0.5 - 2% (Low Carbon) C: More than 2% (High Carbon)	--	--	Fine Steel, (Mughal Steel Group), 17 KM, Sheikhpura Road, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
410	72024100	Ferro Chrome	Cr: 55% min. C: 2% min.	--	--	Fine Steel, (Mughal Steel Group), 17 KM, Sheikhpura Road, Lahore	No Change
411	72024900	Ferro Chrome	Cr: 55% min. C: 2% min.	--	--	Fine Steel, (Mughal Steel Group), 17 KM, Sheikhpura Road, Lahore	No Change
412	72044910	Re-rollable Scrap				Pakistan Ship Breakers Association, M-1 Mezzanine Floor, Horizon Tower, P/No. 2/6, Commercial Block 3, Sch No. 5, Near Bilawal House Clifton Karachi.	No Change
413	72044990	Re-meltable Scrap	H.M.S. 1 & 2			Pakistan Ship Breakers Association, M-1 Mezzanine Floor, Horizon Tower, P/No. 2/6, Commercial Block 3, Sch No. 5, Near Bilawal House Clifton Karachi.	No Change
414	72045000	Ingots, from remelting scrap of iron or steel	Ms Billets Graded and Non Graded Type: Conteneous closed casted on high frequency induction furnaces. Size: 4" width x 4" hight x 12" length Specs: Being used in all sorts of steel structural products.	--	--	1) Khawaja Steels, 4 KM, Dewan Road, Eminabad, Gujranwala 2) Fazal Steel (PVT.) Limited, Plot No. 418-421 Industrial Area, I-9, Islamabad	No Change
415	72061000	Ingots for re-rolling / Steel Ingots of Iron and non alloy steel in primary forms (excluding iron of heading 72.03)	Size 50X50 to 15X150mm Forgeable ingots in carbon steel upto 50 tons weight Highly refined bottom poured ingots in flat rectangular, round and square sections. Weight : 500kg to 14,000kg. Manufactured as per international quality standards like JIS, Bohler, AISI, DIN, Chinese etc	Air cooled, stress relieved or annealed	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers. See Annex-I	1) Heavy Mechanical Complex (Pvt) Ltd., Taxila 2) Fazal Steel (PVT.) Limited, Plot No. 418-421 Industrial Area, I-9, Islamabad 3) Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi 4) Pakistan Association of Large Steel Producers	No Change
416	72069000	Steel Ingots of Iron and non alloy steel in primary forms (excluding iron of heading 72.03)	Highly refined bottom poured ingots in flat rectangular, round and square sections. Weight : 500kg to 14,000kg. Standards:JIS, Bohler, AISI, DIN, Chinese etc	Air cooled, stress relieved or annealed	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers. See Annex-I	1) Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi 2) Pakistan Association of Large Steel Producers,	No Change
		Cast iron	Casting upto 28 tons (single piece) Steel (low alloyed) casting upto 32 tons (single piece)	--	--	1) Heavy Mechanical Complex (Pvt) Ltd., Taxila 2) Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi 3) Pakistan Association of Large Steel Producers	No Change
		i) Ingots and Billets of plain carbon steel, spring steels alloys for re-rolling. ii) Forgable Ingots of plain carbon steel iii) Semi-finished products of iron & non-alloy steel	50mm x 50mm to 150mm x 150mm Upto 50 tons weight (single piece) Ingots upto 9000 Kg weight cast in mould/ESR processed.	Structual Steel Billets, Reinforcment Bar Steel Billets, Wire Rod Steel Billetsa, Cold Heading Steel Billets, Baling Hoops Steel Billets, Spring Steel Billets, Electrode Steel Billets, Seam-Less Steel Tubes & Pipes	--	1) Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi 2) Pakistan Association of Large Steel Producers,	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
417	72071110	Concast billets	Concast billets of square upto 150mm Length : 4000 - 1200 mm	Cont cast billet as per international standard.	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers.	1) Heavy Mechanical Complex (Pvt) Ltd., Taxila 2) Amreli Steels Ltd., D/89, Shershah Road, SITE, Karachi 3) Fazal Steel (PVT.) Limited, Plot No. 418-421 Industrial Area, I-9, Islamabad 4) Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi 5) Pakistan Association of Large Steel Producers,	No Change
418	72071190	Con. Cast billet, square	Con Cast (CC Billet), Square : 110, 125 & 150 mm. Length : 4000 - 1200 mm	Cont cast billet as per international standard.	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers.	1) Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi 2) Pakistan Association of Large Steel Producers,	No Change
419	72071210	Con cast billet, Round	Con Cast (CC Billet), Round : Ø110 mm. Length : 4000 - 1200 mm	Cont cast billet as per international standard.	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers.	1) Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi 2) Pakistan Association of Large Steel Producers,	No Change
		Structural steel billet for reinforcement steel bars	Size: 100mmx100mm, 120mm x 120mm and 150mmx150mm ASTM A-615 & BS 4449	--	Carbon (C) 0.200-0.250; Manganese (Mn) 1.250, Phosphorus (P) 0.00; Silicon (Si) 0.300; Sulphur (S) 0.002	1) S.H.Steel Re Rolling Mills, Plot 50, St 12 I-9 Industrial Area Islamabad 2) Pakistan Association of Large Steel Producers,	No Change
420	72071910	Con. Cast Bloom	Con Cast (CC Bloom), Square : 230 mm. Length : 4000 - 1200 mm	Cont cast bloom as per international standard.	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers.	1) Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi 2) Amreli Steels Ltd., D/89, Shershah Road, SITE, Karachi 3) All Steel Memters	No Change
421	72071920	Steel Billets	Con Cast (CC Billet), Square : 110, 125 & 150 mm. Round : Ø110 mm, Length : 4000 - 1200 mm., Hot rolled billet Square : 75, 80, 90, 100, 130 mm Length : 4000 - 6000 mm	Cont cast & rolled billet as per international standard.	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers.	1) Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi, 2) Amreli Steels Ltd., D/89, Shershah Road, SITE, Karachi, 3) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 4) Model Steel Enterprises (Pvt) Ltd., 15-KM, G.T. Road, New Momanpura, Darogawala, Near Quaid-Azam Inter Change, Lahore 5) Pakistan Association of Large Steel Producers	No Change
422	72071990	Steel Billets	Con Cast (CC Billet) Square : 110, 125 & 150 mm. Round : Ø110 mm. Length : 4000 - 1200 mm., Hot rolled billet Square : 75, 80, 90, 100, 130 mm, Length : 4000 - 6000 mm Concast and hot rolled/square upto 150 x 150 mm and round upto 150 mm dia forged upto 200 mm rolling section.	Cont cast & rolled billet as per international standard.	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers.	1) Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi, 2) Amreli Steels Ltd., D/89, Shershah Road, SITE, Karachi, 3) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 4) Model Steel Enterprises (Pvt) Ltd., 15-KM, G.T. Road, New Momanpura, Darogawala, Near Quaid-Azam Inter Change, Lahore 5) Fazal Steel (PVT.) Limited, Plot No. 418-421 Industrial Area, I-9, Islamabad 6) Pakistan Association of Large Steel Producers	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
423	72072010	Con. Cast Bloom	Con Cast (CC Bloom), Square : 230 mm. Length : 4000 - 1200 mm	Cont cast bloom as per international standard.	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers.	1) Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi 2) Amreli Steels Ltd., D/89, Shershah Road, SITE, Karachi 3) All Steel Memters	No Change
424	72072020	Steel Billets	Con Cast (CC Billet) Square : 110, 125 & 150 mm. Round : Ø110 mm Length : 4000 - 1200 mm. Hot rolled billet Square : 75, 80, 90, 100, 130 mm Length : 4000 - 6000 mm	Cont cast & rolled billet as per international standard.	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers.	1) Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi, 2) Amreli Steels Ltd., D/89, Shershah Road, SITE, Karachi, 3) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 4) Model Steel Enterprises (Pvt) Ltd., 15-KM, G.T. Road, New Momanpura, Darogawala, Near Quaid-Azam Inter Change, Lahore 5) Pakistan Association of Large Steel Producers	No Change
425	72072090	Steel Billets	Con Cast (CC Billet) Square : 110, 125 & 150 mm. Round : Ø110 mm Length : 4000 - 1200 mm. Hot rolled billet Square : 75, 80, 90, 100, 130 mm Length : 4000 - 6000 mm	Cont cast & rolled billet as per international standard.		1) Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi, 2) Amreli Steels Ltd., D/89, Shershah Road, SITE, Karachi, 3) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 4) Model Steel Enterprises (Pvt) Ltd., 15-KM, G.T. Road, New Momanpura, Darogawala, Near Quaid-Azam Inter Change, Lahore 5) Pakistan Association of Large Steel Producers	No Change
426	72091510	Cold Rolled Coils Of a thickness 3 mm or more	Cold Rolled Carbon Steel Sheets, Strips and Coils - As per JIS G-3141, ASTM A-1008 (excluding Bake Hardening Steel grade used in manufacturing of outer skin of the automobiles), A 568/ A568M	Yield Point, tensile strength & elongation, Bendability & Hardness as per JIS G 3141, ASTM A-1008 specification or equivalent	As per JIS G 3141 specified steel grades, ASTM A568/ A568M	1) International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi 2) Aisha Steel Mills Ltd., DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi 3) BBJ Steel Limited, 4th Floor, BBJ House, 40 Abbot Road, Lahore.	No Change
427	72091590	Cold Rolled Coils Of a thickness 3 mm or more	Cold Rolled Carbon Steel Sheets, Strips and Coils - As per JIS G-3141, ASTM A-1008 (excluding Bake Hardening Steel grade used in manufacturing of outer skin of the automobiles), A 568/ A568M	Mechanical Properties i.e. Yield Point, tensile strength & elongation, Bendability & Hardness as per JIS G 3141, ASTM A-1008 specification or equivalent	As per JIS G 3141 specified steel grades, ASTM A568/ A568M	1) International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi 2) Aisha Steel Mills Ltd., DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi 3) BBJ Steel Limited, 4th Floor, BBJ House, 40 Abbot Road, Lahore.	No Change
428	72091610	i) Cold Rolled Coils Of a thickness exceeding 1 mm but less than 3 mm:	Cold Rolled Carbon Steel Sheets, Strips and Coils - As per JIS G-3141, ASTM A-1008 (excluding Bake Hardening Steel grade used in manufacturing of outer skin of the automobiles)	Mechanical Properties i.e. Yield Point, tensile strength & elongation, Bendability & Hardness as per JIS G 3141, ASTM A-1008 specification or equivalent	Chemical composition as per JIS G 3141 specified steel grades	International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		ii) Cold Rolled Coils (CRC)	Cold Rolled Coils of thickness exceeding 1mm but less than 3mm JIS G 3141 / ASTM A 1008, A 568/ A568M (excluding Bake Hardening Steel grade used in manufacturing of outer skin of the automobiles)	Mechanical Properties as per JIS G 3141, ASTM A 1008 specifications, Dimensional tolerances as per JIS G 3141, ASTM A 568/ A 568M	Chemical composition as per JIS G 3141, ASTM A568/ A568M	Aisha Steel Mills Ltd., DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi	No Change
		iii) Cold Rolled Coils of a thickness exceeding 1 mm but less than 3 mm	Cold Rolled, Coils as per JIS G-3141, ASTM A-1008 [Excluding SPCE grade and other auto grades]	As per JIS G-3141, ASTM A-1008	As per JIS G-3141, ASTM A-1008	BBJ Steel Limited, 4 th Floor, BBJ House, 40 Abbot Road, Lahore.	No Change
429	72091690	i) Cold Rolled Coils Of a thickness exceeding 1 mm but less than 3 mm:	Cold Rolled Carbon Steel Sheets, Strips and Coils - As per JIS G-3141, ASTM A-1008 (excluding Bake Hardening Steel grade used in manufacturing of outer skin of the automobiles)	Mechanical Properties i.e. Yield Point, tensile strength & elongation, Bendability & Hardness as per JIS G 3141, ASTM A-1008 specification or equivalent	Chemical composition as per JIS G 3141 specified steel grades	International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi	No Change
		ii) Cold Rolled Coils (CRC)	Cold Rolled Coils of thickness exceeding 1mm but less than 3mm JIS G 3141 / ASTM A 1008, A 568/ A568M [Excluding SPCE grade and other auto grades]	Mechanical Properties as per JIS G 3141, ASTM A 1008 specifications, Dimensional tolerances as per JIS G 3141, ASTM A 568/ A 568M	Chemical composition as per JIS G 3141, ASTM A568/ A568M	Aisha Steel Mills Ltd., DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi	No Change
		iii) Cold Rolled Coils of a thickness exceeding 1 mm but less than 3 mm	Cold Rolled Carbon Steel Sheet , Coils and Strips as per JIS G-3141, ISO-3574 , ASTM A-1008 [Excluding SPCE grade and other auto grades]	As per JIS G-3141, ISO-3574 , ASTM A-1008	As per JIS G-3141, ISO-3574 , ASTM A-1008	BBJ Steel Limited, 4 th Floor, BBJ House, 40 Abbot Road, Lahore.	BBJ Steel requested to amend this entry, as shown. Relevant information provided.
430	72091710	i) Cold Rolled CoilsOf a thickness of 0.5 mm or more but not exceeding 1 mm:	Cold Rolled Carbon Steel Sheets, Strips and Coils - As per JIS G-3141, ASTM A-1008 (excluding Bake Hardening Steel grade used in manufacturing of outer skin of the automobiles)	Mechanical Properties i.e. Yield Point, tensile strength & elongation, Bendability & Hardness as per JIS G 3141, ASTM A-1008 specification or equivalent	Chemical composition as per JIS G 3141 specified steel grades	International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi	No Change
		ii) Cold Rolled Coils (CRC)	Cold Rolled Coils of a thickness 0.5mm or more but not exceeding 1mm JIS G 3141 / ASTM A 1008, A 568/ A568M [Excluding SPCE grade and other auto grades]	Mechanical Properties as per JIS G 3141, ASTM A 1008 specifications, Dimensional tolerances as per JIS G 3141, ASTM A 568/ A 568M	Chemical composition as per JIS G 3141, ASTM A568/ A568M	Aisha Steel Mills Ltd., DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi	No Change
		iii) Cold Rolled Coils of a thickness 0.5 mm or more but not exceeding 1 mm	Cold Rolled Carbon Steel Sheet , Coils and Strips as per JIS G-3141, ISO-3574 , ASTM A-1008 [Excluding SPCE grade and other auto grades]	As per JIS G-3141, ISO-3574 , ASTM A-1008	As per JIS G-3141, ISO-3574 , ASTM A-1008	BBJ Steel Limited, 4 th Floor, BBJ House, 40 Abbot Road, Lahore.	BBJ Steel requested to amend this entry, as shown. Relevant information provided.
431	72091790	i) Cold Rolled Coils Of a thickness of 0.5 mm or more but not exceeding 1 mm:	Cold Rolled Carbon Steel Sheets, Strips and Coils - As per JIS G-3141, ASTM A-1008 (excluding Bake Hardening Steel grade used in manufacturing of outer skin of the automobiles)	Mechanical Properties i.e. Yield Point, tensile strength & elongation, Bendability & Hardness as per JIS G 3141, ASTM A-1008 specification or equivalent	Chemical composition as per JIS G 3141 specified steel grades	International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		ii) Cold Rolled Coils (CRC)	Cold Rolled Coils of a thickness 0.5mm or more but not exceeding 1mm JIS G 3141 / ASTM A 1008, A 568/ A568M [Excluding SPCE grade and other auto grades]	Mechanical Properties as per JIS G 3141, ASTM A 1008 specifications, Dimensional tolerances as per JIS G 3141, ASTM A 568/ A 568M	Chemical composition as per JIS G 3141, ASTM A568/ A568M	Aisha Steel Mills Ltd., DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi	No Change
		iii) Cold Rolled Coils of a thickness 0.5 mm or more but not exceeding 1 mm	Cold Rolled Carbon Steel Sheet, Coils and Strips as per JIS G-3141, ISO-3574, ASTM A-1008 [Excluding SPCE grade and other auto grades]	As per JIS G-3141, ISO-3574, ASTM A-1008	As per JIS G-3141, ISO-3574, ASTM A-1008	BBJ Steel Limited, 4 th Floor, BBJ House, 40 Abbot Road, Lahore.	BBJ Steel requested to amend this entry, as shown. Relevant information provided.
432	72091810	i) Cold Rolled Coils Of thickness of less than 0.5 mm:	Cold Rolled Carbon Steel Sheets, Strips and Coils - As per JIS G-3141, ASTM A-1008 (excluding Bake Hardening Steel grade used in manufacturing of outer skin of the automobiles)	Mechanical Properties i.e. Yield Point, tensile strength & elongation, Bendability & Hardness as per JIS G 3141, ASTM A-1008 specification or equivalent	Chemical composition as per JIS G 3141 specified steel grades	International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi	No Change
		ii) Cold Rolled Coils (CRC)	Cold Rolled Coils of thickness of less than 0.5mm JIS G 3141 / ASTM A 1008, A 568/ A568M [Excluding SPCE grade and other auto grades]	Mechanical Properties as per JIS G 3141, ASTM A 1008 specifications, Dimensional tolerances as per JIS G 3141, ASTM A 568/ A 568M	Chemical composition as per JIS G 3141, ASTM A568/ A568M	Aisha Steel Mills Ltd., DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi	No Change
		iii) Cold Rolled Coils of thickness less than 0.5 mm	Cold Rolled Carbon Steel Sheet, Coils and Strips as per JIS G-3141, ISO-3574, ASTM A-1008 [Excluding SPCE grade and other auto grades]	As per JIS G-3141, ISO-3574, ASTM A-1008	As per JIS G-3141, ISO-3574, ASTM A-1008	BBJ Steel Limited, 4th Floor, BBJ House, 40 Abbot Road, Lahore.	BBJ Steel requested to delete this entry, as shown. Relevant information provided.
433	72091899	i) Cold Rolled Coils Of thickness of less than 0.5 mm:	Cold Rolled Carbon Steel Sheets, Strips and Coils - As per JIS G-3141, ASTM A-1008 (excluding Bake Hardening Steel grade used in manufacturing of outer skin of the automobiles)	Mechanical Properties i.e. Yield Point, tensile strength & elongation, Bendability & Hardness as per JIS G 3141, ASTM A-1008 specification or equivalent	Chemical composition as per JIS G 3141 specified steel grades	International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi	No Change
		ii) Cold Rolled Coils (CRC)	Cold Rolled Coils of thickness of less than 0.5mm JIS G 3141 / ASTM A 1008, A 568/ A568M [Excluding SPCE grade and other auto grades]	Mechanical Properties as per JIS G 3141, ASTM A 1008 specifications, Dimensional tolerances as per JIS G 3141, ASTM A 568/ A 568M	Chemical composition as per JIS G 3141, ASTM A568/ A568M	Aisha Steel Mills Ltd., DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi	No Change
		iii) Cold Rolled Coils of thickness less than 0.5 mm	Cold Rolled Carbon Steel Sheet, Coils and Strips as per JIS G-3141, ISO-3574, ASTM A-1008 [Excluding SPCE grade and other auto grades]	As per JIS G-3141, ISO-3574, ASTM A-1008	As per JIS G-3141, ISO-3574, ASTM A-1008	BBJ Steel Limited, 4th Floor, BBJ House, 40 Abbot Road, Lahore.	BBJ Steel requested to delete this entry, as shown. Relevant information provided.
434	72092510	Cold Rolled of a thickness of 3mm or more (Not in Coils)	Cold Rolled Carbon Steel Sheets, Strips and Coils - As per JIS G-3141, ASTM A-1008 (excluding Bake Hardening Steel grade used in manufacturing of outer skin of the automobiles)	Mechanical Properties i.e. Yield Point, tensile strength & elongation, Bendability & Hardness as per JIS G 3141, ASTM A-1008 specification or equivalent	Chemical composition as per JIS G 3141 specified steel grades	1) International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi 2) Aisha Steel Mills Ltd., DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi	2) Aisha Steel requested to add their name in this entry. Relevant information requested but not provided yet.
435	72092590	Cold Rolled of a thickness of 3mm or more (Not in Coils)	Cold Rolled Carbon Steel Sheets, Strips and Coils - As per JIS G-3141, ASTM A-1008 (excluding Bake Hardening Steel grade used in manufacturing of outer skin of the automobiles)	Mechanical Properties i.e. Yield Point, tensile strength & elongation, Bendability & Hardness as per JIS G 3141, ASTM A-1008 specification or equivalent	Chemical composition as per JIS G 3141 specified steel grades	1) International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi 2) Aisha Steel Mills Ltd., DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi	2) Aisha Steel requested to add their name in this entry. Relevant information requested but not provided yet.

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
436	72092610	i) Cold Rolled Of a thickness of exceeding 1 mm but less than 3 mm: (Not in Coils	Cold Rolled Carbon Steel Sheets, Strips and Coils - As per JIS G-3141, ASTM A-1008 (excluding Bake Hardening Steel grade used in manufacturing of outer skin of the automobiles)	Mechanical Properties i.e. Yield Point, tensile strength & elongation, Bendability & Hardness as per JIS G 3141, ASTM A-1008 specification or equivalent	Chemical composition as per JIS G 3141 specified steel grades	International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi	No Change
		ii) Cold Rolled (Not in Coils)	Cold Rolled Coils of thickness exceeding 1mm but less than 3mm JIS G 3141 / ASTM A 1008, A 568/ A568M [Excluding SPCE grade and other auto grades]	Mechanical Properties as per JIS G 3141, ASTM A 1008 specifications, Dimensional tolerances as per JIS G 3141, ASTM A 568/ A 568M	Chemical composition as per JIS G 3141, ASTM A568/ A568M	Aisha Steel Mills Ltd., DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi	No Change
437	72092690	i) Cold Rolled Of a thickness of exceeding 1 mm but less than 3 mm: (Not in Coils	Cold Rolled Carbon Steel Sheets, Strips and Coils - As per JIS G-3141, ASTM A-1008 (excluding Bake Hardening Steel grade used in manufacturing of outer skin of the automobiles)	Mechanical Properties i.e. Yield Point, tensile strength & elongation, Bendability & Hardness as per JIS G 3141, ASTM A-1008 specification or equivalent	Chemical composition as per JIS G 3141 specified steel grades	International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi	No Change
		ii) Cold Rolled (Not in Coils)	Cold Rolled Coils of thickness exceeding 1mm but less than 3mm JIS G 3141 / ASTM A 1008, A 568/ A568M [Excluding SPCE grade and other auto grades]	Mechanical Properties as per JIS G 3141, ASTM A 1008 specifications, Dimensional tolerances as per JIS G 3141, ASTM A 568/ A 568M	Chemical composition as per JIS G 3141, ASTM A568/ A568M	Aisha Steel Mills Ltd., DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi	No Change
438	72092710	i) Cold Rolled Of thickness of 0.5 mm or more but not exceeding 1 mm: (Not in Coils)	Cold Rolled Carbon Steel Sheets, Strips and Coils - As per JIS G-3141, ASTM A-1008 (excluding Bake Hardening Steel grade used in manufacturing of outer skin of the automobiles)	Mechanical Properties i.e. Yield Point, tensile strength & elongation, Bendability & Hardness as per JIS G 3141, ASTM A-1008 specification or equivalent	Chemical composition as per JIS G 3141 specified steel grades	International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi	No Change
		ii) Cold Rolled (Not in Coils)	Cold Rolled Coils of a thickness 0.5mm or more but not exceeding 1mm JIS G 3141 / ASTM A 1008, A 568/ A568M [Excluding SPCE grade and other auto grades]	Mechanical Properties as per JIS G 3141, ASTM A 1008 specifications, Dimensional tolerances as per JIS G 3141, ASTM A 568/ A 568M	Chemical composition as per JIS G 3141, ASTM A568/ A568M	Aisha Steel Mills Ltd., DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi	No Change
439	72092790	i) Cold Rolled Of thickness of 0.5 mm or more but not exceeding 1 mm: (Not in Coils)	Cold Rolled Carbon Steel Sheets, Strips and Coils - As per JIS G-3141, ASTM A-1008 (excluding Bake Hardening Steel grade used in manufacturing of outer skin of the automobiles)	Mechanical Properties i.e. Yield Point, tensile strength & elongation, Bendability & Hardness as per JIS G 3141, ASTM A-1008 specification or equivalent	Chemical composition as per JIS G 3141 specified steel grades	International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi	No Change
		ii) Cold Rolled (Not in Coils)	Cold Rolled Coils of a thickness 0.5mm or more but not exceeding 1mm JIS G 3141 / ASTM A 1008, A 568/ A568M [Excluding SPCE grade and other auto grades]	Mechanical Properties as per JIS G 3141, ASTM A 1008 specifications, Dimensional tolerances as per JIS G 3141, ASTM A 568/ A 568M	Chemical composition as per JIS G 3141, ASTM A568/ A568M	Aisha Steel Mills Ltd., DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi	No Change
440	72092810	i) Cold Rolled Of thickness of less than 0.5 mm: (Not in coils)	Cold Rolled Carbon Steel Sheets, Strips and Coils - As per JIS G-3141, ASTM A-1008 (excluding Bake Hardening Steel grade used in manufacturing of outer skin of the automobiles)	Mechanical Properties i.e. Yield Point, tensile strength & elongation, Bendability & Hardness as per JIS G 3141, ASTM A-1008 specification or equivalent	Chemical composition as per JIS G 3141 specified steel grades	International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		ii) Cold Rolled (Not in Coils)	Cold Rolled Coils of thickness of less than 0.5mm JIS G 3141 / ASTM A 1008, A 568/ A568M [Excluding SPCE grade and other auto grades]	Mechanical Properties as per JIS G 3141, ASTM A 1008 specifications, Dimensional tolerances as per JIS G 3141, ASTM A 568/ A 568M	Chemical composition as per JIS G 3141, ASTM A568/ A568M	Aisha Steel Mills Ltd., DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi	No Change
441	72092890	i) Cold Rolled Of thickness of less than 0.5 mm: (Not in coils)	Cold Rolled Carbon Steel Sheets, Strips and Coils - As per JIS G-3141, ASTM A-1008(excluding Bake Hardening Steel grade used in manufacturing of outer skin of the automobiles)	Mechanical Properties i.e.	Chemical composition as per JIS G 3141 specified steel grades	International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi	No Change
		ii) Cold Rolled (Not in Coils)	Cold Rolled Coils of thickness of less than 0.5mm JIS G 3141 / ASTM A 1008, A 568/ A568M [Excluding SPCE grade and other auto grades]	Mechanical Properties as per JIS G 3141, ASTM A 1008 specifications, Dimensional tolerances as per JIS G 3141, ASTM A 568/ A 568M	Chemical composition as per JIS G 3141, ASTM A568/ A568M	Aisha Steel Mills Ltd., DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi	No Change
442	72099010	i) Cold Rolled Coils Of 3 mm and above:	Cold Rolled Carbon Steel Sheets, Strips and Coils - As per JIS G-3141, ASTM A-1008 (excluding Bake Hardening Steel grade used in manufacturing of outer skin of the automobiles)	Mechanical Properties i.e. Yield Point, tensile strength & elongation, Bendability & Hardness as per JIS G 3141, ASTM A-1008 specification or equivalent	Chemical composition as per JIS G 3141 specified steel grades	International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi	No Change
		ii) Cold Rolled Coils (CRC)	Cold Rolled Coils of thickness 3mm or more JIS G 3141 / ASTM A 1008, A 568/ A568M [Excluding SPCE grade and other auto grades]	Mechanical Properties as per JIS G 3141, ASTM A 1008 specifications, Dimensional tolerances as per JIS G 3141, ASTM A 568/ A 568M	Chemical composition as per JIS G 3141, ASTM A568/ A568M	Aisha Steel Mills Ltd., DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi	No Change
		iii) Cold Rolled Coils of 3 mm or above	Cold Rolled Carbon Steel Sheet, Coils and Strips as per JIS G-3141, ISO-3574 , ASTM A-1008 [Excluding SPCE grade and other auto grades]	As per JIS G-3141, ISO-3574 , ASTM A-1008	As per JIS G-3141, ISO-3574 , ASTM A-1008	BBJ Steel Limited, 4 th Floor, BBJ House, 40 Abbot Road, Lahore.	BBJ Steel requested to amend this entry, as shown. Relevant information provided.
		iv) Cold rolled coils 0.5 mm to 3.0 mm	-	-	-		No Change
443	72099090	i) Cold Rolled Coils Of 3 mm and above:	Cold Rolled Carbon Steel Sheets, Strips and Coils - As per JIS G-3141, ASTM A-1008 (excluding Bake Hardening Steel grade used in manufacturing of outer skin of the automobiles)	Mechanical Properties i.e. Yield Point, tensile strength & elongation, Bendability & Hardness as per JIS G 3141, ASTM A-1008 specification or equivalent	Chemical composition as per JIS G 3141 specified steel grades	International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi	No Change
		ii) Cold Rolled Coils (CRC)	Cold Rolled Coils of thickness 3mm or more JIS G 3141 / ASTM A 1008, A 568/ A568M [Excluding SPCE grade and other auto grades]	Mechanical Properties as per JIS G 3141, ASTM A 1008 specifications, Dimensional tolerances as per JIS G 3141, ASTM A 568/ A 568M	Chemical composition as per JIS G 3141, ASTM A568/ A568M	Aisha Steel Mills Ltd., DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi	No Change
		iii) Cold Rolled Coils of 3 mm or above	Cold Rolled Carbon Steel Sheet, Coils and Strips as per JIS G-3141, ISO-3574 , ASTM A-1008 [Excluding SPCE grade and other auto grades]	As per JIS G-3141, ISO-3574 , ASTM A-1008	As per JIS G-3141, ISO-3574 , ASTM A-1008	BBJ Steel Limited, 4 th Floor, BBJ House, 40 Abbot Road, Lahore.	BBJ Steel requested to amend this entry, as shown. Relevant information provided.
		iv) Cold rolled coils 0.5 mm to 3.0 mm	-	-	-		No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
444	72101210	Electrolytic Tin Plate	Tin plates, of types: - SRT1 to SR T5, having thickness 0.14 mm to 0.48 mm and width up to 965 mm - DR 8 to DR 10, having a thickness of 0.13 mm to 0.4 mm and width upto 965 mm Conforming to European Standards EN 10002-1-1990 & EN 10203 – 1-1991	--	--	Siddiqsons Tin Plate Limited, D-53, Textile Avenue, S.I.T.E., Karachi – 75700	No Change
445	72101290	Electrolytic Tin Plate	Tin plates, of types: - SRT1 to SR T5, having thickness 0.14 mm to 0.48 mm and width up to 965 mm - DR 8 to DR 10, having a thickness of 0.13 mm to 0.4 mm and width upto 965 mm Conforming to European Standards EN 10002-1-1990 & EN 10203 – 1-1991	--	--	Siddiqsons Tin Plate Limited, D-53, Textile Avenue, S.I.T.E., Karachi – 75700	No Change
446	72104110	Corrugated	Hot Dip Zinc Coated Corrugated Sheets As per all International Standards	--	--	1) International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi 2) Aisha Steel Mills Ltd., DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi	2) Aisha Steel requested to add their name in this entry. Relevant information requested but not provided yet.
447	72104190	Corrugated	Hot Dip Zinc Coated Corrugated Sheets As per all International Standards	--	--	1) International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi 2) Aisha Steel Mills Ltd., DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi	2) Aisha Steel requested to add their name in this entry. Relevant information requested but not provided yet.
448	72104910	Galvanized Steel	Hot Dip Zinc Coated Steel Sheets, Strips and Coils As per JIS G-3302, ASTM A-653	Mechanical Properties as per JIS G 3302, ASTM A 653/ A653M specifications, Dimensional tolerances as per JIS G 3302, ASTM A 924/ A924M	Chemical composition as per JIS G 3302, ASTM A 653 / A 653M	1) International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi 2) Aisha Steel Mills Ltd., DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi	No Change
449	72104990	Galvanized Steel	Hot Dip Zinc Coated Steel Sheets, Strips and Coils As per JIS G-3302, ASTM A-653	Mechanical Properties as per JIS G 3302, ASTM A 653/ A653M specifications, Dimensional tolerances as per JIS G 3302, ASTM A 924/ A924M	Chemical composition as per JIS G 3302, ASTM A 653 / A 653M	1) International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi 2) Aisha Steel Mills Ltd., DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi	No Change
450	72107020	Color Coated	Continuously organic coated (color coated) steel flat products including Color Coated Corrugated As per EN10169, JIS G-3312, ASTM A-755	--	--	International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi	No Change
451	72107090	Color Coated	Continuously organic coated (color coated) steel flat products including Color Coated Corrugated, As per EN10169, JIS G-3312, ASTM A-755	--	--	International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
452	72109010	Other	Continuously organic coated (color coated) steel flat products including Color Coated Corrugated, As per EN10169, JIS G-3312, ASTM A-755	--	--	International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi	No Change
453	72109090	Other	Continuously organic coated (color coated) steel flat products including Color Coated Corrugated, As per EN10169, JIS G-3312, ASTM A-755	--	--	International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi	No Change
454	72111310	Steel sheets & plates (Hot rolled)	Width : 950 mm - 1500 mm Length : Up to 3000 mm	Black surface	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers.	Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi	No Change
455	72111390	Steel sheets & plates (Hot rolled)	Width : 950 mm - 1500 mm Length : Up to 3000 mm	Black surface	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers.	Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi	No Change
456	72111410	Steel plates & sheets (Hot rolled)	Width : 1500 mm (max.) Length : Up to 12000 mm, depending upon thickness & width	Black surface	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers.	Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi	No Change
457	72111490	Steel plates & sheets (Hot rolled)	Width : 1500 mm (max.) Length : Up to 12000 mm, depending upon thickness & width	Black surface	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers.	Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi	No Change
458	72111990	Iron or Steel Strips	CR steel strips thickness range: 04 to 2.8mm sizes: available in all types and sizes	--	--	International Industries Ltd., LX 15-16, Landhi Industrial Area, Karachi	No Change
459	72111920	Cold Rolled Steel strips of thickness exceeding 0.5mm	Cold Rolled Carbon Steel Sheets, Strips and Coils - As per JIS G-3141, ASTM A-1008 (excluding Bake Hardening Steel grade used in manufacturing of outer skin of the automobiles) As per BSS-4461-1969, ASTM-A36-75, ASTM-615-76a (1977)	Mechanical Properties i.e. Yield Point, tensile strength & elongation, Bendability & Hardness as per JIS G 3141, ASTM A-1008 specification or equivalent	Chemical composition as per JIS G 3141 specified steel grades	1) International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi 2) Metropolitan Steel Corporation Limited, 706-Progressive Plaza, 101-Bemount Road, Karachi 3) Aisha Steel Mills Ltd., DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim, Karachi	3) Aisha Steel requested to add their name in this entry. Relevant information requested but not provided yet.
460	72111990	Cold Rolled Steel strips of thickness exceeding 0.5mm	Cold Rolled Carbon Steel Sheets, Strips and Coils - As per JIS G-3141, ASTM A-1008 (excluding Bake Hardening Steel grade used in manufacturing of outer skin of the automobiles) As per BSS-4461-1969, ASTM-A36-75, ASTM-615-76a (1977)	Mechanical Properties i.e. Yield Point, tensile strength & elongation, Bendability & Hardness as per JIS G 3141, ASTM A-1008 specification or equivalent	Chemical composition as per JIS G 3141 specified steel grades	1) International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi 2) Metropolitan Steel Corporation Limited, 706-Progressive Plaza, 101-Bemount Road, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
	72112920	Cold rolled steel strips of thickness below 0.5 mm and width upto 100 mm	Cold Rolled Carbon Steel Sheets, Strips and Coils - As per JIS G-3141, ASTM A-1008 (excluding Bake Hardening Steel grade used in manufacturing of outer skin of the automobiles)	Mechanical Properties i.e. Yield Point, tensile strength & elongation, Bendability & Hardness as per JIS G 3141, ASTM A-1008 specification or equivalent	Chemical composition as per JIS G 3141 specified steel grades	International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi	ISL requested to add this entry in the list. Documents provided.
461	72121000	Flat Rolled Products - Electrolytically plated or coated with zinc	Barrages, Sugar industry, cement plants and other industries.	--	--	TDFC (Pvt) Ltd., East Pharange Drainage, Millat Town, Millat Road, Faisalabad	No Change
462	72123010	Galvanized Steel Strips of a width less than 600 mm	Hot Dip Zinc Coated Steel Sheets, Strips and Coils As per JIS G-3302, ASTM A-653	--	--	1) International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi 2) Aisha Steel Mills Ltd., DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim, Karachi	2) Aisha Steel requested to add their name in this entry. Relevant information requested but not provided yet.
463	72123090	Galvanized Steel Strips of a width less than 600 mm	Hot Dip Zinc Coated Steel Sheets, Strips and Coils As per JIS G-3302, ASTM A-653	--	--	1) International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi 2) Aisha Steel Mills Ltd., DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim, Karachi	2) Aisha Steel requested to add their name in this entry. Relevant information requested but not provided yet.
464	72125010	Color Steel Strips of a width less than 600 mm	Continuously organic coated (color coated) steel flat products including Color Coated Corrugated As per EN10169, JIS G-3312, ASTM A-755	--	--	International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi	No Change
465	72125090	Color Steel Strips of a width less than 600 mm	Continuously organic coated (color coated) steel flat products including Color Coated Corrugated As per EN10169, JIS G-3312, ASTM A-755	--	--	International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi	No Change
466	72126090	i) M.S. Flat Bar (Hot Rolled)	Range 32 to 300mm Length = 6 to 12 Mtr.	ASTM A-36, SR-24, AISI-1010 and as per Pakistan Steel and Peoples Steel Mills Standard.	As Per Standard	Jabbar Steel Industry, A-46/C S.I.T.E Near Pakistan Cable Karachi.	No Change
		ii) Gilding Metal Clad Steel	Def-Stan 95-9, IU-92, BS-2870, EN-1652	0.5 mm-05 mm thick, in coils/sheets	Steel sheet core with 10% cladding of copper 99.9%	Wah Brass Mills (Pvt) Ltd., Quaid Avenue (Adjacent POF Main Gate), Wah Cantt.	No Change
467	72131010	M.S. Bars, Deformed Bar & Tor Bar (Hot Rolled)	Range 25 to 60mm Length = 6 to 12 Mtr.	ASTM-615, ASTM A-36, SR-24, G-60 & 40 and as per Pakistan Steel and Peoples Steel Mills Standard. Yield Strength 73,000 psi Tensile Strength 94,000 psi Elongation in 8 inches 17%	As Per Standard/ Carbon = 0.27% Sulfur = 0.015% Magnese = 0.98% Phosphorus = 0.023% Silicon = 0.24%	1) Jabbar Steel Industry, A-46/C S.I.T.E Near Pakistan Cable Karachi. 2) Amreli Steels Ltd., D/89, Shershah Road, SITE, Karachi 3) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi, 4) Horizon Steel (Pvt) Ltd., D-93, Block-4, Kehkshan, Clifton, Karachi 5) Razaque Steels (Pvt) Ltd., B-30(B), Estate Avenue Sher Shah, S.I.T.E, Karachi 6) Fazal Steel (PVT.) Limited, Plot No. 418-421 Industrial Area, I-9, Islamabad 7) Pakistan Association of Large Steel Producers 8) Faizan Steel, B-37/B-69, S.I.T.E., Karachi	5) Razaque Steels (Pvt.) Ltd. informed that they are permanently out of production since Sep. 2022.

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
468	72131090	i) Hot Rolled Deformed Bars of Iron or non-alloy steel	BSS-4461-1969, BSS 4449-2005, ASTM-A36-75, ASTM-615-76a (1977)	As per standard	As per standard	1) Metropolitan Steel Corporation Limited, 706-Progressive Plaza, 101-Bemount Road, Karachi 2) Agha Steel Industries, Plot No. NWIZ/I/P-133(SP-6) D-2, Port Qasim Authority, Karachi 3) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 4) Horizon Steel (Pvt) Ltd., D-93, Block-4, Kehkshan, Clifton, Karachi 5) Razaque Steels (Pvt) Ltd., B-30(B), Estate-Avenue-Sher-Shah, S.I.T.E. Karachi 6) Fazal Steel (PVT.) Limited, Plot No. 418-421 Industrial Area, I-9, Islamabad 7) Pakistan Association of Large Steel Producers	5) Razaque Steels (Pvt.) Ltd. informed that they are permanently out of production since Sep. 2022.
		ii) Hot Rolled Deformed Bars of Iron or non-alloy steel	Hot Rolled; Diameter : 18 - 60 mm Length : 4000 - 8000mm	Black surface	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers. See Annex-I	1) Peoples Steel Mills Ltd., Javedan Nagar, Manghpur, Karachi 2) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 3) Horizon Steel (Pvt) Ltd., D-93, Block-4, Kehkshan, Clifton, Karachi 4) Razaque Steels (Pvt) Ltd., B-30(B), Estate-Avenue-Sher-Shah, S.I.T.E. Karachi 5) Pakistan Association of Large Steel Producers	4) Razaque Steels (Pvt.) Ltd. informed that they are permanently out of production since Sep. 2022.
		iii) Hot Rolled Deformed Bars of Iron or non-alloy steel	ASTM grade 60, BS4449, DIN 488	ASTM grade 60, Tensile Strength 450N/mm sq, Yield Strength 680N/mm sq	C> 0.32%, Mn >1.3%,	1) Dost Steels (Pvt) Ltd., 101 Chapal Plaza, Hasrat Mohani Road, Karachi 2) Agha Steel Industries, Plot No. NWIZ/I/P-133(SP-6) D-2, Port Qasim Authority, Karachi 3) Model Steel Enterprises (Pvt) Ltd., 15-KM, G.T. Road, New Momanpura, Darogawala, Near Quaid-e-Azam Inter Change, Lahore 4) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 5) Horizon Steel (Pvt) Ltd., D-93, Block-4, Kehkshan, Clifton, Karachi 6) Razaque Steels (Pvt) Ltd., B-30(B), Estate-Avenue-Sher-Shah, S.I.T.E. Karachi 7) Pakistan Association of Large Steel Producers	6) Razaque Steels (Pvt.) Ltd. informed that they are permanently out of production since Sep. 2022.
		iv) Hot Rolled Bars and rods in irregularly wound coils of iron or non-alloy steel	Coils of deformed steel. Dia. > 5.5 mm and <12 mm. weight >75 kg. Standard: JIG G 3506-80, ASTM A 615-82 (Containing indentations, ribs, grooves or other deformations produced during the rolling process)	longation greater then 20 %. Yield strength greater 30,000 psi.	C: 0.05 % to 0.50 % Mn: 0.30 % to 0.90 % Si: 0.04 % to 0.40 % P: greater than 0.03 % S: greater than 0.03 %	1) Frontier Foundry (Pvt) Ltd., Plot No. 166, Road B-7, Hayatabad Industrial Estate, Peshawar 2) Agha Steel Industries, Plot No. NWIZ/I/P-133(SP-6) D-2, Port Qasim Authority, Karachi 3) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 4) Horizon Steel (Pvt) Ltd., D-93, Block-4, Kehkshan, Clifton, Karachi 5) Pakistan Association of Large Steel Producers,	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		v) Hot Rolled (Non-Alloyed) Steel Wire Rod (irregular wound coils), circular cross section measuring 5.5mm to 20mm in diameter.	SAE 1006, SAE 1008, SAE 1010, SAE 1015, SAE 1020, SAE 1025, EWNr, EH10K, ER70SG, EA2, SAE 1030, SAE 1038, SAE 1040	As per SAE, AISI, ASTM, EN and other International Standards	As per SAE, AISI, ASTM, EN and other International Standards	Horizon Steel (Pvt) Ltd., D-93, Block-4, Kehkshan, Clifton, Karachi	No Change
		vi) Deformed Steel Bars	ASTM-706 Grade - 60	Yield Strength min 70,000 psi Yield Strength max 75,000 psi Tensile Strength 94,000 psi Elongation in 8 inches 19%	Carbon = 0.25% Sulfur = 0.035% Manganese = 1.25% Phosphorus = 0.023% Silicon = 0.24%	Faizan Steel,B-37/B-69, S.I.T.E., Karachi	No Change
		vii) Deformed Steel Bars	BS-4449 Grade - B 500 C	Yield Strength 72,500 psi Tensile Strength 95,000 psi Elongation in 8 inches 12% - 15%	Carbon = 0.24%, Sulfur = 0.055%, Manganese = 1.25%, Phosphorus = 0.023%, Silicon = 0.24%, Copper = 0.82%, Nitrogen = 0.013%	Faizan Steel,B-37/B-69, S.I.T.E., Karachi	No Change
469	72132010	Hot Rolled Bars & Rods of Non-Alloyed (Low/Plain Carbon) Steel (Irregular Wound Coils)	6.4 mm to 300mm Length = 6 to 12 Mtr.	ASTM A-36, SR-24, AISI-1010 and as per Pakistan Steel and Peoples Steel Mills Standard.	As Per Standard	1) Jabbar Steel Industry, A-46/C S.I.T.E Near Pakistan Cable Karachi. 2) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 3) Horizon Steel (Pvt) Ltd., D-93, Block-4, Kehkshan, Clifton, Karachi 4) Pakistan Association of Large Steel Producers	No Change
470	72132090	i) Hot Rolled Bars & Rods of Non-Alloyed (Low/Plain Carbon) Steel (Irregular Wound Coils)	6.4 mm to 60 mm dia	--	--	1) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 2) Horizon Steel (Pvt) Ltd., D-93, Block-4, Kehkshan, Clifton, Karachi 3) Pakistan Association of Large Steel Producers	No Change
		ii) Hot Rolled Bars and rods in irregularly wound coils of iron or non-alloy steel (Other, of free cutting steel)	Steel wire-rod (with no indentation or ribs). Diameter of greater than 5.5 mm and less 12 mm. Coil weight of greater than 75 kg. Standard: JIG G 3506-80, ASTM A 615-82 SAE 1006, SAE 1008, SAE 1010, SAE 1015, SAE 1020, SAE 1025, EWNr, EH10K, ER70SG, EA2, SAE 1030, SAE 1038, SAE 1040	Elongation greater than 20 %. Yield strength greater 30,000 psi.	C: 0.05 % to 0.50 % Mn: 0.30 % to 0.90 % Si: 0.04 % to 0.40 % P: greater than 0.03 % S: greater than 0.03 %	1) Frontier Foundry (Pvt) Ltd., Plot No. 166, Road B-7, Hayatabad Industrial Estate, Peshawar 2) Abbas Engineering Industries Ltd., DSU-2, Bin Qasim—Karachi—75000 3) Abbas Steel Industries (Pvt) Ltd., Plot No. 8, Sector 19, Korangi Industrial Area Karachi 4) Al Abbas Steel (Pvt) Ltd., Plot No. 9, Sector 19, Korangi Industrial Area Karachi 5) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 6) Horizon Steel (Pvt) Ltd., D-93, Block-4, Kehkshan, Clifton, Karachi 7) Fazal Steel (PVT.) Limited, Plot No. 418-421 Industrial Area, I-9, Islamabad 8) Pakistan Association of Large Steel Producers	M/s Abbas Engineering Industries, Abbas Steel Industries and Al Abbas Steel merged into ASG Metals Ltd; therefore, Abbas Engineering, Abbas Steel and Al abbas Steel to be excluded from CGO. Proof of merger is provided.
471	72139110	Steel Wire Rod	5.5mm to 12 mm SWRH 42A to 42 B, Medium Carbon ASTM. JIS, All International Spec's	Plain Round	SWRH 42 A to 42 B C% = 0.39/0.46, Mn% = 0.40/0.80, P% Max = 0.030, S % Max = 0.030, Si% = 0.15/0.30	1) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 2) Horizon Steel (Pvt) Ltd., D-93, Block-4, Kehkshan, Clifton, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
472	72139191	Hot Rolled (Non-Alloyed) Steel Wire Rod (irregular wound coils), circular cross section measuring 5.5mm to 20mm in diameter.	SAE 1006, SAE 1008, SAE 1010, SAE 1015, SAE 1020, SAE 1025, EWNr, EH10K, ER70SG, EA2, SAE 1030, SAE 1038, SAE 1040	As per SAE, AISI, ASTM, EN and other International Standards	As per SAE, AISI, ASTM, EN and other International Standards	1) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 2) Horizon Steel (Pvt) Ltd., D-93, Block-4, Kehkshan, Clifton, Karachi	No Change
473	72139199	Hot Rolled (Non-Alloyed) Steel Wire Rod (irregular wound coils), circular cross section measuring 5.5mm to 20mm in diameter.	SAE 1006, SAE 1008, SAE 1010, SAE 1015, SAE 1020, SAE 1025, EWNr, EH10K, ER70SG, EA2, SAE 1030, SAE 1038, SAE 1040	As per SAE, AISI, ASTM, EN and other International Standards	As per SAE, AISI, ASTM, EN and other International Standards	1) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 2) Horizon Steel (Pvt) Ltd., D-93, Block-4, Kehkshan, Clifton, Karachi	No Change
474	72139990	i) Steel Wire Rod	5.5mm to 12 mm SWRH 42A to 42 B, Medium Carbon ASTM. JIS, All International Spec's	Plain Round	SWRH 42 A to 42 B C% = 0.39/0.46, Mn% = 0.40/0.80, P% Max = 0.030, S % Max = 0.030, Si% = 0.15/0.30	1) Sandal Bar Rolling Mills (Pvt) Ltd., 1st Floor 48 Nishtar Road, Lahore 2) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 3) Horizon Steel (Pvt) Ltd., D-93, Block-4, Kehkshan, Clifton, Karachi 4) Pakistan Association of Large Steel Producers	No Change
		ii) Hot Rolled (Non-Alloyed) Steel Wire Rod (irregular wound coils), circular cross section measuring 5.5mm to 20mm in diameter.	SAE 1006, SAE 1008, SAE 1010, SAE 1015, SAE 1020, SAE 1025, EWNr, EH10K, ER70SG, EA2, SAE 1030, SAE 1038, SAE 1040	As per SAE, AISI, ASTM, EN and other International Standards	As per SAE, AISI, ASTM, EN and other International Standards	1) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 2) Horizon Steel (Pvt) Ltd., D-93, Block-4, Kehkshan, Clifton, Karachi	No Change
475	72141010	i) Bars, iron or non alloy steel, forged, hot-rolled	Press forging: Shafts:Dia 700 mm(max.), Disc dia:1500 mm(Max), Length:8000 mm(max.) Weight:12 mt. Radial Forging: Square, Round, & Varying section profile, axles of cross section 60 mm to 200 mm and flat 30-150 mm & width 60-180 mm, Length 4000-6000 mm	Black surface	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers. See Annex-I	Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi	No Change
		ii) Steel Bars	Grade 60 5.5mm to 32mm ASTM. JIS, All International Spec's	Plain Round, Deform Bars & Twisted	Grade 60 C% = 0.28/0.33, Mn% = 1.15/1.35, P% Max = 0.045, S % Max = 0.045, Si% = 0.35 max, (C+Mn)/6% = 0.47/0.55	1) Amreli Steels Ltd., D/89, Shershah Road, SITE, Karachi 2) Agha Steel Industries, Plot No. NWIZ/I/P-133(SP-6) D-2, Port Qasim Authority, Karachi	No Change
476	72141090	i) Bars, iron or non alloy steel, forged, hot-rolled	Press forging: Shafts:Dia 700 mm(max.), Disc dia:1500 mm(Max), Length:8000 mm(max.) Weight:12 mt. Radial Forging: Square, Round, & Varying section profile, axles of cross section 60 mm to 200 mm and flat 30-150 mm & width 60-180 mm, Length 4000-6000 mm	Black surface	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers.	Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		ii) Steel Bars	Grade 60 5.5mm to 32mm ASTM. JIS, All International Spec's	Plain Round, Deform Bars & Twisted	Grade 60 C% = 0.28/0.33, Mn% = 1.15/1.35, P% Max = 0.045, S % Max = 0.045, Si% = 0.35 max, (C+Mn)/6% = 0.47/0.55	1) Amreli Steels Ltd., D/89, Shershah Road, SITE, Karachi 2) Agha Steel Industries, Plot No. NWIZ/I/P- 133(SP-6) D-2, Port Qasim Authority, Karachi	No Change
477	72142010	i) Steel Bars	Grade 60 5.5mm to 32mm ASTM. JIS, All International Spec's	Plain Round, Deform Bars & Twisted	Grade 60 C% = 0.28/0.33, Mn% = 1.15/1.35, P% Max = 0.045, S % Max = 0.045, Si% = 0.35 max, (C+Mn)/6% = 0.47/0.55	1) Amreli Steels Ltd., D/89, Shershah Road, SITE, Karachi 2) Agha Steel Industries, Plot No. NWIZ/I/P- 133(SP-6) D-2, Port Qasim Authority, Karachi	No Change
		ii) Hot rolled, deformed bars	Hot Rolled; Diameter : 12 - 80 mm Length : 4000 - 6000mm	Black surface	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers.	1) Amreli Steels Ltd., D/89, Shershah Road, SITE, Karachi 2) Agha Steel Industries, Plot No. NWIZ/I/P- 133(SP-6) D-2, Port Qasim Authority, Karachi	No Change
		iii) Rolled Profiles	Containing indentation ribs, grooves or Others deformations produced during the rolling process or twisted after rolling, 6.4 mm to 60 mm dia	--	--	1) Shalimar Steel, Karachi 2) Razzaque Steel (Pvt) Ltd.Karachi 3) Amreli Steels (Pvt) Ltd., D - 89, Shershah Road SITE, Karachi 4) New Shalimar Steel, Karachi 5) Fazal Steel (PVT.) Limited, Plot No. 418- 421 Industrial Area, I-9, Islamabad	No Change
478	72142090	i) Hot rolled, deformed bars	Hot Rolled; Diameter : 12 - 80 mm Length : 4000 - 6000mm	Black surface	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers.	1) Amreli Steels Ltd., D/89, Shershah Road, SITE, Karachi 2) Agha Steel Industries, Plot No. NWIZ/I/P- 133(SP-6) D-2, Port Qasim Authority, Karachi	No Change
		ii) Rolled Profiles	Containing indentation ribs, grooves or Others deformations produced during the rolling process or twisted after rolling, 6.4 mm to 60 mm dia	--	--	1) Shalimar Steel, Karachi 2) Razzaque Steel (Pvt) Ltd.Karachi 3) Amreli Steels (Pvt) Ltd., D - 89, Shershah Road SITE, Karachi 4) New Shalimar Steel, Karachi 5) Fazal Steel (PVT.) Limited, Plot No. 418- 421 Industrial Area, I-9, Islamabad	No Change
479	72143010	i) Steel Bars and Rods	Free cutting steel, 6.4 mm to 60 mm dia	--	--	1) Amreli Steels Ltd., D/89, Shershah Road, SITE, Karachi 2) Agha Steel Industries, Plot No. NWIZ/I/P- 133(SP-6) D-2, Port Qasim Authority, Karachi 3) Fazal Steel (PVT.) Limited, Plot No. 418- 421 Industrial Area, I-9, Islamabad	No Change
		ii) Bars of free-cutting steel, hot-rolled, forged	Diameter : 18 - 130 mm, Length 4000 - 6000mm	Black surface	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers.	1) Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi 2) Amreli Steels Ltd., D/89, Shershah Road, SITE, Karachi 3) Agha Steel Industries, Plot No. NWIZ/I/P- 133(SP-6) D-2, Port Qasim Authority, Karachi	No Change
480	72143090	i) Steel Bars and Rods	Free cutting steel, 6.4 mm to 60 mm dia	--	--	1) Amreli Steels Ltd., D/89, Shershah Road, SITE, Karachi 2) Agha Steel Industries, Plot No. NWIZ/I/P- 133(SP-6) D-2, Port Qasim Authority, Karachi 3) Fazal Steel (PVT.) Limited, Plot No. 418- 421 Industrial Area, I-9, Islamabad	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		ii) Bars of free-cutting steel, hot-rolled, forged	Diameter : 18 - 130 mm, Length 4000 - 6000mm	Black surface	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers.	1) Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi 2) Amreli Steels Ltd., D/89, Shershah Road, SITE, Karachi 3) Agha Steel Industries, Plot No. NWIZ/I/P-133(SP-6) D-2, Port Qasim Authority, Karachi	No Change
481	72149110	i) Steel Bars and Rods	Rectangular (other than square) Cross Section 6.4 mm to 60 mm dia	--	--	1) Amreli Steels Ltd., D/89, Shershah Road, SITE, Karachi 2) Agha Steel Industries, Plot No. NWIZ/I/P-133(SP-6) D-2, Port Qasim Authority, Karachi 3) Fazal Steel (PVT.) Limited, Plot No. 418-421 Industrial Area, I-9, Islamabad	No Change
		ii) Steel Flat Bars	Flat Bars Size : 6 x 40 mm - 20 x 110 mm Length 4000 - 6000mm	Black surface	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers.	1) Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi 2) Amreli Steels Ltd., D/89, Shershah Road, SITE, Karachi	No Change
482	72149190	i) Steel Flat Bars	Flat Bars Size : 6 x 40 mm - 20 x 110 mm Length 4000 - 6000mm	Black surface	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers.	1) Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi 2) Amreli Steels Ltd., D/89, Shershah Road, SITE, Karachi	No Change
		ii) Steel Bars and Rods	Rectangular (other than square) Cross Section 6.4 mm to 60 mm dia	--	--	1) Amreli Steels Ltd., D/89, Shershah Road, SITE, Karachi 2) Agha Steel Industries, Plot No. NWIZ/I/P-133(SP-6) D-2, Port Qasim Authority, Karachi 3) Fazal Steel (PVT.) Limited, Plot No. 418-421 Industrial Area, I-9, Islamabad	No Change
483	72151010	i) Bars and Rods	5.5 mm to 12 mm in coils	--	--	1) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 2) Pakistan Association of Large Steel Producers	No Change
		ii) Bars of free-cutting & other alloy steel, cold-formed/ finished	Cold drawn bars; Diameter : 12 - 80 mm Length : 4000 - 6000mm	Black surface	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers.	1) Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi 2) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 3) Horizon Steel (Pvt) Ltd., D-93, Block-4, Kehkshan, Clifton, Karachi 4) Pakistan Association of Large Steel Producers	No Change
484	72151090	Bars and Rods	5.5 mm to 12 mm in coils Cold drawn bars; Diameter : 12 - 80 mm, Length : 4000 - 6000mm	--	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers.	1) Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi 2) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 3) Horizon Steel (Pvt) Ltd., D-93, Block-4, Kehkshan, Clifton, Karachi 4) Pakistan Association of Large Steel Producers	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
485	72155010	Bars of free-cutting & other alloy steel, cold-formed/ finished	Cold drawn bars; Diameter : 12 - 80 mm, Length : 4000 - 6000mm	Black surface	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers. See Annex-I	1) Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi 2) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 3) Horizon Steel (Pvt) Ltd., D-93, Block-4, Kehkshan, Clifton, Karachi 4) Pakistan Association of Large Steel Producers	No Change
486	72155090	Bars of free-cutting & other alloy steel, cold-formed/ finished	Cold drawn bars; Diameter : 12 - 80 mm, Length : 4000 - 6000mm	Black surface	All type of carbon steel grades. Chemical composition as per international quality standards or as specified by customers.	1) Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi 2) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 3) Horizon Steel (Pvt) Ltd., D-93, Block-4, Kehkshan, Clifton, Karachi 4) Pakistan Association of Large Steel Producers	No Change
487	72159010	Bars and rods of iron or non- alloy steel	As per Standard	As per Standard	As per Standard	1) ASG Metals Ltd., EIZ/ LL/SP-08, Eastern, Industrial Zone, Port Qasim Authority, Karachi 2) Horizon Steel (Pvt) Ltd. D-93, Block-4, Kehkshan, Clifton, Karachi 3) Pakistan Association of Large Steel Producers	No Change
488	72159090	Bars and rods of iron or non- alloy steel	As per Standard	As per Standard	As per Standard	1) ASG Metals Ltd., EIZ/ LL/SP-08, Eastern, Industrial Zone, Port Qasim Authority, Karachi 2) Horizon Steel (Pvt) Ltd. D-93, Block-4, Kehkshan, Clifton, Karachi 3) Pakistan Association of Large Steel Producers	No Change
489	72161000	Steel Sections (U, I or H) not further worked than hot- rolled, hot- drawn or extruded, of a height of less than 80 mm	- Thickness upto 12 mm (for HR materials), length upto 12 m Blank width 100-600 mm UTS = 275 N/mm ² Excl. those conforming to ASTM A-572 or equivalent. (Blank width 100 to 600 mm and UTS upto 65 Kg/mm ²) Th. upto 10 mm & size 250 x 250 mm Th. upto 10 mm and size upto 40 x 250 mm Upto IPN 450, Upto 450 x 450	(ASTM A-36, SR-24, A572, SRJ 275)	--	1) Ishtiaq Steel Industry, 43-B PECO Road Badami Bagh Lahore. 2) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 3) Model Steel Enterprises (Pvt) Ltd., 15-KM, G.T. Road, New Momanpura, Darogawala, Near Quaid-e-Azam Inter Change, Lahore 4) Batala Steel, Near Kot Abdul Malik Motorway Interchange, Lahore Sheikhpura Road, Lahore 5) Pakistan Association of Large Steel Producers	No Change
490	72162100	L sections, not further worked than hot-rolled, hot drawn or extruded, of a height of less than 80mm	As per BSS-4461-1969, ASTM-A36-75, ASTM-615-76a (1977)	(ASTM A-36, SR-24, A572, SRJ 275)	--	1) Ishtiaq Steel Industry, 43-B PECO Road Badami Bagh Lahore. 2) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 3) Batala Steel, Near Kot Abdul Malik Motorway Interchange, Lahore Sheikhpura Road, Lahore 4) Metropolitan Steel Corporation Limited, 706-Progressive Plaza, 101-Bemount Road, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
491	72162200	T sections, not further worked than hot-rolled, hot drawn or extruded, of a height of less than 80mm	Range 50 x 50 to 150 x 150mm Length = 6 to 12 Mtr.	(ASTM A-36, SR-24, A572, SRJ 275) and as per Pakistan Steel and Peoples Steel Mills Standard.	As Per Standard	1) Ishtiaq Steel Industry, 43-B PECO Road Badami Bagh Lahore. 2) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 3) Batala Steel, Near Kot Abdul Malik Motorway Interchange, Lahore Sheikhpura Road, Laotre 4) Jabbar Steel Industry, A-46/C S.I.T.E Near Pakistan Cable Karachi.	No Change
492	72163110	U sections, not further worked than hot-rolled, hot drawn or extruded, of a height of 80mm or more	U sections of a height exceeding 150mm Size: 304mm x 100mm	(ASTM A-36, SR-24, A572, SRJ 275)	--	1) Ishtiaq Steel Industry, 43-B PECO Road Badami Bagh Lahore. 2) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 3) Batala Steel, Near Kot Abdul Malik Motorway Interchange, Lahore Sheikhpura Road, Laotre	No Change
493	72163190	U sections, not further worked than hot-rolled, hot drawn or extruded, of a height of 80mm or more	U sections of a height above 80mm upto 150mm	(ASTM A-36, SR-24, A572, SRJ 275)	--	1) Ishtiaq Steel Industry, 43-B PECO Road Badami Bagh Lahore. 2) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 3) Batala Steel, Near Kot Abdul Malik Motorway Interchange, Lahore Sheikhpura Road, Laotre	No Change
494	72163210	I sections, not further worked than hot-rolled, hot drawn or extruded, of a height of 80mm or more	I sections of a height exceeding 200mm Size: 457mm x 175mm	(ASTM A-36, SR-24, A572, SRJ 275)	--	1) Ishtiaq Steel Industry, 43-B PECO Road Badami Bagh Lahore. 2) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 3) Batala Steel, Near Kot Abdul Malik Motorway Interchange, Lahore Sheikhpura Road, Laotre	No Change
495	72163290	I sections, not further worked than hot-rolled, hot drawn or extruded, of a height of 80mm or more	Range 100 x 50 to 300 x 150mm Length = 6 to 12 Mtr.	(ASTM A-36, SR-24, A572, SRJ 275) and as per Pakistan Steel and Peoples Steel Mills Standard.	As Per Standard	1) Ishtiaq Steel Industry, 43-B PECO Road Badami Bagh Lahore. 2) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 3) Batala Steel, Near Kot Abdul Malik Motorway Interchange, Lahore Sheikhpura Road, Laotre	No Change
496	72163310	H sections, not further worked than hot-rolled, hot drawn or extruded, of a height of 80mm or more	H sections of a height exceeding 250mm Size: 254mm	(ASTM A-36, SR-24, A572, SRJ 275)	--	1) Ishtiaq Steel Industry, 43-B PECO Road Badami Bagh Lahore. 2) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 3) Batala Steel, Near Kot Abdul Malik Motorway Interchange, Lahore Sheikhpura Road, Laotre	No Change
497	72163390	H sections, not further worked than hot-rolled, hot drawn or extruded, of a height of 80mm or more	As per BSS-4461-1969, ASTM A-36, SR-24, A572, SRJ 275, ASTM-A36-75, ASTM-615-76a (1977) Range 100 x 100 to 200 x 200mm Length = 6 to 12 Mtr.	as per Pakistan Steel and Peoples Steel Mills Standard.	As per Standard	1) Ishtiaq Steel Industry, 43-B PECO Road Badami Bagh Lahore. 2) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 3) Batala Steel, Near Kot Abdul Malik Motorway Interchange, Lahore Sheikhpura Road, Laotre 4) Jabbar Steel Industry, A-46/C S.I.T.E Near Pakistan Cable Karachi.	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
498	72164010	L or T sections, not further worked than hot-rolled, hot drawn or extruded, of a height of 80mm or more	of a height exceeding 150mm	(ASTM A-36, SR-24, A572, SRJ 275)	--	1) Ishtiaq Steel Industry, 43-B PECO Road Badami Bagh Lahore. 2) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 3) Batala Steel, Near Kot Abdul Malik Motorway Interchange, Lahore Sheikhpura Road, Laotre	No Change
499	72164090	L or T sections, not further worked than hot-rolled, hot drawn or extruded, of a height of 80mm or more	of a height above 80mm upto 150mm	(ASTM A-36, SR-24, A572, SRJ 275)	--	1) Ishtiaq Steel Industry, 43-B PECO Road Badami Bagh Lahore. 2) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 3) Batala Steel, Near Kot Abdul Malik Motorway Interchange, Lahore Sheikhpura Road, Laotre	No Change
500	72165000	Steel Sections	- Th. upto 12 mm (for HR materials), length upto 12 m Blank width 100-600 mm UTS = 275 N/mm2 Excl. those conforming to ASTM A-572 or equivalent. (Blank width 100 to 600 mm and UTS upto 65 Kg/mm2) Th. upto 10 mm & size 250 x 250 mm Th. upto 10 mm and size upto 40 x 250 mm Upto IPN 450, Upto 450 x 450	--	--	1) Batala Steel, Near Kot Abdul Malik Motorway Interchange, Lahore Sheikhpura Road, Lahore 2) Pakistan Association of Large Steel Producers	No Change
501	72169100	Steel Sections	- Th. upto 12 mm (for HR materials), length upto 12 m Blank width 100-600 mm UTS = 275 N/mm2 Excl. those conforming to ASTM A-572 or equivalent. (Blank width 100 to 600 mm and UTS upto 65 Kg/mm2) Th. upto 10 mm & size 250 x 250 mm Th. upto 10 mm and size upto 40 x 250 mm Upto IPN 450, Upto 450 x 450	--	--	1) Batala Steel, Near Kot Abdul Malik Motorway Interchange, Lahore Sheikhpura Road, Lahore 2) Pakistan Association of Large Steel Producers	No Change
502	72171000	i) Wire, Iron or non-alloy steel, not plated or coated,	As per BSS-4461-1969, ASTM-A36-75, ASTM-615-76a (1977)	As per Standard	As per Standard	1) Metropolitan Steel Corporation Limited, 706-Progressive Plaza, 101-Bemount Road, Karachi 2) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi	No Change
		ii) Wire for wheel spoke and wire for wheel nipple for two wheelers	AISI 12L14, YBT 5005-93, BS 2453, IS 6902	As per specs	As per specs	1) Pakistan Wire Industries, E-51, Textile Avenue, SITE, Karachi 2) United Wire Industries (Pvt) Ltd., 19/20 KM, Lahore Sheikhpura Road, Lahore	No Change
		iii) Spring wire for front shocks, rear shocks for two wheelers, spring wire for mattress, spring wire for clutch spring and other applications.	JIS G 3522, GB 4357, SWRH 65Mn, A 407, JIS G 3521, A 227/A 227 M ASTM, DIN 17223, DIN EN 10132	As per specs	As per specs		No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		iv) Casing wire of Inner Strand Core for Clutch, Brakes, Throttle cables v) Phosphorized Steel Wire for Optical Fiber Cable, vi) Steel Fiber Wire for Steel Fiber Reinforce Concrete Slab	JISG3521, Q/320601, EA 11-1998 JIS 3521, 05/30(35), 06/30(35), 07/30(35) 07/40/(45), 10/40(50)	As per standard	As per standard	Pakistan Wire Industries E-51, Textile Avenue, SITE, Karachi	No Change
503	72172000	i) Zinc or Zinc Alloy Coated Wire for armouring of power cables/ Zinc Coated Steel Wire for ACSR/ Galvanized Wire	BS EN10257-1, ASTM A-164, ASTM B633, ASTM A121, ASTM B498, BS 4565, BS 3533	As per Standard	As per Standard	Pakistan Wire Industries E-51, Textile Avenue, SITE, Karachi	No Change
		ii) Galvanized Carbon Steel Wire For Communication Cable and Optical Fiber Cable, Galvanized Wire For Reinforce Hose/Pipes	GB 346-84 GB3082-84 JIS 3521	As per standard	As per standard		No Change
504	72181000	Ingots & Billets in primary forms, stainless steel	Highly refined bottom poured ingots in flat rectangular, round and square sections. Weight : 500kg to 14,000kg. Manufactured as per international quality standards like JIS, Bohler, AISI, DIN, Chinese etc.	Air cooled, stress relieved or annealed, bottom poured ingots	All type of stainless steel grades. Chemical composition as per international quality standards or as specified by customers.	Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi	No Change
505	72189100	i) Stainless Steel Ingots	- Ingots and other primary forms - Of rectangular (Other than square cross section)	--	--	Mughal Steel, 77 K.M. Sheikhupura Road, Lahore	No Change
		ii) ESR Steel Ingots	M-300/400/600/750 Diameter 315, 395, 595, 720 mm Length:3000 mm(max.), Weight:9000 Kg. (max.)	Air cooled, stress relieved or annealed	All type of stainless steel grades. Chemical composition as per international quality standards or as specified by customers.	Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi	No Change
506	72189900	ESR Steel Ingots	M-300/400/600/750 Diameter 315, 395, 595, 720 mm Length : 3000 mm (max.), Weight : 9000 Kg. (max.)	Air cooled, stress relieved or annealed	All type of stainless steel grades. Chemical composition as per international quality standards or as specified by customers.	Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi	No Change
507	72191100	Flat-rolled product, stainless steel	Plates (Hot rolled): Th.:10 mm (min.), Width:1500 mm(max.), Length:4000-6000 mm Sheets (Hot rolled):Th.:3 mm(max.), Width:950 mm (max.), Length:3000 mm(max.)	Black surface	All type of stainless steel grades. Chemical composition as per international quality standards or as specified by customers.	Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi	No Change
508	72191200	Flat-rolled product, stainless steel	Plates (Hot rolled): Th.:10 mm (min.), Width:1500 mm(max.), Length:4000-6000 mm Sheets (Hot rolled):Th.:3 mm(max.), Width:950 mm (max.), Length:3000 mm(max.)	Black surface	All type of stainless steel grades. Chemical composition as per international quality standards or as specified by customers.	Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
509	72192100	Flat-rolled product, stainless steel	Plates (Hot rolled): Th.:10 mm (min.), Width:1500 mm(max.), Length:4000-6000 mm Sheets (Hot rolled):Th.:3 mm(max.), Width:950 mm (max.), Length:3000 mm(max.)	Black surface	All type of stainless steel grades. Chemical composition as per international quality standards or as specified by customers.	Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi	No Change
510	72192200	i) Flat Rolled plates of stainless steel	Thickness upto 10 mm, width upto 700 mm and length upto 3 M (Although thicker plates, flats upto 60 mm are also made in non standard sizes) Conforming to all grades of AISI 300 & 400 series and equivalent	--	--	Mughal Steel, 77 K.M. Sheikhpura Road, Lahore	No Change
		ii) Flat-rolled product, stainless steel	Plates (Hot rolled): Th.:10 mm (min.), Width:1500 mm(max.), Length:4000-6000 mm Sheets (Hot rolled):Th.:3 mm(max.), Width:950 mm (max.), Length:3000 mm(max.)	Black surface	All type of stainless steel grades. Chemical composition as per international quality standards or as specified by customers.	Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi	No Change
511	72192310	Flat-rolled product, stainless steel	Plates (Hot rolled): Th.:10 mm (min.), Width:1500 mm(max.), Length:4000-6000 mm Sheets (Hot rolled):Th.:3 mm(max.), Width:950 mm (max.), Length:3000 mm(max.)	Black surface	All type of stainless steel grades. Chemical composition as per international quality standards or as specified by customers.	Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi	No Change
512	72192390	i) Sheets of stainless steel	0.35-6 mm thick, width upto .75 M and length upto 3 M.	--	--	Mughal Steel, 77 K.M. Sheikhpura Road, Lahore	No Change
		ii) Flat-rolled product, stainless steel	Plates (Hot rolled): Th.:10 mm (min.), Width:1500 mm(max.), Length:4000-6000 mm Sheets (Hot rolled):Th.:3 mm(max.), Width:950 mm (max.), Length:3000 mm(max.)	Black surface	All type of stainless steel grades. Chemical composition as per international quality standards or as specified by customers.	Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi	No Change
513	72193100	Flat Cold Rolled Products of Stainless Steel Sheet & Coil	Width 500mm to 750mm of thickness 0.5mm to 4.75mm	Cold Rolled	Pure stainless steel	AHN Steel (Pvt) Ltd., 10-Abbot Road, Lahore	No Change
514	72193210	Flat-rolled product, stainless steel	Plates (Hot rolled): Th.:10 mm (min.), Width:1500 mm(max.), Length:4000-6000 mm Sheets (Hot rolled):Th.:3 mm(max.), Width:950 mm (max.), Length:3000 mm(max.)	Black surface	All type of stainless steel grades. Chemical composition as per international quality standards or as specified by customers.	1) Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi 2) AHN Steel (Pvt) Ltd., 10-Abbot Road, Lahore	No Change
515	72193290	Flat-rolled product, stainless steel	Plates (Hot rolled): Th.:10 mm (min.), Width:1500 mm(max.), Length:4000-6000 mm Sheets (Hot rolled):Th.:3 mm(max.), Width:950 mm (max.), Length:3000 mm(max.)	Black surface	All type of stainless steel grades. Chemical composition as per international quality standards or as specified by customers.	1) Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi 2) AHN Steel (Pvt) Ltd., 10-Abbot Road, Lahore	No Change
516	72193310	Flat Cold Rolled Products of Stainless Steel Sheet & Coil	Width 500mm to 750mm of thickness 0.5mm to 4.75mm	Cold Rolled	Pure stainless steel	AHN Steel (Pvt) Ltd., 10-Abbot Road, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
517	72193390	Flat Cold Rolled Products of Stainless Steel Sheet & Coil	Width 500mm to 750mm of thickness 0.5mm to 4.75mm	Cold Rolled	Pure stainless steel	AHN Steel (Pvt) Ltd., 10-Abbot Road, Lahore	No Change
518	72193410	Flat Cold Rolled Products of Stainless Steel Sheet & Coil	Width 500mm to 750mm of thickness 0.5mm to 4.75mm	Cold Rolled	Pure stainless steel	AHN Steel (Pvt) Ltd., 10-Abbot Road, Lahore	No Change
519	72193490	Flat Cold Rolled Products of Stainless Steel Sheet & Coil	Width 500mm to 750mm of thickness 0.5mm to 4.75mm	Cold Rolled	Pure stainless steel	AHN Steel (Pvt) Ltd., 10-Abbot Road, Lahore	No Change
520	72193510	Flat Cold Rolled Products of Stainless Steel Sheet & Coil	Width 500mm to 750mm of thickness 0.5mm to 4.75mm	Cold Rolled	Pure stainless steel	AHN Steel (Pvt) Ltd., 10-Abbot Road, Lahore	No Change
521	72193590	Flat Cold Rolled Products of Stainless Steel Sheet & Coil	Width 500mm to 750mm of thickness 0.5mm to 4.75mm	Cold Rolled	Pure stainless steel	AHN Steel (Pvt) Ltd., 10-Abbot Road, Lahore	No Change
522	72199010	Flat Cold Rolled Products of Stainless Steel Sheet & Coil	Width 500mm to 750mm of thickness 0.5mm to 4.75mm	Cold Rolled	Pure stainless steel	AHN Steel (Pvt) Ltd., 10-Abbot Road, Lahore	No Change
523	72199090	Flat Cold Rolled Products of Stainless Steel Sheet & Coil	Width 500mm to 750mm of thickness 0.5mm to 4.75mm	Cold Rolled	Pure stainless steel	AHN Steel (Pvt) Ltd., 10-Abbot Road, Lahore	No Change
524	72201290	Strips of stainless steel.	1-6 mm thick, width 200 mm	--	--	Mughal Steel, 77 K.M. Sheikhpura Road, Lahore	No Change
525	72202010	Flat Cold Rolled Products of Stainless Steel Sheet & Coil	Width 500mm to 750mm of thickness 0.5mm to 4.75mm	Cold Rolled	Pure stainless steel	AHN Steel (Pvt) Ltd., 10-Abbot Road, Lahore	No Change
526	72202090	Flat Cold Rolled Products of Stainless Steel Sheet & Coil	Width 500mm to 750mm of thickness 0.5mm to 4.75mm	Cold Rolled	Pure stainless steel	AHN Steel (Pvt) Ltd., 10-Abbot Road, Lahore	No Change
527	72221100	Steel Round Bars	Diameter : 18 - 130 mm, Length 4000 - 6000mm	Black surface	All type of stainless steel grades. Chemical composition as per international quality standards or as specified by customers.	Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi	No Change
528	72221900	Bars of stainless steel, hot-rolled	- Of circular cross section - Bars & rods, not further worked than cold formed or cold finished Flat Bars: Size : 6 x 40 mm - 20 x 110 mm Length 4000 - 6000mm - Other bars & rods Dia 20 mm and above	--	All type of stainless steel grades. Chemical composition as per international quality standards or as specified by customers.	1) Mughal Steel, 77 K.M. Sheikhpura Road, Lahore 2) G.M. Steel, Lahore 3) Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi	No Change
529	72222000	Cold draw stainless steel bars	Cold drawn bars; Diameter : 12 - 80 mm Length : 4000 - 6000mm	Bright surface	All type of stainless steel grades. Chemical composition as per international quality standards or as specified by customers.	Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi	No Change
530	72241000	Ingots	Highly refined cast ingots and billets in flat rectangular, round and square sections. Weight ranging from 500kg to 14,000kg. Manufactured as per international quality standards like JIS, Bohler, AISI, DIN, Chinese etc	Air cooled, stress relieved or annealed, bottom poured ingots	All type of stainless steel grades. Chemical composition as per international quality standards or as specified by customers.	Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi	No Change
531	72249000	ESR steel ingots	ESR Ingots: M-300/400/600/750 Diameter 315, 395, 595, 720 mm Length:3000 mm(max.), Weight:9000 Kg.(max.)	Air cooled, stress relieved or annealed	All type of stainless steel grades. Chemical composition as per international quality standards or as specified by customers.	Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
532	72253000	Plates & Sheets (Hot rolled)	Plates (Hot rolled): Th.:10 mm (min.), Width:1500 mm(max.), Length:4000-6000 mm Sheets (Hot rolled):Th.:3 mm(max.), Width:950 mm (max.), Length:3000 mm(max.)	Black surface	All type of stainless steel grades. Chemical composition as per international quality standards or as specified by customers.	Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi	No Change
533	72254000	Plates & Sheets (Hot rolled)	Plates (Hot rolled): Th.:10 mm (min.), Width:1500 mm(max.), Length:4000-6000 mm Sheets (Hot rolled):Th.:3 mm(max.), Width:950 mm (max.), Length:3000 mm(max.)	Black surface	All type of stainless steel grades. Chemical composition as per international quality standards or as specified by customers.	Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi	No Change
534	72255000	Cold Rolled of a width of 600 mm or more	Cold Rolled Alloy Steel Sheets, Strips and Coils - As per JIS G-3141, ASTM A-1008 (excluding Bake Hardening Steel grade used in manufacturing of outer skin of the automobiles)	Mechanical Properties i.e. Yield Point, tensile strength & elongation, Bendability & Hardness as per JIS G 3141, ASTM A-1008 specification or equivalent	Chemical composition as per JIS G 3141 specified steel grades	1) International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi 2) Aisha Steel Mills Ltd., DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi	2) Aisha Steel requested to add their name in this entry. Relevant information requested but not provided yet.
535	72259200	Galvanized Steel	Hot Dip Zinc Coated Alloy Steel Sheets, Strips and Coils As per JIS G-3302, ASTM A-653	--	--	1) International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi 2) Aisha Steel Mills Ltd., DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi	2) Aisha Steel requested to add their name in this entry. Relevant information requested but not provided yet.
536	72259900	Other / Color Coated Alloy Steel	Hot Dip Zinc Color Coated Alloy Steel Sheets, Strips and Coils, As per JIS G-3302, ASTM A-653	--	--	International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi	No Change
537	72262000	Plates & Sheets (Hot rolled)	Plates (Hot rolled): Th.:10 mm (min.), Width:1500 mm(max.), Length:4000-6000 mm Sheets (Hot rolled):Th.:3 mm(max.), Width:950 mm (max.), Length:3000 mm(max.)	Black surface	All type of stainless steel grades. Chemical composition as per international quality standards or as specified by customers.	Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi	No Change
538	72269100	Plates & Sheets (Hot rolled)	Plates (Hot rolled): Th.:10 mm (min.), Width:1500 mm(max.), Length:4000-6000 mm Sheets (Hot rolled):Th.:3 mm(max.), Width:950 mm (max.), Length:3000 mm(max.)	Black surface	All type of stainless steel grades. Chemical composition as per international quality standards or as specified by customers.	Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi	No Change
539	72269200	Cold Rolled of less than 600mm	Cold Rolled Alloy Steel Sheets, Strips and Coils - As per JIS G-3141, ASTM A-1008 (excluding Bake Hardening Steel grade used in manufacturing of outer skin of the automobiles)	Mechanical Properties i.e. Yield Point, tensile strength & elongation, Bendability & Hardness as per JIS G 3141, ASTM A-1008 specification or equivalent	Chemical composition as per JIS G 3141 specified steel grades	1) International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi 2) Aisha Steel Mills Ltd., DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim. Karachi	2) Aisha Steel requested to add their name in this entry. Relevant information requested but not provided yet.
540	72269900	i) Plates & Sheets (Hot rolled)	Plate: Th:10 mm (min.), Width:1500 mm(max.), Length:4000-6000 mm Sheets:Th. 3 mm(max.), Width:950 mm(max.), Length : 3000 mm (max.)	Black surface	All type of stainless steel grades. Chemical composition as per international quality standards or as specified by customers.	Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		ii) Galvanized Steel of less than 600mm	Hot Dip Zinc Coated Alloy Steel Sheets, Strips and Coils, As per JIS G-3302, ASTM A-653	--	--	1) International Steel Ltd., 399-404, Rehri Road, Landhi, Karachi 2) Aisha Steel Mills Ltd., DSU-45, Pakistan Steel, Down Stream Industrial Estate, Bin Qasim, Karachi	2) Aisha Steel requested to add their name in this entry. Relevant information requested but not provided yet.
541	72279010	Hot Rolled Bars of alloy steel	As per BSS-4461-1969, ASTM-A36-75, ASTM-615-76a (1977) / SAE 1006CR, SAE 1008CR, SAE 1010CR, SAE 1015CR, SAE 1020CR, SAE 1025CR, SAE 1030CR, SAE 1038CR, SAE 1040CR	As per SAE, AISI, ASTM, EN and other International Standards	As per SAE, AISI, ASTM, EN and other International Standards	1) Metropolitan Steel Corporation Limited, 706-Progressive Plaza, 101-Bemount Road, Karachi 2) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 3) Horizon Steel (Pvt) Ltd., D-93, Block-4, Kehkshan, Clifton, Karachi 4) Pakistan Association of Large Steel Producers	No Change
542	72279090	Hot Rolled Bars of alloy steel	As per BSS-4461-1969, ASTM-A36-75, ASTM-615-76a (1977) / SAE 1006CR, SAE 1008CR, SAE 1010CR, SAE 1015CR, SAE 1020CR, SAE 1025CR, SAE 1030CR, SAE 1038CR, SAE 1040CR	As per SAE, AISI, ASTM, EN and other International Standards	As per SAE, AISI, ASTM, EN and other International Standards	1) Metropolitan Steel Corporation Limited, 706-Progressive Plaza, 101-Bemount Road, Karachi 2) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 3) Horizon Steel (Pvt) Ltd., D-93, Block-4, Kehkshan, Clifton, Karachi 4) Pakistan Association of Large Steel Producers	No Change
543	72281000	High-speed steel, Forged	Radial Forging: Square, Round, & Varying section profile, axles of cross section 60 mm to 200 mm and flat 30 - 150 mm & width 60 - 180 mm, Length 4000 - 6000 mm	Black surface	All type of stainless steel grades. Chemical composition as per international quality standards or as specified by customers.	Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi	No Change
544	72282010	Silico-manganese steel, Hot rolled bars	Hot Rolled Bars; Diameter : 18 - 130 mm Length : 4000 - 6000mm Flat Bars Size : 6 x 40 mm - 20 x 110 mm Length 4000 - 6000mm	Black surface	All type of stainless steel grades. Chemical composition as per international quality standards or as specified by customers.	1) Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi 2) Amreli Steels Ltd., D/89, Shershah Road, SITE, Karachi 3) Agha Steel Industries, Plot No. NWIZ/I/P-133(SP-6) D-2, Port Qasim Authority, Karachi 4) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi	No Change
545	72282090	Silico-manganese steel, Hot rolled bars	Hot Rolled Bars; Diameter : 18 - 130 mm Length : 4000 - 6000mm Flat Bars Size : 6 x 40 mm - 20 x 110 mm Length 4000 - 6000mm	Black surface	All type of alloy steel grades. Chemical composition as per international quality standards or as specified by customers.	1) Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi 2) Amreli Steels Ltd., D/89, Shershah Road, SITE, Karachi 3) Agha Steel Industries, Plot No. NWIZ/I/P-133(SP-6) D-2, Port Qasim Authority, Karachi 4) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
546	72283010	Case hardening steel, Hot rolled bars	Hot Rolled Bars; Diameter : 18 - 130 mm Length : 4000 - 6000mm	Black surface, See Annex-II	All type of alloy steel grades. Chemical composition as per international quality standards or as specified by customers.	1) Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi 2) Amreli Steels Ltd., D/89, Shershah Road, SITE, Karachi 3) Agha Steel Industries, Plot No. NWIZ/I/P-133(SP-6) D-2, Port Qasim Authority, Karachi 4) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi	No Change
547	72283090	Other alloy steel, Hot rolled bars	Hot Rolled Bars; Diameter : 18 - 130 mm Length : 4000 - 6000mm Flat Bars Size : 6 x 40 mm - 20 x 110 mm Length 4000 - 6000mm	Black surface	All type of alloy steel grades. Chemical composition as per international quality standards or as specified by customers.	1) Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi 2) Amreli Steels Ltd., D/89, Shershah Road, SITE, Karachi 3) Agha Steel Industries, Plot No. NWIZ/I/P-133(SP-6) D-2, Port Qasim Authority, Karachi 4) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi	No Change
548	72284000	Alloy steel, Forged bars	Press forging: Shafts : Dia 700 mm (max.) Disc dia : 1500 mm (Max) Length : 8000 mm (max.) Weight : 12 mt. Radial Forging: Square, Round, & Varying section profile, axles of cross section 60 mm to 200 mm and flat 30 - 150 mm & width 60 - 180 mm, Length 4000 - 6000 mm	Black surface/ Machined	All type of alloy steel grades. Chemical composition as per international quality standards or as specified by customers.	Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi	No Change
549	72285000	Alloy steel, Cold drawn bars	Cold drawn bars; Diameter : 12 - 80 mm Length : 4000 - 6000mm	Bright surface	All type of alloy steel grades. Chemical composition as per international quality standards or as specified by customers.	Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi	No Change
550	72286000	Other alloy steel, Hot rolled bars	Hot Rolled Bars; Diameter : 18 - 130 mm Length : 4000 - 6000mm Flat Bars Size : 6 x 40 mm - 20 x 110 mm Length 4000 - 6000mm	Black surface	All type of alloy steel grades. Chemical composition as per international quality standards or as specified by customers.	1) Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi 2) Amreli Steels Ltd., D/89, Shershah Road, SITE, Karachi 3) Agha Steel Industries, Plot No. NWIZ/I/P-133(SP-6) D-2, Port Qasim Authority, Karachi 4) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi	No Change
551	72287000	Alloy Steel Angles	As per BSS-4461-1969, ASTM-A36-75, ASTM-615-76a (1977)	As per Standard	As per Standard	Metropolitan Steel Corporation Limited, 706-Progressive Plaza, 101-Bemount Road, Karachi	No Change
552	72299000	CO ₂ Gas Shielded Arc Welding/Mig Welding Wire 0.80 mm, 0.90 mm, 1.00 mm, 1.20 mm and 1.60 mm	AWS ER70S6/DIN SG2/GB ER56-6	Copper Coated/Tensile Strength>490 Mpa/Elongation>26%/Shrinkage>7 2%	C: 0.06~ 0.15 SI: 0.80~ 1.15 Mn: 1.40~ 1.85	1) Bead Tech (Pvt) Ltd. 22-KM, Lhr-Skp. Rd, Stop Qilla Sattar Shah, Pindi Das Rd., Lahore 2) ASG Metals Ltd., EIZ/ LL/SP-08, Eastern, Industrial Zone, Port Qasim Authority, Karachi 3) Horizon Steel (Pvt) Ltd., D-93, Block-4, Kehkshan, Clifton, Karachi	No Change
553	73012000	i) Stay Strip for Pcc Poles	WAPDA Specification, DP-PD-52	--	--	Creative Engineering (Pvt) Ltd., 160/ S, Q.I.E. Kot Lakhpat Lahore	No Change
		ii) Stay Rod	WAPDA Specification, DDS-29:2008	--	--	Vision Engineering Pvt Ltd., 160/ S, Q.I.E. Kot Lakhpat Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		iii) Earth Rod	WAPDA Specification, P-111-76	--	--		No Change
		iv) D-Shackle	WAPDA Specification, PD:68	--	--		No Change
		v) Single/Double Structure Plateform	WAPDA Specification, DDS:48:2008	--	--		No Change
		vi) 11 Kv Steel Cross Arm with Braces	WAPDA Specification, DDS-13:2008	--	--		No Change
		vii) 11 Kv Steel Cross for D-Mounting Fitting	WAPDA Specification, DDS-68:2004	--	--		No Change
554	73024000	Fish-plates, iron or steel	Fish Plates for Railways	Fish Plate Combination, Joggled Fish Plate, Slotted Fish Plates and Fish Plate bolts and nuts etc.	--	Metal Engineering Works (Pvt) Ltd., S-4, S.I.T.E., Karachi	No Change
555	73030000	Cast Iron and Ductile Pipes	B.S.S 2035 for cast iron and I.S.O 2531 for ductile Iron Pipes [Excluding ASTM Standard Pipes]	Cast Iron and Ductile Iron	Grade 14 Mechanite Type GD and NF A 38-012	Ghulam Mohi-ud-Din & Sons, 6 Rehman Gali, Railway Road, Lahore	No Change
556	73041100	Line Pipe for oil or gas pipelines (Stainless Steel)	Seamless Steel Line Pipes of All Kind used for Oil & Gas Pipelines with or with out 3 layer Polyethylene /polypropylene / Fusion Bond Coating. Specification: API 9 Cr, API 13 Cr. Sizes: 0.405" to 10.750" Wall Thickness: 1.73mm to 15.9mm Length: SRL & DRL (excluding internally coated pipes)	--	--	Huffaz Seamless Pipe Industries Ltd., 207-210 2nd Floor, Mashriq Centre, Block-14, Gulshan-e-Iqbal, Karachi	No Change
557	73041900	Seamless Steel Line Pipes (unthreaded)	Seamless Steel Line Pipes of All Kind used for Oil & Gas Pipelines with or with out 3 layer Polyethylene /polypropylene / Fusion Bond Coating. Specification: API 5L All Grades Sizes: 1/8 Inch to 10 Inch Nominal Dia. (Including internally and externally coated pipes from 2 Inch Dia to 100 Inch Dia)	As per required standard/ specification	As per required standard/ specification	Huffaz Seamless Pipe Industries Ltd., 207-210 2nd Floor, Mashriq Centre, Block-14, Gulshan-e-Iqbal, Karachi	No Change
558	73042900	Seamless Pipes (unthreaded)	Casing & Tubing of a kind used in Drilling for Oil & Gas. Specification: API 5 CT All Grades Sizes: 1/8 inch to 10 inch nominal dia. (excluding internally coated pipes)	As per required standard/ specification	As per required standard/ specification	Huffaz Seamless Pipe Industries Ltd., 207-210 2nd Floor, Mashriq Centre, Block-14, Gulshan-e-Iqbal, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
559	73043100	Pipes, Iron or non-alloy steel (unthreaded)	Seamless Steel Pipes / Tubes of other cross-section, of iron or non-alloy steel. Specification : ASTM A 53 / ASTM A 106 , ASTM A 192, ASTM A 199, ASTM A 210, ASTM A 213, ASTM A 519, DIN 2391, DIN 2440, DIN 2441,DIN 2448, DIN 1629, DIN 1630, DIN 17173 / 2448, DIN 17175 / 2448 JIS G 3464, JIS G 3444, BS – 1387. BS 3059, BS, 3059/2, BS 1775, BS 6323, NFA 49 – 112, NFA 49 – 1445, NFA 49-211 UNI 8863; Sizes: 10.3mm to 273mm (excluding internally coated pipes)	As per required standard/ specification	As per required standard/ specification	Huffaz Seamless Pipe Industries Ltd., 207-210 2nd Floor, Mashriq Centre, Block-14, Gulshan-e-Iqbal, Karachi	No Change
560	73043900	Pipes of circular cross-section, of iron or non-alloy steel	Specification: ASTM A 53 / ASTM A 106 , ASTM A 192, ASTM A 199, ASTM A 210, ASTM A 213, ASTM A 519. DIN 2391, DIN 2440, DIN 2441,DIN 2448, DIN 1629, DIN 1630, DIN 17173 / 2448, DIN 17175 / 2448 JIS G 3464, JIS G 3444 BS – 1387. BS 3059, BS, 3059/2, BS 1775, BS 6323 NFA 49 – 112, NFA 49 – 1445, NFA 49-211 UNI 8863 Sizes : 10.3 mm to 273mm (excluding internally coated pipes)	As per required standard/ specification	As per required standard/ specification	Huffaz Seamless Pipe Industries Ltd., 207-210 2nd Floor, Mashriq Centre, Block-14, Gulshan-e-Iqbal, Karachi	No Change
561	73044100	Cold Drawn or Cold Rolled (Cold Reduced) Pipes / Tubes	Seamless Steel Pipes/ Tubes other cross- section, of iron alloy steel, cold drawn or cold rolled. Specification: ASTM A 53, ASTM A 106, ASTM A 179, ASTM A 192, ASTM A 210, ASTM A 519, API 5L, DIN 17175, JIS STB 35S Sizes: 10.3mm to 273mm (excluding internally coated pipes)	--	--	Huffaz Seamless Pipe Industries Ltd., 207-210 2nd Floor, Mashriq Centre, Block-14, Gulshan-e-Iqbal, Karachi	No Change
562	73044900	Cold Drawn or Cold Rolled (Cold Reduced) Pipes / Tubes	Seamless Steel Pipes/ Tubes other cross- section, of iron alloy steel, cold drawn or cold rolled. Specification: ASTM A 53, ASTM A 106, ASTM A 179, ASTM A 192, ASTM A 210, ASTM A 519, API 5L, DIN 17175, JIS STB 35S Sizes: 10.3mm to 273mm (excluding internally coated pipes)	--	--	Huffaz Seamless Pipe Industries Ltd., 207-210 2nd Floor, Mashriq Centre, Block-14, Gulshan-e-Iqbal, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
563	73045100	Pipes of Iron or non-alloy steel (unthreaded)	Seamless Steel Pipes / Tubes other cross-section, of iron alloy steel, cold drawn or cold rolled. Specification: ASTM A 333, ASTM A 334, ASTM A 335, ASTM A 519. Sizes: From 10.3mm to 273mm (excluding internally coated pipes)	As per required standard/ specification	As per required standard/ specification	Huffaz Seamless Pipe Industries Ltd., 207-210 2nd Floor, Mashriq Centre, Block-14, Gulshan-e-Iqbal, Karachi	No Change
564	73045900	Tubes of alloy steel,seamless circular cross-section (unthreaded)	Specification: ASTM A 333, ASTM A 334, ASTM A 335, ASTM A 519. Sizes : From 10.3mm to 273mm (excluding internally coated pipes)	As per required standard/ specification	As per required standard/ specification	Huffaz Seamless Pipe Industries Ltd., 207-210 2nd Floor, Mashriq Centre, Block-14, Gulshan-e-Iqbal, Karachi	No Change
565	73049000	Pipes of Iron or steel, seamless (unthreaded)	Specification: ASTM A 333, ASTM A 334, ASTM A 335, ASTM A 519. Sizes: From 10.3mm to 273mm (excluding internally coated pipes)	As per required standard/ specification	As per required standard/ specification	Huffaz Seamless Pipe Industries Ltd., 207-210 2nd Floor, Mashriq Centre, Block-14, Gulshan-e-Iqbal, Karachi	No Change
566	73051100	i) Longitudinally Welded Pipes	ASTM A-134, ASTM A-381, ASTM A-409, ASTM A-589, ASTM A-671, ASTM A-672, ASTM A-139, ASTM A-252, BS-6323,ASTM A-139, A-120, A-653	--	--	SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi	No Change
		ii) Welded Steel Linepipe	M.S. and Galvanized Steel Line Pipes (ERW) from 1/2" to 18" BSS 1387/1985, API 5L (PSL), ASTM A53	HR-1, HR-2, HR-3, HR-4, HR-235, HR-274, API 5L-B API 5L X42	--	Jamal Pipe Industries (Pvt) Ltd; 88-Railway Road, Lahore	No Change
		iii) Helical Seam Submerged - Arc Welded Pipes (Spiral Welded Pipes)	219.mm upto 2438. mm in thickness of 4.0mm and upto 25.4mm and API Steel Grade Upto X-80 PSL-2 According to API-DIN-BS-AWWA-ASTM Standard. (Protective Coating both internal as well as external coating of these pipes i.e. 3 layer Poly Ethylene/ Poly Propylene Coating as per DIN 30670, CSA Z 425.20 and CSA Z 245.21]	As per API 5L	According to API Specs	Data Steel Pipe Industries (Pvt.) Ltd., Ibrahim Building, 20-West Wharf Road, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		iv) Steel Line Pipe	Spirally welded (Submerged arc Welded): a) Bare: Size : 6" to 126" dia, Grade upto X-80 API-5L ASTM and BS specification b) Coated with 3 layers: Polyethylene, /Polypropylene, Copolymer(Adhesive),Fusion Bonded Epoxy for 6" to 60" Dia Linepipe Electric Welded a) Bare: Size: ½ to 12" , ERW/EIW (straight seam), upto Grade API X-52, ASTM, BS Specification b) Galvanized Iron., ERW/EIW, ASTM, and BS Standard	As per Table 5 3 A and 3 B of API Specification 5 L, ASTM and BS Specifications. As per table 3A of API. Specification 5L, ASTM and BS Specifications	As per table 2A and 2B of API specification 5L, ASTM and BS specifications As per table 2A of API specification-5L, ASTM of BS Specification	1) Ramna Pipe Lahore 2) Shalimar Pipe Mills Lahore 3) Indus Steel Pipes Ltd., 7th Floor, PIC Tower, 32-A, Lalazar Drive Karachi 4) Shashi Steel Pipe Works, Karachi	No Change
567	73051900	i) Line Pipe for oil or gas pipelines	Longitudinally Welded Pipes: ASTM A-139, A-671, A-672, A-381, A-120, A-653, A-A-252, A-409, BS-6323	--	--	SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi	No Change
		ii) Welded Steel Pipe and Coating	Upto 120" diameter, wall th. upto 25.4mm, grade API 5 L X 100 (PSL-1 & PSL-2) External 3-Layer Polyethylene/ Polypropylene Coating, External & Internal Epoxy Coating, Tape Coating, External Internal Cement Lining/ Coating	As per API 5L PSL-1 & PSL-2 and other International standards As per DIN & AWWA standards	As per API 5L PSL-1 & PSL-2 and other International standards As per DIN & AWWA standards	Crescent Steel and Allied Product Ltd., 9th Floor, SIDCO Avenue Centre, 264-RA Lines, Karachi-74400	No Change
568	73053100	i) Steel Line Pipe	Longitudinally Welded Pipes: ASTM A-139, A-671, A-672, A-381, A-120, A-653, A-A-252, A-409, BS-6323	--	--	SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi	No Change
		ii) Steel Line Pipe	Longitudinally Welded Pipes: ½" to 12 3/4" dia ERW/EIW Grade: A25 X 60, PSL 1 & 2, API 5L [Excluding Alloy Steel, NACE Compliant]	As per API 5L Specifications (45th Edition)	As per API 5L Specifications (45th Edition)	BBJ Pipe Industries (Pvt) Ltd., 23rd, 1st Floor, Bilal Centre, Nicholson Road, Lahore	BBJ Pipe Industries requested to delete their entry in this PCT Code.
		iii) Carbon Steel Pipe/ Coating	Upto 120" dia., wall th. upto 25.4mm, grade upto API 5 L X 100 (PSL-1 & PSL-2) External 3-Layer Polyethylene/ Polypropylene Coating, External & Internal Epoxy Coating, Tape Coating, External Internal Cement Lining/ Coating	As per API 5L PSL-1 & PSL-2 and other International standards As per DIN & AWWA standards	As per API 5L PSL-1 & PSL-2 and other International standards As per DIN & AWWA standards	Crescent Steel and Allied Product Ltd., 9th Floor, SIDCO Avenue Centre, 264-RA Lines, Karachi-74400	No Change
569	73059000	Welded Steel Pipe and Coating	Upto 120" diameter, wall thickness upto 25.4mm grade upto API 5 L X 100 (PSL-1 & PSL-2) External 3-Layer Polyethylene/ Polypropylene Coating External & Internal Epoxy Coating Tape Coating External Internal Cement Lining/ Coating	As per API 5L PSL-1 & PSL-2 and other International standards As per DIN & AWWA standards	As per API 5L PSL-1 & PSL-2 and other International standards As per DIN & AWWA standards	Crescent Steel and Allied Product Ltd., 9th Floor, SIDCO Avenue Centre, 264-RA Lines, Karachi-74400	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
570	73061900	i) C.I. Tubes with special Rubber Seals	For Carbonating Tower and for Ammonia Gas Cooler	--	--	1) Heavy Mechanical Complex, Taxila 2) SEFEC Engineering (Pvt) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi	No Change
		ii) Welded Steel Pipe and Coating	Upto 120" dia., wall th. upto 25.4mm, grade upto API 5 L X 100 (PSL-1 & PSL-2) External 3-Layer Polyethylene/ Polypropylene Coating, External & Internal Epoxy Coating, Tape Coating, External Internal Cement Lining/ Coating	As per API 5L PSL-1 & PSL-2 and other International standards As per DIN & AWWA standards	As per API 5L PSL-1 & PSL-2 and other International standards As per DIN & AWWA standards	Crescent Steel and Allied Product Ltd., 9th Floor, SIDCO Avenue Centre, 264-RA Lines, Karachi-74400	No Change
		iii) Steel line pipe for fluid/gas transmission pipes	1/2" to 12" diameter 1.8 mm to 12.7 mm Wall Thickness	As per Standard	As per Standard	International Industries Ltd., LX 15-16, Landhi Industrial Area, Karachi	No Change
571	73063090	i) Hot-dipped galvanized steel pipes for water, gas, structural and other applications	3/8" to 8" diameter 1.8 mm to 7.11 mm Wall Thickness	As per Standard	As per Standard	International Industries Ltd., LX 15-16, Landhi Industrial Area, Karachi	No Change
		ii) ERW black pipe for structural, firefighting and pressure applications	3/8" to 12" diameter 1.60 mm to 12.7 mm Wall Thickness	As per Standard	As per Standard	International Industries Ltd., LX 15-16, Landhi Industrial Area, Karachi	No Change
572	73064000	Stainless Steel ornamental tubes (circular)	1/2" to 3" diameter 0.9 mm to 2.5 mm Wall Thickness	As per Standard	As per Standard	International Industries Ltd., LX 15-16, Landhi Industrial Area, Karachi	No Change
573	73065000	i) Welded Steel Pipe and Coating	Upto 120" dia., wall th. upto 25.4mm, grade upto API 5 L X 100 (PSL-1 & PSL-2) External 3-Layer Polyethylene/ Polypropylene Coating, External & Internal Epoxy Coating, Tape Coating, External Internal Cement Lining/ Coating	As per API 5L PSL-1 & PSL-2 and other International standards As per DIN & AWWA standards	As per API 5L PSL-1 & PSL-2 and other International standards As per DIN & AWWA standards	Crescent Steel and Allied Product Ltd., 9th Floor, SIDCO Avenue Centre, 264-RA Lines, Karachi-74400	No Change
		ii) Pipes made from alloy steel	3/8" to 12" diameter 1.6 mm to 12.7 mm Wall thickness	As per Standard	As per Standard	International Industries Ltd., LX 15-16, Landhi Industrial Area, Karachi	No Change
574	73066100	Stainless Steel ornamental tubes (squares/rectangles)	Square: ½ "x ½" to 2" x 2" Rectangle: ½ "x ¾ " to 1 ½ "x 3" 1mm to 2.5 mm Wall Thickness	As per Standard	As per Standard	International Industries Ltd., LX 15-16, Landhi Industrial Area, Karachi	No Change
		Cold-rolled tubes shapes (non-circular)	Square: 10x10mm to 60x60 mm, 0.6mm to 2.0mm wall thickness Rectangle: 10x20mm to 40x80mm 0.6mm to 2.0mm wall thickness Oval: 16x30mm to 30x50 mm, 1.2mm to 2.0mm wall thickness Elliptical: 13x23mm to 24x56 mm, 0.90mm to 1.60mm wall thickness	As per Standard	As per Standard		No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
575	73066900	Cold-rolled LTDZ profiles (non-circular)	LTZ and D profiles for door and window frames, Dia / Shape: L40, T48, L48, Z48, L55, T60, Z60, D60. Wall thickness 0.7mm to 1.20mm.	As per Standard	As per Standard	International Industries Ltd., LX 15-16, Landhi Industrial Area, Karachi	No Change
576	73069000	i) Pipes of Iron or steel	GI pipes: Dia.15, 20, 25, 32, 40, 50, 65, 80, 100, 125 & 150 mm (½", ¾", 1", 1¼", 1½", 2", 2½", 3", 4", 5" & 6"), Wall Th. from 1.80mm to 7.10mm, Standards: BS 1387 (1985), ASTM A53 (2002), DIN 2440 & 2441 and other upon request. Precision Steel Tubing Diameters: Round:12.70, 15.90, 17.50, 19.05, 22.20, 23.80, 25.40, 28.60, 31.80, 38.10, 42.20, 48.10 & 60.30 Wall Th.0.60mm to 2.0mm, Standards BS 6323 Part1 & 5 (1982) Shape: Square, Rectangle & Elliptical in equivalent size to above round dia. API Line Pipe for Gas Distribution, Dia.26.7, 3304, 60.3, 114.3 & 168.3mm (¾", 1", 2", 4" & 6", Wall Th. from 2.87 to 7.10 mm Standards: API 5L (Latest Edition) ASTM A53 (2002) and profiles for Door	As per Standard	Low carbon steel	International Industries Ltd., LX 15-16, Landhi Industrial Area, Karachi	No Change
		ii) Hot-dipped GI pipes for water, gas, structural & other applications	3/8" to 8" dia., 1.8-7.11 mm Wall Th.	As per Standard	As per Standard		No Change
		iii) ERW black pipe for structural, firefighting and pressure applications	3/8" to 12" dia., 1.60-12.7 mm Wall Th.	As per Standard	As per Standard		No Change
		iv) Cold rolled tubes-Circular cross-section	9-75.6 mm dia., 0.6-3.0 mm Wall Th.	As per Standard	As per Standard		No Change
		v) Welded Steel Pipe and Coating	Upto 120" dia., wall th. upto 25.4mm, grade upto API 5 L X 100 (PSL-1 & PSL-2) External 3-Layer Polyethylene/ Polypropylene Coating, External & Internal Epoxy Coating, Tape Coating, External Internal Cement Lining/ Coating	As per API 5L PSL-1 & PSL-2 and other International standards As per DIN & AWWA standards	As per API 5L PSL-1 & PSL-2 and other International standards As per DIN & AWWA standards	Crescent Steel and Allied Product Ltd., 9th Floor, SIDCO Avenue Centre, 264-RA Lines, Karachi-74400	No Change
		vi) API 5L Steel Line Pipe	Longitudinally welded pipe: Dia 1/2" to 12", upto grade X-60 for PSL1 & PSL2	As per API 5L specifications	As per API 5L specifications	BBJ Pipe Industries (Pvt) Ltd., BBJ House, 40 Abbot Road, Lahore	BBJ requested to add in this PCT Code. Relevant information provided.
		vii) MS Pipe	Longitudinally welded pipes: dia 1/2" to 12"	As per ASTM A53 and BS EN 10219 specifications	As per ASTM A53 and BS EN 10219 specifications		
		viii) GI Pipes	Longitudinally welded pipes: dia 1/2" to 12"	As per ASTM A53/A795 and BS EN 10255/EN 39 specifications	As per ASTM A53/A795 and BS EN 10255/EN 39 specifications		
		ix) Hollow Structural Sections	Longitudinally welded pipes: dia 1/2" x 12" to 12" x 12"	As per ASTM A53/A500/A252 specifications	As per ASTM A53/A500/A252 specifications		
		x) Scaffolding Pipes	Longitudinally welded pipes: dia 48.3 mm	As per BS EN 39 specifications	As per BS EN 39 specifications		
		xi) Metallic Sprinkler Pipe for Fire Protection	Longitudinally welded pipes: dia 1/2" to 12"	As per ASTM A53 and UL 852 specifications	As per ASTM A53 and UL 852 specifications		

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
577	73072100	i) Stainless Steel Flanges	Different types of flanges as per customer requirement	All Steel & SS Flanges and Flanges of Standard ANSI B16.5 etc.	--	Metal Engineering Works (Pvt) Ltd., S-4, S.I.T.E., Karachi	No Change
		ii) Pipe flanges and Fittings	For Boilers and Heat Exchangers			Huffaz Seamless Pipe Industries Ltd., 207-210 2nd Floor, Mashriq Centre, Block-14, Gulshan-e-Iqbal, Karachi	No Change
	73072300	Stainless Steel Buttweld Pipe Fittings	Elbow and Reducers" Dia. 15, 20, 25, 32, 40, 50, 65, 80, 100, 125 & 150mm (1/2", 1/4", 1-1/4", 1-1/2", 2", 2-1/2", 3", 4", 5" & 6") wall th. From 2.11mm to 10.97mm Standards: ANSI B16.9, B16.28			Burhani AQMS Industries (Pvt) Limited. A-31, Burhani Industrial Park, Lasbela, Hub, Balochistan	Burhani AQMS Industries requested to enlist these new entries in the list. Relevant information provided and also being physically verified by ROK.
	73079300	Mild Steel Buttweld Pipe Fittings	Elbow and Reducers" Dia. 15, 20, 25, 32, 40, 50, 65, 80, 100, 125 & 150mm (1/2", 1/4", 1-1/4", 1-1/2", 2", 2-1/2", 3", 4", 5" & 6") wall th. From 2.11mm to 10.97mm Standards: ANSI B16.9, B16.28			Burhani AQMS Industries (Pvt) Limited. A-31, Burhani Industrial Park, Lasbela, Hub, Balochistan	Burhani AQMS Industries requested to enlist these new entries in the list. Relevant information provided and also being physically verified by ROK.
578	73079900	i) Double Studded Adaptors, Adaptor Spools, Blind Flanges / Weldneck Flanges / Flanges (Threaded)	Size: 2-1/16" to 30", Range: 2K-15K	API Spec 7-1/6A	AISI 4130 / 4140	MEC Energy, Plot No. 80-D, Street No. 6, Industrial Area Sector I-10/3, Islamabad	No Change
		ii) Weco Cross Over & Weco Adaptor Flanges	Size: 2" to 5", Range: 2K-15K	API Spec 7-1/6A	AISI 4130 / 4140		No Change
		iii) Threaded Cross Overs, Saver, Float, Bit & Lifting Subs	Size: 2-3/8" to 8-5/8", API Regular / IF	API Spec 7-1/6A	AISI 4130 / 4140 /410 (SS)		No Change
		iv) Service Tee	3/4" with plug	Elongation 30%, Tensile 70 Ksi/Min	ASTM A-126, C-0.20%, Si-0.21%, Mn-0.52	Sindh Standard Engineering Works, F-713-A, S.I.T.E, Metrovill, Karachi	No Change
579	73081000	i) Fabricated Steel Profiles	Plate fabricated I & H Sections Maximum height, width and Flange/Web thickness of Sections= 2500 mm, 800 mm, 30/25 mm respectively AISI, BS-5400	--	--	SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		ii) Steel Buildings and Structure	Steel Structure for platforms, Gantries, Steel piles casing for following industries: 1. Oil & Gas fields 2. Oil Refineries 3. Fertilizer Industries 4. Cement Plants 5. Sugar Mills 6. Flood light Masts 7. Lattice type towers 8. Jetties & Terminals 9. Industrial Sheds 10. Multistoried Residential and Commercial Buildings, constructed with Steel Structure. In accordance to AISC,AISI, BS 5400, AWS - D.1.1.Masts, towers, plate girders, columns, supports, staging, walkways, factory sheds, grid and yard structures, platforms for all industrial plants (cement, sugar fertilizer, chemical, petro-chemical, oil refineries & processing, Sewage- water treatment) Industrial buildings, 20x70m to	--	--	1) A.B.S Engineering Corporation (Pvt) Ltd., F-492, S.I.T.E, Karachi- 75700 2) Brothers Engineering Ltd., 135-Upper Mall, Lahore. 3) Heavy Mechanical Complex (Pvt) Ltd., Taxila 4) A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore.	No Change
		iii) Industrial steel equipment	Ducts chutes, draughts, chimneys, cyclones, etc for all industrial plants (cement, sugar fertilizer, chemical, petro-chemical, oil refineries & processing, Sewage-water treatment) Plate fabricated (required by any industry) Carbon Steel (CS), Stainless Steel (SS) and Alloy Steel - All grades	--	--	1) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 2) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 3) Brothers Engineering Ltd., 135-Upper Mall, Lahore.	No Change
		iv) System and Steel Frameworks	--	--	--	Izhar Steel, Izhar House, 35-Tipu Block, New Garden Town, Lahore	No Change
580	73082000	i) Iron or Steel Towers; (Communication / Transmission Towers) ii) Steel Wind Tower/ Steel Mast iii) Flood Light Towers	(i) L-Type, Monopole, Tubular, Antenna Pole (Sizes 3mtr. to 85 mtr. height) (ii) Windmill Tower (Load carrying capacity upto 200 Tons (as per requirement) iii) Flood Light Towers upto 65000 mm height and Diameter upto 1800 mm diameter. iv) Self supporting and lattice type masts & Towers upto 60M. (Excluding Masts and Structures for Oil/ Gas Rigs)	--	--	1) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 2) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan 3) A.B.S Engineering Corporation (Pvt) Ltd., F-492, S.I.T.E, Karachi- 75700 2) Brothers Engineering Ltd., 135-Upper Mall, Lahore. 4) Heavy Mechanical Complex (Pvt) Ltd., Taxila 5) Creative Engineering (Pvt) Ltd., 160/ S, Q.I.E. Kot Lakhpat Lahore 6) Izhar Steel, Izhar House, 35-Tipu Block, New Garden Town, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		iv) Masts, lattice and jetties of Iron or steel, for ships	1) Breasting Dolphins for Jetty upto 35000 mm long and 2300 mm diameter. 2) Mooring Dolphins for Jetty upto 17500 mm long and 1020 mm diameter. 3) Piles for Jetty upto 33500 mm long and 609 mm diameter. In all types and sizes (excluding internally coated pipes)	--	--	A.B.S Engineering Corporation (Pvt) Ltd., F-492, S.I.T.E, Karachi- 75700	No Change
		v) Power Transmission Towers of Iron or Steel	11 Kv, 66 Kv, 132 Kv, 220 Kv, 500 Kv and Tele-communication Towers, (Green field, Roof top, Triangular, Monopole in all types and sizes)	Angles, Plates and Hardware of M.S., H.T. of grade DIN17100, S355 JR, ASTM A572/572M grade 50, ASTM A394 Type 0, ISO 898 grade 5.8, 6.8 and 8.8, ASTM A36/A36M	--	Pakistan Engineering Company Limited, 6/7, Ganga Ram Trust Building, The Mall, Lahore	No Change
		vi) Lt Steel Structures 31 ft vii) HT Steel Structures 36 ft 40 ft 45 ft	WAPDA Specification DDS-78:2008	--	--	Vision Engineering Pvt Ltd., 160/ S, Q.I.E. Kot Lakhpat Lahore	No Change
		viii) 11kV Steel Structure	--	Y-25kg/mm2, T-40~56kg/mm2	C-.26, M-0.84, S-0.005, P-0.05	Spleen Manufacturing (Pvt) Ltd., 20-KM Ferozepur Road, Off 3/4 KM Asif Town # 2, Lahore	No Change
		ix) 132/220kV Transmission Line Towers	P139:80, P163:82	Y-26kg/mm2, T-40~56kg/mm2	C-.26, M-0.84, S-0.005, P-0.05		No Change
		x) 132/220kV Sub-Station Steel Gantries	P139:80, P163:82	Y-35kg/mm2, T-50~80kg/mm2	C-.20, M-1.36, S-0.005, P-0.05		No Change
		xi) Telecommunication Tower (Self Supported Towers, Guyed Mast Towers, Monopoles & Related Accessories) xii) Steel Lighting Tubular & Octagonal Poles & 132kV Tubular Pole	ASTM A-36	Y-250Mpa, T-400~500Mpa	C-.26, M-0.84, S-0.005, P-0.05		No Change
		xiii) Steel Structures	Ranging Capacities to Client's Requirements	--	--	Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi	No Change
581	73083000	i) Towers of iron or steel	Self supporting and lattice type masts & Towers upto 60M. (Excluding Masts and Structures for Oil/ Gas Rigs)	Flood Light Towers upto 65000 mm height and Diameter upto 1800 mm diameter.	--	1) A.B.S Engineering Corporation (Pvt) Ltd., F-492, S.I.T.E, Karachi- 75700 2) Brothers Engineering Ltd., 135-Upper Mall, Lahore. 3) Heavy Mechanical Complex (Pvt) Ltd., Taxila	No Change
		ii) System and Steel Frameworks	--	--	--	Izhar Steel, Izhar House, 35-Tipu Block, New Garden Town, Lahore	No Change
		iii) Fire rated standard door, UL door, Fire shutt sliding door, emergency fire door, Ms hallow metal doors.	High quality mild steel, SS 304, 316.	as per standard of UL 10C and NFPA 252.	Miled steel	SAMCON Associates 838-B Sabzazar Scheme Multan Road, Lahore.	SAMCON Associates requested to add this entry in the list. Relevant information provided and also been physically verified.
582	73084000	i) Towers of iron or steel	Self supporting and lattice type masts & Towers upto 60M. (Excluding Masts and Structures for Oil/ Gas Rigs)	Flood Light Towers upto 65000 mm height and Diameter upto 1800 mm diameter.	--	1) A.B.S Engineering Corporation (Pvt) Ltd., F-492, S.I.T.E, Karachi- 75700 2) Brothers Engineering Ltd., 135-Upper Mall, Lahore. 3) Heavy Mechanical Complex (Pvt) Ltd., Taxila	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		ii) System and Steel Frameworks	--	--	--	Izhar Steel, Izhar House, 35-Tipu Block, New Garden Town, Lahore	No Change
		iii) Scaffolding and structural sections	Diameters of 1/2" to 12" Square 1 1/2" x 1 1/2" to 10" x 10" Rectangular 1"x2" to 6"x10" 1.8mm to 12.7 mm Wall Thickness	As per Standard	As per Standard	International Industries Ltd., LX 15-16, Landhi Industrial Area, Karachi	No Change
583	73089010	i) Gates of Iron or steel ii) Racks of Iron or Steel iii) Shelvings of Iron or steel	i) Gates for Barrages. In accordance to AISC, AWS D.1.1, Sizes (up to 3 MTR heights, 4 MTR wide, 12 MTR lengths (Barrage & Tunnel Gate for Hydle & Irrigation purpose). ii) Racks sizes up to width 1.2 MTR, Height 4, and 12 MTR (bolted structure and can be assembled in any dimension Fencing sizes (up to 4mtr height iii) Racking & shelving system - heavy duty pallet racking system, medium duty racking system, library shelving system, compressed filling system etc. For Warehouse, Stores, Supermarket and Factories etc.	--	--	1) A.B.S Engineering Corporation (Pvt) Ltd., F-492, S.I.T.E, Karachi- 75700 2) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 3) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan 4) Gujrat Steel (Pvt) Ltd., 183 A.M,Shahrah-e-Iraq, Saddar, Karachi	No Change
		iv) Power Transmission Towers of Iron or Steel	11 Kv, 66 Kv, 132 Kv, 220 Kv, 500 Kv and Tele-communication Towers, (Green field, Roof top, Triangular, Monopole in all types and sizes)	Angles, Plates and Hardware of M.S., H.T. of grade DIN17100, S355 JR, ASTM A572/572M grade 50, ASTM A394 Type 0, ISO 898 grade 5.8, 6.8 and 8.8, ASTM A36/A36M	--	Pakistan Engineering Company Limited 6/7, Ganga Ram Trust Building, The Mall, Lahore	No Change
		v) Steel Building and Structure	Plate Fabricated Profiles/ Pipe Racks, Modules	Y-25kg/mm2, T-40~56kg/mm2	C-.26, M-0.84, S-0.005, P-0.05	1) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 2) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan 3) Spleen Manufacturing (Pvt) Ltd., 20-KM Ferozepur Road, Off 3/4 KM Asif Town # 2, Lahore	No Change
		vi) Structural Circular/square/ rectangular hollow sections (including all structural grades)	Diameters of 1/2" to 12" Square 1 1/2" x 1 1/2" to 10" x 10" Rectangular 1"x2" to 6"x10" Wall Thickness 1.8mm to 12.7 mm	As per Standard	As per Standard	International Industries Ltd., LX 15-16, Landhi Industrial Area, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
584	73089090	i) Gates of Iron or Steel/ Penstocks, other Structure and parts of iron or steel ii) System and Steel Frameworks, Steel Building and Other Structure and parts of iron or steel iii) Steel Gates/DAM Gates	i) Gates for barrages, According to AISC AWS D 1.1, Sizes upto 3 mtr height, 4mtr wide, 12 mtr length (barrage & tunnel gate for Hydel and irrigation purpose. ii) Racks sizes up to width 1.2 MTR, Height 4, and 12 MTR (bolted structure and can be assembled in any dimension iii) Steel Structure (for Equipment, Plant Warehouse, Building and other purposes) - Light Structure (stairways , ladder railing and Plate Form) Sizes up to 0 ~ 200 mm - Medium Structure (flooring) Sizes up to 200 ~350 - Heavy Structure (column and framing beam) Sizes depth up to 350~1500 mm iv) Relief Valve Bulkhead Gates, Redial Gates , Gate Guides and Frame, Draft Tube Gates	--	--	1) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 2) Izhar Steel, Izhar, House, 35-Tipu Block, New Garden Town, Lahore 3) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan 4) Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi 5) A.J. Corporation, 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. 6) Industrial & Mechanical Engineers (Pvt) Ltd., 403, Noor Estate Building Shahrah-e-Faisal Karachi 7) Rhino Pre- Engineering Building, 18 KM Ferozpur Road, Lahore.	
		Boiler Equipment/ Structure	Drums, Chimneys, Steel Structure, Cuts/ Chutes for upto 350 MW Boilers, ASME Sec. 1 OR As per client's requirement	--	--	1) A.J. Corporation, 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. 2) Industrial & Mechanical Engineers (Pvt) Ltd., 403, Noor Estate Building Shahrah-e-Faisal Karachi, 3) Izhar Steel, Izhar House, 35-Tipu Block, New Garden Town, Lahore 4) SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi	No Change
	73089090	Fusible Link	Copper	--	--	SAMCON Associates 838-B Sabzazar Scheme Multan Road, Lahore.	SAMCON Associates requested to add this entry in the list. Relevant information provided and also been physically verified.

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
585	73090000	i) Pressure Vessels & Storage Tanks / Reservoirs / Vats / Containers, Compression & Expansion Tanks Centrifugal Air Separator Centrifugal Duct Separator of Steel (Iron or Steel) for water and oil storage, etc	Upto 35,000 cubic metre i.e. Diameter= 60 meters, Height= 17 Meters (Fixed & Floated Roof), Circullar Capacity upto 500,000 Liters, Square Tanks for 26 MVA PMT's upto 4500 mm length, 1600 mm width and 2600 mm height. Vessels: Upto 150 MM Wall Thickness (Vertical and Horizontal, All types) (Road Tankers, Deaerator Tanks, Feed Water Tanks, Clarified Tanks, Underground Storage Tanks, Skid Mounted Fuel Tank, storage tanks for petrochemical/oil/chemical industry, alcohol storage tanks, molasses storage tanks, LPG Bullets and bio gas reactors, M.E.G. road Tanker barrels, Oil Storage Tanks, Low Pressure Feed Water Heater/Deaerator and Feed Water Tank Clarifier Tanks	Material = HR - 255, HR-275, HR-283, HR-285, SA-36, HR 275&25 Steel Plates., Carbon Steel, mild Steel, Stainless Steel and Alloy or any other.	--	1) SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi 2) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan 3) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 4) A.B.S Engineering Corporation (Pvt) Ltd., F-492, S.I.T.E, Karachi- 75700 5) Al-Jassar Engineering Co., 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad. 6) Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi 7) Petrosin Ravi Industries Ltd., Shahra-i-Pakistan Kala Shah Kakoo G.T Road Lahore 8) Cylinders Engg. Industries (Pvt) Ltd 9-C, 13th Commercial Street, Phase-II, Defence H. Authority Karachi	No Change
		ii) Mud Tank / Mud Suction Tank With Valves And Gates	Used for mud mixing, Mobile/skid mounted Capacity: 100 BBL upto 600 BBL Or as per our client requirement.	Design Code: ASME, Material: Carbon Steel, Internal Lining: Fibercoating/ Epoxy	Support stimulation fluids/acid upto 16%	1) Al-Jassar Engineering Co., 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad. 2) Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi	No Change
		iii) Cutting Bottle / Surge Tank	Capacity: 35 Cu Ft. upto 50 Cu Ft. Or as per our client requirement.	Design Code: ASME, Material: Carbon Steel, Test Pressure: 50 psig, Working Pressure: 30 psig	--		No Change
		iv) Cement Silo	Capacity: 1000 Cu Ft. upto 2000 Cu Ft. Or as per our client requirement.	Design Code: ASME, Material: Carbon Steel, Test Pressure: 45 psig, Working Pressure: 30 psig	--		No Change
		v) Mobile Frac Tank vi) Skid Mounted Frac Tank	Capacity: 100 BBL upto 600 BBL Capacity: 10 Ton upto 50 Ton Or as per our client requirement.	Design Code: ASME, Material: Carbon Steel, S.S 316, SS 316L, SS 304, SS 304L, ASTM A516 Gr. 70. Internal Lining: Rubber Lining / Fibercoating /Epoxy	Support acid upto 34%		No Change
586	73101000	i) Steel Drums / Tanks, Drums and Other Containers	Oil storage Drum, under storage tank of steel, skid mounted fuel tank, Boxes and Similar Containers (Material & Size as per Requirement)	--	--	1) Metal Engineering Works (Pvt) Ltd., S-4, S.I.T.E., Karachi 2) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan 3) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 4) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore	No Change
		ii) Cans and Containers	Of any type of steel, whether or not lined or heat insulated but not fitted with mechanical or thermal equipment (other than compressed or liquefied gas), Chlorine cylinders 01 ton capacity	--	--	1) Hashmi Can Co. Ltd., B-24, Manghopir Road, SITE, PO Box. 3608, Karachi-75700 2) Brother Engg. Ltd., 135-Upper Mall, Lahore.	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
587	73102900	i) Storage Tanks/Pressure Vessels, Drums and Other Containers	Reservoirs, Tanks, Road Tankers, Deaerator Tanks, Feed Water Tanks, Clarified Tanks, Underground Tanks, Skid Mounted Fuel Tank, Boxes and Similar Containers (Material, Size & Capacity: as per our client requirement.	Design Code: API 650 / ASME Material: Carbon Steel Internal Lining: Fibercoating/Epoxy	Support stimulation fluids/acid upto 16%	1) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 2) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore 3) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan 4) Al-Jassar Engineering Co., 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad. 5) Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi	No Change
		ii) Nitrogen Tank	Used to store and transport nitrogen in liquid or gaseous form, Capacity: upto 3000 Gallons Or as per our client requirement.	Design Code: ASME, Material: SS 304L Cryogenic (Inside), Carbon Steel. (Outside), Test Pressure: 60 psig, Working Pressure: 45 psig	Support Nitrogen in liquid or gaseous form	Al-Jassar Engineering Co., 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad.	No Change
		iii) Cutting Bottle / Surge Tank	Capacity: 35 Cu Ft. upto 50 Cu Ft. Or as per our client requirement.	Design Code: ASME, Material: Carbon Steel, Test Pressure: 50 psig, Working Pressure: 30 psig	--		No Change
		iv) Cement Silo	Capacity: 1000 Cu Ft. upto 2000 Cu Ft. Or as per our client requirement.	Design Code: ASME, Material: Carbon Steel, Test Pressure: 45 psig, Working Pressure: 30 psig	--		No Change
588	73110010	Pressure Vessels/ Storage Tanks / Drums Bullets and Column of Iron or Steel	Pressure Vessel, Knock Out Drums, Steam Drums, Steam Saturation Drums ,Boiler Feed Water Tanks, Deaerator Tanks, Truck Mounted Under Ground/above Ground LPG Vessel/ Bullet /Storage Tank, LPG Transportation Bowzers, LNG Spherical Storage Tank, Column / Filter, Slug/ Sludge Catcher (Finger Type/Vessel Type) mounted. In Accordance to ASME SEC VIII Div 1, 2 & 3. BS 5500 Cat 1&2 TEMA, Type: Horizontal & Vertical Size: Dish Head (2:1 tori-spherical Ø6m x 30mm thick in CS and 20mm thick in S. Steel. Plate benging 120mm thick in CS, 4,000mm long in CS. Desing Code/ Standards: API-620,	1) LPG Vessel upto 5000mm dia X 52380 mm length and 31 mm thick. 1100 m ³ storage capacity. Largest LPG vessels fabricated in Pakistan.	--	1) Heavy Mechanical Complex (Pvt) Ltd., Taxila 2) Heavy Mechanical Complex-3, Hattar Road, Taxila 3) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 4) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan 5) Izhar Steel, Izhar House, 35-Tipu Block, New Garden Town, Lahore 6) Industrial & Mechanical Engineers (Pvt) Ltd., 403, Noor Estate Building Shahrah-e-Faisal Karachi 7) A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. 8) A.B.S Engineering Corporation (Pvt) Ltd., F-492, S.I.T.E, Karachi- 75700	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
589	73110020	i) High Pressure Steel Vessels, Storage Tanks of Iron or Steel, Drums, Bullets and Column, Containers	Pressure Vessels, Knock out drums, Steam drums, Steam saturation drums, Boiler feed water tanks, De-aerator tanks, Truck mounted, Above/Under ground LPG Vessels, LNG Bullet / Storage Tank, Spherical storage Tanks, LPG Transportation Bowzers, LNG Spherical Storage Tank, Column / Filter, Slug/Sludge Catcher (Finger Type/Vessel Type), Columns, Stripper, absorption, distillation, dehydration, Deaeration Equipment & De Gasifiers etc. as per customers requirements In Accordance to ASME sec VIII Div 1 & 2. BS 5500 Cat 1&2 TEMA,	Type: Horizontal & Vertical Size: Dish Head (2:1 tori-spherical Ø6m x 30mm thick in CS and 20mm thick in S. Steel. Plate bending 120mm thick in CS, 4,000mm long in CS. Desing Code/ Standards: API-620, ASME Sec. VIII-1-2, 3. 1) LPG Vessel upto 5000mm dia X 52380 mm length and 31 mm thick. 1100 m3 storage capacity. Largest LPG vessels fabricated in Pakistan. LPG Tanks - Static (Cylindrical upto 125 Mton capacity, Spherical upto 500 Mton capacity) LPGBowzers capacity 30 Ton StoragePressure Vessel (cylindrical/spherical), up to 250 mm plate thick For compressed or liquefied gas, of iron or steel Shop built sizes up to 5 x 5 MTR (Width, Height) Site built sizes up to Dia 20 MTR and Length	--	1) Heavy Mechanical Complex (Pvt) Ltd., Taxila 2) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan 3) Izhar Steel, Izhar House, 35-Tipu Block, New Garden Town, Lahore 4) Industrial & Mechanical Engineers (Pvt) Ltd., 403, Noor Estate Building Shahrah-e-Faisal Karachi 5) Heavy Mechanical Complex-3, Hattar Road, Taxila 6) TDFC (Pvt) Ltd., East Pharange Drainage, Millat Town, Millat Road, Faisalabad 7) A.B.S Engineering Corporation (Pvt) Ltd., F-492, S.I.T.E, Karachi- 75700 8) A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. 9) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000	No Change
		ii) LPG cylinders of iron or steel	a. LPG Cylinders with capacity = (6.0kg, 11.8 Kg, 15 Kg and 45.4 Kg) b. LPG Storage Bullets (from 01 MT Capacity to 100 MT) c. LPG Transportation bowzers (10 MT to 25 MT) with under carriage. d. Pressure vessel (15 PSI to 4000 PSI) as per ASME section VIII Div 1 and material thicknes 8mm to 50.8mm	Working Pressure : 7 Bar Test Pressure : 30 Bar Burst Test Pressure : 70 Bar DOT, ASME & BS Standard	Material: HR,SG-255 Steel Sheets. DOT, ASME & BS Standard	1) Petrosin Ravi Industries Ltd., Shakra-i-Pakistan Kala Shah Kakoo G.T Road Lahore 2) Cylinders Engg. Industries (Pvt) Ltd 9-C, 13th Commercial Street, Phase-II, Defence H. Authority, Karachi 3) Gujrat Steel (Pvt) Ltd., 183 A.M,Shahrah-e-Iraq, Saddar, Karachi 4) FAS Tube Mills & Engineering Industries, 67 - C Steel Street (Meco)Market, Landa Bazar, Lahore -54000 5) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan	No Change
		iii) Pressure Vessels for LPG Storage. LPG bulk storage tanks/ Pressure Vessels for LPG Storage.	As per ASME Code Sec: VIII Div-1. Ranging from 30 Tons capacity and onwards with Wall Thickness from 20mm to 70mm. LPG bulk storage tanks of capacity 500 kgs and above cylindrical pressure vessels of thickness upto 250mm	--	Material: HR,SG-255 Steel Sheets.	1) Cylinders Engg. Industries (Pvt) Ltd 9-C, 13th Commercial Street, Phase-II, Defence H. Authority, Karachi 2) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan 3) Izhar Steel, Izhar House, 35-Tipu Block, New Garden Town, Lahore 4) Heavy Mechanical Complex (Pvt) Ltd., Taxila 5) A.J. Corporation, 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. 6) Industrial & Mechanical Engineers (Pvt) Ltd., 403, Noor Estate Building Shahrah-e-Faisal Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
590	73110030	i) Storage Tanks	Type: Horizontal & Vertical Size: Dish Head (2:1 tori-spherical Ø6m x 30mm thick in CS and 20mm thick in S. Steel. Plate benging 120mm thick in CS, 4,000mm long in CS. Desing Code/ Standards: API-620.	--	--	1) Heavy Mechanical Complex-3, Hattar Road, Taxila 2) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan	No Change
		ii) Iron or Steel Pressure Vessel, Drums, Bullets and Column	Pressure Vessel, Knock Out Drums, Steam Drums, Steam Saturation Drums, Boiler Feed Water Tanks, Deaerator Tanks, Truck Mounted /Under Ground/above Ground LPG Vessel/Bullet /Storage Tank, LPG Transportation Bowzers, LNG Spherical Storage Tank, Column / Filter, Slug/Sludge Catcher (Finger Type/Vessel Type) LNG Spherical storage Tanks. In Accordance to ASME sec VIII Div 1 & 2. BS 5500 Cat 1&2 TEMA,	1) LPG Vessel upto 5000mm dia X 52380 mm length and 31 mm thick. 1100 m ³ storage capacity. Largest LPG vessels fabricated in Pakistan.	--	1) A.B.S Engineering Corporation (Pvt) Ltd., F-492, S.I.T.E, Karachi- 75700 2) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan 3) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 4) A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore.	No Change
		iii) Nitrogen Tank	Used to store and transport nitrogen in liquid or gaseous form. Capacity: 1000 Gallons upto 3000 Gallons, Or as per our client requirement.	Design Code: ASME, Material: SS 304L Cryogenic (Inside), Carbon Steel. (Outside), Test Pressure: 60 psig Working Pressure: 45 psig	Support Nitrogen in liquid or gaseous form	Al-Jassar Engineering Co., 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad.	No Change
591	73110040	Pressure Vessels / Storage Tanks	Type: Horizontal & Vertical, Size: Dish Head (2:1 tori-spherical Ø6m x 30mm thick in CS and 20mm thick in S. Steel. Plate benging 120mm thick in CS, 4,000mm long in CS. Desing Code/ Standards: API-620, ASME Sec. VIII-1-2, 3 .	--	--	1) Heavy Mechanical Complex (Pvt) Ltd., Taxila 2) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan 3) Izhar Steel, Izhar House, 35-Tipu Block New Garden Town, Lahore 4) Industrial & Mechanical Engineers (Pvt) Ltd., 403, Noor Estate Building Shahrah-e-Faisal Karachi 5) Heavy Mechanical Complex-3, Hattar Road, Taxila	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
592	73110090	i) Iron or Steel Pressure Vessel, Drums, Bullets and Column, Containers, Storage Tanks	Pressure Vessel, Knock Out Drums, Steam Drums, Steam Saturation Drums ,Boiler Feed Water Tanks, Deaerator Tanks, Truck Mounted /Under Ground/above Ground LPG Vessel/Bullet /Storage Tank, LPG Transportation Bowzers, LNG Spherical Storage Tank, Column / Filter, Slug/Sludge Catcher (Finger Type/Vessel Type) LNG Spherical storage Tanks. In Accordance to ASME sec VIII Div 1 & 2. BS 5500 Cat 1&2 TEMA, Containers for compressed or liquefied gas, of iron or steel	Type: Horizontal & Vertical Size: Dish Head (2:1 tori-spherical Ø6m x 30mm thick in CS and 20mm thick in S. Steel. Plate benging 120mm thick in CS, 4,000mm long in CS. Desing Code/ Standards: API-620, ASME Sec. VIII-1-2, 3 . 1) LPG Vessel upto 5000mm dia X 52380 mm length and 31 mm thick. 1100 m3 storage capacity. Largest LPG vessels fabricated in Pakistan.	--	1) Heavy Mechanical Complex (Pvt) Ltd., Taxila 2) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan 3) Izhar Steel, Izhar House, 35-Tipu Block, New Garden Town, Lahore 4) Industrial & Mechanical Engineers (Pvt) Ltd., 403, Noor Estate Building Shahrah-e-Faisal Karachi 5) Heavy Mechanical Complex-3, Hattar Road, Taxila 6) A.B.S Engineering Corporation (Pvt) Ltd., F-492, S.I.T.E, Karachi- 75700 7) A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. 8) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000	No Change
		ii) LPG cylinders of iron or steel, Pressure Vessels for LPG Storage/ LPG bulk storage tanks	a. LPG Cylinders with capacity = (6.0kg, 11.8 Kg, 15 Kg and 45.4 Kg) b. LPG Storage Bullets (from 01 MT Capacity to 100 MT) c. LPG Transportation bowzers (10 MT to 25 MT) with under carriage. d. Pressure vessel (15 PSI to 4000 PSI) as per ASME section VIII Div 1 and material thicknes 8mm to 50.8mm '- As per ASME Code Sec: VIII Div-1. Ranging from 30 Tons capacity and onwards with Wall Thickness from 20mm to 70mm. - LPG bulk storage tanks of capacity 500 kgs and above cylindrical pressure vessels of thickness upto 250mm	Working Pressure : 7 Bar Test Pressure : 30 Bar Burst Test Pr :70 Bar DOT, ASME & BS Standard	Material: HR,SG-255 Steel Sheets. DOT, ASME & BS Standard	1) Petrosin Ravi Industries Ltd., Shakra-i-Pakistan Kala Shah Kakoo G.T Road Lahore 2) Cylinders Engg. Industries (Pvt) Ltd 9-C, 13th Commercial Street, Phase-II, Defence H. Authority, Karachi 3) Gujrat Steel (Pvt) Ltd., 183 A.M,Shahrah-e-Iraq, Saddar, Karachi 4) FAS Tube Mills & Engineering Industries, 67 - C Steel Street (Meco)Market, Landa Bazar, Lahore -54000 5) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan 6) Izhar Steel, Izhar House, 35-Tipu Block, New Garden Town, Lahore 7) A.J. Corporation, 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. 8) Industrial & Mechanical Engineers (Pvt) Ltd., 403, Noor Estate Building Shahrah-e-Faisal Karachi 9) Heavy Mechanical Complex (Pvt) Ltd., Taxila	No Change
		iii) Nitrogen Tank	Used to store and transport nitrogen in liquid or gaseous form. Capacity: 1000 Gallons upto 3000 Gallons, Or as per our client requirement.	Design Code: ASME, Material: SS 304L Cryogenic (Inside), Carbon Steel. (Outside), Test Pressure: 60 psig Working Pressure: 45 psig	Support Nitrogen in liquid or gaseous form	Al-Jassar Engineering Co., 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad.	No Change
593	73121010	i) Stranded wire of Iron or steel, not electrically insulated	As per BSS-4461-1969, ASTM-A36-75, ASTM-615-76a (1977)	--	--	Metropolitan Steel Corporation Limited, 706-Progressive Plaza, 101-Bemount Road, Karachi	No Change
		ii) Galvanized-Steel Strands-Steel Wire / Rope Galvanized/ Ungalvanized Strands Steel Inner Wire/ Rope/ Roll	BS 302, JIS G3525, BS 2763	As per Standard	As per Standard	Pakistan Wire Industries, E-51, Textile Avenue, SITE, Karachi	Pakistan Wire requested to amend the description of this item.

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		iii) Galvanized Steel Wire Stranded / Galvanized steel wire	WAPDA P 12:80	--	--	Newage Cables (Pvt) Ltd., Newage Mansion Mcleod Road, Lahore	No Change
		iv) P.C Strand	Size 3/8", 7/16" & 1/2"	--	C-Si-Mn-P-S-Cr-Ni-Cu Al & Mo	1) Cable & Conductor Ltd., 1st Floor, 41 Civic Centre, Barkat Market New Garden Town, Lahore 2) United Wire Industries (Pvt) Ltd., 19/20 KM, Lahore Sheikhpura Road, Lahore	No Change
		v) Pre-Stressed Concrete steel Wire Spiral/ Plain for Railways Sleeper / Ready made roofs and other	JIS G 3506 / SWRH-82 B (ASTM A-416/B.s. 5896 Grade 250/270-K, Normal Relaxation, Not Electrically Insulated) ASTM A421-15 BS 5896, JIS G3536 GB-T 5223-2014 and equivalent	7 Wire Strands 1/2", 3/8", 7/16"	C 0.81, Si 0.24, Mn 0.84, P 0.015, S 0.012	1) Wire Manufacturing Industry Ltd., 45-KM Lahore-Multan Road, Nathey Khalsa, Bhai Pheru, District Kasur 2) United Wire Industries (Pvt) Ltd., 19/20 KM, Lahore Sheikhpura Road, Lahore	No Change
		vi) Prestressed Concrete Wire	JIS G 3506 / 1980 SWRH-82 B (ASTM A-421 Grade 250/270-K, Not Electrically Insulated)	Wire (variable dia)	C 0.80/ .84, Si 0.22, Mn .60/.80, P .02X, S.02X, Cr .240/.260, N .010, Cu .007, Ni .014, Mo .001, V .025	Wire Manufacturing Industry Ltd., 45-KM Lahore-Multan Road, Nathey Khalsa, Bhai Pheru, District Kasur	No Change
		vii) High Carbon Steel wire strand	JIS G 3536 SWRH-82B-1 (Not Electrically Insulated)	Wire (variable dia)	C 82/83, Si 23/27, Mn 76, P 11/17, S 4/6, Cr 17/19		No Change
		viii) High Tensile Steel Wire	JIS G 3506 /B.S. 5896 (Grade 250/270-K, Normal Relaxation, Not Electrically Insulated)	Wire (variable dia)	C .81%- .83%, Mn .75-77%, P .010-.014%, S .002%- .005%, Si .25-.26%, Sr .17%- .18%		No Change
		ix) Hard Drawn/ Spring wire	JIS G 3536 (Not Electrically Insulated)	Wire (variable dia)	C .83, Mn 0.67, P 0.013, S 0.010, Si 0.19, Cr 0.250, N .006, Cu .007, Ni .014, Mo 0.25, Sn .002		No Change
594	73121020	i) Stranded ropes of Iron or steel, not electrically insulated	ASTM, JIS all International spec	Low Carbon to High Carbon Steel Wire & Ropes	--	1) Chaudhri Wire Rope Industries (Pvt) Ltd., 25 Km G.T Road Muridke, Lahore 2) Newage Cables (Pvt) Ltd., Newage Mansion Mcleod Road, Lahore 3) Peoples Steel Mills Ltd. Javedan Nagar, Manghpir Karachi	Reference not found and request information
		ii) Steel Wire Rope	6X7FC, SC & IWrC-6X12, 6X19, 6X24, 6X36, 6X37 FC, SC & IWRD	--	C-Si-Mn-P-S-Cr-Ni-Cu Al & Mo	1) Cable & Conductor Ltd., 1st Floor, 41 Civic Centre, Barkat Market New Garden Town, Lahore 2) Peoples Steel Mills Ltd. Javedan Nagar, Manghpir Karachi	Reference not found and request information
		iii) Wire Rope (Not electrically insulated)	SWRH 42B, 47B, 62B & 72B JIS G 3506	8 mm to 20 mm Ø	C/ 62-72, Si 195, Mn 67, P .6, S .13, Si 195-201	1) Wire Manufacturing Industry Ltd., 45-KM Lahore-Multan Road, Nathey Khalsa, Bhai Pheru, District Kasur 2) Peoples Steel Mills Ltd. Javedan Nagar, Manghpir Karachi	Reference not found and request information

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		iv)Galvanized/Ungalvanized Inner Wire Roll/Steel Cable Clutch, Brake Throttle Automotive Sector Galvanized Guy rope/ Strand For the Reinforcement of Optical Fiber Cable And Communication Cable, for Signaling and Galvanized Stay Strand For Power Transmitting Towers	JIS 3540 GB 1200-88 YB/T 5004-93 JISG 3525 JISG3525 GB-1179-1999	As per standard	As per standard	Pakistan Wire Industries, E-51, Textile Avenue, SITE, Karachi	No Change
595	73121090	Core Wire for ACSR	JIS G 3506 62 B, 72 B (Not Electrically Insulated)	Wire (variable dia)	C 73, m 67, P 0.06, S 0.013, Si .195	1) Wire Manufacturing Industry Ltd., 45-KM Lahore-Multan Road, Nathey Khalsa, Bhairu, District Kasur 2) Newage Cables (Pvt) Ltd., Newage Mansion Mcleod Road, Lahore 3) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore	No Change
596	73130000	Barbed wire of Iron or steel	As per BSS-4461-1969, ASTM-A36-75, ASTM-615-76a (1977)	--	--	1) Metropolitan Steel Corporation Limited, 706-Progressive Plaza, 101-Bemount Road, Karachi 2) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi	No Change
597	73143100	Fencing of Iron or steel	Fencing (up to 4 mtr height)	--	--	1) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 2) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 3) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan	
598	73143900	Fencing of Iron or steel	Fencing (up to 4 mtr height)	--	--	1) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 2) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 3) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
599	73144100	Fencing of Iron or steel	Fencing (up to 4 mtr height)	--	--	1) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 2) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 3) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan	No Change
600	73144900	Fencing of Iron or steel	Fencing (up to 4 mtr height)	--	--	1) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 2) ASG Metals Ltd., EIZ/LL/SP-08, Eastern Industrial Zone, Port Qasim Authority, Karachi 3) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan	No Change
601	73170090	Staples Pins of iron or steel	All Sizes	--	--	Dollar Industries (Pvt) Ltd., D-85, SITE, Karachi – 75700	No Change
602	73181200	Screws (Wood, Threaded, Iron & Steel)	Gauges : 3 SG to 14 SG, Lengths : 1/2" to 5" British & DIN Standards - Twinstart & Full Dia.	Countersunk & Round Head, Slotted & Phillips, Partial & Fully Threaded Screws.	Mild Steel with 0.10% Carbon & Stainless Steel.	Adamjee Engineering (Pvt.) Ltd., Plot No. 1 & 16, Sector 20, Korangi Industrial Area, Karachi	No Change
603	73181400	i) Screws (Self-Tapping, Threaded)	Gauges : 4 SG to 14 SG Lengths : 1/2" to 5" (or Metric equivalents) BS-4174 or DIN Standards	Hardened Screws, all types of heads, Nickel, Zinc or Rainbow Plated for use in metal plates & sheets made from Medium Carbon Steel .Torque Strength upto 136 lbs/sg. Inch.	Medium Carbon Steel 0.15-0.20,	Adamjee Engineering (Pvt.) Ltd., Plot No. 1 & 16, Sector 20, Korangi Industrial Area, Karachi	No Change
		ii) Machine Screws	Guages : 1/8 to 5/16" & M3 to M8 Lengths : upto 5" or 125mm BS-4183 & DIN Standards 963, 964 & 965.	All types of Heads, Zinc & Rainbow Plated.	Mild Steel & Stainless Steel.		No Change
		iii) Drywall (Bugle Head) Screws.	Guages : 6 to 12 SG Length : Upto 3" DIN Standard in Fine & Coarse Thread.	Hardened Screws, all types of heads, Nickel, Zinc or Rainbow Plated for use in metal plates & sheets made from Medium Carbon Steel .Torque Strength upto 136 lbs/sg. Inch. (Black Phosphated)	Medium Carbon Steel 0.15-0.20, S&P 0.045% max, & Mn 0.20 – 0.60% & Stainless Steel.		No Change
604	73181590	i) Bolts of Iron or steel	i) Dia M6 ~ M24, SAE 4.8, 5.8, 8.8, 10.9, 12.9	SAE 1,2,5,8,A574 Tensile:60,74,120,150,180 KSI Yield Strength: 36,57,92,81,130,160 KSI	S&P 0.045% max, &	Mirza Younas & Co., Zahoor Coloney Momin Pura Road, Near Bhatta Daroghawala,Lahore	No Change
			ii) Dia M6 ~ M24, M.S & High Tensile	SAE 5, SAE 8 , SAE 2 Tensile Stress 120 KSI,150 KSI,	Mn 0.20 – 0.60% & Stainless Steel.		No Change
			iii) Dia M6 ~ M24, M.S & High Tensile	SAE 2, 5, 8 Proof Stress 105~ 1050 KSI	C= 0.28~ 0.55 Mn= 0.30max Ph= 0.05 max S=0.15 max Cr= 0.25 max		No Change
			iv) Bolts, Nuts, Rivets, Studs, Washers, Screws of Steel, Mild Steel, Stainless Steel and Galvanized	Grade AISI 1008, 1010, 1012, 1025, 1030, and equivalent grade 8.8, 10.8, 12.8 and equivalent; Galvanized High Tensile Strength	--	Inayat Brothers, P-27 Canal Road, Peoples Colony # 1, Faisalabad	No Change
			v) Agricultural and all types of Bolts, Nuts and Washers	AISI 1008, 1010, 1012, 1015, 1025, 1030, and equivalent High Tensile Strength	--	I. B. Industries, P-27 Canal Road, Peoples Colony # 1, Faisalabad	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
			vi) Gauges : M3 to M8, Lengths : upto 110mm Hex Head Bolts, Flat & Indented. British & DIN Standards.	Fully or partially threaded, Zinc or Rainbow Plated.	Mild Steel, Medium Carbon Steel & Stainless Steel.	Adamjee Engineering (Pvt.) Ltd., Plot No. 1 & 16, Sector 20, Korangi Industrial Area, Karachi	No Change
		ii) Hex Washer Indented / Hex Flange Indented / Hex Top Round Metric Bolts Material: Low carbon steel (Length6 mm-100 mm) (Gauge:M4-M10) - Other than Automotive iii) Hex Head Metric Bolt Material: Low carbon steel (Length6 mm-100 mm) (Gauge:M4-M8)- Other than Automotive	Used specifically in Industrial, construction and Home Appliances Industry	Length 6 mm-100 mm & Gauge: M4-M10 to be checked against the standard of JIS B 1189 Length 6 mm-100 mm & Gauge: M4-M10 to be checked against the standard of DIN 558/DIN 933/JIS B1180	C:0.08%		No Change
		Nut & Bolts 2 " to 14 "	WAPDA Specification DDS-10:85	--	--	Vision Engineering Pvt Ltd., 160/ S, Q.I.E. Kot Lakhpat Lahore	No Change
605	73181610	i) Hex Washer Indented / Hex Flange Indented / Hex Top Round Extruded / Straight Shank Metric Bolts Material: Medium Carbon Steel (Length6 mm-100 mm) (Gauge:M4-M10) - Other than Automotive ii) Hex Head Metric Bolt Material: Medium Carbon Steel(Length6 mm-100 mm) (Gauge:M3-M10)- Other than Automotive	Used specifically in Industrial, construction and Home Appliances Industry	Length 6 mm-100 mm & Gauge: M4-M10 to be checked with strength class of 8.8.	C:0.45%, B:0.0017%	Adamjee Engineering (Pvt.) Ltd., Plot No. 1 & 16, Sector 20, Korangi Industrial Area, Karachi	No Change
606	73181900	Threaded Nuts of Iron or steel	Dia M6 ~ M24 Medium,High Carbon & Alloy Steel	SAE 4.8,8.8,10.9 & 12.9	C% 15~55 P% 0.03~0.05 S% 0.03~0.05 Ni% 0.15~0.22 Cr% 0.18~0.25	Mirza Younas & Co., Zahoor Coloney Momin Pura Road, Near Bhatta Daroghawala,Lahore	No Change
607	73219000	Shelves of Iron or steel	Made of CRC, HRC, Galvanized Steel Sheet	--	--	Gujrat Steel (Pvt) Ltd., 183 A.M,Shahrah-e-Iraq, Saddar, Karachi	No Change
608	73251000	Articles of Cast Iron	- Cast iron castings upto 28 tons weight (sigle piece) steel casting (low alloy) upto 32 tons weight (single piece) - Gray Cast Iron, From 1 kg to 1000 kg	--	--	1) Heavy Mechanical Complex (Pvt) Ltd., Taxila 2) Jamal-ud-Din Sons & Co., 44 Umer Market Link Railway Road, Near Railway Station Lahore.	No Change
609	73259100	Hi-chrome grinding media balls	Hi-chrome grinding media balls of dia 22-100 mm	--	--	Heavy Mechanical Complex (Pvt) Ltd., Taxila	No Change
610	73259900	i) Articles of Cast Mild Steel ii) Articles of SG Iron	Casted Mild Steel From 1 kg to 1000 kg SG Iron From 1 kg to 500 kg	--	--	Jamal-ud-Din Sons & Co., 44 Umer Market Link Railway Road, Near Railway Station Lahore.	No Change
611	73261100	Forged grinding media balls	Forged grinding media balls of diameter 30-120mm	--	--	Heavy Mechanical Complex (Pvt) Ltd., Taxila	No Change
612	73261911	Crank Shaft Forgings	Crank shaft forging for motor cycle engine	Apprearance smooth forged steel. Silver grey. Hardness HRC 17-25	AISI 1045, C = 0.43-0.50, Si = ≤0.15-0.35 Mn = 0.30-0.60	Jin Kwang Jaz (Pvt) Ltd., DSU-33, Down Stream Industrial Estate, Pakistan Steel, Bin Qasim, Karachi	No Change
613	73261919	Crank Shaft Forgings	Crank shaft forging for motor cycle engine	Apprearance smooth forged steel. Silver grey. Hardness HRC 17-25	AISI 1045, C = 0.43-0.50, Si = ≤0.15-0.35 Mn = 0.30-0.60	Jin Kwang Jaz (Pvt) Ltd., DSU-33, Down Stream Industrial Estate, Pakistan Steel, Bin Qasim, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
614	73261990	i) Steel free forged items	Steel free forged items upto 120kg per piece weight	--	--	Heavy Mechanical Complex (Pvt) Ltd., Taxila	No Change
		ii) Articles, Forged or stamped, iron or alloy steels	Die/ Free forged, Die forging up to 5Kg. Free Forging up to 1000Kgs	Machined	All type of alloy steel grades. Chemical composition as per international quality standards or as specified by customers.	Peoples Steel Mills Ltd., Javedan Nagar, Manghpir, Karachi	No Change
		iii) Other Forgings	i) Car forging component for towing, hub front axle wheel, engine assembly, gear assembly etc.	Appearance smooth forged steel. Silver grey. Hardness HRC 17-25	- AISI 1025, C= 0.22-0.28, Si = ≤0.15-0.35, Mn = 0.30-0.60 - AISI 1035, C = 0.32-0.38, Si = 0.15-0.35, Mn = 0.6-0.9 - AISI 1045, C = 0.43-0.50, Si = ≤0.15-0.35, Mn = 0.30-0.60 - SVDH23F, C = 0.25-0.26, Si = 0.26, Mn = 1.54-1.55 - S40VCSS1A, C = 0.38-0.43, Si = 0.40-0.60, Mn = 0.70-1.00 - S53C, C = 0.5-0.56, Si = 0.15 - 0.35, Mn = 0.6 - 0.9	Jin Kwang Jaz (Pvt) Ltd., DSU-33, Down Stream Industrial Estate, Pakistan Steel, Bin Qasim, Karachi	No Change
			ii) Tractor forging components for coupling, pump, shaft, weight, differential and gear assembly	Appearance smooth forged steel. Silver grey. Hardness HB 248-323	- SAE-8620, C= 0.17-0.23, Si = ≤0.15-0.35, Mn = 0.6-0.9 - SAE-8620-H, C = 0.17-0.23, Si = ≤0.15-0.35, Mn = 0.6-0.95		No Change
615	73269060	i) LT ABC Dead End (Anchoring) clamp	Cable Messenger at the Dead End Point	--	--	Alsons Industries (Pvt) Ltd., S-18, S.I.T.E., Karachi	No Change
		ii) HT ABC Dead end Clamp (Anchoring)	Aerial Bundled Cable (3x185 mm² Dead End End Connections Specification K-R&D-HTABC-PD-29	--	--		No Change
		iii) Dead End Clamp for Dog & Ospery conductor	Holding the Conductor at Dead End in 11 KV Over Head Distribution System	--	--		No Change
		iv) Loop dead end clamp LC 10	Making the LT Dead Ends & Tee Offs in Over Head Distribution System	--	--		No Change
616	73269090	i) Shelves of Iron or steel	Made of CRC, HRC, Galvanized Steel Sheet	--	--	Gujrat Steel (Pvt) Ltd., 183 A.M.Shahrah-e-Iraq, Saddar, Karachi	No Change
		ii) Special Spool / Spools (Spacer / Drilling/ Mud Cross)	Size: 2-1/16" to 30" Range: 2K-15K	API Spec 7-1/6A	AISI 4130 / 4140	MEC Energy, Plot No. 80-D, Street No. 6, Industrial Area Sector I-10/3, Islamabad	No Change
		iii) Loop Dead End Clamp LC-10 & LC-16	WAPDA Specification PD-111a-05	--	--	Creative Engineering (Pvt) Ltd., 160/ S, Q.I.E. Kot Lakhpat Lahore	No Change
		iv) Dead End Clamp Dog & Ospery	WAPDA Specification DDS-73:2004	--	--		No Change
		v) Transmission Line Hardware (Suspension/Tension String Fittings/Assemblies for Earth Wire)	NTDC-WAPDA P-141:80	--	--	Shaheen Traders, 1-KM Abu Bakar Road, Near Saggian Flyover, Ring Road, Lahore	No Change
		vi) Transmission Line Hardware Accessories (Mid Span Joints & Repair Sleeves)	NTDC-WAPDA P-144:80	--	--		No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		vii) Transmission Line Hardware Accessories (Stock Bridge Dampers)	NTDC-WAPDA P-142:83	--	--		No Change
		viii) Transmission Line Hardware Accessories (Splice Shunt, Armour Rod)	NTDC-WAPDA P-140:82	--	--		No Change
617	74031100	Cathodes	Copper Cathodes cut to pieces	--	--	Newage Cables (Pvt) Ltd. Newage Mansion Mcleod Road, Lahore	No Change
618	74031200	General House Wiring (PVC)	3/.029", 7/.029", 3/.036", 7/.036", 7/.044", 7/.052", 7/.064" BS-2004, BS-6004	T/S, Elong, DC Resistance IR, HVT	Purity: 99.99%	1) H.M. Esmail & Co. (H.M. Cables), SB-5, Madina City Mall, 6th Floor , Abdullah Haroon Road, Karachi 2) Newage Cables (Pvt) Ltd., Newage Mansion Mcleod Road, Lahore 3) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore	No Change
619	74031300	Copper Billets/Ingots	QQC 576 Latest	Round & Slab Shapes	99.9% Pure Copper	Wah Brass Mills (Pvt) Ltd., Quaid Avenue (Adjacent POF Main Gate), Wah Cantt.	No Change
620	74032100	Brass Billets/Ingots	Def-Stan 95-9 IU 92 & other	Round about 200 kg & Slab From 300kg-6MT	60:40, 70:30, 80:20, 90:10, Any other	Wah Brass Mills (Pvt) Ltd., Quaid Avenue (Adjacent POF Main Gate), Wah Cantt.	No Change
621	74071020	Copper Rod	ASTM B-49 Dia 8.00 & 10.50mm ASTM B-49 Electrical Conductor	Breaking Load Elongation Resistance	Purity: 99.99%	1) Newage Cables (Pvt) Ltd., Newage Mansion Mcleod Road, Lahore 2) H.M. Esmail & Co. (H.M. Cables), SB-5, Madina City Mall, 6th Floor , Abdullah Haroon Road, Karachi 3) Pakistan Cables Limited, B-21, SITE, P.O. Box No.5050, Karachi - 75700 4) Bawany Metals Ltd., 1001-Unitowers, I.I. Chundrigar Road, Karachi	No Change
622	74081900	Copper Wire	ASTM B-2 & B-3	--	--	1) Newage Cables (Pvt) Ltd., Newage Mansion Mcleod Road, Lahore 2) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore	No Change
623	74082900	Copper Wire	ASTM B-2 & B-3	--	--	1) Newage Cables (Pvt) Ltd., Newage Mansion Mcleod Road, Lahore 2) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore	No Change
624	74091100	Copper Coils	QQC 576 Latest	0.5 mm – 05 mm Thick, Weighing upto 2.4MT	99.9% Pure Copper	Wah Brass Mills (Pvt) Ltd., Quaid Avenue (Adjacent POF Main Gate), Wah Cantt.	No Change
625	74091900	Copper strips/ Sheets/ Plates not in coil	QQC 576 Latest	0.5 mm – 30 mm Thick	99.9% Pure Copper	Wah Brass Mills (Pvt) Ltd., Quaid Avenue (Adjacent POF Main Gate), Wah Cantt.	No Change
626	74092100	Brass Coils	Def-Stan 95-9, IU-92, BS-2870, EN-1652	0.5 mm – 05 mm Thick, Weighing upto 2.4MT	60:40, 70:30, 80:20, 90:10, Any other	Wah Brass Mills (Pvt) Ltd., Quaid Avenue (Adjacent POF Main Gate), Wah Cantt.	No Change
627	74092900	Brass Strips / Sheets/ Plates not in Coils	Def-Stan 95-9, IU-92, BS-2870, EN-1652	0.5 mm – 30 mm thick	60:40, 70:30, 80:20, 90:10, Any other	Wah Brass Mills (Pvt) Ltd., Quaid Avenue (Adjacent POF Main Gate), Wah Cantt.	No Change
628	74111090	i) Aluminum & Copper Pipe / Busbar / Tube	NTDC-WAPDA P-114:2011	--	--	Shaheen Traders, 1-KM Abu Bakar Road, Near Saggian Flyover, Ring Road, Lahore	No Change
		ii) Copper Coated/Cladded Steel Rod	NTDC-WAPDA P-116:81	--	--		No Change
		iii) Grounding Set Comprising Copper Coated Steel Rod & Copper Wire (1.5M)	P-116:81, P-016:68	--	--		No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
629	74121000	Sockets for Natural Gas and LPG	Type: Bayonet, Angle Bayonet, Compression 10mm, Micro, Leakage test at 1 bar (1KV). Body: Brass (Forged), Size: 1/2:, 3/8",	--	--	Tesla Industries Pvt. Ltd., Plot No. 81-F, St. 6, I-10/3, Islamabad	No Change
630	74122000	Sockets for Natural Gas and LPG	Type: Bayonet, Angle Bayonet, Compression 10mm, Micro, Leakage test at 1 bar (1KV). Body: Brass (Forged), Size: 1/2:, 3/8",	--	--	Tesla Industries Pvt. Ltd., Plot No. 81-F, St. 6, I-10/3, Islamabad	No Change
631	74130000	i) Stranded Copper Wire/ cables of copper not electrically insulated.	Sizes: 1.5MM to 1000MM, Voltage Grade: upto 220 KV, BSS-6360:7884	• HDBC • PACC	High Conductivity Copper	1) Pakistan Cables Limited, B-21, SITE, P.O. Box No.5050, Karachi - 75700 2) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore 3) Newage Cables (Pvt) Ltd., Newage Mansion Mcleod Road, Lahore	No Change
		ii) Flexible Cable	0.5mm ² - 240mm ² , BS-6004, BS-6500	T/S, Elong, DC Resistance IR, HVT (PVC)	Purity: 99.99%	1) H.M. Esmail & Co. (H.M. Cables), SB-5, Madina City Mall, 6th Floor, Abdullah Haroon Road, Karachi 2) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore	No Change
		iii) Instrument Cable	0.5mm ² - 4mm ² , BS-5308, PI & PII (Shielded) (Flexible & Stranded.)				No Change
		iv) PVC Power Cable	0.5mm ² - 400mm ² , BS-6346, IEC-502 (Armoured & Unarmoured)				No Change
		v) XLPE Power Cable	1.5mm ² - 400mm ² , BS-5467, IEC-502 (Armoured & Unarmoured)				No Change
632	74151000	Nails and tacks, drawing pins, staples and similar articles	All Sizes	--	--	Dollar Industries (Pvt) Ltd., D-85, SITE, Karachi – 75700	No Change
633	74152100	Washers (Brass) including spring washers.	<u>Sizes</u> a) Outer Dia upto 80mm b) Thickness upto 20mm <u>Types</u> As per customer requirements. Thrust Washers various types.	Sintered Washers made from Bronze Powder.	90% Copper & 10% Tin or 100% Bronze.	Adamjee Engineering (Pvt.) Ltd., Plot No. 1 & 16, Sector 20, Korangi Industrial Area, Karachi	No Change
634	74153300	Brass Screws for wood	Guages 3 - 16 & upto 4" In length - British & DIN Standards	Countersunk & Round Head, Slotted & Phillips.	67% Copper, 33% Zinc	Adamjee Engineering (Pvt.) Ltd., Plot No. 1 & 16, Sector 20, Korangi Industrial Area, Karachi	No Change
635	74153900	i) Substation Connectors Mono-metallic / Bi-metallic (Aluminum or Copper Alloys)	NTDC-WAPDA P-176:2011	--	--	Shaheen Traders, 1-KM Abu Bakar Road, Near Saggian Flyover, Ring Road, Lahore	
636	76012000	Aluminium Alloy Ingots	As per following standards; JIS, BS, HD2, HD2G, HD4, HD1.1, LM6, LM13, LM24, LM28, ADC12, AC3A, AC4B, AC4C, ADC6, B12G19X, AS7GO6, ALSi12Cu	As per International Standards " JIS, Japan, ASTM, USA and BS, British"	Si =9~12%, Fe =0.6~1.2%, Cu =2 ~3.5%, Mn=0.10~0.80%, Mg =0.10~0.50%, Ni =0.10%, Zn=0.10~1.00%, Pb =0.10%, Sn =0.10%	1) Sun Metal Industries (Pvt. Ltd., Suite # 108, Anum Trader Center, State Avenue, S.I.T.E. Karachi. 2) New Era Industries, F61/G S.I.T.E, Karachi 3) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
637	76041010	Aluminium Rod	9.50 mm ASTM B-233	T/S, Elong, Torsion	Conductivity: 61.4%: Silicon:0.1, Iron:0.4, Copper:0.05, Manganese:0.01, Chromium:0.01, Zinc:0.05, Boron:0.05, Gallium:0.03, Vanadium + Titanium: 0.02, Other Elements:0.03, Other Elements:0.01, Aluminum: 99.5	1) H.M. Esmail & Co. (H.M. Cables), SB-5, Madina City Mall, 6th Floor , Abdullah Haroon Road, Karachi 2) Newage Cables (Pvt) Ltd., Newage Mansion McLeod Road, Lahore 3) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore	No Change
638	76042100	Hollow Profiles of Aluminum Alloy	Door / Window Sections: BSS 1474, ASTM-B-221, BSS- 3987, AAMA CLASS 1, BSS- 1615	• Anodized • Powder Coated	Aluminium Alloy	1) Pakistan Cables Limited, B-21, SITE, P.O. Box No.5050, Karachi - 75700 2) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore	No Change
639	76042910	Parallel Grooves Connector S-117, S-157, T-110, T- 150, T-155, T-220	WAPDA Specification P:25-67	--	--	Creative Engineering (Pvt) Ltd., 160/ S, Q.I.E. Kot Lakhpat Lahore	No Change
640	76042990	Profiles of Aluminum Alloy	Door / Window Sections BSS 1474, ASTM-B-221, BSS-3987, AAMA CLASS 1,BSS-1615	• Anodized • Powder Coated	Aluminium Alloy	1) Pakistan Cables Limited, B-21, SITE, P.O. Box No.5050, Karachi - 75700 2) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore	No Change
641	76051100	Aluminium Rod	Aluminium rod dia 9.5 mm	--	--	Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore	No Change
642	76051900	Aluminium Wire	ASTM B-230	--	--	1) Newage Cables (Pvt) Ltd., Newage Mansion McLeod Road, Lahore 2) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore	No Change
643	76052100	Alloyed Aluminium Rod	Alloyed Aluminium rod dia 9.5 mm	--	--	Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore	No Change
644	76052900	Alloyed Aluminium Wire	Alloyed Aluminium wire All sizes	--	--	Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore	No Change
645	76061200	Aluminium Composite Panel	Size: 8' x 4' Thickness 4mm	Aluminium Coil & Plastic	PE & PVDF	Akbari Engineering (Pvt) Ltd., Plot No. 188, Sunder Industrial Estate, Raiwind Road, Lahore	No Change
646	76071100	i) Aluminium Cable foil for telephone industries ii) Aluminium Finstock in continuous length for all types of air conditioners, deep freezers & Fridges	i) Foil for Telephone industry 0.200mm-0013mm both side of foil with 50u for PE/ Copolymer Coating- 0.004mm or 0.050mm making on overall substance 0.300mm- 0.005mm (Not over 0.2mm thickness) ii) Aluminium Foil thickness 7- 200u, both side or one side with CPV coating, hydrophilic corrosion resistant (Lacquered, Blue, Gold & Silver) not over 0.2mm thick, not backed Aluminium foil not exceeding 0.2mm,	--	--	1) Aluminum Processing Industries Int'l (Pvt) Ltd., D-76, S.I.T.E. Karachi 2) Pakistan Metal Industries, D-76, Main Avenue, S.I.T.E. Karachi 3) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore	No Change
647	76071990	i) Aluminium disposable products for air lines & fast food industries (Kitchen Foil, Utensils)	(Aluminium Trays, Casseroles & Kitchen Foil)	--	--	1) Aluminum Processing Industries Int'l (Pvt) Ltd., D-76, S.I.T.E. Karachi 2) Pakistan Metal Industries, D-76, Main Avenue, S.I.T.E. Karachi	No Change
		ii) Aluminium Finstock for all types of air conditioners, deep freezers & Fridges	Aluminium foil not exceeding 0.2mm (Thickness from 0.12mm to 0.20mm both side or one side with CPV coating, hydrophilic corrosion resistant (Lacquered, Blue, Gold & Silver)	--	--		No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		iii) Aluminium foil for pharma industries	Aluminium Foil for Blister & Strip Pakcing for Pharma Industries (not exceeding 0.2mm). A. Foil 7-20u sanwich+one side polyester film & other side polyethylene. B. Foil 7-10u other side polyester film with polyethylene coatings. C.7-10u foil with 40-50gsm parchment paper/poster paper + LDPE printed/un-printed alu alu cold forming foil	--	--		No Change
		iv) Alu Alu Cold forming Foil /Alu Alu Blister Foil/ Tropical foil/ Blister foil	OPA Al-foil PVC	Density 2.7 - 5.2 g/cm3, High elastic Strength High Pressure resistance	Not react with the vast majority of foods and pharmaceutical products.	Zenith Packages Industries (Pvt) Ltd., Village Dhonday Pajian Road, Raiwind Lahore	No Change
648	76072000	iii) Aluminium foil for pharma industries	Aluminium Foil for Blister & Strip Pakcing for Pharma Industries (not exceeding 0.2mm). A. Foil 7-20u sanwich+one side polyester film & other side polyethylene. B. Foil 7-10u other side polyester film with polyethylene coatings. C.7-10u foil with 40-50gsm parchment paper/poster paper + LDPE printed/un-printed alu alu cold forming foil	--	--	1) Aluminum Processing Industries Int'l (Pvt) Ltd., D-76, S.I.T.E. Karachi 2) Pakistan Metal Industries, D-76, Main Avenue, S.I.T.E. Karachi	No Change
		Aluminium foil paper backed for cigarette and Tea industries	Thickness not exceeding 0.2mm for aluminum foil 6.0u - 7.0u laminated with paper (tissue paper, poster, paper, board 20 - 400 gsm both Silver & Gold lacquered foil.	N/15am, 45-60gsm elongation 2 - 2.5%	--		No Change
		iv) Alu Alu Cold forming Foil /Alu Alu Blister Foil/ Tropical foil/ Blister foil	OPA Al-foil PVC	Density 2.7 - 5.2 g/cm3, High elastic Strength High Pressure resistance	Not react with the vast majority of foods and pharmaceutical products.	Zenith Packages Industries (Pvt) Ltd., Village Dhonday Pajian Road, Raiwind Lahore	No Change
		Laminate for Flexible Packaging (Backed)	Plastic and Aluminum Foil based laminates for flexible packaging	Solid in roll form or bags	Aluminum Foil & Polymer	Packages Convertors Ltd., Shahrach-e-Roomi, P.O. Amer Sidhu, Lahore-54760	No Change
649	76109000	Aluminium Rod	9.50 mm ASTM B-233	T/S, Elong, Torsion	Conductivity: 61.4%: Composition: Silicon: 0.1, Iron: 0.4, Copper: 0.05, Manganese: 0.01 Chromium: 0.01, Zinc: 0.05, Boron: 0.05 Gallium: 0.03, Vanadium + Titanium: 0.02 Other Elements: 0.03, Other Elements: 0.01 Aluminum: 99.5	1) H.M. Esmail & Co. (H.M. Cables), SB-5, Madina City Mall, 6th Floor , Abdullah Haroon Road, Karachi 2) Newage Cables (Pvt) Ltd., Newage Mansion Mcleod Road, Lahore 3) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore	No Change
650	76110000	Aluminium Tanks	Aluminum Tank for Transportation of Fuel (capacity over 300L)	Truck mounted, trailer type, tow bar type, Rectangular/circular and semi elliptical storage tank. Al refuller and Bowser and mobile dispenser.	--	Metal Engineering Works (Pvt) Ltd., S-4, S.I.T.E., Karachi	No Change
651	76121000	Collapsible tubular Containers of Aluminum	Dia=12.5 to 45-mm	Aluminum Purity 99.75 %	--	Alucan (Pvt) Ltd., E/12, S.I.T.E., Karachi-75730	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
652	76129030	Aluminium Beverages Cans 250 ML, 300 ML	Aluminium	--	--	Pakistan Aluminium Beverage Can Ltd., 29 & 30, M-3 Industrial City, Main Boulevard Sahianwala, Faisalabad	No Change
653	76129090	Pilfer Proof Aluminium Caps	22mm, 25mm, 28mm 30 x 35mm	Aluminium caps	--	National Metal Packaging Ltd., Plot No. 148, Sector-30, K.I.A, Karachi-74900	No Change
654	76141000	i) Aluminium Stranded Conductor / Aluminium Cables	Steel Re-inforced (All Sizes), ASTM B-232, Steel Reinforce (ACSR). Rabbit-Dog-Gopher-Lynx-Osprey, WAPDA P-50-88 Specs. Cables, Aluminum, with steel core, not electrically	As ASTM T/S, Elong, Weight H-12 Strands Aluminium	CU 99% Zinc coating uniformity, Al purity	1) Newage Cables (Pvt) Ltd., Newage Mansion Mcleod Road, Lahore 2) H.M. Esmail & Co. (H.M. Cables), SB-5, Madina City Mall, 6th Floor , Abdullah Haroon Road, Karachi 3) Cable & Conductor Ltd., 1st Floor, 41 Civic Centre, Barkat Market New Garden Town, Lahore 4) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore 5) Multicore Cables, 136 Abid Chambers Temnpal Road Lahore	No Change
		ii) Stranded wire, cables, Aluminium not electrically insulated.	Range of Sizes: 1.5MM ² to 1000MM ² Voltage Grade: upto 220 KV BSS-6360, BSS-215 (Excluding ultra violet treated cables)	ACSR	Aluminium Electrical Grade	1) Pakistan Cables Limited, B-21, SITE, P.O. Box No.5050, Karachi - 75700 2) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore	No Change
		iii) Conductors (ACSR)	All Types and Sizes	--	--	Universal Cables Industries Ltd., 61-C, Jami Commercial Street # 7, Phase 7, D.H.A., Karachi.	No Change
		iv) Aluminum Conductor Composite Core (ACCC)	ASTM B857 Specs., Casablanca, Drake, Plano, Helsinki, Silvassa, Gdansk, Oceanside, Warsaw, Brussels, Lisbon, Vienna	Trapezoidal Aluminum Conductor Stranded over Carbon Fiber Core	Aluminum Electrical Grade	Pakistan Cables Limited, B-21, SITE, P.O. Box No. 5050, Karachi - 75700	No Change
655	76149000	i) Aluminium Stranded Conductor / Aluminum Cables / Conductors / Aerial Bundle Cable	All Sizes Steel Re-inforced ASTM B-232, ASTM B-231, ACSR, AAC, Rabbit-Dog-Gopher-Lynx-Osprey, WAPDA P-50-88 Specs., Cables, Aluminum, with steel core, not electrically Range of Sizes: 1.5MM ² to 1000MM ² Voltage Grade: upto 220 KV BSS-6360, BSS-215 (Excluding ultra violet treated cables) Ant-Wasp (AAC) WAPDA P-63-79 Specs. 35mm ² - 120mm ² , IEC-60502 NEMA, (XLPE & PVC) (ABC)	As ASTM T/S, Elong, Weight XLPE Aging Test H-12 Strands Aluminium	CU 99% Zinc coating uniformity, Al purity Aluminium Electrical Grade	1) Newage Cables (Pvt) Ltd., Newage Mansion Mcleod Road, Lahore 2) Pakistan Cables Limited, B-21, SITE, P.O. Box No.5050, Karachi - 75700 3) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore 4) Universal Cables Industries Ltd., 61-C, Jami Commercial Street # 7, Phase 7, D.H.A., Karachi. 5) H.M. Esmail & Co. (H.M. Cables), SB-5, Madina City Mall, 6th Floor , Abdullah Haroon Road, Karachi 6) Cable & Conductor Ltd., 1st Floor, 41 Civic Centre, Barkat Market New Garden Town, Lahore 7) Multicore Cables, 136 Abid Chambers Temnpal Road Lahore	No Change
		ii) Aluminum Conductor Composite Core (ACCC)	ASTM B857 Specs., Casablanca, Drake, Plano, Helsinki, Silvassa, Gdansk, Oceanside, Warsaw, Brussels, Lisbon, Vienna	Trapezoidal Aluminum Conductor Stranded over Carbon Fiber Core	Aluminum Electrical Grade	Pakistan Cables Limited, B-21, SITE, P.O. Box No. 5050, Karachi - 75700	No Change
		iii) All Aluminium Alloy Conductor (AAAC)	All sizes	--	--	Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
656	76169910	i) Cast Steel Castings	As per client's requirement	--	Steel Scrap=95.7% Ferro Manganese=2% Ferro Silicon=2% Ferro Chrome=0.3%	Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi	No Change
		ii) Mn Steel Casting	As per client's requirement	--	Steel Scrap=82% Ferro Manganese=14% Ferro Silicon=0.8% Ferro Chrome=2.5% Recarborizer=1.3%		No Change
		iii) Cast Iron Castings	As per client's requirement	--	Pig Iron=75% Steel Scrap=21% Ferro Manganese=2% Ferro Silicon=2%		No Change
657	76169990	i) Aluminium disposable products for air lines & fast food industries (Kitchen Foil, Utensils)	(Aluminium Trays, Casseroles & Kitchen Foil) aluminum Metal 65u to 100u with Food grade Coating. (Not over 0.2mm thickness)	--	--	1) Aluminum Processing Industries Int'l (Pvt) Ltd., D-76, S.I.T.E. Karachi 2) Pakistan Metal Industries, D-76, Main Avenue, S.I.T.E. Karachi	No Change
		ii) Aluminum Finstock in continuous length for air conditioning industry	Not exceeding 0.2mm thickness from 0.12mm to 0.20mm both side or one side with CPV Coating hydrophillic corrosion resistant (lacquered Blue, Golden & Silver)	--	--	Aluminum Processing Industries Int'l (Pvt) Ltd., D-76, S.I.T.E. Karachi	No Change
		iii) Transmission Line Hardware (Tension / Suspension String Fittings/Assemblies for Aluminum Conductors)	NTDC-WAPDA P-143:82 NTDC-WAPDA P-140:82	--	--	Shaheen Traders, 1-KM Abu Bakar Road, Near Saggian Flyover, Ring Road, Lahore	No Change
658	82021000	Hand saws of base metal	Hand saw for wood cutting size 10 " to 36 "	1650 -1850 Nmm ²	Cr 1 . C .75 % Mn .7 % Cr .35 % si .04 %	Abid Industries, CA 318 Goth Shah Beg Gabol Sector 16 B North Karachi	No Change
659	82023100	Steel Saws	Gang saw for stone cutting/Marble cutting	Tensile Strength 1350-1400 Nmm ²	Cr 1 , C 75 , Mn .7 % Cr .35 % Si .04 %	Abid Industries, CA 318 Goth Shah Beg Gabol Sector 16 B North Karachi	No Change
660	82023900	Steel Saws	Circular saw for wood cutting sizes 4 " to 14"	Cr 1 , C 75 , C 60 . High Carbon alloy steel strip , High Carbon steel strip, Carbon steel strip Tensile Strength 1550 - 1750 Knmm2	C 75 % , Si 0.4 , Cr 0.37 Mn 0.70 %	Abid Industries, CA 318 Goth Shah Beg Gabol Sector 16 B North Karachi	No Change
661	82032000	Hand Tools	Pliers, hand, base metal 4" to 6"	--	--	Qureshi Industries Behind Women Degree College Nizamabad (52020) Wazirabad Punjab, Dist. Gujranwala	No Change
662	82041100	Non-adjustable Spanners	8x10mm, 12x14mm, 16x17mm, 20x22mm, 24x26	--	--	Qureshi Industries Behind Women Degree College Nizamabad (52020) Wazirabad Punjab, Dist. Gujranwala	No Change
663	82054000	Hand Tools	Screwdrivers, base metal 2 way 4"	--	--	Qureshi Industries Behind Women Degree College Nizamabad (52020) Wazirabad Punjab, Dist. Gujranwala	No Change
664	82081000	Steel Blades	High Carbon Alloy Steel / High Carbon Steel Strip	CR 1 , C60-80 ,1450- 1700 Nmm ²	--	Abid Industries, CA 318 Goth Shah Beg Gabol Sector 16 B North Karachi	No Change
665	82082000	Steel Blades	High Carbon Alloy Steel / High Carbon Steel Strip, Wood cutting band saw blade size 10 mm -255 mmx0.5mm - 1.5 mm	CR 1 , C60-80 , TS 1450- 1700 Nmm ²	C .75 , si 0.4 cr .35 mn .7 %	Abid Industries, CA 318 Goth Shah Beg Gabol Sector 16 B North Karachi	No Change
666	82121000	Razors, non-electric	Double edge razor blades and plastic bonded disposable razor	--	--	Treet Corporation Limited, 72-B, Kot Lakhpat Industrial Area, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
667	82122000	Razors, non-electric	Double edge razor blades and plastic bonded disposable razor	--	--	Treet Corporation Limited, 72-B, Kot Lakhpat Industrial Area, Lahore	No Change
668	82141000	Pencil Sharpeners	For Pencils	--	--	1) Indus Pencil Industries, B-54, Manghopir Road SITE Karachi 2) Toray Plast, Al Jannat Road, Saggian Ravi By Pass, Nain Sukh, Lahore 3) Oro Industries, 86-87, Sector 23, Korangi Industrial, Karachi	No Change
669	83013000	Furniture Locks	Chrome plated	--	--	Babar Metal Industries, E/34, Estate Avenue, S.I.T.E., Karachi	No Change
	83021010	SS 304 Hermatic and Hygine doors	SS 304, 316	--	--	SAMCON Associates 838-B Sabzazar Scheme Multan Road, Lahore.	SAMCON Associates requested to add this entry in the list. Relevant information provided and also been physically verified.
	83026000	Hydraulic Door Closure	Overhead Door Closer	Aluminum Body with Steel Parts & Hydraulic Oil	Aluminum Body with Steel Parts & Hydraulic Oil	Pak Precise Engineering (Pvt.) Ltd., 11 Km, Multan Road, (Hanjarwal) Lahore.	Pak Precise Engineering requested to add this entry in the list. Relevant documents provided.
670	83030000	Metal Lockers, Vault Doors, Safe Lockers, Vaults, Fire resistant Safes and doors, Fire exit doors, Sound proof doors	Different sizes	Fire resistant, bullet resistant and thermal cutting resistant.	--	Gujrat Steel (Pvt) Ltd., 183 A.M,Shahrah-e-Iraq, Saddar, Karachi	Gujrat Steel requested for addition of highlighted items in their existing entry, as shown. Relevant information provided.
671	83040000	i) Shelvings of base metal	Mobile Shelving (Compressed Filing System), For offices. Shelving for Supermarkets & Stores.	--	--	Gujrat Steel (Pvt) Ltd., 183 A.M,Shahrah-e-Iraq, Saddar, Karachi	No Change
		ii) Sorting Boxes for office use	Box Type Office and Base Metal for any Equipment	Skid mounted box type office, Living carvan, Kitchen, Laboratoires, Skid mounted medical treatment centre, toilets and rest houses etc.	--	Metal Engineering Works (Pvt) Ltd., S-4, S.I.T.E., Karachi	No Change
672	83071000	i) Flexible Tube of Base Metals with or without fittings of Iron or Steel or other base metals	- Spiral/Corrugated/Wire Braided Flexible Hose/Tubes/Pipes, Sanitary & Tap's - Flexible Connection	O/D: 12, 14, & 16 mm Pressure: 5 Bar T.S: 500 N	S. Steel of 200, 300 series Brass & Aluminium	Faco Industries Ltd., 204, Bank & Business Centre, Near Duty Free Shop, Off. Shahra-e-Faisal Karachi.	700000 PCS F
		ii) Flexible steel tubing/ outer casing with or without PVC/ PE liner in rolls used for Clutch/ Brake/ Throttle cables of motorcycle	SWRH 62A/ 72A/ 62B and other equivalent grades	5mm, 6mm, 7mm		Pakistan Wire Industries, E-51, Textile Avenue, SITE, Karachi	Pakistan Wire requested to include their item in this entry. Relevant information provided.
673	83079000	ii) Other Base Metal	- Spiral/Corrugated/Wire Braided Flexible Hose/Tubes/Pipes, Sanitary & Tap's - Flexible Connection	O/D: 12, 14, & 16 mm Pressure: 5 Bar T.S: 500 N	S. Steel of 200, 300 series Brass & Aluminium	Faco Industries Ltd., 204, Bank & Business Centre, Near Duty Free Shop, Off. Shahra-e-Faisal Karachi.	700000 PCS F
		ii) Flexible steel tubing/ outer casing with or without PVC/ PE liner in rolls used for Clutch/ Brake/ Throttle cables of motorcycle	SWRH 62A/ 72A/ 62B and other equivalent grades	5mm, 6mm, 7mm		Pakistan Wire Industries, E-51, Textile Avenue, SITE, Karachi	Pakistan Wire requested to include their item in this entry. Relevant information provided.

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
674	83082000	Rivets	Aluminum Blind Rivets Guages : 3.00, 4.20 & 4.80mm Lengths: 5.00 to 25.00mm	Aluminium tubes with steel mandrel.	Al. 98% Si 0.4%, Cu 0.2%, Mn 0.2%, Mg. 0.5 to 1.1%, Cr. 0.1%	Adamjee Engineering (Pvt.) Ltd., Plot No. 1 & 16, Sector 20, Korangi Industrial Area, Karachi	No Change
675	83099090	i) Threaded Bungs and bung-covers	2", 3/4" British Standard	--	--	Babar Metal Industries, E/34, Estate Avenue, S.I.T.E., Karachi	No Change
		ii) Aluminium PP Caps for Bottles	22mmPP; 25mmPP; 25mmRO; 28mmRO; 30*34mmED; 30*60mmED	--	Food Grade	Daim Pak (Pvt) Ltd., 18 Km Sheikhpura Road, Lahore	No Change
		iii) Aluminium Caps	20mm to 50mm	Aluminium caps	--	National Metal Packaging Ltd., Plot No. 148, Sector-30, K.I.A, Karachi-74900	No Change
		iv) Flip Off Seal	Pharma grade (INH Specifications)	Outer Dia: 22.0 mm Inner Dia of Aluminum: 20.0 mm Height of Al & Plastic: 8.5 mm Thickness of Al: 0.21 mm Color of Plastic: Blue		Ghani Metal & Rubber Industries (Pvt.) Ltd., Plot No. 62-A, Phase-II, M-3 Industrial City FIEDMC, Faisalabad.	Ghani Metal & Rubber Industries requested to include their item in this entry. Relevant information received.
	8310.0010	Retro-Reflective Blank Plate for Registration Number Plate of 2 Wheelers/ Motorcycle (Front & Rear)	Retro-reflective sheet laminated on flat & smooth Aluminum Substrate. Plate Thickness: min 0.8 mm to max. 1.2 mm Aluminum Purity: min 99% to max 99.7% Color & Sizes: standard and as per customers' requirements.	Low density, non-toxic, corrosion resistant, non-magnetic and non-sparking.	Aluminum alloy (AA 1100) of purity 99%, AA 1050 of purity 99.5%, AA 1070 of purity 99.7% or more.	Progressive Engineering Associates (Pvt.) Ltd. DP-55, Sector 12-C, North Karachi, Industrial Area, Karachi.	Progressive Engineering requested to enlist this item in the list. Relevant information provided and also been physically verified by ROK.
	8310.0020	Retro-Reflective Blank Plate for Registration Number Plate of 4 Wheelers and above	Retro-reflective sheet laminated on flat & smooth Aluminum Substrate. Plate Thickness: min 0.8 mm to max. 1.2 mm Aluminum Purity: min 99% to max 99.7% Color & Sizes: standard and as per customers' requirements.	Low density, non-toxic, corrosion resistant, non-magnetic and non-sparking.	Aluminum alloy (AA 1100) of purity 99%, AA 1050 of purity 99.5%, AA 1070 of purity 99.7% or more.	Progressive Engineering Associates (Pvt.) Ltd. DP-55, Sector 12-C, North Karachi, Industrial Area, Karachi.	Progressive Engineering requested to enlist this item in the list. Relevant information provided and also been physically verified by ROK.
	8310.0030	Retro-Reflective Embossed Plate for Registration Number Plate of 2 Wheelers/ Motorcycle (Front & Rear)	Retro-Reflective sheeting consists of lens elements enclosed with transparent resin bonded with Aluminum substrate having Embossed impressions, security print, security features and hologram. Plate Thickness: min 0.8 mm to max. 1.2 mm Embossing depth: 1.2 mm to max. 1.6 mm Aluminum purity: min 99% to max 99.7% Color & Sizes: as per customers' requirements.	All weather durable, flexible, retro-reflective sheeting of lens elements, Aluminum substrate etc.	Aluminum alloy (AA 1100) of purity 99%, AA 1050 of purity 99.5%, AA 1070 of purity 99.7% or more.	Progressive Engineering Associates (Pvt.) Ltd. DP-55, Sector 12-C, North Karachi, Industrial Area, Karachi.	Progressive Engineering requested to enlist this item in the list. Relevant information provided and also been physically verified by ROK.

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
	8310.0090	Retro-Reflective Embossed Plate for Registration Number Plate of 4 Wheelers and above.	Retro-Reflective sheeting consists of lens elements enclosed with transparent resin bonded with Aluminum substrate having Embossed impressions, security print, security features and hologram. Plate Thickness: min 0.8 mm to max. 1.2 mm Embossing depth: 1.2 mm to max. 1.6 mm Aluminum purity: min 99% to max 99.7% Color & Sizes: as per customers' requirements.	All weather durable, flexible, retro-reflective sheeting of lens elements, Aluminum substrate etc.	Aluminum alloy (AA 1100) of purity 99%, AA 1050 of purity 99.5%, AA 1070 of purity 99.7% or more.	Progressive Engineering Associates (Pvt.) Ltd. DP-55, Sector 12-C, North Karachi, Industrial Area, Karachi.	Progressive Engineering requested to enlist this item in the list. Relevant information provided and also been physically verified by ROK.
676	83111000	i) Metal Electrodes	ASTM, JIS All International Spec	--	--	Chaudhri Electrode Industries (Pvt) Ltd., 29 Km Lahore Sheikupura Road, Lahore	No Change
		ii) Welding Electrode (Hard Surfacing, Cast Iron, SS, etc)	E-6013, E-7016, E-7018,	As per AWS standards	As per AWS standards	Shanghai Industries (Pvt.) Ltd., Suite # 408, Marine Point, Block -9, Khayaban-e-Romi, Clifton, Karachi.	No Change
		iii) Special Stick Welding Electrodes	AWS: E 308L-16 AWS: E 316L-16 AWS: E 2209-17 AWS: E 309L-16 AWS: E 310-16 AWS: E 307-26 AWS: E 312-16 AWS: E NiCrFe - 3 AWS: E NiCrMo- 5 AWS: E NiCrFe - 2 AWS: E Ni C2 AWS: E NiFe- C1 AWS: CuSn-C AWS: CuSn- C/A DIN8555: E6- UM-55-PS DIN8555: E7- UM-250-K DIN8555: E10- UM-65-Z DIN8555: E4- UM-60(65W)-S DIN8555: E10- UM-65-GRZ DIN8555: E8- UM-250- KPN DIN8555: E10- UM-60-GZ	Different	Different	Metallogen (Pvt) Ltd., 175 – S, Industrial Estate, Kot Lakhpat, Town Ship, Lahore 54000.	Metallogen requested to amend this existing entry, as shown.
		iv) Welding Electrode: (OVERCORD S, E-7018, NIFE-55, UNIVERSE, 80 R, DUR 350,V 1000 & INOX 29/9)	AWS/ASME SFA-5.1 E6013 AWS/ASME SFA-5.1 E7018 AWS/ASME SFA-5.15 E NiFe-C1 AWS/ASME SFA-5.1 E 7016 DIN 8555 E 6-UM-60 DIN 8555 E 1-UM-300 DIN 8555 E-10-UM-60 R AWS/ASME SFA-5.4 E 312-16	--	--	Pakistan Welding Electrodes (Pvt) Ltd., Plot No. E-19, S.I.T.E. Karachi	No Change
677	83112000	CO ₂ Gas Shielded Arc Welding/Mig Welding Wire 0.80 mm, 0.90 mm, 1.00 mm, 1.20 mm and 1.60 mm	AWS ER70S6/DIN SG2/GB ER56-6	Copper Coated/Tensile Strength>490 Mpa/Elongation>26%/Shrinkage>7 2%	C: 0.06~ 0.15 SI: 0.80~ 1.15 Mn: 1.40~ 1.85	Bead Tech (Pvt) Ltd., 22-KM, Lhr-Skp. Rd, Stop Qilla Sattar Shah, Pindi Das Rd., Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
678	83113000	CO ₂ Gas Shielded Arc Welding/Mig Welding Wire 0.80 mm, 0.90 mm, 1.00 mm, 1.20 mm and 1.60 mm	AWS ER70S6/DIN SG2/GB ER56-6	Copper Coated/Tensile Strength>490 Mpa/Elongation>26%/Shrinkage>7 2%	C: 0.06~ 0.15 SI: 0.80~ 1.15 Mn: 1.40~ 1.85	Bead Tech (Pvt) Ltd., 22-KM, Lhr-Skp. Rd, Stop Qilla Sattar Shah, Pindi Das Rd., Lahore	No Change
679	83119000	CO ₂ Gas Shielded Arc Welding/Mig Welding Wire 0.80 mm, 0.90 mm, 1.00 mm, 1.20 mm and 1.60 mm	AWS ER70S6/DIN SG2/GB ER56-6	Copper Coated/Tensile Strength>490 Mpa/Elongation>26%/Shrinkage>7 2%	C: 0.06~ 0.15 SI: 0.80~ 1.15 Mn: 1.40~ 1.85	Bead Tech (Pvt) Ltd., 22-KM, Lhr-Skp. Rd, Stop Qilla Sattar Shah, Pindi Das Rd., Lahore	No Change
680	84021110	i) Boiler Feed Water Heaters	For upto 350 MW Boilers, ASME Sec. 1 / B.S.S. & as per customers requirements	--	--	1) SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi 2) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore	No Change
		ii) Boilers, steam generating, watertube type/ iii) Oil/gas/bagasse fired water tube boiler iv) Coal /Biomass Fired Steam Boilers	i) Direct Fired Water Tube Boiler Capacity up to 350 TPH & 150 Kg/cm ² ii) UPTO 290 TPH, 136 Barg, 535°C iii) Oil/gas/bagasse fired water tube boiler upto 200 ton/hr capacity and 87 bar pressure Travelling grate bed, Bubbling fluidized bed, Circulating fluidized bed	ASME Sec. 1	High pressure/Low pressure steam production	1) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 2) Gresham's Eastern (Pvt) Limited, F-302, S.I.T.E, Karachi 3) SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi 4) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan 5) Heavy Mechanical Complex (Pvt) Ltd., Taxila 6) A.J. Corporation, 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. 7) Industrial & Mechanical Engineers (Pvt) Ltd., 403, Noor Estate Building Shahrah-e-Faisal Karachi , 8) Izhar Steel, Izhar House, 35-Tipu Block, New Garden Town, Lahore 9) Karachi Shipyard & Engineering Works	No Change
		v) Thermal power plants	Thermal power plants upto 360MW	--	--	Heavy Mechanical Complex (Pvt) Ltd., Taxila	No Change
681	84021120	Waste Heat Recovery Boiler	Waste Heat Recovery Boiler (WHRB) capacity up to 350 TPH & 150 Kg/cm ²	--	--	1) Descon Engineering Limited, DESCON Manufacturing Business Area , 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 2) Haseeb Waqas Engineering Ltd., 103, B/1, M.M. Alam Road, Gulberg.III Lahore 3) Brothers Engineering Ltd., 135-Upper Mall, Lahore. 4) Heavy Mechanical Complex (Pvt) Ltd., Taxila	No Change
		Boilers, steam generating, watertube type	Waste Heat Recovery Boilers, 1.5 to 50T/PH Capacity & pressure upto 6 bar to 50kg/cm ² inclusive of Parts & equipments	--	--	DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		Waste Heat Recovery Boiler	As per client's requirement	--	--	1) A.J. Corporation, 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. 2) Industrial & Mechanical Engineers (Pvt) Ltd., 403, Noor Estate Building Shahrah-e-Faisal Karachi, 3) Izhar Steel, Izhar House, 35-Tipu Block, New Garden Town, Lahore	No Change
682	84021130	i) Heat Recovery Steam Generators	Heat Recovery Steam Generators (HRSG) 200 MW, water tube type. Single or multiple unit, behind all types of Gas Turbines, Diesel and Gas Engines & as per customers requirements	--	--	1) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 2) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore 3) A.J. Corporation, 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. 4) Industrial & Mechanical Engineers (Pvt) Ltd., 403, Noor Estate Building Shahrah-e-Faisal Karachi	No Change
		ii) Condensers, Mixing Steam	Capacity up to 350 TPH & 150 BARG for (water tube, fire tube, waste heat recovery boiler, heat recovery steam generator)	--	--	TDFC (Pvt) Ltd., East Pharange Drainage, Millat Town, Millat Road, Faisalabad	No Change
683	84021190	i) Thermal power plants	Thermal power plants upto 360MW	--	--	Heavy Mechanical Complex (Pvt) Ltd., Taxila	No Change
		ii) Coal /Biomass Fired Steam Boilers	Travelling grate bed, Bubbling fluidized bed, Circulating fluidized bed	High pressure/Low pressure steam production	--	1) Descon Engineering Ltd., 2-Km Defence Road, Off 24th Km, Multan Road, Chung, Lahore 2) Gresham Eastern (Pvt) Ltd., F-302, S.I.T.E., Karachi 3) Heavy Mechanical Complex, Taxila 4) SEFEC Engineering (Pvt) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi 5) The Sitara Engineers, Nishatabad, Sheikhpura Road,	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
684	84021200	i) Boilers, steam generating, watertube type	i) Package Type Fire Tube (upto 30T/PH & pressure upto 24 to 50 kg/cm2 inclusive of Parts & equipments) ii) Upto 65 ton/hr, 40 kg/cm2, ASME Sec. 1 iii) Water tube boilers (4 HP TO 155 HP, 120,000 BTUS/HR to 5,200,000 BTUS/HR) iv) Steam Generators (100 to 1200 Kg/Hr steam output. v) Forced Draft, Water Tube Heater With Natural Gas (150,000 to 6,500,000 Btuh input) vi) 1 TPH ~ 100 TPH 1 BAR ~ 15 BAR, etc vii) Direct Fired Water Tube (up to 350 TPH & 500 Kg/cm2) viii) UPTO 290 TPH, upto 136 Barg, 535°C ix) Coal /Biomass Fired Steam Boilers (Travelling grate bed, Bubling fluidized bed, Circulating	As per clients requirement	--	1) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore 2) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan 3) SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi 4) Industrial & Mechanical Engineers (Pvt) Ltd., 403, Noor Estate Building Shahrah-e-Faisal Karachi 5) Gresham's Eastern (Pvt) Limited, F-302, S.I.T.E, Karachi 6) Fabricon (Private) Limited, First Floor, Qazi House, ST-5, Block 16, Gulshan-e-Iqbal, Karachi-75300. 7) Haseeb Waqas Engineering Ltd., 103, B/1, M.M. Alam Road, Gulberg.III Lahore 8) Brothers Engineering Ltd., 135-Upper Mall, Lahore. 9) A.J. Corporation, 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore	No Change
		ii) Duct Heaters Gas or Oil Fired iii) Electric Hot Water & Steam Boiler iv) Hot Water Storage Heater	As per client's requirement	As per clients requirement	--	Industrial & Mechanical Engineers (Pvt) Ltd., 403, Noor Estate Building Shahrah-e-Faisal Karachi	No Change
		v) Oil/gas/ fired, water tube, membrane walled boilers	(upto 45 tons/hr, 64 Kg/cm ² pressure) Bagasse fired (upto 45 tons/hr & pressure 42 Kg/cm ²	As per clients requirement	--	Heavy Mechanical Complex (Pvt) Ltd., Taxila	No Change
		vi) Thermal power plants	Thermal power plants upto 360MW	As per clients requirement	--		No Change
685	84021910	Fired Tube Boilers	i) Upto 45 tons/ hr/ More than 45 tons/ hr ii) Upto 25 ton/hr steam and 24 kg/cm2 pressure. iii) Up-to 30 TPH , 2PASS, 3 PASS and 4 PASS & as per customers requirements	As per clients requirement	--	1) IKAN Engineering Services (Pvt) Ltd., 34-Km, Shamki Bhattian, Multan Road, Lahore 2) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore 3) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan 4) A.J. Corporation, 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. 5) Industrial & Mechanical Engineers (Pvt) Ltd., 403, Noor Estate Building Shahrah-e-Faisal Karachi - 6) Izhar Steel, Izhar House, 35-Tipu Block New Garden Town, Lahore 7) Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi 8) Heavy Mechanical Complex (Pvt) Ltd., Taxila 9) Heavy Mechanical Complex-3, Hattar Road, Taxila 10) Descon Engineering Limited, DESCON Manufacturing Business Area 2 KM Defence	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		Coal/Biomass Fired Steam Boilers	Travelling grate bed, Bubbling fluidized bed, Circulating fluidized bed	High pressure/Low pressure steam production	--	1) Descon Engineering Ltd., 2-Km Defence Road, Off 24th Km, Multan Road, Chung, Lahore 2) Gresham Eastern (Pvt) Ltd., F-302, S.I.T.E., Karachi 3) SEFEC Engineering (Pvt) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi	No Change
686	84021920	Waste Heat Recovery Boilers / Waste Heat Boilers (WHB's)	up to 350 TPH & 500 Kg/cm ² with steam turbine Behind Cement Kilns, Incinerators, Furnaces, Gen Sets & Other Process Applications Upto 136 Barg & as per customers requirements Any type of boiler / waste heat recovery, heat recovery steam generator excluding water tube	As per clients requirement	--	1) IKAN Engineering Services (Pvt) Ltd., 34-Km, Shamki Bhattian, Multan Road, Lahore 2) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore 3) A.J. Corporation, 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. 4) Industrial & Mechanical Engineers (Pvt) Ltd., 403, Noor Estate Building Shahrah-e-Faisal Karachi 5) Izhar Steel, Izhar House, 35-Tipu Block, New Garden Town, Lahore 6) Ravi Green Engineering (Pvt) Ltd., 20th KM (Pajian), Raiwind Road, Lahore 7) TDFC (Pvt) Ltd., East Pharange Drainage, Millat Town, Millat Road, Faisalabad 8) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000	No Change
687	84021930	Heat Recovery Steam Generators/ Other boilers	Behind gas turbines, gen sets upto 275 mw/ Any type of boiler / waste heat recovery, heat recovery steam generator excluding water tube	--	--	1) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 2) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore	No Change
688	84021990	i) Complete Hybrid Boiler.	Saturated Steam, Furnace with Combustion Grate Deduster with accessories and auxiliary machinery for boiler comprising of boiler drum, economizer, draft fan and accessories 1-15 TPH, 12 Bar, 500 Kg/hr to 1000 KG/hr 2 Bar to 10 Bar & as per customers requirement	--	--	1) Descon Engineering Ltd., 2-Km Defence Road, Off 24th Km, Multan Road, Chung, Lahore 2) Gresham Eastern (Pvt) Ltd., F-302, S.I.T.E., Karachi 3) Heavy Mechanical Complex, Taxila 4) SEFEC Engineering (Pvt) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi 5) The Sitara Engineers, Nishatabad, Sheikhpura Road, 6) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore	No Change
		ii) Boilers, vapour generating, excluding watertube type	i) Upto 20 ton/hr, 40 kg/cm ² , SME Sec. 1 / B.S.S. & as per customers requirements ii) 4 Pass , Fire Tube, 250 TO 1000 H.P.	Forced Draft, consisting, Shell, Fire Tubes, Tube Plates, ASME code	--	1) SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi 2) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore 3) Industrial & Mechanical Engineers (Pvt) Ltd., 403, Noor Estate Building Shahrah-e-Faisal Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		iii) Coal/Biomass Fired Steam Boilers	Travelling grate bed, Bubbling fluidized bed, Circulating fluidized bed	High pressure/Low pressure steam production	--	1) Descon Engineering Ltd., 2-Km Defence Road, Off 24th Km, Multan Road, Chung, Lahore 2) Gresham Eastern (Pvt) Ltd., F-302, S.I.T.E., Karachi 3) Heavy Mechanical Complex, Taxila 4) SEFEC Engineering (Pvt) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi 5) The Sitara Engineers, Nishatabad, Sheikhpura Road,	No Change
689	84022000	i) Boiler Superheaters	i) Capacity Up to 350 TPH, 150 BARG (water tube, fire tube, waste heat recovery boiler, heat recovery steam generator), used for upto 350 MW Boilers, ASME Sec. 1 / B.S.S. & as per customers requirements ii) Upto 65 ton/hr, 40 kg/cm ² , ASME Sec	--	--	1) SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi 2) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore 3) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000	No Change
		ii) Boilers, high pressure	i) Upto 65 ton/hr, 40 kg/cm ² , ASME Sec. 1 ii) Upto 290 TPH, 136 barg, 535 C or As per customer's requirement iii) 1 TPH-100 TPH, 250-550 °C, 1Bar ~100 Bar	--	--	1) SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi 2) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 3) A.J. Corporation, 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. 4) Industrial & Mechanical Engineers (Pvt) Ltd., 403, Noor Estate Building Shahrah-e-Faisal Karachi 5) Gresham's Eastern (Pvt) Limited, F-302, S.I.T.E, Karachi	No Change
690	84029090	Boiler Equipment/Parts	Parts/Accessories/Ancillaries of all types of Boilers like Drum, Deaerator, Economizer, Condenser, Evaporator, Tube Panel, Chimneys, Steel Structure, Cuts/ Chutes up to 350 TPH for upto 350 MW Boilers, Capacity , 150 BARG (water tube, fire tube, waste heat recovery boiler, heat recovery steam generator) Drums for steam boilers (ASME, Corten Steel, Size as per capacity of boiler 3Ft Dia, 15 Ft Thickness - 5mm - 25mm 8" - 16" as per customers requirements)	ASME Sec. 1	--	1) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 2) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore 3) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan 4) A.J. Corporation, 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. 5) Industrial & Mechanical Engineers (Pvt) Ltd., 403, Noor Estate Building Shahrah-e-Faisal Karachi, 6) Izhar Steel, Izhar House, 35-Tipu Block, New Garden Town, Lahore 7) SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi 8) Gresham's Eastern (Pvt) Limited, F-302, S.I.T.E, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
691	84031000	Boilers, central heating	Fire Tube, Dry Back, Boilers For Steam and Hot Water, All As Per AMSE Codes. 250 To 1000 H.P. , 3.8 Tons to 15.4 Tons	As per ASME Code	--	1) Industrial & Mechanical Engineers, 403, Noor Estate Building Shahrah-e-Faisal Karachi 2) Haseeb Waqas Engineering Ltd., 103, B/1, M.M. Alam Road, Gulberg.III Lahore	No Change
692	84041000	Auxiliary plants for use with boilers of heading 84.02 or 84.03	Following equipments for water tube, fire tube, waste heat recovery boiler, heat recovery steam generator of capacity Up to 350 TPH. 150 BARG) (Economizer, Dearator, Air pre heater, Steam Coil Air Pre Heater, Evaporator, Silencer, Super Heater, Collector / Accumulator for Steam, Boiler Feed Water unit, Steam storage, Collectors for steam boilers, De-super-heaters for steam or vapour-Generating,	--	--	1) SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi 2) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore 3) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan 4) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 5) A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. 6) Industrial & Mechanical Engineers, 403, Noor Estate Building Shahrah-e-Faisal Karachi	No Change
693	84042000	Condensers for steam or other vapour power / Boilers	For Capacity up to 350 TPH & 150 BARG for (water tube, fire tube, waste heat recovery boiler, heat recovery steam generator) - Evaporators, Vapour Cells, Falling Film Evaporators, Vacuum Pans, Vacuum Filters, Pressure Filters, Crystallizers, Heat Exchangers, Gas Scrubbers, Multi Trays Clarifiers, Multi Jet Condensers, Cascade Condensers, Rain & Shower Type Condensers, Fluidized Bed Dryers, Counter Flow Dryers, Rotary Dryers.	1) Evaporators upto 5500 mm dia & 10050 mm length. 2) Shell & Tube Type Pre Condensers upto 1700 mm dia & 6000 mm length. 3) Vertical Condensers upto 2012 mm dia & 6800 mm length. Horizontal Condensers upto 2012 mm dia & 6800 mm length. 4) Shell & Tube type Heat Exchangers upto 1700 mm dia & 5000 mm length. 5) Shell & Tube type evaporators upto 5500 mm dia & 14000 mm length.	In accordance to ASME Sec 1, TEMA HEI	1) SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi 2) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 3) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan 4) A.B.S Engineering Corporation (Pvt) Ltd., F-492, S.I.T.E, Karachi- 75700	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		Condensers, steam	i) Steam heating Coils (1HP, 1.5 HP, 2HP, 2.5HP, 3HP, 5HP, 7.5HP, 10HP, 20HP, 30HP, 40HP, 50HP, 60HP and 80HP & as per customers requirements) ii) Chilled Water Coils (Aluminium Fins-Coated & Un-coated) 6HP, 10HP, 12.5HP, 18HP, 25HP, 30HP, 38HP, 50HP, 60HP, 75HP and 100HP iii) Chilled Water Coils (Copper Fins) 10HP, 20HP, 30HP, 40HP, 50HP, 60HP and 80HP iv) Shell & Tube (Condensers/ Evaporators & Chillers) 3HP, 5HP, 7.5HP, 10HP, 15HP, 50HP and 75HP.	--	--	1) Breeze Frost Industries (Pvt) Ltd., Harbanspura Road, P.O. Tajpura, Lahore 2) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore	No Change
694	84068200	Combined Cycle Power Plants	As per customer requirements	--	--	1) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore 2) Ravi Green Engineering (Pvt) Ltd., 20th KM (Pajian), Raiwind Road, Lahore	No Change
695	84089000	Single Cylinder Diesel Engines	3HP to 36 HP	--	--	1) Best Engineers, 31-KM Ferozepur Road, Lahore 2) Perfect Engineering Company, Moza Bahi Kot, Raiwind, Industrial Estate, Raiwind, Lahore 3) Kam Engineering (Pvt) Ltd., Behind Glaxo Lab, Off 19 Km Ferozepur Road, Lahore 4) Naveed Brothers , National Machinery Corporation, 23-KM Off Multan Road, Mohlanwal Lahore	New Company. Proforma not provided. Name of M/s Naveed Brothers needs to be deleted.
696	84109010	Parts of Hydraulic turbines, water wheels, and regulators	Radial Gates. Draft tube gates, fixed wheel gates, bulk head gates, penstock, draft tube, tail race liners, spirala/ involute turbine casing, head covers, botton rings, trash rack, sill beams, stop logs, wicket gates etc. (For any type and range)	--	--	Heavy Mechanical Complex (Pvt) Ltd., Taxila	No Change
697	84109090	Regulators for hydraulic turbines and water wheels / Penstocks	Penstocks of upto 10.6M dia x 40mm thickness, AISI, BS-7191, BS-5950 / As per client's requirment	--	--	1) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 2) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan 3) A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. 4) Izhar Steel, Izhar House, 35-Tipu Block, New Garden Town, Lahore 5) SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
698	84131100	i) CNG Dispenser	--	--	--	1) Tesla Industries Pvt. Ltd., Plot No. 81-F, St. 6, I-10/3, Islamabad 2) Concept Private Limited, Plot No. 291, Street No. 03, Sector I-9/3, Islamabad 3) Advance Electronics International, L/21-D, Block-21, F.B. Industrial Area, Rashid Minhas Road, Karachi – 75700	No Change
		ii) Fuel Transfer Pump [Others]	Used for diesel/water transfer, Capacity: 1500 Ltr/min	Material: Carbon Steel	--	Al-Jassar Engineering Co., 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad.	No Change
699	84131910	Acid Shifting Pump	Used for acid shifting, filling Capacity: 160 Ltr/min	Material: Alluminium with rubber hose	--	Al-Jassar Engineering Co., 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad.	No Change
700	84133090	Gear Oil Pump	Sizes a) Outter Dia upto 80mm b) Height upto 35mm As per customers requirements.	Hardness of upto 90 HRB. Also includes Grindings & other secondary operations	Iron / Steel.	Adamjee Engineering (Pvt.) Ltd., Plot No. 1 & 16, Sector 20, Korangi Industrial Area, Karachi	No Change
701	84137011	Centrifugal pumps (Submersible)	i) Submersible motor sewage disposal pumps with non clogging impeller ii) Submersible motor water lubricated vertical bore hole single or multistage pumps	i) DN: 100-175, Q upto 480 m ³ /hr, H upto 250 m. ii) DN: 75-350, Q upto 840 m3/hr, H upto 480m.	i) Cast Iron (GG-25), SS, Duplex and Super Duplex ii) Cast Iron (GG-25), Bronze (G-CuSn10), SS, Duplex, Super Duplex	KSB Pumps Company Limited, 16/2, Sir Agha Khan Road, Lahore	No Change
702	84137019	Submersible Pumps	i) Flow range from 2.4 m3/h (40 LPM) up to 156m3/h (2600 LPM), Head range from 3 meter (10 Feet) up to 567 meters (1860 Feet) ii) Flow range from 12 m3/h (200 LPM) up to 324m3/h (5400 LPM)Head range from 7 meter (23 Feet) up to 560 meters (1837 Feet)	i) Stainless steel fabricated laser welded diffusers & Impellers. ii) Casted diffuser & impellers.	i) Stainless Steel AISI 304 ii) Cast Iron GG25	Komax Pvt Ltd., Plot No. 722, Sunder Industrial Estate, Raiwind Road, Lahore	No Change
			iii) Upto 100 Watt	--	--	Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore	No Change
703	84137090	i) Centrifugal pumps	i) Stainless Steel Submersible Bore Hole Pump	--	--	1) HMA Pumps, 604, Israr Plaza, Ground Floor, Near Lane No. 5, Main Peshawar Road, Rawalpindi Cantt., 2) KSB Pumps Co. Ltd., 16/2, Sir Agha Khan Road, Lahore	No Change
			ii) Horizontal centrifugal pumps with non-clogging impeller (Excluding API 610 and NACE MR 0175 compliance)	DN: 40-700, Q: upto 10000 m ³ /hr, H upto 100m.	Cast Iron (GG-25),Bronze (G-CuSn10),Ni Resist D-2,SS (1.4408),Duplex and Super Duplex		No Change
			iii) Single stage, Axially split volute casing pump with double flow impeller (Excluding Jet pumps and downhole positive displacement pumps for artificial lift from oil wells alongwith spares)	DN: 200-350,Q:2900 cu m/hr, H upto 100 m.	Cast Iron (GG-25),Stainless Steel		No Change
			iv) High pressure multistage pump in ring section design	DN:40-150,Q: 760 m ³ /hr,H:630m (max pressure 63 bars)	Cast Iron (GG-25),Cast Steel (GS-C25N)		No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
			v) Vertical single stage sewage and effluent disposal pumps in wet and dry pits design with non clogging impeller.	DN:65-700,Q upto 10000 m ³ /hr, H upto 85 m.	Cast Iron (GG-25), Bronze(G-CuSn10), Wear Resist Nickel Cast Iron (ERN),Austenitic NiCrMo,Stainless Steel(1.4408),Creep Resist Ferritic,Cast Steel,Duplex and Super Duplex.		No Change
			vi) Vertical line shaft bore hole single or multistage pump (Excluding jet pumps and down hole positive displacement pumps artificial lift from oil wells along with spares)	DN: 80-500,Q upt 2600 m ³ /hr, H upto 250 m.	Cast Iron (GG-25),Bronze (G-CuSn10),Ni-Resist D2 (ERN), Duplex and Super Duplex		No Change
			vii) Tubular Casing pumps	DN: 300-800, Q upto 9500 m ³ /hr, H upto 50 m.	Cast Iron (GG-25),Ni-Resist D2,Stainless steel, Duplex and Super Duplex.		No Change
			viii) Multistage Vertical / Horizontal High Pressure Centrifugal Pump (CR) [Excluding High Pressure / Alloy Steel / API / NACE Standard Compliant]	DN 25-125. Q: up to 120 m3/h,H: 320 m	Cast Iron (CG-25), Stainless Steel DIN W.- Nr. (1.4301),AISI (304),Temp: 120 C°		No Change
			ix) Booster Pumping Station [Excluding High Pressure / Alloy Steel / API / NACE Standard Compliant]	DN 25-125. Q: up to 420 m3/h,H: 200 m	Cast Iron (CG-25), Stainless Steel DIN W.- Nr. (1.4301),AISI (304),Temp: 120 C°		No Change
			x) Deep Well Turbine Pumps (BP) [Excluding High Pressure / Alloy Steel / API / NACE Standard Compliant]	DN 75-150. Q: up to 5-280 m3/h,H: 200 m	Cast Iron (CG-25), Stainless Steel DIN W.- Nr. (1.4301),AISI (304/316),Temp: 120 C°		No Change
			xi) Bore Hole Submersible Pump (SP) [Excluding High Pressure / Alloy Steel / API / NACE Standard Compliant]	DN 25-125. Q: up to 280 m3/h,H: 600 m	Stainless Steel DIN W.- Nr. (1.4301),AISI (304),Temp: 120 C°		No Change
			xii) End Suction Single Stage Centrifugal Pump (NB/NP) [Excluding High Pressure / Alloy Steel / API / NACE Standard Compliant]	DN 32-200. Q: up to 450 m3/h,H: 120 m	Pump Housing Cast Iron (EN-GJL-250),Impeller Cast Iron / Bronze (EN-GJL-250/ CuSn10),Temp: 120 C°		No Change
			xiii) RPK Type in accordance with API 610 (6th Edition). (Excluding Jet Pumps and downhole positive displacement pumps for artifical lift from Oil Wells Alongwith spares)	DN: 80-100 Q: up to 270 cumetre/hr H: up to 58 m RPM: up to 2900	Available in Cast Steel (GS-C25N) and Stainless - Steel (1.4408) in accordance with API 610 Material Combinations		No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		ii) Self-Priming, Centrifugal, High-Pressure Pumps	Size: DN 50x50 to DN 600x500mm Flow: 10 gpm (2 cu.m/hr) to 30,000 gpm (6815 cu.m/hr) Pressure/Head: 10 ft (3m) to 140 ft (43m)	Casing: Ductile Iron ASTMA48/ Aluminum / Copper Alloy. Impeller: Close-Type, 5 To 6-Vanes. Cast Steel ASTMA48 / Bronze/ Copper Alloy / S.S. Impeller Shaft: Stress Proof Steel SAE1144 Wearing & Back Plates: ASTMA48 / Aluminum / Copper Alloy Flanges: ASTMA48 / Aluminum / Copper Alloy Gasket & O-Rings: Buna-N / Compressed Synthetic Rubber Mechanical Seal: Self-lubricated, self-aligning, double floating seal sustains max. liquid temperature up to 160F or 71°C.	--	Meraj Limited, Plot No. 11, Sector 15, Korangi Industrial Area, P.O. Box 3135, Karachi – 74900	No Change
		iii) Self-Priming, Centrifugal (Non-Clog) Trash Pumps/ Irrigation pumps	Size: DN 38x38mm to DN 450x450mm Flow: 50 gpm (11.4 cu.m/hr) to 8660 gpm (1970 cu.m/hr) Pressure/Head: 20 ft (6m) to 475 ft (145m)	Casing: Ductile Iron ASTMA48 / Impeller: Close-Type, 2 To 5-Vanes. Cast Steel ASTMA48 Impeller Shaft: Stress Proof Steel SAE1144 Wearing & Back Plates: ASTMA48 Flanges: ASTMA48 Gasket & O-Rings: Buna-N / Compressed Synthetic Rubber Mechanical Seal: Self-lubricated, self-aligning, double floating seal sustains max. liquid temperature up to 160F or 71°C.	--		No Change
		iv) Combined Normal and High Pressure Fire Pump	Flow: 100 gpm (22.8 cu.m/hr) to 2000 gpm (455 cu.m/hr)	--	--		No Change
		v) Gland Pump Centrifugal Single stage end suction top discharge horizontal Shaft Tool mounted Pump.	Head : 15-210 feet Discharge : 3180-50 US gmp	Casing : S. S. (Commercial), Cast Iron Shaft : S.S., Carbon Steel Impeller : S.S., Bronze, Cast Iron Stuffing Box : Gland Packing, Mechanical Seal.		Golden Pumps (Pvt) Ltd., G.T. Road Gujranwala	No Change
704	84138100	Pumps	i) RPH Pumps Horizontal configuration in accordance with API 610 (11th Edition) suitable for all API Pump applications in chemical, Oil & Gas sector, energy and petrochemical industry	DN:25-400,Q upto 4150 m ³ /hr, H upto 270 m,T:-70C to 450C.	Available in all types of material cmbination in accordance with API 610/ISO 13709	KSB Pumps Company Limited, 16/2, Sir Agha Khan Road, Lahore	No Change
			ii) Horizontal volute casing and suction pump with radial vane impeller (Excluding API 610 and NACE MR 0175 Compliance)	DN:32-300,Q upto 1900 m ³ /hr, H upto 102 m.	--		No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
			iii) RPK Type in accordance with API 610 (6th Edition). (Excluding Jet Pumps and downhole positive displacement pumps for artificial lift from Oil Wells Alongwith spares)	DN: 80-100 Q: up to 270 cumetre/hr H: up to 58 m RPM: up to 2900	Available in Cast Steel (GS-C25N) and Stainless - Steel (1.4408) in accordance with API 610 Material Combinations		No Change
705	84144000	i) Air Compressor mounted on Wheeled Chasis / Air Compressor Mounted	0-15 bar screw type, 3.5-250 kw 4.5-12 kw	Screw type	--	Alpine Industrialcon (Pvt) Ltd., 305/2, G.T. Road, Baghbanpura, Lahore	No Change
		ii) Cyclone (Dust Collector)	Output: 5 - 15 TPB	To reduce moisture of grain and make it feasible for processing	--	Al Karam Rice Engineering (Pvt) Ltd., 7Km Sheikhpura - Muridke Road, Near Khanna Labana, Muridke	No Change
706	84145110	Ceiling Fans	i) 80-88 Volts, not over 125 W	Grade - A	--	1) Metro Hi-Tech (Pvt.) Ltd., G.T. Road, Gujrat 2) Yunas Metal Works (Pvt) Ltd. (Yunas Fan), Yunas Colony, G. T Road Gujrat	No Change
			ii) Size:56", Volts: 220/230, RPM: 315, Cycle: 50, Type: Capacitor, Watts: 70, Air Dislacement cu.ft. /min: 12000, Service Value: 170 Size: 48", Volts: 220/230, RPM: 330, Cycle: 50, Type: Capacitor, Watts: 62, Air Dislacement cu.ft. /min: 8500, Service Value: 140 Size: 36", Volts: 220/230, RPM: 400, Cycle: 50, Type: Capacitor, Watts: 55, Air Dislacement cu.ft. /min: 6500, Service Value: 130	--	--	1) Wahid Industries Ltd., G. T. Road, Gujrat 2) Yunas Metal Works (Pvt) Ltd. (Yunas Fan), Yunas Colony, G. T Road Gujrat	No Change
707	84145120	Pedestal Fan	Size: 20", Volts: 220/230, RPM: 1300, Cycle: 50, Type: Capacitor, Watts: 75, Air Dislacement cu.ft. /min: 3500, Service Value: 46 Size: 22", Volts: 220/230, RPM: 1250, Cycle: 50, Type: Capacitor, Watts: 80, Air Dislacement cu.ft. /min: 5000, Service Value: 50 Size: 24", Volts: 220/230, RPM: 1250, Cycle: 50, Type: Capacitor, Watts: 110, Air Dislacement cu.ft. /min: 6000, Service Value: 48 Size: 26", Volts: 220/230, RPM: 950, Cycle: 50, Type: Capacitor, Watts: 110, Air Dislacement cu.ft. /min: 6000, Service Value: 46	--	--	1) Wahid Industries Ltd., G. T. Road, Gujrat 2) Super Asia Group of Companies, Near Lahori Octori, G. T Road, Gujranwala 3) Yunas Metal Works,(Pvt) Ltd. (Yunas Fan), Yunas Colony, G. T Road Gujrat 4) CECO Electrical Industries, G.T Road Gujrat	No Change
708	84145130	Table Fans,	--	--	--	1) Super Asia Group of Companies, Near Lahori Octori, G. T Road, Gujranwala 2) Yunas Metal Works (Pvt) Ltd. (Yunas Fan), Yunas Colony, G. T Road Gujrat 3) CECO Electrical Industries, G.T Road Gujrat	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
			1400mm Size = 56" Volts = 220v RPM=325 Cycles = 50 Type= Capacitor Watts = 80 Air Displacement Cft/Min = 8825 Service Value = 110.31	--	--	1) General Fan Company (Pvt) Ltd., G.T. Road, Gujrat 2) Yunas Metal Works, (Pvt) Ltd. (Yunas Fan) Yunas Colony, G. T Road Gujrat	No Change
			Size: 16", Volts: 220/230, RPM: 1350, Cycle: 50, Type: Capacitor, Watts: 55, Air Displacement cu.ft. /min: 2500, Service Value: 45 Size: 18", Volts: 220/230, RPM: 1350, Cycle: 50, Type: Capacitor, Watts: 65, Air Displacement cu.ft. /min: 3000, Service Value: 46	--	--	1) Wahid Industries Ltd., G. T. Road, Gujrat 2) Yunas Metal Works (Pvt) Ltd. (Yunas Fan), Yunas Colony, G. T Road Gujrat	No Change
709	84145140	Exhaust Fans	Size: 8", Volts: 220/230, RPM: 1400, Cycle: 50, Type: Capacitor, Watts: 30, Air Displacement cu.ft. /min: 800, Service Value: 27 Size: 10", Volts: 220/230, RPM: 1400, Cycle: 50, Type: Capacitor, Watts: 35, Air Displacement cu.ft. /min: 1000, Service Value: 29 Size: 12", Volts: 220/230, RPM: 14000, Cycle: 50, Type: Capacitor, Watts: 50, Air Displacement cu.ft. /min: 1500, Service Value: 30 Size: 16", Volts: 220/230, RPM: 950, Cycle: 50, Type: Capacitor, Watts: 85, Air Displacement cu.ft. /min: 2500, Service Value: 38 Size: 18", Volts: 220/230, RPM: 950, Cycle: 50, Type: Capacitor, Watts: 85, Air Displacement cu.ft. /min: 3000, Service Value: 40 Size: 24", Volts: 220/230, RPM: 900, Cycle: 50, Type: Capacitor	--	--	1) Wahid Industries Ltd., G. T. Road, Gujrat 2) Yunas Metal Works (Pvt) Ltd. (Yunas Fan), Yunas Colony, G. T Road Gujrat	No Change
		Exhaust / vent Fans (Various Types);	300 to 129,000 cfm	--	--	Sabro Technologies (Pvt) Ltd., Plot No. 270, Industrial Triangle, Kahuta Road Islamabad	No Change
710	84145190	i) Box Fans/Misting Fan	1400mm Size = 56" RPM = 325 Cycles = 50 Type = Capacitor Watts = 80 Air Displacement CFT/Min = 8825 Service Value = 110.31	--	--	General Fan Company (Pvt) Ltd., G.T. Road, Gujrat	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		ii) Other (Fans)	Bracket Fan: Size: 16", Volts: 220/230, RPM: 1350, Cycle: 50, Type: Capacitor, Watts: 50, Air Displacement cu.ft. /min: 2500, Service Value: 45 Size: 18", Volts: 220/230, RPM: 1300, Cycle: 50, Type: Capacitor, Watts: 65, Air Displacement cu.ft. /min: 3000, Service Value: 46 Plastic Louver Fan: Size: 14", Volts: 220/230, RPM: 1350, Cycle: 50, Type: Capacitor, Watts: 55, Air Displacement cu.ft. /min: 2000, Service Value: 36	--	--	Wahid Industries Ltd., G. T. Road, Gujrat	No Change
711	84145910	Centrifugal Fans (VFB & VBI)	350-20000 CFM	--	--	1) Sabro Technologies (Pvt) Ltd., Plot No. 270, Industrial Triangle, Kahuta Road Islamabad 2) Petal Engineering (Pvt) Ltd, 10 Umar Khan Road, Manawan near Batapur Lahore	No Change
712	84145990	i) Industrial fans	- Rotor diameter upto 1.6 meter	--	--	Heavy Mechanical Complex (Pvt) Ltd., Taxila	No Change
			- Axial and Centrifugal Types of Centrifugal Fans: Backward, Forward, Radial Air Flow Rate Range: 1000 to 500,000 CFM Static Pressure Range: 0.1 to 150 inch of WG	Material: Aluminum, Stainless Steel, FRP	--	Jalal Engineering, B-425, Block 13, F.B. Area, Karachi – 75900	No Change
		ii) Split Package, Ceiling suspended/ Wall mounted/Floor standing units	up to 48000 btu/hr	--	--	1) Sabro Technologies (Pvt) Ltd., Plot No. 270, Industrial Triangle, Kahuta Road Islamabad 2) Petal Engineering (Pvt) Ltd, 10 Umar Khan Road, Manawan near Batapur Lahore	No Change
		iii) Length Grader (Rice Indented Cylinder)	Rotation Speed: 2900 RPM, Air Pressure: 600 - 2000 (Pa), Power: 3.5 - 30 Kw	To use as Dust Blower, Destoner Fan, Paddy/Rice cleaning	--	Al Karam Rice Engineering (Pvt) Ltd., 7Km Sheikhpura - Muridke Road, Near Khanna Labana, Muridke	No Change
		iv) Damper Valve	500mm to 5000mm dia, square & Round	--	--	TDFC (Pvt) Ltd., East Pharange Drainage, Millat Town, Millat Road, Faisalabad	No Change
		v) Air Slides	300 Ton / hours	--	--		No Change
		vi) Industrial Fans	Fan with Rotor Dia Upto 3 mtr with Flow Volume Upto 735000 BM3/h	--	--		No Change
713	84146000	Kitchen Hood	60 to 90 cm Tempered Glass, VDF or LED Display, Filter, Chimney etc.	--	--	Super Asia Muhammad Din Sons Ltd., G.T. Road Gujranwala	No Change
714	84148010	Piston Type Compressor	300-500 bar pressure	Piston type	--	Alpine Industrialcon (Pvt) Ltd., 305/2, G.T. Road, Baghbanpura, Lahore	No Change
715	84148020	Low Pressure Compressor	0-15 bar screw type, 3.5-250 kw	Screw type	--	Alpine Industrialcon (Pvt) Ltd., 305/2, G.T. Road, Baghbanpura, Lahore	No Change
716	84148040	Air Curtains	680 to 1355 cfm	--	--	1) Sabro Technologies (Pvt) Ltd., Plot No. 270, Industrial Triangle, Kahuta Road Islamabad 2) Coolpoint (Pvt) Ltd, Adda Plot, Sharaiz Avenue jatti Umra Road, 'Raiwind Road, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
717	84148090	Compression Skid	Reciprocating Types	-	-	1) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 2) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan	No Change
718	84151019	Air Conditioners:	Window or wall type (9000 BTU, 12000 BTU, 18000 BTU, 24000 BTU along with commercial HVAC equipment upto 60000 BTU)	Window or wall type	--	1) Cool Industries (Pvt) Limited, 9th KM Multan Road, Hanjarwal Lahore 2) Coolpoint (Pvt) Ltd, Adda Plot, Sharaiz Avenue jatti Umra Road, 'Raiwind Road, Lahore 3) Sabro Group (S.a Brother), Street No. 77,78, Sector I-9/2, Islamabad 4) Pakistan Elektron Ltd (PEL), 14-km, Ferozepur Road Lahore 5) Dawlance (Pvt) Ltd., Dawlance Center 7/4, Civil Lines 9 Dr. Ziauddin Ahmed Road Karachi.	No Change
719	84151029	Air-conditioners, self-contained,	12000BTU to 240,000 BTU/hr - Packaged Type 02-60 HP - Split Type ES Series 0.75 Ton to 2.5 Ton - EQ Series LCD Display 1.0 Ton to 1.25 Ton - Window type A/C 1.5 Ton to 2.5 Ton - Air cooled self contained 4-30 Tons - Air Cooled split packaged 4-30 Tons - A/Cs with ducted and vertical Cabinet Ttype evaporators - EM Series floor standing plastic body 1.5 - 4.25 Tons - Cassette type EY series 1.5 - 6.0 Tons - Water / air cooled packaged type A/Cs 4-42 Tons	Split Type	--	1) Cool Industries (Pvt) Limited, 9th KM Multan Road, Hanjarwal Lahore 2) Coolpoint (Pvt) Ltd, Adda Plot, Sharaiz Avenue jatti Umra Road, 'Raiwind Road, Lahore 3) Sabro Group (S.a Brother), Street No. 77,78, Sector I-9/2, Islamabad 4) Pakistan Elektron Ltd (PEL), 14-km, Ferozepur Road Lahore 5) Dawlance (Pvt) Ltd., Dawlance Center 7/4, Civil Lines 9 Dr. Ziauddin Ahmed Road Karachi. 6) Habibullah Industries (Pvt)Ltd, 3rd Floor,Progressive Plaza, Beamount Road,Civil Lines, Karachi 7) Sabro Technologies (Pvt) Ltd., Plot No. 270, Industrial Triangle, Kahuta Road Islamabad 8) Ageco (Pvt) Ltd., Office No. 7&8, 1st Floor, Hill View Plaza, Blue Area, Islamabad.	No Change
720	84151099	i) Air-conditioners, self-contained, wall type	9000 BTU, 12000 BTU, 18000 BTU, 24000 BTU along with commercial HVAC equipment upto 60000 BTU	- Packaged Type 02-60 HP - Split Type ES Series 0.75 Ton to 2.5 Ton - EQ Series LCD Display 1.0 Ton to 1.25 Ton - Window type A/C 1.5 Ton to 2.5 Ton - Air cooled self contained 4-30 Tons - Air Cooled split packaged 4-30 Tons - A/Cs with ducted and vertical Cabinet Ttype evaporators - EM Series floor standing plastic body 1.5 - 4.25 Tons - Cassette type EY series 1.5 - 6.0 Tons - Water / air cooled packaged type A/Cs 4-42 Tons	--	1) Pakistan Elektron Limited (PEL), 14-Kilometer, Ferozepur Road, Lahore 2) Cool Industries (Pvt) Limited, 9th KM Multan Road, Hanjarwal Lahore 3) Coolpoint (Pvt) Ltd, Adda Plot, Sharaiz Avenue jatti Umra Road, 'Raiwind Road, Lahore 4) Sabro Group (S.a Brother), Street No. 77,78, Sector I-9/2 Islamabad 5) Dawlance (Pvt) Ltd. , Dawlance Center 7/4, Civil Lines 9 Dr. Ziauddin Ahmed Road Karachi. 6) Habibullah Industries (Pvt)Ltd, 3rd Floor,Progressive Plaza, Beamount Road,Civil Lines, Karachi 7) Sabro Technologies (Pvt) Ltd., Plot No. 270, Industrial Triangle, Kahuta Road Islamabad	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		ii) Precision Cooling Split Package Air conditioners	102023 to 288562 btu/hr	--	--	1) Sabro Technologies (Pvt) Ltd., Plot No. 270, Industrial Triangle, Kahuta Road Islamabad 2) Petal Engineering (Pvt) Ltd, 10 Umar Khan Road, Manawan near Batapur Lahore	No Change
		iii) Fresh Air Units	300 to 2000 CFM	--	--		No Change
721	84158190	i) Air Conditioners (Reverse Cycle)	i) Wall/floor/ceiling/cassette type etc.(9,000 to 30,000 Btu/hr) ii) Air Cooled Self Contained & Spli Package Commerical (39,000 to 471,000 Btu/hr) iii) Trolley mounted, self contained units (50,400 to 600,000 Btu/hr) iv) Air Cooled Split Type, Em Series (Cooling/ Heating) (49,200 / 49,500 Btu/hr) v) Water Cooled Packaged type (45,000 to 498,000 Btu/hr) vi) Air Conditioning/ Heating Unit vii) Free Cooling Unit, Flexi Box 450/48 TWCA	- Packaged Type 02-60 HP - Split Type ES Series 0.75 Ton to 2.5 Ton - EQ Series LCD Display 1.0 Ton to 1.25 Ton - Window type A/C 1.5 Ton to 2.5 Ton - Air cooled self contained 4-30 Tons - Air Cooled split packaged 4-30 Tons - A/Cs with ducted and vertical Cabinet Ttype evaporators - EM Series floor standing plastic body 1.5 - 4.25 Tons - Cassette type EY series 1.5 - 6.0 Tons - Water / air cooled packaged type A/Cs 4-42 Tons	--	1) Coolpoint (Pvt) Ltd, Adda Plot, Sharaiz Avenue jatti Umra Road, Raiwind Road, Lahore 2) Sabro Group (S.a Brother), Street No. 77,78, Sector I-9/2 Islamabad 3) Petal Engineering (Pvt) Ltd, 10 Umar Khan Road, Manawan near Batapur Lahore 4) Ageco (Pvt) Ltd., Office No. 7&8, 1st Floor, Hill View Plaza, Blue Area, Islamabad. 5) Habibullah Industries (Pvt) Ltd. , 3rd Floor, Progressive Plaza, Beamount Road, Civil Lines, Karachi. 6) Dawlance (Pvt) Ltd., Dawlance Centre, 7/4 Civil Lines 9, Dr. Ziauddin Ahmed Road, Karachi 7) Pakistan Elektron Limited (PEL), 14-Kilometer, Ferozepur Road, Lahore 8) Sabro Technologies (Pvt) Ltd., Plot No. 270, Industrial Triangle, Kahuta Road Islamabad	No Change
		ii) Hybrid Cooling System	--	--	--	Sabro Technologies (Pvt) Ltd., Plot No. 270, Industrial Triangle, Kahuta Road Islamabad	No Change
722	84158290	i) Fan coil units	Fan Coil Units Ceiling Suspended ducted type, Fan Coil Units with Sheet Metal Body Industrial type. Computer Room Airconditioners 48,000 to 240000 BTU's /HR.with Humidifiers & Electric Heater.	--	--	1) Habibullah Industries (Pvt)Ltd, 3rd Floor, Progressive Plaza, Beamount Road,Civil Lines, Karachi 2) Pakistan Elektron Limited (PEL), 14-Kilometer, Ferozepur Road Lahore	No Change
		ii) Refrigeration units for cold rooms & trucks	+15c to -40c	To Compress & Heat Exchange	--	1) Koldkraft Refrigeration (Pvt) Ltd., 243-S, Quaid-e-Azam, Industrial Estate, Kot Lakhpat, Lahore. 2) Petal Engineering (Pvt) Ltd, 10 Umar Khan Road, Manawan near Batapur Lahore	No Change
723	84158390	i) Air Handling Units	1500 to 50,000 cfm - Horizontal draw through - Vertical draw through - Multi Zone blow through - Single Zone blow through - Double Skin	Construction with Bio-Pharma grade material and specified filters to control microbial counts. Plug Fan and Frequency Devices (VFDs) for pharmaceuticals industry.	--	1) Sabro Technologies (Pvt) Ltd., Plot No. 270, Industrial Triangle, Kahuta Road Islamabad 2) Habibullah Industries (pvt) Ltd., 3rd Floor, Progressive Plaza, Beaumont Road, Civil Lines, Karachi 3) Coolpoint (Pvt) Ltd, Adda Plot, Sharaiz Avenue jatti Umra Road, 'Raiwind Road, Lahore 4) Petal Engineering (Pvt) Ltd, 10 Umar Khan Road, Manawan near Batapur Lahore 5) Ageco (Pvt) Ltd., Office No. 7&8, 1st Floor, Hill View Plaza, Blue Area, Islamabad.	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		ii) Air handling/ Humidification / Filtration Plant	All Types and Sizes, Made up of G.I. sheets, M.S. Sheets, Angle Irons & Al Sheets etc.	For Textile Mills (Spinning, weaving, Knitting) Power Plants, Tobacco Factories, Paper Plants etc. etc.	--	Manstock Engineering Company (Pvt) Ltd., 11/A (Commercial), 2nd Floor, Sector XX, Kh.-e-Iqbal, Phase-3, Lahore Cantt.	No Change
		iii) Air Conditioners:	- Packaged Type 02-60 HP - Split Type ES Series 0.75 Ton to 2.5 Ton - EQ Series LCD Display 1.0 Ton to 1.25 Ton - Window type A/C 1.5 Ton to 2.5 Ton - Air cooled self contained 4-30 Tons - Air Cooled split packaged 4-30 Tons - A/Cs with ducted and vertical Cabinet Ttype evaporators - EM Series floor standing plastic body 1.5 - 4.25 Tons - Cassette type EY series 1.5 - 6.0 Tons - Water/air cooled packaged type A/Cs 4-42 Tons	--	--	1) Habibullah Industries (Pvt)Ltd, 3rd Floor,Progressive Plaza, Beamount Road,Civil Lines, Karachi 2) Pakistan Elektron Limited (PEL), 14-Kilometer, Ferozepur Road, Lahore 3) Sabro Technologies (Pvt) Ltd., Plot No. 270, Industrial Triangle, Kahuta Road Islamabad 4) Coolpoint (Pvt) Ltd , Adda Plot, Sharaiz Avenue jatti Umra Road, 'Raiwind Road, Lahore 5) Ageco (Pvt) Ltd., Office No. 7&8, 1st Floor, Hill View Plaza, Blue Area, Islamabad.	No Change
		iv) Fan Coil Units	300 to 1600 cfm	--	--	1) Sabro Technologies (Pvt) Ltd., Plot No. 270, Industrial Triangle, Kahuta Road Islamabad 2) Coolpoint (Pvt) Ltd, Adda Plot, Sharaiz Avenue jatti Umra Road, 'Raiwind Road, Lahore	No Change
		v) Electric Steam Humidifiers;	Steam output: (3.0 & 6.0 kg/Hr)	--	--	Sabro Technologies (Pvt) Ltd., Plot No. 270, Industrial Triangle Kahuta Road Islamabad	No Change
		vi) Hot Water Generators (Gas Fired);	Heating capacity: 35,000 to 360,000 & as per customers requirements	--	--	1) Sabro Technologies (Pvt) Ltd., Plot No. 270, Industrial Triangle, Kahuta Road Islamabad 2) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore,	No Change
		vii) Evaporator Chillers	Custom Make	--	--	1) Sabro Technologies (Pvt) Ltd., Plot No. 270, Industrial Triangle, Kahuta Road Islamabad 2) Petal Engineering (Pvt) Ltd, 10 Umar Khan Road, Manawan near Batapur Lahore	No Change
724	84159011	Evaporators, refrigerating	Evaporators (for Air Conditioners) 1HP (old model), 1HP (new model), 1.5HP (old model), 1.5HP (new model), 2HP, 2.5HP, 3HP, 5HP, 7.5HP, 10HP, 15HP, 20HP, 30HP, 40HP, 60HP, 80HP and 120HP.	--	--	Breeze Frost Industries (Pvt) Ltd., Harbanspura Road, P.O. Tajpura, Lahore	No Change
725	84159019	i) Evaporators, refrigerating	Evaporators (for Air Conditioners) 1HP (old model), 1HP (new model), 1.5HP (old model), 1.5HP (new model), 2HP, 2.5HP, 3HP, 5HP, 7.5HP, 10HP, 15HP, 20HP, 30HP, 40HP, 60HP, 80HP and 120HP.	--	--	Breeze Frost Industries (Pvt) Ltd., Harbanspura Road, P.O. Tajpura, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		ii) Evaporators (other)	+15c to -40c	Aluminium Fin & Copper Tube	--	Koldkraft Refrigeration (Pvt) Ltd., 243-S, Quaid-e-Azam, Industrial Estate, Kot Lakhpat, Lahore.	No Change
726	84159029	i) Condensers for Air-conditioners,	Condensers (Air-conditioners) (Coated & Uncoated) 1HP (old model), 1HP (new model), 1.5HP (old model), 1.5HP (new model), 2HP, 2.5HP, 3HP, 5HP, 7.5HP, 10HP, 15HP, 20HP, 30HP, 40HP, 60HP, 80HP and 120HP.	--	--	Breeze Frost Industries (Pvt) Ltd., Harbanspura Road, P.O. Tajpura, Lahore	No Change
		ii) Condensers (others)	+15c to -40c	Aluminium Fin & Copper Tube	--	Koldkraft Refrigeration (Pvt) Ltd., 243-S, Quaid-e-Azam, Industrial Estate, Kot Lakhpat, Lahore.	No Change
727	84159099	Cooling & Heating Coils used in air conditioners	Custom Made	--	--	1) Sabro Technologies (Pvt) Ltd., Plot No. 270, Industrial Triangle, Kahuta Road Islamabad 2) Coolpoint (Pvt) Ltd, Adda Plot, Sharaiz Avenue jatti Umra Road, 'Raiwind Road, Lahore	No Change
		Heaters for Precision Heating	3.3 to 12 KW	--	--	1) Sabro Technologies (Pvt) Ltd., Plot No. 270, Industrial Triangle, Kahuta Road Islamabad 2) Petal Engineering (Pvt) Ltd, 10 Umar Khan Road, Manawan near Batapur Lahore	No Change
728	84169000	Expansion Joints	100mm to 5500mm dia	--	--	TDFC (Pvt) Ltd., East Pharange Drainage, Millat Town, Millat Road, Faisalabad	No Change
729	84171010	Kilns, non-electric	i) upto 5000 mm dia x 65 mm thickness, Capacity upto 4,000 TPD Cement Plants "HEI" (Heat Exchange Institute) ii) Rotary Kilns upto 556 Tons weight for Cement Plants. iii) Kiln for Cement Plant (As per requirement) iv) Kiln upto 5500 mm dia x Upto 70 mm thickness x 69 M length	--	--	1) SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi 2) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan 3) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 4) A.B.S Engineering Corporation (Pvt) Ltd., F-492, S.I.T.E, Karachi- 75700 5) Heavy Mechanical Complex (Pvt) Ltd., Taxila 6) TDFC (Pvt) Ltd., East Pharange Drainage, Millat Town, Millat Road, Faisalabad	No Change
730	84171090	Furnaces, Industrial , non-electric,	Heaters/Furnaces for Refineries and Fertilizer Plants upto 100,000 bpd & 970 tpd respectively "HEI" (Heat Exchange Institute)	--	--	SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi	No Change
731	84178000	Incinerators	Incinerators for disposal waste management as per site requirements upto 1000kg/Hrs	--	--	TDFC (Pvt) Ltd., East Pharange Drainage, Millat Town, Millat Road, Faisalabad	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
732	84181090	Refrigeration/ freezing/air conditioning machines;	Combined refrigerator-freezers, fitted with separate external doors	--	--	1) Pakistan Elektron Limited (PEL), 14-Kilometer, Ferozepur Road, Lahore 2) United Refrigeration Industries Ltd. And Dawlance (Pvt) Ltd., Dawlance Centre, 7/4 Civil Lines 9, Dr. Ziauddin Ahmed Road, Karachi	No Change
733	84182190	Refrigerators, compression-type, electrical, domestic	Refrigerators, House hold type (Compression type) Combined refrigerator-freezers, fitted with separate external doors	--	--	1) Pakistan Elektron Limited (PEL), 14-Kilometer, Ferozepur Road, Lahore 2) United Refrigeration Industries Ltd. And Dawlance (Pvt) Ltd., Dawlance Centre, 7/4 Civil Lines 9, Dr. Ziauddin Ahmed Road, Karachi 3) Cool Industries (Pvt) Limited, 9th KM Multan Road, Hanjarwal Lahore	No Change
734	84182990	Refrigeration/ freezing/air conditioning machines;	- Refrigerators (direct cool/no-frost) - Deep Freezers, - Triplet Freezers - Bottle coolers - CS (cold storage) split package Units (16000 to 106500 btu/hr)	--	--	1) Pakistan Elektron Limited (PEL), 14-Kilometer, Ferozepur Road, Lahore 2) United Refrigeration Industries Ltd. and Dawlance (Pvt) Ltd., Dawlance Centre, 7/4 Civil Lines 9, Dr. Ziauddin Ahmed Road, Karachi 3) Varioline Intercool Pakistan (Pvt) Ltd., 3-KM Kahna Kacha Road Kahna, Lahore 4) Sabro Technologies (Pvt) Ltd., Plot No. 270, Industrial Triangle, Kahuta Road Islamabad 5) Petal Engineering (Pvt) Ltd, 10 Umar Khan Road, Manawan near Batapur Lahore	No Change
735	84183090	Refrigeration/ freezing/air conditioning machines;	Freezers of the chest type, not exceeding 800 l capacity	--	--	1) Pakistan Elektron Limited (PEL), 14-Kilometer, Ferozepur Road, Lahore 2) Cool Industries (Pvt) Limited, 9th KM Multan Road, Hanjarwal Lahore 3) United Refrigeration Industries Ltd. and Dawlance (Pvt) Ltd., Dawlance Centre, 7/4 Civil Lines 9, Dr. Ziauddin Ahmed Road, Karachi 4) Varioline Intercool Pakistan (Pvt) Ltd., 3-KM Kahna Kacha Road Kahna, Lahore	No Change
736	84184090	Refrigeration/ freezing/air conditioning machines;	Freezers of the upright type, not exceeding 900 litres capacity	--	--	1) Pakistan Elektron Limited (PEL), 14-Kilometer, Ferozepur Road, Lahore 2) United Refrigeration Industries Ltd. And Dawlance (Pvt) Ltd., Dawlance Centre, 7/4 Civil Lines 9, Dr. Ziauddin Ahmed Road, Karachi	No Change
737	84185000	Refrigeration/ freezing/air conditioning machines;	Other furniture (chests, cabinets, display counters, show-cases and the like) for storage and display, incorporating refrigerating or freezing equipment.	--	--	1) Pakistan Elektron Ltd (PEL), 14-km, Ferozepur Road Lahore 2) Cool Industries Ltd (Waves), 9th KM Multan Road, Hanjarwal, Lahore 3) Varioline Intercool Pakistan (Pvt) Ltd., 3-Km, Ferozepur Road, Lahore 4) Mumtaz Engineering (Pvt) Ltd. 141-Industrial Area, Kot Lakhpat Lahore	No Change
738	84186910	Milk Cooling Tanks	Milk chillers, direct expansion and ice bank type, capacities : uptill 3400 liters , manufactured under license from "packo Inox-belgium"	--	--	Unitech International (Pvt.) Ltd., Plot # 09, Holiday Park, Musharafabad , Raiwind Road, Lahore.	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
739	84186920	Insulated Reefer Container	Size: 6' To 40' Temp Range +15c To c-40	--	--	Koldkraft Refrigeration (Pvt) Ltd., 243-S, Quaid-e-Azam, Industrial Estate, Kot Lakhpat, Lahore.	No Change
740	84186939	Water Dispenser	Hot & Colsd Water Dispenser: Cooling capacity 3 L/h, Hot capacity 2 L/h, Refrigerator Compartment, Glass Panels, Compressor Cooling	--	--	Super Asia Muhammad Din Sons Ltd., G.T. Road Gujranwala	No Change
741	84186990	i) Cold Storage Units	Not below (-4°C) temp.	--	--	1) Sabro Technologies (Pvt) Ltd., Plot No. 270, Industrial Triangle, Kahuta Road Islamabad 2) Coolpoint (Pvt) Ltd, Adda Plot, Sharaiz Avenue jatti Umra Road, 'Raiwind Road, Lahore 3) Pakistan Insulations (Pvt.) Ltd., 107 Business Avenue, PECHS BLock-6, Karachi	No Change
		ii) Refrigerated containers/Cold Rooms/ Walk ins ii) Refrigeration Units and Insulated Reefer Boxes	Refrigerated Containers suitable for mounting on locally manufactured vehicles/chasis. Cold Rooms, Walk ins	--	--	1) Kold Kraft (Pvt) Ltd, 247/S, Industrial Estate, Kot Lakhpat, Lahore 2) Coolpoint (Pvt) Ltd, Adda Plot, Sharaiz Avenue jatti Umra Road, 'Raiwind Road, Lahore 3) Sabro Technologies (Pvt) Ltd., Plot No. 270 Industrial Triangle Kahuta Road Islamabad 4) Pakistan Insulations Pvt. Ltd., 107 Business Avenue, PECHS BLock-6, Karachi 5) Varioline Intercool Pakistan (Pvt) Ltd., 3-KM Kahna Kacha Road Kahna, Lahore	No Change
		iii) Air Cooled Packaged Water Chillers; (34,800 to 1944,000 Btu/hr) iv) Water Cooled Packaged Water Chillers (40,200 to 2180,400 Btu/hr) v) Flooded Type Water Cooled Chiller vi) Air Cooled Water chillers (32500 to 1770000 btu/hr) vii) Water Cooled Water chillers (36179 to 2112375 btu/hr)		--	--	1) Coolpoint (Pvt) Ltd, Adda Plot, Sharaiz Avenue jatti Umra Road, 'Raiwind Road, Lahore 2) Sabro Group (S.a Brother), Street No. 77,78, Sector I-9/2 Islamabad 3) Petal Engineering (Pvt) Ltd, 10 Umar Khan Road, Manawan near Batapur Lahore 4) Ageco (Pvt) Ltd., Office No. 7&8, 1st Floor, Hill View Plaza, Blue Area, Islamabad. 5) Habibullah Industries (Pvt) Ltd., 3rd Floor, Progressive Plaza, Beamount Road, Civil Lines, Karachi.	No Change
		viii) Evaporators	For sugar mills Up to 1250 Tons per hours	--	--	The Star Mughal Industries (Pvt) Ltd., Sharifpura, G.T. Road Gujranwala	No Change
		ix) Residential Containers, Offices, Dining Hall, Guard Rooms, Washrooms etc	- Containers suitable for mounting on locally manufactured vehicles/ chasis. - Insulated, Length up to 40ft, Width up to 10ft, Height up to 12ft	Fiber Glass Reinforced Plastic (FRP) - Steel Structure	As per standard	Fibre Craft Industries, Canal Bank Hanif Park, Harbanspura Lahore - 54850	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
742	84189100	Evaporators, refrigerating	--	--	--	1) Breeze Frost Industries (Pvt) Ltd., Harbanspura Road, P.O. Tajpura, Lahore 2) Varioline Intercool Pakistan (Pvt) Ltd., 3-KM Kahna Kacha Road Kahna, Lahore 3) A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore.	No Change
743	84189100	Coolers, evaporative air	Evaporators for Deep Freezers and Visi Coolers 1/5HP, 1/4HP, 1/3HP and 1/2hp	--	--	Breeze Frost Industries (Pvt) Ltd., Harbanspura Road, P.O. Tajpura, Lahore	No Change
744	84189920	Wire Condensers	1/3HP, 1/4HP, 1/5HP, 1/6HP, 1/8HP, 1/10HP and 1/12HP	Steel Tube Copper Coated, Steel Wire and Black Powder Coating	--	Breeze Frost Industries (Pvt) Ltd., Harbanspura Road, P.O. Tajpura, Lahore	No Change
745	84189990	i) Condensers for Deep Freezers & Water Coolers	i) Condensers (For Deep Freezers & Visi Coolers) 1/5HP, 1/4HP, 1/3HP and 1/2HP ii) Condensers for Refrigerators (Sheet on Tube) 1/16HP, 1/12HP, 1/10HP, 1/8HP, 1/6HP, 1/5HP, 1/4HP and 1/3HP. iii) Condensers for Refrigerators (Wire on Tube) 1/12HP, 1/10HP, 1/8HP, 1/6HP, 1/5HP, 1/4HP and 1/3HP. iv) Bunch Condensers for Deep freezers & Water Coolers (Wire on Tube) 1/2HP - 8 Row, 1/3HP - 6 Row, 1/4HP - 4 Row, 1/5HP - 4 Row, 1/6HP - 3 Row, 1/8HP - 2 Row	--	--	1) Breeze Frost Industries (Pvt) Ltd., Harbanspura Road, P.O. Tajpura, Lahore 2) Varioline Intercool Pakistan (Pvt) Ltd., 3-KM Kahna Kacha Road Kahna, Lahore	No Change
		ii) Falling Film Evaporator	Heating Surface 55m2 Surface	-	-	1) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 2) Qadbros Engineering (Pvt) Ltd., 9-A Link Ravi Road, Badami Bagh, Lahore 3) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan	No Change
		iii) Pig Launcher/ Reciever	As per requirement	-	-	1) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 2) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan	No Change
746	84191190	Instant Gas Water Heater	From 10 L to 100 Liter, Burner, safety device, various options of heat exchanger and burners	--	--	Super Asia Muhammad Din Sons Ltd., G.T. Road Gujranwala	No Change
747	84193400	Dehydration Plant	Ranging capacities to client's requirements	--	--	Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
748	84193900	Dryer/Spray Dryer Machine with all standard accessories	All Types and Sizes (except for vacuum dryers used in Tanneries)	--	--	1) The Star Mughal Industries (Pvt) Ltd., Sharifpura, G.T. Road Gujranwala 2) SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi 3) Heavy Mechanical Complex (Pvt) Ltd., Taxila 4) Qadbros Engineering (Pvt) Ltd., 9-A Link Ravi Road, Badami Bagh, Lahore	No Change
749	84194000	i) Falling Film Evaporator	Heating Surface 55m2 Surface	-	-	1) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 2) Qadbros Engineering (Pvt) Ltd., 9-A Link Ravi Road, Badami Bagh, Lahore 3) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan	No Change
		ii) Crude Oil Distillation Towers/Columns / Distilling or rectifying plant	- For Refineries of upto 100,000 bpd and - for Chemical, Petrochemical & Fertilizer Plants (DiaxHeightxWall Thickness of Towers/ Columns (1500-3500 mm x 10000mm - 35000mm x 10-50mm), ASME Sec. VIII Div. 1 & 2 - Refinery/ Oil & Gas Distillation Towers Type = Atmospheric Pressure, Pressure and Vacuum Type Distillation Towers Pressure = Full Vacuum to 1500 PSI Temperature = -100 F to 600 F Material = Carbon Steel, Normalized Carbon Steel, Stainless Steel and Alloy Steel Maximum Length = 40000mm & Max. dia = 3400mm, Wall thickness = 5mm thk to 50.8mm	--	--	1) SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi 2) A.B.S Engineering Corporation (Pvt) Ltd., F-492, S.I.T.E, Karachi- 75700 3) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore 4) Petrosin Ravi Industries Ltd., Shakra-i-Pakistan Kala Shah Kakoo G.T Road Lahore 5) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 5) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan 6) FD & C (Pvt) Ltd., F -116, S.I.T.E. Karachi	No Change
		iii) Ethanol Plant/ equipment	Upto 100,000 L / day	--	--	Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		iv) Absorption Tower, Columns, Process Reactors, Heat Exchange, Condensers, Air Coolers, LPG/Oil/LNG Storage Tanks, Heat Recovery Boilers, Steel Structure, Process and Utility Piping, Gas Sweetning Unit, Amine Absorption, Flare Stack System, LPG Recovery Unit, Sulphur Recovery Unit, Process and Power Piping Installation and Modification	as per customer requirements	--	--	1) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore 2) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan 3) A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. 4) Shaheen Tank Trailers Manufacturing Company (Pvt) Ltd., Plot #306,Wali Town Near Port Qasim Mor, National Highway Karachi.	No Change
750	84195000	Heat exchange units, Industrial	i) Used to vapourize water, nitrogen (Material: SS 316L Cryogenic, Heat transfer : -300 to +300 °c) ii) Multi Blow Double Heat Exchangers. iii) Air Cooled Cross Flow Heat Exchangers. iv) Shell & Tube Type of Carbon, Alloy & SS, Range upto 2500 psi v) Shell & Tube Type (as per TEMA standard for oil /gas processing, chemical & fertilizer plants) vi) Fixed & Floating Tube sheets with straight & U-Tubes. vii) Air Cooled with Finned Tubes of Carbon, Alloy & Non-Ferrous Materials ASME Sec. VIII Div. 1 & 2, TEMA, HEI, API-660, API-661, ANSI, B-78.1, ANSI B-78.2 viii) Type: U-Tube, Fixed, Floating, Horizontal & Vertical	a. Type = Shell/ Tube, as per TEMA Standard Pressure Range = 15 PSI to 1500 PSI Temperature Range = -150 to 500F Material used = Carbon Steel, Stainless Steel, Brass and Alloy Minimum Dia = 300mm, Max Dia = 1500mm Minimum Length = 1000mm; Max Length = 10000mm b. Type = Fin Fan/ Air Cooled Cooler Pressure Range = 15 PSI to 1500 PSI Temperature Range = ambient to 600F Material used = Carbon Steel, Stainless Steel, Brass and Alloy Minimum Size = 5000mm; Max Size = 12000mm as per customers requirements	1) Air Cooled Cross Flow Heat Exchangers upto 45 Bars and Tube specifications as 9377 mm length, 2668 mm width & 972 mm height. 2) Shell & Tube Type Pre Condensers upto 1700 mm dia & 6000 mm length. 3) Vertical Condensers upto 2012 mm dia & 6800 mm length. 4) Horizontal Condensers upto 2012 mm dia & 6800 mm length. 5) Shell & Tube type Heat Exchangers upto 1700 mm dia & 5000 mm length. 6) Shell & Tube type evaporators upto 5500 mm dia & 14000 mm length.	1) A.J. Corporation, 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. 2) Industrial & Mechanical Engineers (Pvt) Ltd., 403, Noor Estate Building Shahrah-e-Faisal Karachi 3) Al-Jassar Engineering Co., 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad. 4) Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi 5) Ravi Green Engineering (Pvt) Ltd., 20th KM (Pajian), Raiwind Road, Lahore 6) Shaheen Tank Trailers Manufacturing Company (Pvt) Ltd., Plot #306,Wali Town Near Port Qasim Mor, National Highway Karachi. 7) Heavy Mechanical Complex (Pvt) Ltd., Taxila 8) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore 9) SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi	No Change
751	84198100	Kettles, steam, Industrial	Pressure Vessels with steam heating helical coils inside and fitted with or without agitator. Diameter upto 5000mm, height 6000mm and wall thickness upto 30mm fabricated of carbon, alloy or stainless steel. ASME Sec. VIII Div. 1 & 2 & as per customers requirements Capacity Up to 350 TPH, 150 BARG (water tube, fire tube, waste heat recovery boiler, heat recovery steam generator)	--	--	1) SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi 2) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore 3) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan 4) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
752	84198910	i) Cooling Towers	Cooling Tower Designs: Counter flow and Cross flow Air Flow: Induced and Forced Fills: Film Fill and Splash Fill Type: Industrial and Package Size per Cell: 50 GPM to 12000 GPM Other Accessories: Drift Eliminators (PVC/FRP), FRP Louvers, FRP/GRP Water Distribution Header, Fan Blades, FRP/GRP Fan Stack etc.	Structure: Stainless Steel, Galvanized Mild Steel, FRP Pultruded Profiles, Stainless Steel, Concrete	--	1) Jalal Engineering, B-425, Block 13, F.B. Area, Karachi – 75900 2) ARCO International, 305-307, Poonch House Plaza, Adamjee Road, P.O. Box 1056, Rawalpindi 3) Imtiaz Engineering Services, 12, 3rd Floor, Hyder Plaza, Main Rashid Minhas Road, Gulshan-e-Iqbal, Block-5, Karachi 4) Liang Chi Industry Pakistan (Pvt) Ltd., 304 Anum Classic, 48 Darul Aman Society, Opposite Duty Free Shop, Shara-e-Faisal, Karachi - 75350 5) Fibre Craft Industries, Canal Bank Hanif Park, Harbanspura Lahore - 54850	No Change
		ii) Tanks, fitted with heating or cooling elements,	Atmospheric Tanks from 500 barrels to 380,000 barrels capacity. Large tanks can be of fixed roof, floating roof or dome roof. ASME Sec. VIII, Div. 1 & 2, API-650, API-620, API-12B, API-12D, API-12F	--	--	1) SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi 2) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore 3) Izhar Steel, Izhar House, 35-Tipu Block, New Garden Town, Lahore 4) Ravi Green Engineering (Pvt) Ltd., 20th KM (Pajian), Raiwind Road, Lahore 5) Shaheen Tank Trailers Manufacturing Company (Pvt) Ltd., Plot #306,Wali Town Near Port Qasim Mor, National Highway Karachi.	No Change
753	84198990	i) Tanks, Receivers, Vessels, Drums and Other Containers	De-Ethanizer OH Drum, Blow Case Vessel, Water Degassing Boot, Expander Suction Drum, Low Temperature Separator, De-Ethanizer Column, LPG/NGL Splitter OH Drum, Chilled Water Expansion Tank, Thermosyphon Receiver, Slops Tanks, Flare Knock out drum, NGL Flash Vessel, Condensate Flash Vessel, Digester & Reactor for Pulp & Paper Plant, Seal System Nitrogen Receiver, Instrument Air Receiver, Plant Air Receiver, Nitrogen Receiver, Knock Out Drums, Coalescer Vessels, Columns and Strippers, Spherical Tank (LPG), Absorption Tower, Columns, Process Reactors, Heat Exchange, Condensers, Air Coolers, Process And Utility Piping, Gas Sweetening Unit, Amine Absorption Flare Stack	--	--	1) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 2) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore 3) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan 4) IKAN Engineering Services (Pvt) Ltd., 34-Km, Shamki Bhattian, Multan Road, Lahore 5) Izhar Steel, Izhar House, 35-Tipu Block, New Garden Town, Lahore, 6) Shaheen Tank Trailers Manufacturing Company (Pvt) Ltd., Plot #306,Wali Town Near Port Qasim Mor, National Highway Karachi 7) SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi 8) A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore.	No Change
		ii) Kettles for Pharmaceuticals Industry	Pressure Vessels with Limet Coil, Jackets for steam heating & cooling in stainless steel or higher alloys design as per ASME Sec. VIII Divt. 1 & 2 complete with agitator & variable / fixed speed drives & as per customers requirement.			DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		iii) Thermal Oil Boiler System (Hot Oil Boiler)	All types/sizes	--	--	1) Descon Engineering Ltd., 2-Km Defence Road, Off 24th Km, Multan Road, Chung, Lahore 2) The Sitara Engineers, Nishatabad, Sheikhupura Road, 3) Heavy Mechanical Complex, Taxila 4) SEFEC Engineering (Pvt) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi	No Change
		iv) Complete Ethanol Plants / Equipment	Low carbon stainless steel, consisting of Distillation Columns, Shell and Tube Type Heat Exchangers, Fermentation tanks, Plant piping, Molasses Storage tanks, Bio Gas reactors and other large and small tanks. We also do complete erecting and installation of these plants. In accordance to ASME/ANSI 31.3, API 650, API 620, CODAP, TEMA type B&C / B.S.S. & as per customers requirements	Each Ethanol plant comprises of the following: 1) 10 nos of Distillation columns with diameter ranges from 300 mm to 2300 mm and length of upto 47000mm. 2) 13 nos of shell and tube type heat exchangers with dia 400 mm to 2450 mm. 3) 22 nos of tanks with dia 2200 mm to 6000 mm. All equipments are made from SS316L and SS304L	--	1) A.B.S Engineering Corporation (Pvt) Ltd., F-492, S.I.T.E, Karachi- 75700 2) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore 3) A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore.	No Change
		v) Pasteurizers, electro-thermic, Industrial	Juice and milk pasteurizers	--	--	NKR Engineering (pvt) Ltd., 304, Anum Classic, 48 Darul Amman Society, Opposite Duty Free Shop, Shahra-e-Faisal, Karachi	No Change
		vi) Crystallizers, Evaporators, sugar refining, Industrial	Sugar Mill eqpt. of upto 10,000tpd: Cane Carrier, Cane leveler, Cane cutting knives, Cane shredder, Prepared cane elevator, Cane crushing mills, cooling water piping, Inter conveyors, Service platform & gangways MS & SS receiving tanks, imbiniton & juice piping, service hand box only, belt conveyor, Juice Heaters, Bucket elevator, Lime slaker, Flashing vessel, Door type & SRI type clarifier, Vacuum filters, Cascade condenser Mud overflow tank, Mud mixer Cyclone, bagacillo separator and ducting, Bagacillo screen with hopper Evaporators, Condensate receiver, Vacuum pans(batch type), Crystallizers (air cooled & water cooled) Vertical crystallizer, Open seed crystallizer, Vacuum crystallizers, Multi jet condensers. Continuous	1) Vertical Crystallizer upto 300 tons weight, 4000 mm diameter and 13000 mm length. 2) Air Cooled Crystallizer upto 3000 mm diameter and 5500 mm length. 3) Vacuum Crystallizer upto 2800 mm diameter and 5000 mm length. 4) Agitators upto 8000 mm diameter and 6500 mm length. 5) Condensers upto 1400 mm diameter and 5600 mm length. 6) Separators upto 1500 mm diameter and 9500 mm length. 7) Filters and screens upto 5000 mm dia and 6000 mm length. 8) Mixers upto 2400 mm dia and 8000 mm length. 9) Pressure Filters and Reactors upto 3000 mm dia and 4000 mm length. 10) Vacuum Filters upto 3000 mm dia and 6000 mm length	--	i) A.B.S Engineering Corporation (Pvt) Ltd., F-492, S.I.T.E, Karachi- 75700 ii) SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi iii) The Star Mughal Industries (Pvt) Ltd., Sharifpura, G.T. Road Gujranwala	No Change
754	84199090	Cooling & Heating Coils used in Refrigerators	Custom Made	--	--	1) Sabro Technologies (Pvt) Ltd., Plot No. 270, Industrial Triangle, Kahuta Road Islamabad 2) Coolpoint (Pvt) Ltd, Adda Plot, Sharaiz Avenue jatti Umra Road, 'Raiwind Road, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
755	84211900	i) Cartridge Filtration Unit (filtering or purifying machinery)	Used to filter the brine, produced water, sediments transported by the fluid through cartridges. Capacity: 30 Cartridge upto 100 Cartridge (Dual POD) Or as per our client requirement.	Design Code: ASME Material: Carbon Steel. Test Pressure: 100 psig Working Pressure: 75 psig	--	Al-Jassar Engineering Co., 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad.	No Change
		ii) Brine Filtration Unit / Bag Filtration Unit (filtering or purifying machinery)	Used to filter the sediments transported by the fluid through bag. Capacity: Duplex, Fourplex Or as per our client requirement.	Design Code: ASME Material: SS 316L Test Pressure: 100 psig Working Pressure: 75 psig	--		No Change
756	84212100	i) Sand Water Filter, Automatic Water Softner, Activated Carbon Filter Water Pressure Booster	As per client's requirment	--	--	Industrial & Mechanical Engineers (Pvt) Ltd., 403, Noor Estate Building Shahrah-e-Faisal Karachi	No Change
		ii) Pressure Sand Filter, Multi Media Filter, (Automatic/Manual Operation) Cartridge Filters	Filtration Media Sand, Gravel, Anthracite (all capacities for all industrial sectors)	--	--	1) Water Engineering & Management Services, 19-N, Model Town Extension, Lahore 2) Fluid Technology International, 424, 4th Floor, Bhayani Centre, Block M, North Nazimabad, Karachi-74700 Plot No. F45, SITE-II, Super Highway, Scheme 33, Karachi 3) B. H Industries (Pvt) Ltd., 05-Chenab Market Madina Town Faisalabad 4) FD & C (Pvt) Ltd., F -116, S.I.T.E. Karachi 5) Aqua Regia, House No. 33, G-4 Johar Town Lahore 6) Faiz Enterprises, 3/II, Shadman Plaza Shadman Market Lahore	Fluid Technology requested to change their address as shown.
		iii) Activated Carbon Filter (Automatic/Manual Operation)	Filtration Media Granular or Powderd Activated Carbon (all capacities for all industrial sectors)	--	--		No Change
		iv) Iron Removal Filters (Automatic / Manaul Operation)	Filtration Media Birm, Filter Ag and Manganese Green (all capacities for all industrial sectors)	--	--		No Change
		v) Water Softener Plants (Automatic & Manual Operation)	Filling Media Cation Exchange Resin (all capacities for all industrial sectors)	--	--		No Change
		vi) Demineralized/ De-ionization Plant [Continous Electro de Ionization (CEDI) and Electro De Ionization (EDI)] comprising of cation exchange column, Anion Exchange column, De-alkalizer, Degassifier, De carbonation column & Mix Bed Polisher column. (Automatic & Manual Operation)	Strong, Weak Cation & anion Exchange Resin including Mixed Bed Grade (all capacities for all industrial sectors)	--	--		No Change
		vii) Automatic WFI / Distilled Water Plant	(all capacities for all industrial sectors)	--	--		No Change
		viii) Rerverse Osmosis (RO) / Desalination Plants	Removal of ions / salts through Reverso Osmosis Membranes. (all capacities for all industrial sectors)	--	--		No Change
		ix) Ultra Filtration (UF) Plants	Removal of Suspended Solids through Ultra Filtration Membranes (all capacities for all industrial sectors)	--	--		No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		x) Nano Filtration (NF) Plants	Removal of Selective ion through Nano Filtration Membranes (all capacities for all industrial sectors)	--	--		No Change
		xi) Industrial Wastewater / Effluent Treatment Plant	Biological System (Aerobic/Anaerobic), Membrane Bio Reactor (MBR), Dissolved Air Floatation (DAF) Unit, (all capacities for all industrial sectors)	--	--		No Change
		xii) Sewage Treatment Plant	Biological System (Aerobic/Anaerobic) (all capacities for all industrial sectors)	--	--		No Change
757	84212900	i) Dearator Feed Tank Vessel	as per customer requirements	--	--	1) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore 2) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan	No Change
		ii) Filters for oil refineries	As per fabrication drawings and Client's requirement.	Sand Filters for Oil Refineries. Inner dia 1980mm x 2930mm length. All water collection and Air distribution system is made of SS-304 material	--	1) A.B.S Engineering Corporation (Pvt) Ltd., F-492, S.I.T.E, Karachi- 75700 2) Fluid Technology International, 424, 4th Floor, Bhayani Centre, Block M, North Nazimabad, Karachi-74700 Plot No. F45, SITE-II, Super Highway, Scheme 33, Karachi 3) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan	Fluid Technology requested to change their address as shown.
		iii) Air Filters / Oil Filters	Air Filters for Power Generation and Customized Industrial application other than automotive (All Types and Sizes)	--	--	1) Malik Auto and Agricultural Ind. (Pvt) Ltd., 80-Badami Bagh, P.O. Box 465, Lahore 2) Qaim Automotive Mfg. (Pvt) Ltd., 203-206, Prince Centre, Preedy Street, Saddar, Karachi-74400 3) Skyways Manufacturers (Pvt) Ltd., A/1-A-3, SITE Karachi 4) Essa Engineering Industries (Pvt) Ltd., S-19/A, g. Allana Road, S.I.T.E, Karachi	No Change
		iv) Clarifiers	36' x 18' (upto 141000 Gallons) Dorr Olive, SRI, FCB Type	--	--	The Star Mughal Industries (Pvt) Ltd., Sharifpura, G.T. Road Gujranwala	No Change
758	84213940	Air Filters	Other than automotive (All Types and Sizes)	--	--	1) Malik Auto and Agricultural Ind. (Pvt) Ltd. 80-Badami Bagh, P.O. Box 465., Lahore 2) Qaim Automotive Mfg. (Pvt) Ltd., 203-206, Prince Centre, Preedy Street, Saddar, Karachi-74400 3) Skyways Manufacturers (Pvt) Ltd., A/1-A-3, SITE Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
759	84213950	Bag Filters	Other than automotive Used for air filtration as substitute of cartage air filter and also used for removal of dry and wet smokes for cleaning the air or controlling the pollution as part of national environmental quality standards. (All Types and Sizes)	Usages: Gas turbines, generators, (air intake for circulation) cement, Coal power stations for controlling the emissions for environmental controls, dust collectors, vacuum cleaners and for all the machines which are producing fumes, unwanted vapors which act as air cleaner for operation as creating suction or for purpose of environment standard compliance. Bag filters are also used for liquid filtration in which case the filter media is for filtration of liquid and with the change of filter media the character of bag filtration can be changed.	--	1) Malik Auto and Agricultural Ind. (Pvt) Ltd. 80-Badami Bagh, P.O. Box 465., Lahore 2) Qaim Automotive Mfg. (Pvt) Ltd., 203-206, Prince Centre, Preedy Street, Saddar, Karachi-74400 3) Skyways Manufacturers (Pvt) Ltd., A/1-A-3, SITE Karachi 4) TDFC (Pvt) Ltd., East Pharange Drainage, Millat Town, Millat Road, Faisalabad	No Change
760	84213990	i) Incinerators for Oil and Gas/Refinery and Industrial units ii) Gas Filter Separators iii) Two Phase / Three Phase Separators v) Instrument Gas Scrubbers vi) Deodorizer Vessel vii) Guel Gas Scrubber viii) Vertical Scrubber (Capacity, Flow 450 mmcf/d) ix) Incenerators			-	1) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 2) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan 3) IKAN Engineering Services (Pvt) Ltd., 34-Km, Shamki Bhattian, Multan Road, Lahore 4) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore 5) Izhar Steel, Izhar House, 35-Tipu Block, New Garden Town, Lahore, 6) Shaheen Tank Trailers Manufacturing Company (Pvt) Ltd., Plot #306,Wali Town Near Port Qasim Mor, National Highway Karachi 7) A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore.	No Change
		x) Hepa Filter:	Used for clean & purified air by pharmaceutical industry and other allied industries, health sector and labs	--	--	Malik Auto and Agricultural Ind. (Pvt) Ltd., 8th K.M. Raiwind Road, Lahore	No Change
		xi) Filters, vacuum	For Sugar mills and other allied Industries .In accordance to ASME sec VIII Div 1 & 2.	Having diameters of 3500mm and length of 6000mm ASME Sec. VIII, Div. 1 & 2	--	1) SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi 2) A.B.S Engineering Corporation (Pvt) Ltd., F-492, S.I.T.E, Karachi- 75700	No Change
		xii) Plate and frame type filter	36' x 36' (upto 650' filtering) For Ceramic & Sugar Industry	--	--	The Star Mughal Industries (Pvt) Ltd., Sharifpura, G.T. Road Gujranwala	No Change
		xiii) Vacuum Filter	13' x 32' - 1310 filtering area, Rotary Filter type	--	--		No Change
		xiv) Pressure Filter	As per Sugar Industry Specifications and other as per client design	--	--		No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		xv) Filters, Air	Other than automotive (All Types and Sizes)	--	--	1) Malik Auto and Agricultural Ind. (Pvt) Ltd. 80-Badami Bagh, P.O. Box 465., Lahore 2) Qaim Automotive Mfg. (Pvt) Ltd., 203-206, Prince Centre, Preedy Street, Saddar, Karachi- 74400 3) Skyways Manufacturers (Pvt) Ltd., A/1-A-3, SITE Karachi	No Change
		xvi) Gas Filter Separator System	Dia 8", 12", 18", 24" and 30" with optional instruments like level gauges, pressure gauges, level controller, control valve pressure regulator etc. Equipment to be complete with quick opening end enclosure, filter elements and mist eliminator	Design Pressure 1400 psig; Temp. 130°F, Flow ASME "U", Stamp coded to Section VIII Div. I. Flow Range from 1 mmscf/d to 150 mmscf/d.	Standard	1) DDFC (Pvt.) Ltd. , 27 KM, Multan Road, Lahore 2) Ravi Green Engineering (Pvt) Ltd., 20th KM (Pajian), Raiwind Road, Lahore 3) Shaheen Tank Trailers Manufacturing Company (Pvt) Ltd., Plot #306,Wali Town Near Port Qasim Mor, National Highway Karachi.	No Change
761	84223000	i) Machines, filling, for bottles, cans,	Variable specifications as per requirements for Juice, Water Treatment, Cosmetics and liquid Food processing.	--	--	Al-Qarni Flow Tech International, 9/34 Civic Centre New Garden Town, Lahore	No Change
		ii) Liquid / Solid & Bulk Packaging Machines	Liquid Packaging Machines Output:1000 to 2700 pouches/hr, Capacity : 5ml to 5000ml, Weight: 200-550 kg Dimensions:L:600~872mm x W:355-830 mm x H: 1795~3000 mm Solid Packaging Machines Output:18-45 pouches/min, Capacity:5-2000 grams, Weight: 575 to 600 Kgs Dimensions: L:1110-1160 mm x W:830-1700 mm x H: 2080~2750 mm Bulk Packaging Machines Metering Mode:Weighing (Net weight form) Output: 6~9 bag per min, Capacity: 05~50 Kg (20~100 kg for oversized ones), Weight: 800 kgs, Weight accuracy: 0.2%, Dimensions: 3700 (variable depending on the conveyor) x	Pouch Type: pillow/standing shape, center/side/sachet 3 side, 4 side seal with or without photocell or continuous /centralized design Options: Strip applicator, date coding system, English folding system, feeding conveyor, conveyor, thermic sealing system. Packaging Materials: PE, BOPP, PP, nylon, laminate, cotton, jute, paper aluminum foil etc. Water:100 Ltr/hr, 2° C > 10°, P 2 bar Air : 800 Ltr / min, P 6 bar Power : 220/380 V, 1 phase & 3 phase, 50 Hz, 2~7 KW	--	Prepac Engineering Industries (Pvt) Ltd., Plot No. 20 Rasheed Industrial Estate, 18 KM Feroze Pur Road, Lahore	No Change
		iii) Automatic vertical form-fill-seal machine for liquid, viscous & semi viscous products	PRODUCTS: edible oils, ghee, liquid milk, lube oil, grease, juices, ketchup, mayonnaises, liquid soap, detergent, egg liquid, cosmetic creams, sauces, gel, recota cheese, water, shampoo, Liquid chocolate. Capacity:2-15ml; 20-100 ml; 100-1000 ml; 1000-5000 ml, Output Speed:600-1200 packs/ hour; 1200-2400 packs/hour; 2400~5000 packs/ hour; 5000~10000 packs/ hour	Pouch Shape: 3 side seal, 4 side seal center seal stand pouch	--		No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		iv) Automatic vertical form-fill-seal machine for solid, granule, powder, ununiform shaped products	PRODUCTS: rice, sugar, pulses, beans, spice powder, whole spices, recepies masala, instant drink powder. Milk powder. Confectionary, nimko, chips, pasta, microni, salt, flour, sugi, meda, cement, seeds, pecticide powder, choclate powder, frozen fries, frozen cheese, pickle paste, whole pickle, consentrate powder, joshanda, ispaghol, detergent, coffee powder, cereals, frozen vegetables, frozen fruits Capacity: 2g to 15g; 20g to 100g; 100g to 1000g; 1000g to 10000g, Output Speed: 600~1200 packs/hour; 1200~2400 packs/hour; 2400~5000 packs/hour	Pouch Shape: 3 side seal, 4 side seal center seal quad seal side gusseted handle punch	--		No Change
		v) Automatic HFS pre-made bag filling machine for packaging of all type of liquid & solid products	PRODUCTS: rice, sugar, pulses, beans, spice powder, whole spices, recepies masala, instant drink powder. Milk powder. Confectionary, nimko, chips, pasta, microni, salt, flour, sugi, meda, cement, seeds, pecticide powder, choclate powder, frozen fries, frozen cheese, pickle paste, whole pickle, consentrate powder, joshanda, ispaghol, detergent, coffee powder Edible oils, ghee, liquid milk, lube oil, grease, juices, ketchup, mayonnaises, liquid soap, detergent, egg liquid, cosmetic creams, gel, recota cheese, water, shampoo, Liquid chocolate, cereals, frozen vegetables, frozen fruits Capacity: 20-100g; 100-1000g; 1000-10000g, Output Speed: 600-1200 packs/hour; 1200-2400 packs/hour	Pouch Shape: 3 side seal, 4 side seal center seal quad seal side gusseted handle punch flat bottom Doy pouch zipper pouch	--		No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		vi) Semi automatic bag filling machine for packaging of solid products granule, powder, ununiform shaped products	Products: rice, sugar, pulses, beans, spice powder, whole spices, recepies masala, instant drink powder. Milk powder. Confectionary, nimko, chips, pasta, microni, salt, flour, sugi, meda, cement, seeds, pecticide powder, choclote powder, frozen fries, frozen cheese, pickle paste, whole pickle, consentrate powder, joshanda, ispaghol, detergent, coffee powder, cereals, frozen vegetables, frozen fruits Capacity: 2g to 15g; 20g to 100g; 100g to 1000g; 01 kg to 05 kg; 05 kg to 10 kg; 10 kg to 50 kg; 50 kg to 100 kg Output Speed: 600~1200 packs/hour; 1200~2400 packs/hour	Pouch Shape: 3 side seal, 4 side seal center seal quad seal side gusseted handle punch Flat bottom Doy pouch zipper pouch cotton bags jute bags PP woven bags	--		No Change
		vii) Automatic VFFS multilane machine for liquid & solid products	Products: rice, sugar, pulses, beans, spice powder, whole spices, recepies masala, instant drink powder. Milk powder. Confectionary, nimko, chips, pasta, microni, salt, flour, sugi, meda, cement, seeds, pecticide powder, choclote powder, frozen fries, frozen cheese, pickle paste, whole pickle, consentrate powder, joshanda, ispaghol, detergent, coffee powder Edible oils, ghee, liquid milk, lube oil, grease, juices, ketchup, mayonnaises, liquid soap, detergent, egg liquid, cosmetic creams, gel, recota cheese, water, shampoo, Liquid chocolate, cereals, frozen vegetables, frozen fruits Capacity: 02g to 05g; 05g to 20g; 20g to 100g, Output Speed: 4000~9000 packs/hour: 9000~20000	Pouch Shape: 3 side seal, 4 side seal center seal	--		No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		viii) Bottle & Jar filling machine for	Products: rice, sugar, pulses, beans, spice powder, whole spices, recepies masala, instant drink powder. Milk powder. Confectionary, nimko, chips, pasta, microni, salt, flour, sugi, meda, cement, seeds, pecticide powder, choclate powder, frozen fries, frozen cheese, pickle paste, whole pickle, consentrate powder, joshanda, ispaghol, detergent, coffee powder Edible oils, ghee, liquid milk, lube oil, grease, juices, ketchup, mayonnaises, liquid soap, detergent, egg liquid, cosmetic creams, gel, recota cheese, water, shampoo, Liquid chocolate, cereals, frozen vegetables, frozen fruits Capacity : 20-100g, 100-1000g, 01-10 kg, 10-20 kg. Output Speed: 600-1200 packs/hour	--	--		No Change
762	84224000	Pharmaceutical Machines	Cream Ointment & Paste Processing and packaging machines Capacity upto 1500 Kg/Hr	--	--	FD & C (Pvt) Ltd., F -116, S.I.T.E. Karachi	No Change
763	84241000	Fire Extinguishers	<u>Fire Extinguishers of AFFF Type</u> Size: 10 litres (portable); 45 and 150 litres (Trolly mounted); 1000 litres (trailer mounted) <u>Dry Powder Type</u> Size: 1 to 12 Kg (portable); 20 to 100 Kgs (trolley mounted; 250, 500, 1000kgs (trailer mounted) <u>Halotron-1 Type</u> Size: 1 to 12 Kg (portable); 20 to 100 Kgs (trolley mounted); 250, 500kgs (trailer mounted) <u>Water type</u> Size: 10 litres (portable); 45 & 150 litres (trolley mounted)	--	--	Haseen Habib Corporation [Pvt] Limited, 123/3 Quaid e Azam Industrial Estate, Lahore	No Change
764	84261110	Cranes	Overhead travelling cranes 0.5 tons to 300 tons Desing Code/ Standards: FEM, CMAA.	--	--	1) Heavy Mechanical Complex (Pvt) Ltd., Taxila 2) Qadbros Engineering (Pvt) Ltd., 9-A Link Ravi Road, Badami Bagh, Lahore	No Change
			•Electric Overhead Cranes •Hand Operated Cranes •Gantry Cranes •Double boom level luffing cranes. •Magnetic Crane. Ranging Capacities to Client's Requirements	--	--	Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
765	84261990	Grantry Cranes	0.5 tons to 250 tons.	--	--	1) Heavy Mechanical Complex (Pvt) Ltd. Taxila 2) Heavy Mechanical Complex-3, Hattar Road, Taxila	No Change
766	84263000	Jib Cranes	Jib cranes upto 5 tons and monorail cranes upto 10 tons	--	--	1) Heavy Mechanical Complex (Pvt) Ltd. Taxila 2) Heavy Mechanical Complex-3, Hattar Road, Taxila	No Change
767	84264100	Catering High Loader	Catering High Loader Upto 22Ft Working Height from ground Suitable for aircraft upto Boeing 777	--	--	1) Bilal Engineering Company G.T Road Opp. Rescue 1122 Office, Pindi Bypass, Gujranwala 2) Javaid Industrial Company (JIC), Jinnah Interchange G.T. Road, Gujranwala 3) Shaheen Tank Trailers Manufacturing Company (Pvt) Ltd., Plot #306,Wali Town Near Port Qasim Mor, National Highway Karachi.	No Change
768	84269100	Cranes, designed for mounting on road vehicles	Lift Capacity: 800, 1000, 1500, 2000, 2500 and 3000 kgs. Can be Mounted on any available local truck chassis.	--	--	1) Agripak International, A - 263 Block - C, North Nazimabad, Karachi 2) Javaid Industrial Company (JIC), Jinnah Interchange G.T. Road, Gujranwala	No Change
769	84269900	Cableways / Cable trays	Ladder Type & Perforated Type (size 100mm ~ 700mm wide)	--	--	Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000	No Change
			Ladder Type & Perforated Type with & without covers (size 50mm ~ 300mm wide)	Fiber Glass Reinforced Plastic	Corrosion Resistant	Fibre Craft Industries, Canal Bank Hanif Park, Harbanspura Lahore - 54850	No Change
770	84272010	Forklift Truck	Upto 3 tons lifting capacity	--	--	Millat Tractors, Ltd., Sheikhpura Road, Shahdara, Lahore	No Change
	84272090	Other works trucks fitted with lifting or handling equipment	--	--	--	Millat Tractors, Ltd., Sheikhpura Road, Shahdara, Lahore	Millat Tractors requested to add this new item in the list.
771	84283100	Conveyors, continuous- action, for goods or materials (Specially designed for underground use)	Width = 1,000 mm Length = 100 Meters BS-6318 & as per customers requirements	--	--	1) SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi 2) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore	No Change
772	84283200	Bucket Elevators	Bucket capacity = 0.3 cubic meters Height = 30 Meters BS-6318	--	--	SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi	No Change
773	84283300	Belt Conveyors	Width = 1,000 mm Length = 100 Meters BS-6318	--	--	SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi	No Change
774	84283910	Conveyors (for Cement plants)	Width = 1,000 mm Length = 100 Meters BS-2890 & as per customer requirements	--	--	1) SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi 2) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore	No Change
775	84283990	Conveyors	Width = 1,000 mm Length = 100 Meters BS-2890 & as per customer requirements	--	--	1) SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi 2) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
776	84292000	Graders	50 Tons per hours	--	--	The Star Mughal Industries (Pvt) Ltd., Sharifpura, G.T. Road Gujranwala	No Change
777	84294000	Static Road Rollers	Static Road Rollers 10 to 12 tons Upto 55 HP	--	--	Heavy Mechanical Complex (Pvt) Ltd., Taxila	No Change
778	84295100	i) Loaders, shovel, front-end, mechanical, self-propelled	1 - 3 cub meter bucket handler tractor front end loader for Industrial and Agricultural work.	[Bucket Attachment of the Tractor used on the front Side of Tractor for the Uplifting of Garbage or Construction Disposables.]	--	Agripak International, A - 263 Block - C, North Nazimabad, Karachi	
		ii) Front End Loaders for Tractor	loading and lifting of material	Tractor Attachment	--	Javaid Industrial Company (JIC), Jinnah Interchange G.T. Road, Gujranwala	No Change
		iii) Front-end shovel loader	--	--	--	Millat Tractors, Ltd., Sheikhpura Road, Shahdara, Lahore	Millat Tractors requested to add this new item in the list.
779	84304100	Mud Tank/ Mud Suction Tank With Valves And Gates	Used for mud mixing Mobile/skid mounted Capacity: 100 BBL upto 600 BBL Or as per our client requirement.	Design Code: ASME Material: Carbon Steel. Internal Lining: Fibercoating/ Epoxy	Support stimulation fluids/acid upto 16%	i) Al-Jassar Engineering Co., 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad. Ii) Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi	No Change
780	84304900	Mud Tank/ Mud Suction Tank With Valves And Gates	Used for mud mixing Mobile/skid mounted Capacity: 100 BBL upto 600 BBL Or as per our client requirement.	Design Code: ASME Material: Carbon Steel. Internal Lining: Fibercoating/ Epoxy	Support stimulation fluids/acid upto 16%	i) Al-Jassar Engineering Co., 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad. Ii) Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi	No Change
781	84314900	i) Blades for Tractors	Dozing Blades for different hp of Tractors; Width: 6ft, 7ft, 8ft	Tractor Attachment	--	1) Agripak International, A - 263 Block - C, North Nazimabad, Karachi 2) Javaid Industrial Company (JIC), Jinnah Interchange G.T. Road, Gujranwala	No Change
		ii) Cutting Bottle	Capacity: 35 Cu Ft. upto 50 Cu Ft. Or as per our client requirement.	Design Code: ASME, Material: Carbon Steel, Test Pressure: 50 psig, Working Pressure: 30 psig	--	Al-Jassar Engineering Co., 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad.	No Change
		iii) Cement Silo	Capacity: 1000 Cu Ft. upto 2000 Cu Ft. Or as per our client requirement.	Design Code: ASME, Material: Carbon Steel, Test Pressure: 45 psig, Working Pressure: 30 psig	--		No Change
		iv) Surge Tank	Capacity: 35 Cu Ft. upto 50 Cu Ft. Or as per our client requirement.	Design Code: ASME, Material: Carbon Steel, Test Pressure: 50 psig, Working Pressure: 30 psig	--		No Change
782	84321010	Chisel ploughs, for agricultural Machines	Ploughs for 2,3,4,5 Discs. Reversible and Standard with tubular frame. With 2 Discs: 42" With 3 Discs: 63" With 4 Discs: 84" With 5 Discs: 105"	Tractor Attachment	--	1) Agripak International, A - 263 Block - C, North Nazimabad, Karachi 2) Javaid Industrial Company (JIC), Jinnah Interchange G.T. Road, Gujranwala	No Change
783	84321090	Ploughs, for agricultural Machines	Ploughs for 2,3,4,5 Discs. Reversible and Standard with tubular frame. With 2 Discs: 42" With 3 Discs: 63" With 4 Discs: 84" With 5 Discs: 105"	Tractor Attachment	--	1) Agripak International, A - 263 Block - C, North Nazimabad, Karachi 2) Javaid Industrial Company (JIC), Jinnah Interchange G.T. Road, Gujranwala	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
784	84322100	Harrows, disc, for agricultural Machines	14, 16, 18, 22 and more discs with hydraulic attachments With 14 Discs: Front 70" & Rear 65" With 16 Discs: Front 78" & Rear 70" With 18 Discs: Front 86" & Rear 78" With 22 Discs: Front 102" & Rear 94"	--	--	1) Agripak International, A - 263 Block - C, North Nazimabad, Karachi 2) Javaid Industrial Company (JIC), Jinnah Interchange G.T. Road, Gujranwala	No Change
785	84322910	Cultivators, for agricultural Machines	5, 9, 11, 14, 19 tines with ront and fixed frame. Have an options with Tyres assembly and Hydraulic Functions With 5 Tines: 66" With 9 Tines: 86" With 11 Tines: 96" With 13 Tines: 106" With 19 Tines: 146"	--	--	1) Agripak International, A - 263 Block - C, North Nazimabad, Karachi 2) Javaid Industrial Company (JIC), Jinnah Interchange G.T. Road, Gujranwala	No Change
786	84324100	Spreaders, manure	200lit fertilizer spreaders tractor mounted, and pto operated.	--	--	Agripak International, A - 263 Block - C, North Nazimabad, Karachi	No Change
787	84328090	Machines, stone-removing, agricultural	Laser Land Leveling system consisting of: 1. Rotary laser transmitter 2. 360 degree laser receiver 3. Control Box 4. Bottomless bucket hydraulic scraper	Minimum 300 meter radius operating range Within one millimeter per 20 meter level accuracy 0 to 50 degree Celsius operating temperature Moisture and dust proof Mil.Spec. C-5015 electrical connectors	--	Pakistan Atomic Energy Commission, Applied Physics Division, PINSTECH, Nilore, Islamabad	No Change
788	84329000	Mouldboards for plough	2,3,4 furrows with Hydraulically Revisible and One-way Simple fabrication. For 2 Furrow: 32" For 3 Furrow: 60" For 4 Furrow: 88"	--	--	1) Agripak International, A - 263 Block - C, North Nazimabad, Karachi 2) Javaid Industrial Company (JIC), Jinnah Interchange G.T. Road, Gujranwala	No Change
789	84331100	i) lawn mower	For Cleaning and ground leveling	Tractor Attachment	--	1) Javaid Industrial Company (JIC), Jinnah Interchange G.T. Road, Gujranwala 2) Shaheen Tank Trailers Manufacturing Company (Pvt) Ltd., Plot #306,Wali Town Near Port Qasim Mor, National Highway Karachi.	No Change
		ii) Tree Transplanter	Digging and Trenching	--	--	Javaid Industrial Company (JIC), Jinnah Interchange G.T. Road, Gujranwala	No Change
		iii) Backhoe / Excavator	Digging and Trenching	Tractor Attachment	--	Javaid Industrial Company (JIC), Jinnah Interchange G.T. Road, Gujranwala	No Change
790	84331900	lawn mower	For Cleaning and ground leveling	Tractor Attachment	--	1) Javaid Industrial Company (JIC), Jinnah Interchange G.T. Road, Gujranwala 2) Shaheen Tank Trailers Manufacturing Company (Pvt) Ltd., Plot #306,Wali Town Near Port Qasim Mor, National Highway Karachi.	No Change
791	84332000	lawn mower	For Cleaning and ground leveling	Tractor Attachment	--	1) Javaid Industrial Company (JIC), Jinnah Interchange G.T. Road, Gujranwala 2) Shaheen Tank Trailers Manufacturing Company (Pvt) Ltd., Plot #306,Wali Town Near Port Qasim Mor, National Highway Karachi.	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
792	84371000	i) Rice Husking Machine (Huller)	Output : 1200 ~ 2000kg/h of rice Power : 12 ~18.5kw 4D Huller: Output:1800-2500kg/h of rice Power : 9 ~15kw	--	--	Jamal-ud-Din Sons & Co., 44 Umer Market Link Railway Road, Near Railway Station Lahore.	No Change
		ii) Horizontal Type SM-18 Emery Roller rice Polisher	Jet-Air Emery Doll Rice Husker & Whitener: Output : 2000 ~ 2500kg/h of rice Power : 18.5 ~ 22kw	--	--		No Change
		iii) Rice Polisher NF-14	Jet-Air Emery Roll Rice Whitener & Polisher: Output : 1500 ~ 2100kg/h of rice Power : 18.5kw	--	--		No Change
793	84378000	i) Danish Type Vertical Flour grinder.	Vertical Type Flour & Spices Grinding Machine. (Chukki). Output wheat:160-240kg/h of Flour, Power : 7.5kw	--	--	Jamal-ud-Din Sons & Co., 44 Umer Market Link Railway Road, Near Railway Station Lahore.	No Change
		ii) Disk Mill 45	Output wheat:200-300kg/h of Flour, Power:12kw	--	--	Jamal-ud-Din Sons & Co., 44 Umer Market Link Railway Road, Near Railway Station Lahore.	No Change
		iii) Paddy Cleaner (Pre-Cleaner)	Power: 0.75 x 2KW	Removing light & heavy impurity from Paddy	--	Al Karam Rice Engineering (Pvt) Ltd., 7Km Sheikhupura - Muridke Road, Near Khanna Labana, Muridke	No Change
		iv) Combi Cleaner	Power: 0.75 x 2 Kw	Removing light & heavy impurity from Rice	--		No Change
		v) (Rotary/Vibrating Cleaner)	Power: 5.5 - 7.5 Kw Aspiration Capacity: 3000 - 4500 m2/h)	Paddy Hulling Removing the Rice from its peels	--		No Change
		vi) Paddy Huskar	Output: 0.9 - 1.8 TPH, Air Volume: 3600 - 10800 m3/h	To separate husk from brown rice	--		No Change
		vii) (Pneumatic/Double Pneumatic Husker	Sieves: 20 -40 Units, Power: 2.2 - 4 Kw	To separate paddy from brown rice	--		No Change
		viii) Husk Separator/ Paddy Separator (All Type)	Cylinder: V-Wire S.S. Cyliner, No. of Cyliner: 4 - 8 Units	To separate immature grains from rice	--		No Change
		ix) Thickness Grader	Power: 37 - 55 Kw, Air Volume: 40 - 80 m3/min, Static Pressure: 1.0 - 1.5 Kpa	To remove brown layer from Rice and give bright whiteness from raw rice	--		No Change
		x) Width Grader	Complete Automatic Operation No of Roll: Single, Shaft Material: S.S., Control: PLC, Power: 45 - 75 Kw	To give silky shine with less brokage to rice	--		No Change
		xi) Vertical Emery Roller Whitener (All Type of Rice Whitener)	Power: 4Kw, Rotating Speed: 180 - 220 RPM	To separate broken rice from head rice very efficiently	--		No Change
		xii) Water Polisher/Silky Polisher (All Type of Rice Polisher)	Power: 1.5 - 2.2 Kw, Output: 2.5 - 5 TPH	To separate rice & broken rice by the advatage of length difference	--		No Change
		xiii) Rotary Air Lock Valve Feeder	Output: 5 - 10 TPH, Power: 250 - 400 Kw	To produce high quality export rice	--		No Change
		xiv) Grain Dryer (All Types)	Output: 3 - 8 TPH, Power: 150 - 250 Kw	To produce good quality raw rice for further re-processing	--		No Change
		xv) Rice Processing Plant (Complete Rice Milling Unit)	Output: 400 - 1000 Bags/Batch	To make parboiled (Sela) Rice	--		No Change
		xvi) Rotary Sifter/Rice Grading Machine	Power: 1.5 TO 7.5 Kw, Low speed, Compact design, Noiseless, Vibration less	To drive the raw material (Paddy/Rice) from one machine to another	--		No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
794	84379000	i) Emery Stones	Different sizes which are 10",12",14",16",20",24",30".	--	--	Jamal-ud-Din Sons & Co., 44 Umer Market Link Railway Road, Near Railway Station Lahore.	No Change
		ii) Bucket Elevator (Belt Conveyor)	Diameter: 36 - 72 inch Material: M.S/S.S.	To collect dust from every machine by means of suction blower	--	Al Karam Rice Engineering (Pvt) Ltd., 7Km Sheikhupura - Muridke Road, Near Khanna Labana, Muridke	No Change
		iii) Suction Blower (Centrifugal Fan)	Power: 0.75 - 1.5 Kw Rotary Speed: 45 R/min	To seal, discharge and dust catch of pneumatic transportation or ventilation dust catch network at processing plant	--		No Change
795	84383010	Sugar Plant / Equipment	Complete Sugar plants upto 12000 TCD	Mill Roller (various types) – for Sugar Mills (Local & Export Customers)	Different As Per Client Requirements	1) Heavy Mechanical Complex (Pvt) Ltd., Taxila 2) Qadbro Engineering (Pvt) Ltd., 9-A Link Ravi Road, Badami Bagh, Lahore 3) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 4) A.J. Corporation, 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. 5) Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi	No Change
796	84383090	i) Diffusing apparatusfor sugar extraction,	For upto 6,000 TCD Sugar Plant API 650, API 620, ASME Sec. VIII Div. 1	--	--	1) SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi 2) Qadbro Engineering (Pvt) Ltd., 9-A Link Ravi Road, Badami Bagh, Lahore	No Change
		ii) Extracting Equipment	Equipment for extraction in sugar industry: Cane Carrier. Cane leveler. Cane cutting knives. Cane shredder Prepared cane elevator Cane crushing mills Mill cooling water piping. Inter conveyors Service platform & gangways Receiving tanks made of mild steel & stainless	1) High extraction can crushing rollers with hydraulic arrangement and feed rollers. 2) De- Pithers. 3) Cane Shredders upto 8000 TCD. 4) Cane Cutters upto 5060 mm wide. 5) Centrifugal machines. 6) Chip Board forming machines. 7) Brequetting Presses. 8) Rotary Bagasse Feeders for Boilers. 9) Cane Levellers. 10) Lime Slackers.	--	A.B.S Engineering Corporation (Pvt) Ltd., F-492, S.I.T.E, Karachi- 75700	No Change
		iii) Diffusing apparatusfor sugar extraction,	As per fabrication drawings and Client's requirement. In accordance to API 650, API 620, ASME Sec VIII Div 1				No Change
797	84388090	i) Machines, cutting and rolling, for tea	As per fabrication drawings and Client's requirement.	--	--	A.B.S Engineering Corporation (Pvt) Ltd., F-492, S.I.T.E, Karachi- 75700	No Change
		ii) Agitator for sugar plants	Up to 40 Feet dia, As per Client Specification	--	--	The Star Mughal Industries (Pvt) Ltd., Sharifpura, G.T. Road Gujranwala	No Change
798	84389010	of machines of heading 8438.3000 and 8438.4000	as per customer requirements	--	--	Qadbro Engineering (Pvt) Ltd. 9-A Link Ravi Road, Badami Bagh, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
799	84454010	Weft Pirn Winder	- Horizontal Type used for filling of bobbins for weaving process. Machine stops automatically after completion of Bobbins. The capacity is from 12 spindles to 48 Spindles. - Vertical Type used for filling of bobbins for weaving process. Machine stops automatically after completion of Bobbins. The capacity is from 12 spindles to 48 Spindles.	--	--	Talib Brothers Engineering Works, P-290, Sant Singh Road, Opposite Javed Weighing Scale, Sheikhpura Road, Faisalabad.	No Change
800	84454020	Cone Winders.	For the rewinding of cones in weaving mills. Machine stops automatically after completion of Process. The capacity is from 06 spindles to 48 Spindles.	--	--	Talib Brothers Engineering Works, P-290, Sant Singh Road, Opposite Javed Weighing Scale, Sheikhpura Road, Faisalabad.	No Change
801	84454090	Sectional Warping Machines	from 72" to 210" widths. For the filling of warp beams for all kind of looms. Mechanical machines equipped with Auto electric warp stop motion, variable motor system. Creel capacity as per requirement.	--	--	Talib Brothers Engineering Works, P-290, Sant Singh Road, Opposite Javed Weighing Scale, Sheikhpura Road, Faisalabad.	No Change
802	84462100	i) Terry Towel Drop Box Shuttle loom.	Shuttle power loom for the Weaving of Export Quality Terry Towel products. Loom width ranging from 64" to 105".	--	--	Talib Brothers Engineering Works, P-290, Sant Singh Road, Opposite Javed Weighing Scale, Sheikhpura Road, Faisalabad.	No Change
		ii) Automatic Cop Change Shuttle Loom	For weaving of Towel and Fabric. For fabric: width of loom from 44" to 126". For Towel: width of loom, from 64" to 105". The ejection of empty bobbin from shuttle and insertion of filled bobbin from magazine to shuttle is automatic.	--	--		No Change
		iii) Grey Cloth Plain Shuttle Loom.	From 44" to 120" width Grey Cloth Plain Shuttle Looms used for the weaving of fabric.	--	--		No Change
803	84463000	i) Terry Towel Rapier Loom.	With Provision of Manual and electronic Jacquard, Paper and Electronic dobby. Width of looms from 76" to 110". Shuttle less technology used for the weaving of terry towel products. Paper and Electronic dobby can be used on the loom. Up to 18 Nos frames can be operated. 4 Clours, clour selector is installed. The manual and electronic Jacquard can also be fitted on these looms.	--	--	Talib Brothers Engineering Works, P-290, Sant Singh Road, Opposite Javed Weighing Scale, Sheikhpura Road, Faisalabad.	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		ii) Grey Cloth Rapier Looms.	With Provision of Manual and electronic Jacquard, Paper and Electronic dobby. Grey Cloth Rapier loom. Width of looms from 56" to 134". Shuttleless technology used for the weaving of fabric. Electronic and manual Jacquards are used on these looms. The Paper and Electronic dobby can also be installed.	--	--		No Change
804	84481100	Dobbies for looms	Mechanical, used for the designing of different kind of Towel and fabric, and also used for the brand name writing on the edge of fabric. Range, from 8 lever to 22 levers, 1 cylinder to 4 cylinders in heavy and light duty.	--	--	Talib Brothers Engineering Works, P-290, Sant Singh Road, Opposite Javed Weighing Scale, Sheikhpura Road, Faisalabad.	No Change
805	84483330	Spinning Ring	Any Size, Alloy bearing steal	Alloy bearing steal	Chrome plated	Punjab Spring & Engg. Works, Chak no.65, Manga Road Near Makkah Sugar Mill.	No Change
806	84483900	i) Textile Spinning Ring Rubber Cots ii) Textile Spinning simplex Rubber Cots iii) Textile Spinning Dawing Rubber Cots	Any Size with any Hardness with aluminium bush inside.	press fit type with aluminium bush	antistatic properties, Ozone resistance, vegetable oil resistance, abrasion resistance moisture resistance, tear resistance	Punjab Spring & Engg. Works, Chak no.65, Manga Road Near Makkah Sugar Mill.	No Change
		iv) Mesh Apron/Lattice Apron For Compact, Spinning	Any Size with, any mesh	nylon, monofilament, resistant yarn	antistatic resistance, tear resistance, abrasion resistance, moisture resistance		No Change
807	84484210	Reeds for looms	i) <u>Profile / Terry Reeds</u> Density: 3.0 d/cm to 40 d/cm, M/c width: 150 cm to 390 cm ii) <u>Flat Reeds.</u> Density: 3.0 d/cm to 40 d/cm, M/c width: 150 cm to 390 cm Tunnel Reeds for Air Jet looms, Flat reeds for Water Jet, Rapier, Projectile, Shuttleless and Shuttle looms, Double / towel looms Circular reeds, Sizing reeds, Knotting reeds (All sizes and counts)	i) Highest quality Stainless Steel ii) Highest quality Carbon/ Stainless Steel	i) Stainless Steel: 90% aluminum: 5% Misc: 5% ii) Carbon Stainless Steel: 90% aluminum: 5% Misc: 5%	1) Textile Technics (Pvt.) Ltd., 6th Floor EFU House, Gulberg Road, Lahore 2) Abid Industries, E-43, SITE, Karachi – 75700	No Change
808	84484290	Heald-frames for textile weaving Machines	Heald Frames for shuttleless looms in all sizes	--	--	Abid Industries, E-43, SITE, Karachi – 75700	No Change
809	84484990	Beams and Emry Rolls	For all types of looms and weaving machines	--	--	Talib Brothers Engineering Works, P-290, Sant Singh Road, Opposite Javed Weighing Scale, Sheikhpura Road, Faisalabad.	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
810	84501290	Washing machines	Voltage: 220V AC, Net Weight Kgs: 19.60, Gross Weight Kgs: 24.00, General Operation Duration: 1-15 minutes, Frequency: 50/60 HZ, Input: 220 Volts/ 175 watts, Capacity of wash tub: 85 litres With built-in centrifugal dryer	--	--	1) Wahid Industries Ltd., G. T. Road, Gujrat 2) Dawlance (Pvt) Ltd., Dawlance Center 7/4, Civil Lines 9 Dr. Ziauddin Ahmed Road Karachi.	No Change
811	84501919	Washing machines	Voltage: 220V AC, Net Weight Kgs: 19.60, Gross Weight Kgs: 24.00, General Operation Duration: 1-15 minutes, Frequency: 50/60 HZ, Input: 220 Volts/ 175 watts, Capacity of wash tub: 85 litres	--	--	1) Dawlance (Pvt) Ltd., Dawlance Center 7/4, Civil Lines 9 Dr. Ziauddin Ahmed Road Karachi. 2) Wahid Industries Ltd., G. T. Road, Gujrat	No Change
812	84501999	Washing machines	Single Tub Washer	--	--	1) Dawlance (Pvt) Ltd., Dawlance Center 7/4, Civil Lines 9 Dr. Ziauddin Ahmed Road Karachi. 2) Wahid Industries Ltd., G. T. Road, Gujrat	No Change
813	84542000	Ingot Moulds and Ladles	As per customer requirements	--	--	Qadbro Engineering (Pvt) Ltd. 9-A Link Ravi Road, Badami Bagh, Lahore	No Change
814	84581100	i) CNC Lathes, horizontal, numerically controlled	Desktop CNC Lathe with X=145, Z=225, with CNC Control, Center distance 270mm, for Educational & Training Institutes	--	--	Pakistan Machine Tool Factory (Pvt) Limited PMTF Road, Off National Highway, Landhi, Karachi-75030	No Change
		ii) CNC Milling Machine numerically controlled	Desktop CNC Milling Machine with X=240, Y=170, Z=220, CNC Control, Table 500x160. for Educational & Training Institutes				No Change
		iii) CNC Turning Centre numerically controlled	CNC Control, and Tool Turret. with X=190, Z=400, Swing 380mm, Center distance 450mm, for mass production				No Change
		iv) CNC Lathe numerically controlled	CNC Control, and Tool Turret. with X=150, Z=600, Swing 365mm, Center distance 700mm, for Production and Educational purpose				No Change
815	84581900	Lathes, horizontal, Precision type with and without DRO	Precision Centre Lathe Centre distance upto 1500 mm	--	--	Pakistan Machine Tool Factory (Pvt) Limited PMTF Road, Off National Highway, Landhi, Karachi-75030	No Change
816	84592910	Machine-tools, Drilling by removing metal, not numerically Controlled	i) Universal Drilling Machine with Drilling capacity upto 32mm & boring capacity upto 65 mm in Cast Iron ii) Pillar Drilling Machine with Drill Capacity upto 20 mm in Steel	--	--	Pakistan Machine Tool Factory (Pvt) Limited PMTF Road, Off National Highway, Landhi, Karachi-75030	No Change
817	84593100	Machine-tools, boring Milling by removing metal, (Numerically Controlled)	Modular boring Heads, 02 ways & 4 ways configuration. Drilling Capacity 32 mm in Cast Iron & 25mm In steel.	--	--	Pakistan Machine Tool Factory (Pvt) Limited PMTF Road, Off National Highway, Landhi, Karachi-75030	No Change
818	84593910	Machine-tools, boring by removing metal	Vertical Copy Milling, Drilling boring Machine Drill Dia 25 mm	--	--	Pakistan Machine Tool Factory (Pvt) Limited PMTF Road, Off National Highway, Landhi, Karachi-75030	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
819	84595100	Machine-tools, Milling by removing metal, numerically controlled	Desktop PC Based for Educational & Training Institutes Milling Machine, Knee Type Numerically Controlled	--	--	Pakistan Machine Tool Factory (Pvt) Limited PMTF Road, Off National Highway, Landhi, Karachi-75030	No Change
820	84595910	Machine-tools, Milling by removing metal, knee-type,	Knee Type Milling Machine Horizontal, Vertical & Universal Version with long Traverse upto 810 mm and table size upto 1300x300 mm	--	--	Pakistan Machine Tool Factory (Pvt) Limited PMTF Road, Off National Highway, Landhi, Karachi-75030	No Change
821	84596910	Machine-tools, Milling by removing metal, not numerically controlled	Turret Milling Machine (Bridge Port Type) Travels long. 750, Cross 300, Vert. 400 mm	--	--	Pakistan Machine Tool Factory (Pvt) Limited PMTF Road, Off National Highway, Landhi, Karachi-75030	No Change
822	84596920	Machine-tools, Milling by removing metal, not numerically controlled	Universal Engraving Machine Clamp Area 500x200 mm Pantograph ratio 1:1 to 1:50	--	--	Pakistan Machine Tool Factory (Pvt) Limited PMTF Road, Off National Highway, Landhi, Karachi-75030	No Change
823	84615010	i) Hack Sawing Machine	Diemension of Saw Blade 450x32x1.6x10mm, Round Bar Dia 180mm, Squar Bar 160x160mm, Flat 180mm, Stoke 160mm	Stoke 160 mm	--	Pakistan Machine Tool Factory (Pvt) Limited PMTF Road, Off National Highway, Landhi, Karachi-75030	No Change
		ii) Band Sawing Machine	Band Speed 16-30-52-98 m/min, Blade Size16"x1 1/4" x0.042" 4876,8 x 31.75x1mm, Size 2430x700x1180 mm, weight 700 kg	--	--	Pakistan Machine Tool Factory (Pvt) Limited PMTF Road, Off National Highway, Landhi, Karachi-75030	No Change
824	84642090	Polishing Machines		--	--	Smart Power Systems (Pvt) Ltd., Near Super Highway,Ashanabad Industrial Area Karachi.	No Change
		Diamond Wire Saw Stone Cutting Machine	Diamond Wire Linear Speed 30-50 m/Sec, Feed 300-1000 mm/min, length of Rail 2-3 meter, size 880x800x730, weight 650kg to 2000 kg, Flywheel die meter 405mm to 1000 mm	- D75 HP, D50 HP, D25 HP	--	Pakistan Machine Tool Factory (Pvt) Limited PMTF Road, Off National Highway, Landhi, Karachi-75030	No Change
		Down the Hole Drilling	Hight/Width max 2870 x 680mm, Rotation speed max 70rpm, Hammer up/down 5m/min, Drilling Depth max, 15m, Hammer and Road Diameter Max 90mm, Air Consumption 5100 L/m, Supply Pressure 6-7 bar, Machine Weight 160 kg	- Drilling Depth 15 m	--		No Change
		Air Pillow Plant	Machine Tools for working stone, ceramics concrete asbestos-cement	--	--		No Change
825	84659110	Machine-tools, sawing, for working wood/ cork/ hard rubber	Blade Length not exceeding 45.7 cm	--	--	Pakistan Machine Tool Factory (Pvt) Limited PMTF Road, Off National Highway, Landhi, Karachi-75030	No Change
826	84713010	Desktop Computer	With all Intel AMD Processor	--	--	OneApple International Corporation Plot # 12 Sector 24+ Main Korangi Road, Sector 24, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
827	84713020	i) Mini PC Barebone	Mini Pc barebone without processor, Ram, HDD with 7 th & 8 th Generation motherboard	--	--	OneApple International Corporation Plot # 12 Sector 24+ Main Korangi Road, Sector 24, Karachi	No Change
		ii) All in One Computer	All in one computer with Intel & AMD all type of processor including DDR3 & DDR4 ram screen size 18.5", 19.5", 21.5", 27", 32"	--	--		No Change
828	84715000	SNMP to MODBUS Protocol Converter	Intelligent SNMP Master to MODBUS Slave converter specially tailored to suit telecom requirement where remort monitoring of Ethernet/SNMP enabled devices is required over standard MODBUS interface. Used for monitoring of large rectifiers, UPS & environment equipment in data centers. Operating Voltage Range: 12-35Vdc. Power Consumption: < 3 watts. SNMP Manager Port: Standard Ethernet Interface. MODBUS Slave Port: RS485. Baud Rate: upto 115200 bps (default: 9600bps). Connector (for configuration): USB	Enclosure: ABS Plastic. Mounting Style: Din Rail / Panel Mount Dimensions: 90x115x40 mm. Weight: 150g	--	SalTec Smart Power (Pvt.) Ltd., Powerlink, 1-A/2, Sector 15, Korangi Industrial Area, Karachi	Name of Saltec Powelink changed to SalTec Smart Power (Pvt.) Ltd., as shown. Proof of name change provided.
829	84716010	Wired Keyboard	Wired keyboard in PS/2, USB port	--	--	OneApple International Corporation Plot # 12 Sector 24+ Main Korangi Road, Sector 24, Karachi	No Change
830	84716020	Mouse	Mouse in PS/2, USB port	--	--	OneApple International Corporation Plot # 12 Sector 24+ Main Korangi Road, Sector 24, Karachi	No Change
831	84732100	Biometric Time Attendance Control Solution	--	--	--	Digitec Systems, Plot No. 178, Sector-24, Korangi Industrial Area, Karachi.	No Change
832	84741010	Cement Plant/ equipment /Machines, screening, for earth, stone,	Chain Cleats, End Carriage, Steel Mandrills, Kiln Supporting Structures, Clinker Dryer Shell, Apron Feeder, Screw Conveyors, Air Slide Conveyors, Pan Conveyor, Bucket Elevators, Chain Conveyors, Dust Collectors, Dust Chamber, Cyclones, Hoppers / Silos, Clinker Cooler's Supporting Structure, Kiln shell, M.S Pans, Fabrication of vertical grinding Mill (VR-7), Grate Coolers, Electrostatic Precipitators for Kiln & Cooler de-dusting up gradation	For Cement Plants of upto 3500 TONS/DAY AISI	-	1) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 2) Qadbro Engineering (Pvt) Ltd., 9-A Link Ravi Road, Badami Bagh, Lahore 3) A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore. 4) Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi 5) SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi	No Change
833	84741020	Machines, screening, for earth, stone,	For Cement Plants of upto 3500 TONS/DAY AISI	--	--	SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
834	84742010	Machines, grinding / crushing, for earth, stones,	For Cement Plants of upto 3500 TONS/DAY AISI	--	--	1) SEFEC Engineering (Pvt.) Ltd., 44-C, First Floor, 11th Jami Commercial Street, Phase-VII, Defence Housing Authority, Karachi 2) Qadbros Engineering (Pvt) Ltd., 9-A Link Ravi Road, Badami Bagh, Lahore 3) A.B.S Engineering Corporation (Pvt) Ltd., F-492, S.I.T.E, Karachi- 75700	No Change
835	84742090	Machines, crushing, for earth, stone,	As per fabrication drawings and Client's requirement.	--	--	1) A.B.S Engineering Corporation (Pvt) Ltd., F-492, S.I.T.E, Karachi- 75700 2) Qadbros Engineering (Pvt) Ltd., 9-A Link Ravi Road, Badami Bagh, Lahore	No Change
836	84748090	i) Machines, agglomerating, for mineral products	Two three phase separators, absorption tower columns wall thickness upto 120 mm, process reactors wall thickness up to 120 mm , pressure vessels based on ASME codes, tubular heat exchangers tema standards, tubular condensers TEMA standards, plain / fin tube air collar , LPG storage tanks base on ASME codes , Oil storage tanks base on API codes , Heat recovery boilers, steel structures, process & utilities piping off ,site utilities, Gas sweetening unit ,Amine absorption unit ,Gas dehydration unit, Glycol dehydration plant, Flare Stack system, LPG recovery unit, Sulphur recovery unit.	--	--	1) Petrosin Ravi Industries Ltd., Shakra-i-Pakistan Kala Shah Kakoo G.T Road Lahore 2) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000	No Change
		ii) Storage Tanks/Pressure Vessels	Reservoirs, Tanks, Road Tankers, Deaerator Tanks, Feed Water Tanks, Clarified Tanks, Underground Tanks, Skid Mounted Fuel Tank Capacity: as per our client requirement.	Design Code: API 650 / ASME Material: Carbon Steel Internal Lining: Fibercoating/Epoxy	Support stimulation fluids/acid upto 16%	1) Al-Jassar Engineering Co., 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad. 2) Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi	No Change
837	84749020	Parts of Cement plant	Cement plant upto 4000 TPD	--	--	1) Heavy Mechanical Complex (Pvt) Ltd., Taxila 2) Qadbros Engineering (Pvt) Ltd., 9-A Link Ravi Road, Badami Bagh, Lahore	No Change
838	84796000	Room Air Coolers	Power source: 220 CV/230V, 50 Hz, Fan Speed: High 1350 RPM, Low 1150 RPM, Water Tank Capacity: 60 litres, Net weight: 45.50 Kg, Gross weight: 49.50 Kg	--	--	Wahid Industries Ltd., G. T. Road, Gujrat	No Change
839	84798290	i) Pharmaceutical Machines	Mixer/ Blenders Capacity upto 5.0 tons/ hr	--	--	FD & C (Pvt) Ltd., F -116, S.I.T.E. Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		ii) Gas / Fuel Conditioning Skids . Instrument Gas Scrubber Skid . Sour Gas Conditioning Skid . Scrubbers . Filters	Stainless Steel, Carbon Steel, Alloy Steel & as per customer requirements	--	--	1) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore 2) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan 3) A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore.	No Change
840	84798990	i) Pig Launcher/ Reciever	As per requirement	-	-	1) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 2) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan	No Change
		ii) Dehumidifiers/ Desiccant Dehumidifier	De-humidifying capacity: (50L/day to 120 L/day) CFM (Process Air) : 100 to 200	--	--	Sabro Technologies (Pvt) Ltd., Plot No. 270, Industrial Triangle Kahuta Road Islamabad	No Change
		iii) 2 and 3 Phase Separators (Test & Production)	60 MMSCFD & as per customer requirements	--	--	1) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore 2) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan	No Change
		iv) Pharmaceutical Machines	i) Cream Ointment & Paste Processing and packaging machines, Capacity upto 1500 Kg/Hr ii) Tablet Processing Machines (i) Wet Granulator & Kneader Capacity upto 1 ton/ batch (ii) Dryer Capacity upto 1 ton/ batch (iii) Milling and wet/ dry sizer Capacity upto 800 Kg/hr (iv) Sifter and Sever Capacity upto 500 Kg/Hr	--	--	FD & C (Pvt) Ltd., F -116, S.I.T.E. Karachi	No Change
		v) Gas / Fuel Conditioning Skids . Instrument Gas Scrubber Skid . Sour Gas Conditioning Skid . Scrubbers . Filters	Stainless Steel, Carbon Steel, Alloy Steel & as per customer requirements	--	--	1) DDFC (Pvt.) Ltd., 27 KM, Multan Road, Lahore 2) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan 3) A.J. Corporation 86-D, Commercial Area, Phase 12, DHA EME Sector, Multan Road, Lahore.	No Change
841	84799010	Evaporative Cooling Pad	H(mm)=2000 & 1000 W(mm)=600 D(mm)=150,100	Brown Clour, Water Absorbing, Paper Product Bear High Pressure i-e air	Does not affected by Acids Bases, impregnated by phenolic thermosetting resin, protected from fungi bacteria	Superkool (Pvt) Limited, Opposit Haji Park Sialkot Bypass near Beacon House School, Gujranwala.	No Change
842	84799090	Vacuum Pans for sugar mills	120 Tons Strike Cap. For Sugar Mills	--	--	1) The Star Mughal Industries (Pvt) Ltd., Sharifpuraa, G.T. Road Gujranwala 2) Qadbros Engineering (Pvt) Ltd., 9-A Link Ravi Road, Badami Bagh, Lahore	No Change
843	84807900	Graphite Mould & Handle for Exothermic Welding	NTDC-WAPDA P-114:82	--	--	Shaheen Traders, 1-KM Abu Bakar Road, Near Saggian Flyover, Ring Road, Lahore	
844	84813000	i) Check Valves	i) Cast Steel Check Valves Flanged 2" to 18" (excluding valves complying with valid API 6D ans NACE compliance)	As per API - 600	ASTM-A 216 WCB	Popular Pipe Fitting Manufacturers 24-Shalamar Town Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
			ii) B.S. 5153; upto 24" dia (excluding valves complying with valid API 6D ans NACE compliance)	Cast Iron	Grade 14 Mechanite Type GD	Ghulam Mohi-ud-Din & Sons, 6 Rehman Gali, Railway Road, Lahore	No Change
			iii) ANSI B 16.5; upto 24" dia (excluding valves complying with valid API 6D ans NACE compliance)	Cast Steel/ Carbon Steel	A216 GrWCB		No Change
		ii) Non Return Valves also known as Check Valves.	(a) Swing Type: Sizes: 1-1/2" to 24", Standard: BS 5153 & BS 4090 & BS 12334. JIS 10K, JIS 16K, Class 125 & Class 150 (b) Wafer Type: Sizes: 1-1/2" to 24", Standards: BS 5155 & BS 593, JIS 10K, JIS 16K (c) Lift Check Valve (Spring Loaded): Sizes: 1-1/2" to 24", Standards: DIN 3230 & EN 558, JIS 10K, JIS 16K (Excluding of API, ANSI, & NACE Certification)	Pressure rating: PN-10 & PN-16, PN-25 & Class 125 & Class 150 Temp. rating: Upto 200°C, upto 350°C, Pressure rating: PN-10 & PN-16, Temp. rating: Upto 200°C, Upto 350°C, Pressure rating: PN-10, PN-16, PN-25, Temp. rating: Upto 200°C, Upto 350°C	Cast Iron GG25, Ductile Iron EN-JS-1050, Nodulor Iron GGG40.3	SAFCO (Scon Valves), 1st Floor, Asif Chambers, 14-A, Davis Road, Lahore-32 BI Main Gulberg, Lahore.	No Change
		iii) Tube Valves for Bicycle Tubes (TR1 28/32 VAR 28/32), Motorcycle tubes (TR4), Light Truck tubes (TR13, TR15), Motorcycle/Rickshaw/Scotter tubes (TR87, DIN7777, JS87C), Passenger Cars (TR413)				Topnotch Rubber and Metal Industrial Co. Ltd., Plot No. 35A, FIEDMC, sahanwala, Faisalabad	Topnotch Rubber and Metal Industries requested to enlist this item in the list. Relevant information provided and also been physically verified.
845	84814000	i) Air Relief Valves	Kinetic: upto 24" dia (Excluding valves with NACE compliance, Alloy Steel and with valid API 6A & 6D certification except those under PCT 7306.1000)	Cast Iron	Grade 14 Mechanite Type GD	Ghulam Mohi-ud-Din & Sons, 6 Rehman Gali, Railway Road, Lahore	No Change
		ii) Safety shut off valve Model # LA/BP250 iii) Safety shut off valve Model # LA/TR-507	LFC-968 / LFC-969	--	--		No Change
846	84818090	i) Gate Valves/ Sluice Valves	i) B.S.S. 5163, 5150, 3464, 1218, AWWA C-500; upto 24" dia [Excluding Critical Downhole valves with NACE compliance, Alloy Steel and with valid API 6A & 6D certification except those under PCT 7306.1000]	Cast Iron	Grade 14 Mechanite Type GD	Ghulam Mohi-ud-Din & Sons, 6 Rehman Gali, Railway Road, Lahore	No Change
			ii) ANSI B 16.5; upto 24 " dia [Excluding valves with NACE compliance, Alloy Steel and with valid API 6A & 6D certification except those under PCT 7306.1000]	Cast Steel/ Carbon Steel	A216 GrWCB		No Change
			iii) Cast Steel Gate Valves Flanged OS & Y Type Solid Wedge. 2" to 18" (excluding valves with NACE compliance)	As per API - 600	ASTM-A 216 WCB	Popular Pipe Fitting Manufacturers, 24-Shalamar Town Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
			iv) PN 1.6, DN 50, 65, 80, 100, 125, 150, 250, PN 10, DN 50, 100, 150, 250, 300, PN 2.5, DN 20, 25, 50, 65, 80, 100, 200, 250, PN 4.0, DN 50, 80, 100, 125, 150	--	--		No Change
		ii) C.I. Gate Valves	i) Cast Iron Gate Valves Flanged 2" to 20" ii) Cast Iron Globe Valves Flanged 2" to 14" iii) Cast Iron Check Valves Flanged 2" to 16"	--	Grey Cast Iron		No Change
		iii) C.I. Rubber Diaphragm Valves	Cast Iron Rubber Diaphragm Valves 2" to 10"	--	Grey Cast Iron		No Change
		iv) Globe Valves	Cast Steel Globe Valves Flanged 2" to 14" (excluding valves complying with NACE)	--	ASTM-A 216 WCB		No Change
		v) Stop Valves	PN 10, DN 25, PN 1.6, DN 20, DN 10 PN 10,	--	--		No Change
		vi) Gate Valve, Rising Stem (OS&Y) & Non Rising Stem also known as SLUCE Valve.	Sizes: 2" to 24"- Standards: BS 5150 & EN 1171, Class 125, JIS 10K, JIS 16K, Class 150 & DIN 3352-1 (PN10) (Excluding of API, ANSI, & NACE Certification)	Pressure rating: PN-10 & PN-16, PN-25 & Class 125 & Class 150 Temp. rating: Upto 200°C, Upto 350°C	Cast Iron GG25, Ductile Iron EN-JS-1050, Nodulor Iron GGG40.3	SAFCO (Scon Valves), 1st Floor, Asif Chambers, 14-A, Davis Road, Lahore. 32 BI Main Gulberg, Lahore.	SAFCO (Scon Valves) requested to change their address, as shown. Further, Scon Valves is requested to clarify their registrerd company name; however, no response yet.
		vii) Globe Valve, also known as Steam Valve.	Sizes: 1/2" to 24"- Standards: DIN 3230 & EN 558 & JIS 10K, JIS 16K, Class 150 & Class 125 (Excluding of API, ANSI, & NACE Certification)	Pressure rating: PN-16, PN25 & Class 125 & Class 150, Temp. rating: Upto 200°C, Upto 350°C	Cast Iron GG25, Ductile Iron EN-JS-1050, Nodulor Iron GGG40.3		No Change
		viii) Strainer Valve also known as (Filter).	Sizes: 2" to 24" (Excluding of API, ANSI, & NACE Certification)	Pressure rating: PN-16, PN-25, Temp. rating: Upto 200°C, Upto 350°C	Cast Iron GG25, Ductile Iron EN-JS-1050, Nodulor Iron GGG40.3		No Change
		ix) Double Regulating Valve also known as Balancing Valve & Combination Flow Regulating Valve & Circuit Setter Valve	Sizes: 2-1/2" to 12"- Standards: BS 5152 & EN 13789 (Excluding of API, ANSI, & NACE Certification)	Pressure rating: PN-16, PN-25, Temp. rating: Upto 200°C, Upto 350°C	Cast Iron GG25, Ductile Iron EN-JS-1050, Nodulor Iron GGG40.3		No Change
		x) Butterfly Valve (Wafer Type)	Sizes: 2" to 24"- Standards: BS 5155 & EN 558 & DIN 3202 & EN 593 & Class 125 & Class 150, & JIS 10K, JIS 16K (Excluding of API, ANSI, & NACE Certification)	Pressure rating: PN-10 & PN-16, Temp. rating: Upto 200°C, Upto 350°C	Cast Iron GG25, Ductile Iron EN-JS-1050, Nodulor Iron GGG40.3		No Change
		xi) Service Valve Lock Wing Type	3/4"x1/2" with insulated Union	Elongation 30%, Breaking load 21132.8 kg	ASTM A-126, C-3.45%, Si-1.88%, Mn-0.50	Sindh Standard Engineering Works, F-713-A, S.I.T.E, Metrovill, Karachi	No Change
847	84821000	i) UC Bearing (UC204 upto UC216) ii) Ball Bearing (6200ZZ/2RS upto 6218ZZ/2RS, 6300ZZ/2RS upto 6318ZZ/ 2RS, 6403ZZ/2RS upto 6418		--	--	Maryam Bearing Industries, 22 KM Sheikhpura Road, Mouza Khanpur, Nabipura Freozawala	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
848	84822000	Tapered Roller Bearing	30202 upto 30222, 30302 upto 30322 32203 upto 32222, 32303 upto 32322 11590/11520 upto 738249/ 7380248, 48548, 67048, 25590, 11949 etc	--	--	Maryam Bearing Industries, 22 KM Sheikhpura Road, Mouza Khanpur, Nabipura Freozawala	No Change
849	84823000	Spherical Roller Bearing	22205 upto 22222 22308 upto 22322	--	--	Maryam Bearing Industries, 22 KM Sheikhpura Road, Mouza Khanpur, Nabipura Freozawala	No Change
850	84832000	i) Cylindrical Self Lubricating bushes	Used in Home Appliances (Fans, Washing Machines etc.), Door Closers, Weaving Machines and other misc. equipments. As per company / customers requirements	ID = 6 - 50 mm, OD = 9 - 60 mm, Length = 6 - 50 mm, Hardness in 0-90 HRB	(a) Iron = Balance, Copper = 12 - 18% (b) Iron = Balance, Copper = 0 - 2%, Carbon = 0 - 0.6% (c) Copper = Bal., Tin = 8.5-9.5% (d) Copper = Bal., Iron <= 25%, Tin = 6.5-7.5%, Carbon <= 0.8%	Adamjee Engineering (Pvt.) Ltd., Plot No. 1 & 16, Sector 20, Korangi Industrial Area, Karachi	No Change
		ii) Flange Self Lubricating bushes		ID = 6 - 40 mm, OD = 12 - 50 mm, Length = 6 - 50 mm, Flange Dia = 14 - 60 mm. Flange Height = 2 - 5 mm, Hardness in 0-90 HRB			No Change
		iii) Spherical Self Lubricating bushes		ID = 6 - 40 mm, OD = 12 - 50 mm, Length = 6 - 50 mm, Flange Dia = 40 mm max, Flange Height = 35 mm max, Hardness in 0-90 HRB			No Change
		iv) Spherical Self Lubricating bushes					No Change
851	84833020	Bearings, Plain Shafts, excluding carbon or graphite.	Self Lubricating, Sintered bearings. ID : 40mm, OD : 50mm, Lengths : 65mm	Cylindrical, Flanged and Spherical.	97% Iron & 3% Copper, 80% Iron & 20% Copper, 80% Copper and 20% Iron and 100% Bronze.	Adamjee Engineering (Pvt.) Ltd., Plot No. 1 & 16, Sector 20, Korangi Industrial Area, Karachi	No Change
852	84833090	i) Cylindrical Self Lubricating bushes	Used in Home Appliances (Fans, Washing Machines etc.), Door Closers, Weaving Machines and other misc. equipments. As per company / customers requirements	ID = 6 - 50 mm, OD = 9 - 60 mm, Length = 6 - 50 mm, Hardness in 0-90 HRB	(a) Iron = Balance, Copper = 12 - 18% (b) Iron = Balance, Copper = 0 - 2%, Carbon = 0 - 0.6% (c) Copper = Bal., Tin = 8.5-9.5% (d) Copper = Bal., Iron <= 25%, Tin = 6.5-7.5%, Carbon <= 0.8%	Adamjee Engineering (Pvt.) Ltd., Plot No. 1 & 16, Sector 20, Korangi Industrial Area, Karachi	No Change
		ii) Flange Self Lubricating bushes		ID = 6 - 40 mm, OD = 12 - 50 mm, Length = 6 - 50 mm, Flange Dia = 14 - 60 mm, Flange Height = 2 - 5 mm, Hardness in 0-90 HRB			No Change
		iii) Spherical Self Lubricating bushes		ID = 6 - 40 mm, OD = 12 - 50 mm, Length = 6 - 50 mm, Flange Dia = 40 mm max, Flange Height = 35 mm max, Hardness in 0-90 HRB			No Change
		iv) Spherical Self Lubricating bushes					No Change
853	84834090	Gears, power transmission	Ring, spiral bevel, spur, shafts & couplers	Hardened and carburized	Various grades of mild steel	1) Millat Equipment Ltd., 10 KM, Raiwind Road Lahore 2) Pakistan Machine Tool Factory (Pvt) Limited, PMTF Road, Off National Highway, Landhi, Karachi-75030	No Change
854	85011000	AC Synchronous Moving Motor	Upto 7 Watt	Metal body	--	Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore	No Change
855	85013100	DC Connector with O/P power of not exceed 12 kw	4.5-12 kw	DC O/P Generator	--	Alpine Industrialcon (Pvt) Ltd., 305/2, G.T. Road, Baghbanpura, Lahore	No Change
856	85014010	Single Phase Squirrel cage electric induction motors	200V-240V, 50HZ, Range : 0.5 HP (0.37KW) to 2HP (1.5KW)	--	--	MECO (Pvt) Ltd., Peco Road, Kot Lakhpat, Lahore	No Change
857	85014090	Single Phase Squirrel cage electric induction motors	200V-240V, 50HZ, Range : 0.5 HP (0.37KW) to 2HP (1.5KW)	--	--	MECO (Pvt) Ltd., Peco Road, Kot Lakhpat, Lahore	No Change
858	85015190	i) 3-Phase Vertical hollow shaft electric motors.	380V-480V, 50/60 Hz Range : 10HP (7.5Kw) to 220Hp (164Kw)			MECO (Pvt) Ltd., Peco Road, Kot Lakhpat, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		ii) Electric Motors (Low Voltage Induction Motors)	Horizontal, Vertical, Solid Shaft & Hollow Shaft Motors. 3 phase squirrel cage Induction motor excluding flame proof motors, Range 0.55KW to 355KW Efficiency Class IE1 & IE2	-	-	KSB Pumps Company Limited, 16/2, Sir Agha Khan Road, Lahore	No Change
859	85015210	Submersible Electric Motors of Stainless Steel	Range (4 KW to 75 KW), 3-Phase, 380-415V 50/60Hz and 6 - Inch, 8 - Inch, NEMA Standard	Water/ Oil Cooled, Rewindable Stator	Stainless Steel AISI-304	Komax Pvt Ltd., Plot No. 722, Sunder Industrial Estate, Raiwind Road, Lahore	No Change
860	85015310	Electric Motors (Low Voltage Induction Motors)	Horizontal, Vertical, Solid Shaft & Hollow Shaft Motors. 3 phase squirrel cage Induction motor excluding flame proof motors, Range 0.55KW to 355KW Efficiency Class IE1 & IE2	-	-	KSB Pumps Company Limited, 16/2, Sir Agha Khan Road, Lahore	No Change
861	85015320	Submersible Electric Motors of stainless steel	Range From 30 kW (40 HP) to 130 kW (175HP),220/380/460 Volts, 50Hz/60 Hz, 2-Pole/4-Pole, 8-inch NEMA Standard.	Water/ Oil Cooled, Rewindable Stator	Stainless Steel AISI 304	Komax Pvt Ltd., Plot No. 722, Sunder Industrial Estate, Raiwind Road, Lahore	No Change
862	85016100	Diesel Power Generting Set	750 KVA	Sound Proof	--	Smart Power Systems (Pvt) Ltd., Near Super Highway,Ashanabad Industrial Area Karachi.	No Change
863	85021120	Diesel Power Generating Sets	Of an output of above 5KVA but not exceeding 20 KVA	--	--	1) Gresham's Eastern (Pvt) Limited, F-302, S.I.T.E, Karachi 2) General Electromax Company, 11-Km Jaranwala Road, Near Nazir CNG, Lahore 3) The Imperial Electric Co. (Pvt) Ltd., 28-Egerton Road, Lahore 4) Power Vision Systems (Pvt) Ltd., 16KM, Multan Road, Pakka Mile Stop Shahpur Kanjran, Lahore 5) Millat Tractors Ltd., Sheikhpura Road, P.O.Box 12023, Shahdra Lahore 6) Synergy Corporation, A-16, Sector 6-F, Mehran Town, Korangi Industrial Area, Karachi 7) Iman Group, Plot No. 227, St No. 7, Sector I-9/2 Industrial Area, Near Dry Port Islamabad 8) Advance Electronics International, L/21-D, Block-21, F.B. Industrial Area, Rashid Minhas Road, Karachi – 75700	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
864	85021130	Diesel Power Generating Sets	Of an output of above 20KVA but not exceeding 50 KVA	--	--	1) Gresham's Eastern (Pvt) Limited, F-302, S.I.T.E, Karachi 2) General Electromax Company, 11-Km Jaranwala Road, Near Nazir CNG, Lahore 3) The Imperial Electric Co. (Pvt) Ltd., 28-Egerton Road, Lahore 4) Power Vision Systems (Pvt) Ltd., 16KM, Multan Road, Pakka Mile Stop Shahpur Kanjran, Lahore 5) Millat Tractors Ltd., Sheikhpura Road, P.O.Box 12023, Shahdra Lahore 6) Synergy Corporation, A-16, Sector 6-F, Mehran Town, Korangi Industrial Area, Karachi 7) Iman Group, Plot No. 227, St No. 7, Sector I-9/2 Industrial Area, Near Dry Port Islamabad 8) Advance Electronics International, L/21-D, Block-21, F.B. Industrial Area, Rashid Minhas Road, Karachi – 75700	No Change
865	85021190	Diesel Power Generating Sets	Of an output of above 50KVA but not exceeding 75 KVA 20 KW - 75 KW Diesel Daewoo, Perkins, Peugeot	--	--	1) Gresham's Eastern (Pvt) Limited, F-302, S.I.T.E, Karachi 2) General Electromax Company, 11-Km Jaranwala Road, Near Nazir CNG, Lahore 3) The Imperial Electric Co. (Pvt) Ltd., 28-Egerton Road, Lahore 4) Power Vision Systems (Pvt) Ltd., 16KM, Multan Road, Pakka Mile Stop Shahpur Kanjran, Lahore 5) Millat Tractors Ltd., Sheikhpura Road, P.O.Box 12023, Shahdra Lahore 6) Synergy Corporation, A-16, Sector 6-F, Mehran Town, Korangi Industrial Area, Karachi 7) Iman Group, Plot No. 227, St No. 7, Sector I-9/2 Industrial Area, Near Dry Port Islamabad 8) Advance Electronics International, L/21-D, Block-21, F.B. Industrial Area, Rashid Minhas Road, Karachi – 75700	No Change
866	85021200	Diesel Power Generating Sets	Of an output of above 75KVA but not exceeding 375 KVA	--	--	1) Gresham's Eastern (Pvt) Limited, F-302, S.I.T.E, Karachi 2) General Electromax Company, 11-Km Jaranwala Road, Near Nazir CNG, Lahore 3) The Imperial Electric Co. (Pvt) Ltd., 28-Egerton Road, Lahore 4) Power Vision Systems (Pvt) Ltd., 16KM, Multan Road, Pakka Mile Stop Shahpur Kanjran, Lahore 5) Millat Tractors Ltd., Sheikhpura Road, P.O.Box 12023, Shahdra Lahore 6) Synergy Corporation, A-16, Sector 6-F, Mehran Town, Korangi Industrial Area, Karachi 7) Iman Group, Plot No. 227, St No. 7, Sector I-9/2 Industrial Area, Near Dry Port Islamabad 8) Advance Electronics International, L/21-D, Block-21, F.B. Industrial Area, Rashid Minhas Road, Karachi – 75700	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
867	85021310	Diesel Power Generating Sets	Of an output of above 375KVA but not exceeding 1100 KVA	--	--	1) Gresham's Eastern (Pvt) Limited, F-302, S.I.T.E, Karachi 2) General Electromax Company, 11-Km Jaranwala Road, Near Nazir CNG, Lahore 3) The Imperial Electric Co. (Pvt) Ltd., 28-Egerton Road, Lahore 4) Power Vision Systems (Pvt) Ltd., 16KM, Multan Road, Pakka Mile Stop Shahpur Kanjran, Lahore 5) Millat Tractors Ltd., Sheikhpura Road, P.O.Box 12023, Shahdra Lahore 6) Synergy Corporation, A-16, Sector 6-F, Mehran Town, Korangi Industrial Area, Karachi 7) Iman Group, Plot No. 227, St No. 7, Sector I-9/2 Industrial Area, Near Dry Port Islamabad 8) Advance Electronics International, L/21-D, Block-21, F.B. Industrial Area, Rashid Minhas Road, Karachi – 75700 9) Smart Power Systems (Pvt) Ltd., Near Super Highway, Ashanabad Industrial Area Karachi.	No Change
868	85021390	Diesel Power Generating Sets	Of an output of above 1100KVA but not exceeding 1250 KVA	--	--	1) Gresham's Eastern (Pvt) Limited, F-302, S.I.T.E, Karachi 2) General Electromax Company, 11-Km Jaranwala Road, Near Nazir CNG, Lahore 3) The Imperial Electric Co. (Pvt) Ltd., 28-Egerton Road, Lahore 4) Synergy Corporation, A-16, Sector 6-F, Mehran Town, Korangi Industrial Area, Karachi 5) Iman Group, Plot No. 227, St No. 7, Sector I-9/2 Industrial Area, Near Dry Port Islamabad 6) Advance Electronics International, L/21-D, Block-21, F.B. Industrial Area, Rashid Minhas Road, Karachi – 75700	No Change
869	85022020	Generating Sets with spark-ignition internal combustion piston engines	Above 5KVA to 1250 KVA	--	--	1) Gresham's Eastern (Pvt) Limited, F-302, S.I.T.E, Karachi 2) Advance Electronics International, L/21-D, Block-21, F.B. Industrial Area, Rashid Minhas Road, Karachi – 75700	No Change
870	85022090	Genertors Fabrication ATS Panal	375 KVA but not exceeding 1100 KVA	--	--	Smart Power Systems (Pvt) Ltd., Near Super Highway, Ashanabad Industrial Area Karachi.	No Change
871	85030090	i) Carbon Seal (Mechanical) ii) Carbon Ring (Electrical) iii) Carbon Vane Plate (Mechanical)	Carbon Graphite	Mechanical	Various	Flecbon Corporation, OT 204, 2nd Floor, Techno City Office Tower, Hasrat Mohani Road, Off. I.I. Chundgrigar Road, Opp. Uni Plaza, P.O. Box 6123, Karachi	No Change
872	85042100	Transformers	i) Liquid dielectric distribution transformers with power handling capacity 5 kVA to 650 kVA and voltages 230V to 132000V. Rating use at nominal system voltage upto 145000V and current rating upto 6000A.	--	--	Validus Engineering (Pvt) Ltd., B-72, Estate Avenue, SITE, Karachi-75700	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
			ii) <u>Distribution Transformers (Pole Mounted)</u> - Capacity: 10 KVA to 630 KVA - 11 KV/ 415 Volt Step Down - 33 KV/ 415 Volt Step Down - 11 KV / 420 Volt Step Down iii) <u>Pad Mounted Transformer (Kiosk)</u> - Capacity: 63 KVA (Single Phase), 100 KVA, 200 KVA, 400 KVA & 630 KVA (3-Phase) with H.V. & L.V. Panels (Step Down) iv) <u>Shell Type or Toroidal Type Transformer</u> - Single or three phase - Air cooled or oil cooled	--	--	1) Transfopower Industries (Private) Limited, 2 Km, Katar Bund Road, Off. Multan Road, Thokar Niaz Beg, Lahore 2) Elmetec (Pvt) Ltd., 19 KM Ferozepur Road, Lahore 3) Star Waves Enterprises, Plot ST-18A C8 & C8A, Saghir Centre, Block 16, Federal B Area, Karachi	New Company. Reference not found Need to be visited
873	85042200	i) Transformers	Liquid dielectric distribution transformers with power handling capacity exceeding 650 KVA but not exceeding 10,000 KVA and voltages 230V to 132000V. Rating use at nominal system voltage upto 145000 volts and current upto 6000 Amps	--	--	1) Validus Engineering (Pvt) Ltd., B-72, Estate Avenue, SITE, Karachi-75700 2) Elmetec (Pvt) Ltd., 19 KM Ferozepur Road, Lahore	No Change
		ii) Power Transformers / Furnance Transformers/ Special Transformers	<u>Power Transformers</u> - Capacity: 750 KVA to 5000KVA - 11 KVA/ 415 Volt Step Down - 33 KV / 415 Volt Step Down - 11 KVA/ 420 Volt Step Down <u>Furnance Transformers</u> - Upto 5000KVA - Specific requirement of the Customers <u>Special Transformers</u> - Upto 5000KVA - Specific requirement of the Customers	--	--	Transfopower Industries (Private) Limited, 2 Km, Katar Bund Road, Off. Multan Road, Thokar Niaz Beg, Lahore	No Change
874	85042300	Transformers	Liquid dielectric distribution transformers with power handling capacity over 10,000 KVA voltages 230V to 132000V. Rating use at nominal system voltage upto 145000V and current rating upto 6000A.	--	--	Validus Engineering (Pvt) Ltd., B-72, Estate Avenue, SITE, Karachi-75700	No Change
875	85043100	i) Instrument Transformers	Power Handling capacity not exceeding 1 KVA (Dry Type) As per IEC / WAPDA / KESC Specifications	Oil Immersed	--	1) Johnson & Phillips (Pakistan) Ltd., C-10, South Avenue, S.I.T.E., P.O Box No. 3603, Karachi - 75700 2) Elmetec (Pvt) Ltd., 19 KM Ferozepur Road, Lahore	No Change
		ii) Power Line Conditioner (Solid State AVR) 1000 VA To 40,000 VA	Power Guard Phase/Three Phase	--	--	Systek (Pvt.) Ltd, H.No# 115/1, Street No. 17, Off Khayaban-e- Muhafiz , Phase 6, DHA, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
876	85043200	i) Distribution Transformers	<u>Distribution Transformers (Pole Mounted)</u> - Capacity: 5 KVA to 15 KVA - 11 KVA/ 415 Volt Step Down - 33 KV/ 415 Volt Step Down - 11 KVA / 420 Volt Step Down	Pole Mounted As per IEC/ WAPDA/ KESC Specifications	--	1) Transfopower Industries (Private) Limited, 2 Km, Katar Bund Road, Off. Multan Road, Thokar Niaz Beg, Lahore 2) Johnson & Phillips (Pakistan) Ltd., C-10, South Avenue, S.I.T.E., P.O Box No. 3603, Karachi - 75700 3) Elmetec (Pvt) Ltd., 19 KM Ferozepur Road, Lahore	No Change
		ii) Power Line Conditioner (Solid State AVR) 1000 VA To 40,000 VA	Power Guard Phase/Three Phase	--	--	Systek (Pvt.) Ltd, H.No# 115/1, Street No. 17, Off Khayaban-e- Muhafiz , Phase 6, DHA, Karachi	No Change
877	85043300	i) Transformers	Power Handling capacity exceeding 16 KVA but not exceeding 500 KVA As per IEC / WAPDA / KESC Specifications	Oil Immersed	--	1) Johnson & Phillips (Pakistan) Ltd., C-10, South Avenue, S.I.T.E., P.O Box No. 3603, Karachi - 75700 2) Elmetec (Pvt) Ltd., 19 KM Ferozepur Road, Lahore	No Change
		ii) Oil-Immersed Transformers	300KVA to 1700KVA			1) Transfopower Industries (Private) Limited, 2 Km, Katar Bund Road, Off. Multan Road, Thokar Niaz Beg, Lahore 2) Johnson & Phillips (Pakistan) Ltd., C-10, South Avenue, S.I.T.E., P.O Box No. 3603, Karachi - 75700 3) Elmetec (Pvt) Ltd., 19 KM Ferozepur Road, Lahore 4) Validus Engineering (Pvt) Ltd. B-72, Estate Avenue, SITE, Karachi-75700	No Change
		iii) Power Line Conditioner (Solid State AVR) 1000 VA To 40,000 VA	Power Guard Phase/Three Phase	--	--	Systek (Pvt.) Ltd, H.No# 115/1, Street No. 17, Off Khayaban-e- Muhafiz , Phase 6, DHA, Karachi	No Change
		iv) Current/Potential Transformer		--	--	Emco Industries Limited, 4th-Floor, National Tower, 28-Edgerton Road, Lahore	EMCO industries requested to include transformer in the list; however, needs to be confirmed.
878	85043400	i) Transformers	Ratings upto 160MVA,Voltage rating upto 220KV,Oil filled type,standard IEC76,	--	--	Heavy Electrical Complex, Industrial Estate Distt. Haripur	No Change
		ii) Power Transformers / Furnance Transformers/ Special Transformers	<u>Power Transformers</u> - Capacity: 750 KVA to 5000KVA - 11 KVA/ 415 Volt Step Down - 33 KV / 415 Volt Step Down - 11 KVA/ 420 Volt Step Down <u>Furnance Transformers</u> - Upto 5000KVA - Specific requirement of the Customers <u>Special Transformers</u> - Upto 5000KVA - Specific requirement of the Customers	As per IEC/ WAPDA/ KESC Specifications	--	1) Transfopower Industries (Private) Limited, 2 Km, Katar Bund Road, Off. Multan Road, Thokar Niaz Beg, Lahore 2) Johnson & Phillips (Pakistan) Ltd., C-10, South Avenue, S.I.T.E., P.O Box No. 3603, Karachi - 75700 3) Elmetec (Pvt) Ltd., 19 KM Ferozepur Road, Lahore	No Change
879	85044010	i) Uninterrupted power supply (UPS)	500VA to 6600VA	Standard & Long Backup	--	SalTec Powerlink, 1-A/2, Sector 15, Korangi Industrial Area, Karachi	No Change
		ii) Solar Inverter /Solar Hybird System 600 VA To 5000 VA	Sun Sabre	--	--	Systek (Pvt.) Ltd, H.No# 115/1, Street No. 17, Off Khayaban-e- Muhafiz , Phase 6, DHA, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		iii) UPS /Inverter	Excelsior Classic / Excelsior Premier / Excellence /EQP/Empower/Empower NEO/HOMY/HOMY NEO	--	--		No Change
	85044020	Grid Battery charger	110V/25A, 110V/40A, 48V/60A, 48V/150A, 48V/200A, 220V/40A, 220V/60A, 48V/100A	--	--	GES (Pvt.) Ltd., 2nd Floor, U-Block, Trust Plaza, Model Town, Gujranwala.	GES (Pvt.) Ltd. requested to include this item in the list. Relevant information provided.
880	85044090	i) Uninterrupted power supply (UPS)	500VA to 6600VA	Standard & Long Backup	--	SalTec Smart Power (Pvt.) Ltd., Powerlink, 1-A/2, Sector 15, Korangi Industrial Area, Karachi	Name of Saltec Powerlink changed to SalTech Smart Power, as shown. Proof of name provided.
		ii) Rectifiers, electric	200Vac to 48VDC, 10 to 40 Amps with or without battery backup (0.5 to 8 hours) SMPS technology	--	--		No Change
		iii) DC To DC SMPS	DC input Range : 20-60 Vdc i.e 20-60 Vdc ---- 1.8A, 35-60 Vdc --- - 2.0A, 44-60 Vdc ---- 0.8A DC Output Range:12-24 Volts i.e 12 V ---- 1.8A, 12 V ---- 4.2A, 24V ---- 1.5A No Load current: 22mA, Operating Temperature: 0 to 45°C	Enclosure: Extruded Aluminium, Powder coated Mounting Style: Din Rail. Dimensions: 85x62x93 mm Weight : 500g, designed for Integrated Power System (IPS) being installed at Telecom Sites operating at either Positive or Negative Voltage. It is suitable for wide range of DC Voltages (38 to 55.2 Volts)	--		No Change
		iv) AC to DC SMPS	Operating Range/AC input: 100 - 265 Vac, 60-300 Vac, can sustain upto 450 Vac. Operating Frequency: 50/60Hz. Normal DC Output: 12Vdc / 24Vdc. Output Current (Max): 5A at 12Vdc, 2-32A at 24Vdc. Line / Load Regulation: 1%. Operating Temperature / RH Range : 0 to 50°C, 50% to 95% RH Non Condensina.	Enclosure: Extruded Aluminium, Powder coated Mounting Style: Din Rail. Dimensions: 100x62x93mm Weight : 540g an efficient switched mode power supply which converts a wide range of AC voltages into required dc voltages	--		No Change
		v) Rectifiers, electric	Rectifiers categorized by DC voltage rating and the load current in a standard voltage rating of 24V, 48V/ 220V- AC to 48V/24V-DC power supply Coulomb-1000	Metal body	--	Comcept Private Limited, Plot No. 291, Street No. 03, Sector I-9/3, Islamabad	No Change
		vi) Power Supply Units	Input 19-36 VDC, Output 24VDC at 6-Amps and 24 Amps for 15 mSec & 50 VDC at 1.5 Amps, Voltage Regulation- 20% Max	--	--	East West Infiniti (Pvt) Ltd., Plot 146 Industrial Triangle, Kahuta Road, Islamabad	No Change
		vii) Solar Inverter /Solar Hybird System 600 VA To 5000 VA	Sun Sabre	--	--	Systek (Pvt.) Ltd, H.No# 115/1, Street No. 17, Off Khayaban-e- Muhafiz , Phase 6, DHA, Karachi	No Change
		viii) UPS /Inverter	Excelsior Classic / Excelsior Premier / Excellence /EQP/Empower/Empower NEO/HOMY/HOMY NEO	--	--		No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		ix) Constant Current Power Supply for LED Lights (1-300W)	For All types of LED Lights, Bulbs and Lamps.	--	--	Elite Screener, Plot No. C-21 & C-22 Block No.9 AECHS, Gulistan-e-Johar Karachi	No Change
		x) Infinity 5 KW, 9 KW & 15 KW Solar Inverter	Hybrid (On Grid + Off Grid) Inverter with/without Energy Storage.	-	-	Tesla Industries Pvt. Ltd., Plot No. 81-F, St. 6, I-10/3, Islamabad	No Change
881	85049090	Speed Checking System for Vehicular Traffic	Speed Sensors capable of reading at up to 1.5 KM High resolution digital still camera / video recorder Number plate / Drivers face recognition Named / Unnamed operation modes Wireless communication enabled for remote	--	--	East West Infiniti (Pvt) Ltd., Plot 146 Industrial Triangle, Kahuta Road, Islamabad	No Change
882	85061000	Dry Battery Cell	R-20 (UM-1) & R-6 (UM-3) manganese Dioxide, non-rechargeable Size: R-20, R-6 & R-3	--	--	1) Kohinoor Battery Mfrs. (Pvt) Ltd., Tibet Centre, M.A. Jinnah Road, Karachi-74400 2) Indus Battery Industries (Pvt) Ltd., F-244, Manghopir Road S.I.T.E Karachi	No Change
883	85072000	i) Sealed Lead Acid Batteries (Maintenance Free Batteries)	i) 12 Valve Regulated Lead Acid (VRLA) Batteries 24 AH to 200AH, 2V cell 200AH to 3000AH (for use in telephone exchanges) ii) VRLA with AGM Technology in 2V 150AH to 3500AH, VRLA with AGM Technology in 12V 2.AH to 200AH to 200AH, VRLA with GEL Technology in 2V 150AH to 3500AH, VRLA with GEL Technology in 12V 2.5AH to 200AH	--	--	Pakistan Accumulators (Pvt) Ltd., Head Office House No. 2, Street 63, F-8/4, Islamabad	No Change
		ii) 12 V 3.5 A / 12 V 7 A (VRLA MCB)	3/4 Ah / 7 Ah	VRLA Motorcycle and other Batteries	AGM Type		No Change
		iii) Other Lead Acid Batteries/ Industrial Cells	12 Batteries, 24AH to 200AH, 2V Cell 200AH to 3000AH Sealed & VRLA Batteries	--	--		No Change
		iv) Other Lead Acid Batteries/Industrial	OPzS Tubular Plate Deep Cycle batteries in 2V 100AH to 3500AH, OPzS Tubular Plate Deep Cycle batteries in 12V 35AH to 260AH, OPzV 2V VRLA range from 150 to 3500AH for extended backups., Traction range 2V 100AH to 1000AH, Golf Cart 6V 225AH to & 8V 160AH, 24V 110AH Tank batteries in maintenance free & GEL Version.	--	--		No Change
		v) Lead Acid Battery	2-6 Volts (For standby Storage, switch gears, Solar Panels etc.)	--	--	Exide Pakistan Ltd., A/45, Hill Street, P.O. Box No. 3680 SITE Karachi-75400	No Change
884	85111000	Spark Plug sleeve	For Janbacher Gas Engine JMS-620 - GS-N.L	--	--	Alsons Industries (Pvt) Ltd., S-18, S.I.T.E., Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
	85123090	Anti-theft Device	Temperature, Humidity, Vibration Sensor with GSM/GPRS	--	--	GES (Pvt.) Ltd., 2nd Floor, U-Block, Trust Plaza, Model Town, Gujranwala.	GES (Pvt.) Ltd. requested to include this item in the list. Relevant information provided.
885	85131030	Light-emitting diode (LED) Energy saving Rechargeable lamps:	All types of Rechargeable emergency light (All sizes); (As per IEC standards)	--	--	1) National Institute of Electronics, Ministry of Science & Technology, H. No. 17, H-9, P.O. Box-1406, Islamabad 2) Creative Electronics & Automation, Plot No. 142, Industrial Triangle, Kahuta Road, Islamabad 3) Micro Pak (Pvt) Ltd., Plot No. 218, St. No. 7, I-9/2, Islamabad 4) Comcept Private Limited, Plot # 291, Street # 03, I-9/3, Islamabad 5) Khyber Electric Lamps, 483 Tariq Road Peshawar Cant 6) Wasif Impex, 1st & 2nd Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi	National Institute of Electronics informed that they have only developed the prototypes of LED products, not the commercial products; therefore, exclude their name from CGO.
886	85131040	LED Solar Torches				Creative Electronics & Automation, Plot No. 142, Industrial Triangle, Kahuta Road, Islamabad	No Change
887	85131090	Light-emitting diode (LED) Energy saving lamps:	All types of Chargeable LED lamps, (All sizes) (As per IEC standards)	--	--	1) National Institute of Electronics, Ministry of Science & Technology, H. No. 17, H-9, P.O. Box-1406, Islamabad 2) Creative Electronics & Automation, Plot No. 142, Industrial Triangle, Kahuta Road, Islamabad 3) Micro Pak (Pvt) Ltd., Plot No. 218, St. No. 7, I-9/2, Islamabad 4) Comcept Private Limited, Plot # 291, Street # 03, I-9/3, Islamabad 5) Khyber Electric Lamps, 483 Tariq Road Peshawar Cant 6) Wasif Impex, 1st & 2nd Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi	National Institute of Electronics informed that they have only developed the prototypes of LED products, not the commercial products; therefore, exclude their name from CGO.
888	85142000	Furnaces, Induction or dielectric, electric,	From 50kg upto 50MT	--	--	Electro Heat (Pvt) Ltd, 10-km Ottawa More, G.T. Road, Gujranwala	No Change
889	85161090	Electric Water Treatment	From 10 L to 100 Liter storage type, 2000 Watt element with safety device	--	--	Super Asia Muhammad Din Sons Ltd., G.T. Road Gujranwala	No Change
890	85165090	Microwave Ovens	Up to 75 liters	--	--	1) Dawlance (Pvt) Ltd., Dawlance Center 7/4, Civil Lines 9 Dr. Ziauddin Ahmed Road Karachi. 2) Super Asia Muhammad Din Sons Ltd., G.T. Road Gujranwala	No Change
891	85168090	Electric Elements for heating	220/240 V A.C. , Wattage 2000-3000 Flange 2.5" BSW	Material Copper, incoloy, SS, Titanium, Dia 8mm, Length 11", 14", 18", 23", 27", 30", 36"	--	Tesla Industries Pvt. Ltd., Plot No. 81-F, St. 6, I-10/3, Islamabad	No Change
892	85171390	Smartphone with accessories	Smartphone screen size 4", 4.5", 5.1" & 6" with standard specification OCTA processor & quad processors	--	--	OneApple International Corporation Plot # 12 Sector 24+ Main Korangi Road, Sector 24, Karachi	No Change
893	85171419	Smartphone with accessories	Smartphone screen size 4", 4.5", 5.1" & 6" with standard specification OCTA processor & quad processors	--	--	OneApple International Corporation Plot # 12 Sector 24+ Main Korangi Road, Sector 24, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
894	85171420	i) Fixed Wireless/ Cellular Terminals With GSM Modules	FWT-1000G: Fixed Wireless GSM Terminal for add on for PABX FWT	--	--	1) Comcept Private Limited, Plot No. 291, Street No. 03, Sector I-9/3, Islamabad 2) Microtech Industries (Pvt) Ltd., Plot No. 2, Street No. 2, Attari Industrial Estate, 18 Km, Ferozpur Road, Lahore	No Change
		ii) Fixed Wireless Terminals (FWT)	Based on CDMA technology, supports CDMA bandwidth and provide data, voice and SM services through the CDMA network. Main functions as below: 1). Voice communication function. 2). UIM-card: Supporting UIM-card function. 3). Data communication function: Packet, Asynchronous data and PC fax services. 4). Security: PIN-Locking functions.	--	--	Zhongxing Telecom (ZTE) Pakistan (Pvt.) Ltd., Plot # 424, Street # 16, I-9/3, Opp I-9 Police Station, Islamabad	No Change
895	85171490	i) Wireless payphones	GSM wireless payphone Terminal (Model: PWT 1400G) PWT 1400G (Indoor), supports a broad range of voice and data services i.e. Standard payphone operation, fax transmission, Internet access, with built in GSM transceiver in tri band 900MHz, 1800MHz & 1900MHz.	--	--	Comcept Private Limited, Plot No. 291, Street No. 03, Sector I-9/3, Islamabad	No Change
		ii) Telephones, card-operated	Wireline Chipcard Based Indoor and Outdoor Payphone (Models:PT1100, PT1400, PTO2000) Complete remote configuration, Management and control through NMS. Security against fraud. Multi-level alarm reporting facility. Incoming call baring facility. Multiple call charging options. 4Kbyte tariff table storage capacity, Visual on-line display. Built-in modem. with line voltage of 48V or 60V DC. Reads all chip cards conforming to ISO 7816.	Plastic Casing in three catching colors with a so	--		No Change
		iii) Payphone	WLL CDMA Wireless Payphone Terminal (Model: PWT1400C) PWT1400C with standard antenna connection to establish RF link with the corresponding CDMA based station of a cellular or WLL network and wireless payphone operation takes place.	--	--		No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		iv) Telephone sets, Line transmission, without cordless	Land Line & GSM Payphone	--	--	MicroTech Industries (Pvt.) Ltd., Attari Industrial Estate, Plot # 2, Street # 2, 18 KM. Ferozepur Road, Lahore	No Change
896	85171890	Payphone	WLL CDMA Wireless Payphone Terminal (Model: PWT1400C) PWT1400C with standard antenna connection to establish RF link with the corresponding CDMA based station of a cellular or WLL network and wireless payphone operation takes place.	--	--	Comcept Private Limited, Plot No. 291, Street No. 03, Sector I-9/3, Islamabad	No Change
897	85176290	i) PABX	- Megaswitch-500 Upto 500 Lines - Megaswitch-100 Upto 150 Lines - Megaswitch Series 50 Upto 48 Lines - Megaswitch Serires 30 Upto 32 Lines - Telemate-XII (2+10 Lines)	--	--	Megatech Communications (Pvt.) Ltd., 47, Banglore Town Off: Tipu Sultan Road. Karachi	No Change
		ii) Telephone exchanges	Standard / Modern electronic digital switching system (EWSD)	--	--	Telephone Industries of Pakistan, Khanpur Road, Haripur	No Change
		iii) Line Protection Units	LPU: Line Protection Units Misuse protection and direct communication with network Management System.	--	--	Comcept Private Limited, Plot No. 291, Street No. 03, Sector I-9/3, Islamabad	No Change
		iv) Telephone exchanges	Configuration Types: Local Exchange Tandem Exchange Transit Exchange International Gateway Functions: Voice switching / network (PSTN) Data switching / network Intelligent Network Connectivity: 200,000 subscribers per exchange. 60,000 ports per exchange.	--	--	Alcatel Pakistan (Pvt) Ltd., Sector H-8/4, Islamabad	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		v) Optical Transmission Equipments (Optical Transmission Products SDH,NG-SDH)	NG-SDH integrates functions of SDH (including ADM, TM, REG), DXC IP/ATM and DWDM in one. Support the following functions: 1). MSTP (Multi-Service Transport Platform) 2). Provide high-speed, large capacity information transmission. 3). Offer multi service access of STM-64/OC-192, STM 16/OC-48, STM-4/OC-12, STM-I/OC-3, E4, E3/T3, E1/T1, 10M/100M, GE, ATM, ESCON etc. 4). Suitable for the transmission of IP and ATM services. 5). Perform multi protocol encapsulation, virtual concatenation, bandwidth share, service convergence, VLAN partition-LCAS, STP, etc. 6). function of ATM cell exchange, statistic multiplex and	--	--	Zhongxing Telecom (ZTE) Pakistan (Pvt.) Ltd., Plot # 424, Street # 16, I-9/3, Opp I-9 Police Station, Islamabad	No Change
		vi) Telephone exchanges	Fixed Line Telephone Switching System (ZXJ10) consists of modules and cards. Total quantity of modules & cards is 32 amongst 25	--	--		No Change
		vii) Electronic Field Telephones Inter Trench Communication (ITC-2000)	<u>EFT-101</u> : Operating Voltage : 4.5VDC, Free Range: 300 to 3400 Hz, Impedance: 600 Ohms <u>ITC-2000</u> : Operating Voltage: 4.5VDC, Environmental Temperature: -15 to +55C, Impedance: -20 to +60C	Military standards	--	National Radio Telecommunication Corporation, Marketing & Sales Deptt National Radio Telecommunication Corporation T&T Colony Haripur	No Change
		viii) Digital Electronic Field Telephone Exchanges	<u>PFX-6416 and PFX-3208</u> : Power Requirement : 220VAC/24VDC, Ring Voltage: 90 VAC. 25 Hz, Operating Temperature:-30 to +55C <u>PFX-1204</u> : Power Requirement: 180 to 260VAC/24VDC, Ring Voltage: 90 VAC. 25 Hz, Operating Temperature -30 to +55C <u>PFX-5200C</u> : Power Requirement: 90 to 260VAC/48VDC, Ring Voltage: 2000 Ohms, Operating Temperature: -10 to +50C <u>Automag 412</u> : Power Requirement: 220VAC/12VDC, Ring Voltage: 90 V±20VAC, Operating Temperature -10 to +45C	--	--		No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
	85176243	Enhance Communication Module	20-60Vdc, reverse polarity & fuse protected. GSM Bands: FDD-LTE: B1/B3/B5/B7/B8/B20 WCDMA/HSDPA/HSPA+: B1/B5/B8 GSM/GPRS/EDGE: 900/1800 MHz	Ethernet POE LAN via 4 port external switch (optional) with Central Management Server Built in LTE 4G/3G/2G Modem & Ethernet Uplink (Model 884ECM only) Local Monitoring and Configuration RS232 port/USB I/Os: Digital Inputs 14 x Digital Inputs Dry Contact Monitoring, Analog Inputs 3 x External Temperature Sensors (Digital & Analog)	--	SalTec Smart Power (Pvt.) Ltds., 1-A/2, Sector 15, Korangi Industrial Area, Karachi.	SalTec Smart Power requested to enlist tjis item in the kist; however, PCT does not exist.
898	85176270	Mobi Router (GSM Call Router)	Mobi Router (GSM Call Router)	--	--	MicroTech Industries (Pvt.) Ltd., Attari Industrial Estate, Plot # 2, Street # 2, 18 KM. Ferozepur Road, Lahore	No Change
899	85176970	Optical Network Unit/ Optical Network Terminal (ONU/ONT)	For internet 1GE + 3FE + CATV + RF + POTS + Wifi Networking equipments like routers, LAN bridges, modem, hubs excluding switches and repeaters.	GPON FTTH Multi-service WIF ONU Two Fibers Three Wavelength	--	Telecast Technology Pakistan (Pvt) Ltd., Plot No. 375-B, Street No. 16, Potohar Road, Sector I-9/3, Islamabad	No Change
900	85182100	Loudspeakers, Single, mounted in their enclosures	Speaker for Car Radio & Cassette player	--	--	Automate Industry, C-23, Estate Avenue, S.I.T.E , Karachi	No Change
901	85198910	CD players, audio, without sound recording device	Radio CD/MP3 Players	--	--	Automate Industry, C-23, Estate Avenue, S.I.T.E , Karachi	No Change
902	85232100	Cards incorporating a magnetic stripe	Magnetic Card			Kwick High Tech & Solutions (Pvt) Ltd., Plot No. 100-A, Street No. 14, Sector I-9/2, Industrial Area, Islamabad.	No Change
903	85232910	Cassettes, magnetic, audio, blank, width not over 4mm	Blank/Recorded	--	--	B. S. Magnetic (Pvt) Ltd., LA-1/8, Block 22, Federal B. Industrial Area, Karachi	No Change
904	85232930	Cassettes, magnetic, audio, blank, width not over 4mm	Blank/Recorded	--	--	B. S. Magnetic (Pvt) Ltd., LA-1/8, Block 22, Federal B. Industrial Area, Karachi	No Change
905	85234110	CD-R, blank, for computer	CD-R (Blank)	--	--	Oyster Technologies (Pvt) Ltd, Plot No.08, Sector 24, Korangi Industrial Area, Karachi	No Change
906	85234120	DVD, for computer	DVD-R	--	--	Oyster Technologies (Pvt) Ltd Plot No.08, Sector 24, Korangi Industrial Area, Karachi	No Change
907	85235210	SIM cards	GSM SIM Cards			Kwick High Tech & Solutions (Pvt) Ltd., Plot No. 100-A, Street No. 14, Sector I-9/2, Industrial Area, Islamabad.	No Change
908	85235220	Memory Cards	Nadra/Banking Cards			Kwick High Tech & Solutions (Pvt) Ltd., Plot No. 100-A, Street No. 14, Sector I-9/2, Industrial Area, Islamabad.	No Change
909	85255090	i) Ground to Air UHF / VHF Communication Radio	Synthesized VHF/UHF Transceivers 32 Programmable channels, Channel scanning , Dual Channel () Watch 108 ~ 137 MHz & 225-400 MHz frequency ranges, Built in Test equipment	--	--	East West Infiniti (Pvt) Ltd., Plot 146 Industrial Triangle, Kahuta Road, Islamabad	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		ii) Upgraded VHF/FM Radio Set VHF/ FM Frequency Hopping Manpack & Vehicular Radio Sets	<u>PRC-77/PK</u> - Operating Voltage 4.5 VDC - Storage Temperature -20 To +60C - Environmnetal Temperature -15 TO +55C <u>9600 Series</u> - Operating Temp Range -40 to +60C - Storage Temperature -55 To +70C - Environmnetal Temperature 3120	--	--	National Radio Telecommunication Corporation, Marketing & Sales Deptt National Radio Telecommunication Corporation T&T Colony Haripur	No Change
910	85256020	Payphone	PWTO 2000G: GSM Wireless out door Payphone Terminal chip card outdoor wireless payphone, built In GSM transceiver in tri band 900 MHz.	--	--	Comcept Private Limited, Plot No. 291, Street No. 03, Sector I-9/3, Islamabad	No Change
911	85256060	i) Vehicle Tracking System	Vehicle Tracking System	--	--	MicroTech Industries (Pvt.) Ltd., Attari Industrial Estate, Plot # 2, Street # 2, 18 KM. Ferozepur Road, Lahore	No Change
		ii) GSM/GPS Tracker Online/Offline	--	--	--	Digitec Systems, Plot No. 178, Sector-24, Korangi Industrial Area, Karachi.	No Change
912	85285200	LED Monitor	LED monitor screen size 18.5", 19.5", 21.5", 27", 32"	--	--	OneApple International Corporation Plot # 12 Sector 24+ Main Korangi Road, Sector 24, Karachi	No Change
913	85287110	Free to Air (FTA)	Reception apparatus for receiving satellite signals of a kind used with TV (Satellite dish receivers)	--	--	Telecast Technology Pakistan (Pvt) Ltd., Plot No. 375-B, Street No. 16, Potohar Road, Sector I-9/3, Islamabad	No Change
914	85287190	Set Top Box	DVB-C/ DVB-T/IPTV (For cable TV, IPTV, Terrestrial) Other Set Top Boxes	Interface to the Internet and also enables a television set to receive and deode digital television (DTV) broadcasts	--	Telecast Technology Pakistan (Pvt) Ltd., Plot No. 375-B, Street No. 16, Potohar Road, Sector I-9/3, Islamabad	No Change
915	85287211	Television sets, colour	Liquid crystal display (LCD)	--	--	1) Dynasel Ltd., 20/II, Block-D, Model Town, Lahore 2) New Allied Electronics Industries (Pvt) Ltd. 7th Floor, Lakson Sqaire Building, No.1, Sarwar Shaheed Road, Karachi 3) Singer Pakistan Ltd. 608, 6th Floor, Beaumont Plaza, Beaumont Road, Near PIDC House, Karachi,	No Change
916	85287219	Television sets, colour	Colour Television Sets of screen sizes 14" to 62" including Conventional type TV sets, Flat TV sets, Projection TV sets, Plasma TV sets. Compatible NTSC/PAL	Image displays	--	1) Dynasel Ltd., 20/II, Block-D, Model Town, Lahore 2) New Allied Electronics Industries (Pvt) Ltd. 7th Floor, Lakson Sqaire Building, No.1, Sarwar Shaheed Road, Karachi 3) Singer Pakistan Ltd. 608, 6th Floor, Beaumont Plaza, Beaumont Road, Near PIDC House, Karachi, 4) Sysco Industrial Company, 4th Floor Al-Hayat Centre, 14/A Hall Road Lahore 5) S.N.H Industries (Pvt.) Ltd. L-9 Block 21 F. B Industrial Area Karachi 75950	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
917	85287290	Receiver sets	Reception apparatus for receiving satellite signals of a kind used with TV (Satellite dish receivers)	--	--	1) Dynasel Ltd., 20/II, Block-D, Model Town, Lahore 2) New Allied Electronics Industries (Pvt) Ltd. 7th Floor, Lakson Sqaire Building, No.1, Sarwar Shaheed Road, Karachi 3) Singer Pakistan Ltd. 608, 6th Floor, Beaumont Plaza, Beaumont Road, Near PIDC House, Karachi,	No Change
918	85287300	Television receiver sets, colour, black & white or other monochrome.	Colour Television Sets of screen sizes 14" to 62" including Conventional type TV sets, Flat TV sets, Projection TV sets, Plasma TV sets.	--	--	1) Dynasel Ltd., 20/II, Block-D, Model Town, Lahore 2) New Allied Electronics Industries (Pvt) Ltd. 7th Floor, Lakson Sqaire Building, No.1, Sarwar Shaheed Road, Karachi 3) Singer Pakistan Ltd. 608, 6th Floor, Beaumont Plaza, Beaumont Road, Near PIDC House, Karachi,	No Change
919	85291090	Antennas for radios and television sets	Antenna Ass'y for Car Radio	--	--	Automate Industry, C-23, Estate Avenue, S.I.T.E , Karachi	No Change
920	85299090	Television body	Plastic Covers front and back for televisions	--	--	Synthetic Products Enterprises (Pvt) Ltd., 127-S S.I.E Kotlakhpat Township Lahore	No Change
921	85311000	GSM Based Security Alarm Systems	--	--	--	Digitec Systems, Plot No. 178, Sector-24, Korangi Industrial Area, Karachi.	No Change
922	85318000	i) DC Tower Light Controller (DC TLC)	Operating Voltage Range: -60Vdc to -40Vdc. Load Range: upto 30 watts LED Tower Light. Temperature Raange: -20 to 60°C. Load Lower Threshold: 100mA (4.8 watts). System Indication : 3x LED (Input Power, Lamp / Tower. Operating Modes: 3 X Modes (Calibrate: Auto & Manual)	Dimensions: 85x62x93 mm Weight : 500g A microcontroller based device which controls the 'blinking' of DC Tower Lights at any Telecom sites as per PTA requirements, monitors the tower light load and generates alarm in case of tower lights failure / solar switch failure. Work for both 12V to 48V	--	SalTec Smart Power (Pvt.) Ltd., Powerlink, I-A/2, Sector 15, Korangi Industrial Area, Karachi	Name of SalTec Powerlink changed to SalTec Smart Power, as shown. Proof of name change provided.
		ii) Exit and Emergency LED/SMD Lit sign boards with and without backup				Creative Electronics & Automation, Plot No. 142, Industrial Triangle, Kahuta Road, Islamabad	No Change
923	85321000	i) Capacitors, fixed, power	Single Phase capacitors for voltage up to 2000 V, Three Phase Capacitors for voltage up to 1000 V, 50 and 60 Hz, dry type as well as oil impregnated, In rating up to 200 kVAr.	--	--	Amber Capacitors Ltd., 16 Link McLeod Road, Lahore	No Change
		ii) L.V. Power factor improvement capacitors single phase and three phase	0.50 KVAR upto 200 KVAR 220 VAC upto 660 VAC	Plastic and Aluminum Body	--	1) Khawaja Electronics (Pvt) Ltd., 4-H, Gulberg-III, Lahore 2) K. Caps. (Pvt.) Ltd., 4-H, Gulberg-III, Lahore.	Khawaja Electronics requested to delete their entries, as overtaken by K. Caps. (Pvt.) Ltd.
924	85322200	i) Capacitors, fixed, Aluminum electrolytic	Capacitors in Voltages up to 440V 50/60 Hz, rating up to 400 MFD	--	--	Amber Capacitors Ltd., 16 Link McLeod Road, Lahore	No Change
		ii) Capacitors for motor start application	20UF upto 400UF 100 VAC upto 660 VAC	Aluminum and backelite body	--	1) Khawaja Electronics (Pvt) Ltd., 4-H, Gulberg-III, Lahore 2) K. Caps. (Pvt.) Ltd., 4-H, Gulberg-III, Lahore.	Khawaja Electronics requested to delete their entries, as overtaken by K. Caps. (Pvt.) Ltd.

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
925	85322500	i) Capacitors, fixed, dielectric, of paper of plastic	Capacitors of voltage up to 660 V, 50/60 Hz, in aluminum and plastic casings	--	--	Amber Capacitors Ltd., 16 Link McLeod Road, Lahore	No Change
		ii) Capacitors for domestic appliances	0.50 uf upto 100 UF 100 V.A.C upto 660 V.A.C.	Plastic and Aluminum Body	--	1) Khawaja Electronics (Pvt) Ltd., 4-H, Gulberg-III, Lahore- 2) K. Caps. (Pvt.) Ltd., 4-H, Gulberg-III, Lahore.	Khawaja Electronics requested to delete their entries.
		iii) Special application capacitors	0.25 UF upto 3.0 UF 2 K.V upto 12K.V.	M.S & S.S. Container	--		
926	85322900	Capacitors Up to 11 KV /12/3Kv High Voltage /Shunt Capacitors	Single Phase Capacitors for voltage up to 12000 volts oil impregnated, in rating 25 kVAr up to 600 kVAr	Mild Steel	--	1) Khawaja Electronics (Pvt) Ltd., 4-H, Gulberg-III, Lahore- 2) K. Caps. (Pvt.) Ltd., 4-H, Gulberg-III, Lahore.	Khawaja Electronics requested to delete their entries.
927	85340000	i) Printed Circuit Boards	Single, Double Sided and multilayer, rigid, bare PCBs for all types of Electronic Products.	--	--	1) National Institute of Electronics, Ministry of Science & Technology, H. No. 17, Sector H-9, P.O. Box 1406, Islamabad- 2) Smart PCBs, Service Road, Shaheen Town near Airport Chowk, Rawalpindi	National Institute of Electronics informed that they have only developed the prototypes of LED products, not the commercial products; therefore, exclude their name from CGO.
		ii) Bare Metal Clad Printed Circuit Boards (MCPCB) for LED Lights.	Metal Clad Printed Circuit Boards (MCPCB) and Single, Double Sided and Multilayers PCBs for all types of Electronic Products including LED Lights	--	--	Elite Screener, Plot No. C-21 & C-22 Block No.9 AECHS, Gulistan-e-Johar Karachi	Elite Screener requested to amend the description of this existing entry, as shown.
928	85351000	i) Fuse Dropout/ Cutout	For 11KV Transmission Lines	--	--	Creative Engineering (Pvt) Ltd., 160/ S, Q.I.E. Kot Lakhpat Lahore	No Change
		ii) LT HRC Fuse Base	630A for Low Voltage Distribution System	--	--	Alsons Industries (Pvt) Ltd., S-18, S.I.T.E., Karachi	No Change
929	85353010	Isolating Switches/Disconnect Switches	Isolating Switches (Air Insulated) and make-and-break switches for a voltage upto 145kV	--	--	Emco Industries Limited, 4th-Floor, National Tower, 28-Edgerton Road, Lahore	Emco Industries Ltd. requested to amend the description of this existing entry, as shown.
	85354010	Lightening and Surge Arrestors	Voltage limiters and Surge suppressors over 1 KV	--	--	Emco Industries Limited, 4th-Floor, National Tower, 28-Edgerton Road, Lahore	Emco Industries Ltd. requested to enlist this new item in the list; however, relevant information not provided.
930	85363000	Auto Phase Switcher (APS)	Power rating (kVA): 25kVA/30kVA Protection against high/low voltages (configurable): Under-voltage Range = 100-200Vac Over voltage range = 225-280Vac 3 Phase Voltage Range (Vac): 125 to 275 Vac (Default), can be adjustable 100-280 Vac via APS. Remote Monitoring - optional via RS485 interface	Enclosure: Extruded Aluminium, Powder coated Mounting Style: Din Rail. Dimensions: 120x62x93 mm; Weight : 620g APS monitors 3 phase AC Mains Supply and ensures that 3 phases are available to load, under scenarios of single or double grid phase failure. It's an auto-looping device to maximize grid utilization to reduce genset usage. Used mostly in telecom tower sites.	--	SalTec Smart Power (Pvt.) Ltd., Powerlink, 1-A/2, Sector 15, Korangi Industrial Area, Karachi	Name of SalTec Powerlink changed to SalTec Smart Power, as shown. Proof of name change provided.

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
	85364190	DC Supervision Relay	110V- DC, 220V-DC	--	--	GES (Pvt.) Ltd., 2nd Floor, U-Block, Trust Plaza, Model Town, Gujranwala.	GES Pvt. Ltd. requested to include this item in the list. Relevant information provided. To be physically verified.
931	85364990	Annunciators	Transformer temperature gauges, Trip circuit DC supervision relays, Under Voltage relays, Motor protection relays, Panel humidity controllers, Timers, Flasher relays, Automatic transfer switch.	--	--	E-Labs, 456/7, Lane12 A Iqbal Park Cantt. Lahore.	No Change
932	85365099	Electric Switches	Plugs and Socket-Outlets, voltage not over 1 KV, for household and similar purposes electrical switches, power plugs/sockets assemblies for household/ industrial application - outlets without interlock for fixed - outlets for selv - for adaptors - outlets with in terlock for fixed installations-Appliance couplers for - Part 2-1: Sewing machine couplers -Part 2-2: Interconnection couplers for household and similar equipment -- Part 2-3: Appliance coupler with a degree of protection higher than IPX0 -IEC system of plugs and socket-outlets - Part 1: 16 A 250 V a.c. -IEC system of plugs and socket-outlets - Part 2:15 A 125 V a.c. -IEC system of plugs and socket-outlets - Part 3: SELV plugs and socket-outlets. 16 A 6V	--	Polycarbonate, Multigrade PVC,Cu 99.9%,ABS,PC,	The Crown Engineering Works (Pvt) Ltd., 17-KM, SHEikhupura Road, Lahore	No Change
933	85366910	DPs	- 10 Pairs - 20 Pairs - 50 Pairs - 100 Pairs	Pillar Type DPs, Pole Type, Cross Connectoin Cabinets, DP Thermo Plastic (Pole type)	--	National Radio Telecommunication Corporation, Marketing & Sales Deptt National Radio Telecommunication Corporation T&T Colony Haripur	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
934	85366990	Electrical Plugs and Sockets	Plugs and Socket-Outlets, voltage not over 1 KV, for household and similar purposes electrical switches, power plugs/sockets assemblies for household/ industrial application - outlets without interlock for fixed - outlets for selv - for adaptors - outlets with in terlock for fixed installations-Appliance couplers for - Part 2-1: Sewing machine couplers -Part 2-2: Interconnection couplers for household and similar equipment -- Part 2-3: Appliance coupler with a degree of protection higher than IPX0 -IEC system of plugs and socket-outlets - Part 1: 16 A 250 V a.c. -IEC system of plugs and socket-outlets - Part 2:15 A 125 V a.c. -IEC system of plugs and socket-outlets - Part 3: SELV plugs and socket-outlets 16 A 6V	--	Polycarbonate, Multigrade PVC,Cu 99.9%,ABS,PC,	The Crown Engineering Works (Pvt) Ltd., 17-KM, Sheikhupura Road, Lahore	No Change
935	85369030	Magnetic Contactor	--	--	--	Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore	No Change
936	85369090	i) Junction Boxes	Electrical Wiring Accessories, voltage not over 1KV (Excluding explosion & flame proof)	--	--	Clipsal Pakistan (Pvt) Ltd., 101-102, Sector 15, Korangi Industrial Area, Karachi	No Change
		ii) Insulating Piercing connector	IPC 16-95 / 4-35mm² for Connecting XLPE Insulator LT ABC Sub Main to Service Cable Specification K-R&D-PD-19	--	--	Alsons Industries (Pvt) Ltd., S-18, S.I.T.E., Karachi	No Change
		iii) Line Tap	120mm² for 230/400/110000 Volts Overhead Distribution System	--	--		No Change
		iv) PMT Bus Bar arrangement	Pole mounted Distribution Transformer Specification K-TPRE-BBA-285.	--	--		No Change
937	85371090	i) Control Panels	L.T. Switchgear panels upto 1,000 Volts and lighting / power distribution boards, control panels, control signaling and relay panel for grid stations, rectifier panel upto 200 Amps. Motor Control Centers including Programmable Logic Controllers and related instrumentation and control, sugar, steel rolling, low voltage switchgears PFI Plant. [Excluding panels of proprietary compressor engine Oil & Gas application valves pumps & actuators and in explosion & flame proof exclusion. Certified by ATX, explosion proof].	--	--	1) Siemens Pakistan Engineering Co. Ltd., B-72, Estate Avenue, SITE, P.O. Box No. 7158 Karachi-75700 2) Johnson & Phillips (Pakistan) Ltd., C-10, South Avenue, S.I.T.E., P.O Box No. 3603, Karachi - 75700 3) Elmetec (Pvt) Ltd., 19 KM Ferozepur Road, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		ii) Switchboards	Direct-on-line starter 10HP NSD starter 15 HP, Motor control unit 25 HP, automatic starter of delta type of 50 HP, 5-250 HP ASD Starter, 5-15 HP DOL Starter. [Excluding certified by ATX, Explosion Proof]	--	--	Siemens Pakistan Engineering Co. Ltd., B-72, Estate Avenue, SITE, P.O. Box No. 7158 Karachi-75700	No Change
		iii) Meter Security Boxes (WAPDA Specification, DD-S-58:2001) iv) LT Service Box (WAPDA Specification P-72:85)		--	--	Creative Engineering (Pvt) Ltd., 160/ S, Q.I.E. Kot Lakhpat Lahore	No Change
		v) Control Panel with other accessories ATS Panels		--	--	Smart Power Systems (Pvt) Ltd., Near Super Highway, Ashanabad Industrial Area Karachi.	No Change
938	85372000	Control Panels i) H.T. Circuit breakers (Switchgear) panels upto 4000A, 40KA & 17500 Volts ii) 3 Phase, upto 60KVA, protection panel for severe over voltage (slow & fast), phase-neutral reversal, etc	[Excluding panels of proprietary compressor engine Oil & Gas application valves pumps & actuators and in explosion & flame proof exclusion. Certified by ATX, Explosion Proof]	Microprocessor based, with remote alarm interface	--	1) Siemens Pakistan Engineering Co. Ltd., B-72, Estate Avenue, SITE, P.O. Box No. 7158 Karachi-75700 2) Johnson & Phillips (Pakistan) Ltd., C-10, South Avenue, S.I.T.E., P.O Box No. 3603, Karachi - 75700 3) Elmetec (Pvt) Ltd., 19 KM Ferozepur Road, Lahore 4) SalTec Smart Power (Pvt.) Ltd., Powerlink- 1-A/2, Sector 15, Korangi Industrial Area, Karachi	No Change
		Switchboards, Switchgears & Panels	Up to 17.5 kv; 4000 AMP, 40 KA	--	--	1) IMS Electric (Pvt) Limited (Former: Schneider Electric Pakistan (Pvt) Ltd., (formerly AREVA T & D Pakistan (Pvt) Ltd) , D-163, S.I.T.E Karachi 2) Johnson & Phillips (Pakistan) Ltd., C-10, South Avenue, S.I.T.E. , P.O Box No. 3603, Karachi - 75700	1) IMS had provided SECP Certificate for evidence.
939	85392200	Electric Bulbs	Bulbs from 25W to 200W, Life upto 1000 Hrs, voltage over 100 V	--	--	Khyber Electric Lamps Mfg Co. Ltd., 483/E-1, Tariq Road, Peshawar Cantt., Peshawar	No Change
940	85393110	Energy saving lights:	Varing Voltages	--	--	Creative Electronics & Automation, Plot No. 142, Industrial Triangle, Kahuta Road, Islamabad	No Change
941	85393210	Energy saving lights:	Varing Voltages	--	--	Creative Electronics & Automation, Plot No. 142, Industrial Triangle, Kahuta Road, Islamabad	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
942	85393220	Light-emitting diode (LED) Energy saving lights:	All types of Energy Saving Tube Lights (All sizes); (As per IEC standards)	--	--	1) National Institute of Electronics, Ministry of Science & Technology, H. No. 17, H-9, P.O. Box 1406, Islamabad 2) Creative Electronics & Automation, Plot No. 142, Industrial Triangle, Kahuta Road, Islamabad 3) Micro Pak (Pvt) Ltd., Plot No. 218, St. No. 7, I-9/2, Islamabad 4) Comcept Private Limited, Plot # 291, Street # 03, I-9/3, Islamabad 5) Khyber Electric Lamps, 483 Tariq Road Peshawar Cant 6) DS Technologies, ST-2/7, Sector 16, Korangi Industrial Area, Karachi 7) Areebah Technologies Ltd., Plot # 102, St # 7, I-10/3, Industrial Area, Islamabad	National Institute of Electronics informed that they have only developed the prototypes of LED products, not the commercial products; therefore, exclude their name from CGO.
943	85393290	SMD/LED/LVD Lights with or without Ballast, PV Module, Fitting & Fixtures		--	--	1) National Institute of Electronics, Ministry of Science & Technology, H. No. 17, H-9, P.O. Box 1406, Islamabad 2) Creative Electronics & Automation, Plot No. 142, Industrial Triangle, Kahuta Road, Islamabad 3) Micro Pak (Pvt) Ltd., Plot No. 218, St. No. 7, I-9/2, Islamabad 4) Comcept Private Limited, Plot # 291, Street # 03, I-9/3, Islamabad 5) Khyber Electric Lamps, 483 Tariq Road Peshawar Cant 6) DS Technologies, ST-2/7, Sector 16, Korangi Industrial Area, Karachi 7) Areebah Technologies Ltd., Plot # 102, St # 7, I-10/3, Industrial Area, Islamabad	National Institute of Electronics informed that they have only developed the prototypes of LED products, not the commercial products; therefore, exclude their name from CGO.
944	85395210	LED Bulb	All types of LED Bulbs/lamps (All sizes); {AC/DC} (As per IEC standards)	--	--	1) National Institute of Electronics, Ministry of Science & Technology, H. No. 17, H-9, P.O. Box 1406, Islamabad 2) Creative Electronics & Automation, Plot No. 142, Industrial Triangle, Kahuta Road, Islamabad 3) Micro Pak (Pvt) Ltd., Plot No. 218, St. No. 7, I-9/2, Islamabad 4) Comcept Private Limited, Plot # 291, Street # 03, I-9/3, Islamabad 5) DS Technologies, ST-2/7, Sector 16, Korangi Industrial Area, Karachi 6) Areebah Technologies Ltd., Plot # 102, St # 7, I-10/3, Industrial Area, Islamabad 7) Wasif Impex, 1st & 2nd Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi 8) Khyber Electric Lamps Mfg Co. Ltd., 483/E-1, Tariq Road, Peshawar Cantt., Peshawar 9) Telecast Technology Pakistan (Pvt) Ltd., Plot No. 375-B, Street No. 16, Potohar Road, Sector I-9/3, Islamabad	National Institute of Electronics informed that they have only developed the prototypes of LED products, not the commercial products; therefore, exclude their name from CGO.

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
945	85395220	Light-emitting diode (LED) Energy saving Tubes:	All types of LED Tube Light (All sizes); {AC/DC} (As per IEC standards)	--	--	4) National Institute of Electronics, Ministry of Science & Technology, H. No. 17, H-9, P.O. Box-1406, Islamabad 2) Creative Electronics & Automation, Plot No. 142, Industrial Triangle, Kahuta Road, Islamabad 3) Micro Pak (Pvt) Ltd., Plot No. 218, St. No. 7, I-9/2, Islamabad 4) Concept Private Limited, Plot # 291, Street # 03, I-9/3, Islamabad 5) Khyber Electric Lamps Mfg Co. Ltd., 483/E-1, Tariq Road, Peshawar Cantt., Peshawar 6) DS Technologies, ST-2/7, Sector 16, Korangi Industrial Area, Karachi 7) Areebah Technologies Ltd., Plot # 102, St # 7, I-10/3, Industrial Area, Islamabad 8) Wasif Impex, 1st & 2nd Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi	National Institute of Electronics informed that they have only developed the prototypes of LED products, not the commercial products; therefore, exclude their name from CGO.
	85399090	Stuff Metal Clad Printed Circuit Board (MCPCB)	--	--	--	Elite Screener, Plot No. C-21 & C-22 Block No.9 AECHS, Gulistan-e-Johar Karachi	Elite Screener requested to include MCPCB in the list; however, relevant information not provided.
	85399090	Housing for LED bulb	1w to 300w	-	-	Wasif Impex (Osaka), 1st & 2nd floor, plot No. DP-10, sector No. 12-D, North Karachi Industrial Area, Karachi	Wasif Impex requested to enlist LED Items in the list.
	8539.9090	Housing, shell cover for LED Bulb	all types of Energy Bulb Tube Lights	-	PC	Paklite Electrical Industries (Pvt) Limited Sheikhpura Road, Gujranwala	Paklite requested to enlist LED items in the list.
	85399090 90019000	Led Bulb PC cover Lenses for LED Bulb Led bulb shell cover	1w to 300w			Wasif Impex (Osaka), 1st & 2nd floor, plot No. DP-10, sector No. 12-D, North Karachi Industrial Area, Karachi	Wasif Impex requested to enlist LED Items in the list.
	85399090 94059900 85340000	Bare or Stuffed Metal Clad Printed Circuit Board (MCPCB) For Led bulb & Led lights	1w to 300w			Wasif Impex (Osaka), 1st & 2nd floor, plot No. DP-10, sector No. 12-D, North Karachi Industrial Area, Karachi	Wasif Impex requested to enlist LED Items in the list.
946	85408900	Pre-chamber gas valve	For Janbacher Gas Engine JMS-620 - GS-N.L	--	--	Alsons Industries (Pvt) Ltd., S-18, S.I.T.E., Karachi	No Change
947	85414300	Photovoltaic Modules (Solar Panels)	Maximum Power: 5 Watts to 445 Watts Nominal Voltage: 6V/ 12V / 24V/48V 635X505X3.2mm ~ 1950X986X3.2mm	- Operating Temp. -40°C to +90 °C - Storage Temp. -40°C to +90 °C - Pressure bearing < 5400 Pa - Wind bearing < 2400 Pa - Hail Impact test 25mm diameter hail - Ball at 23.00 m/s, directed at 11 impact location - Temp. Coff of Isc +0.05% / C - Temp. Coff. of Voc – 0.34% / C - Temp. Coff. of Pm-0.5%/C - Power Output Tolerance + 3%	--	1) Tesla Industries Pvt. Ltd., Plot No. 81-F, St. 6, I-10/3, Islamabad 2) Sunlife Solar Co. (Pvt) Ltd., Al-Badar Industrial Zone, Madni Ali Stop, 19 KM Sheikhpura Road, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
948	85423300	Pair Gain System	Optical 4, 8 & 12 clear 64 Kbps channels over one single copper pair.	--	--	National Radio Telecommunication Corporation, Marketing & Sales Deptt National Radio Telecommunication Corporation T&T Colony Haripur	No Change
949	85441110	PVC Cable	10mm to 300mm sq. (Excluding ultra violet treated cables)	Copper-Aluminium PVC, Polythylene	--	1) Cable & Conductor Ltd., 1st Floor, 41 Civic Centre, Barkat Market New Garden Town, Lahore 2) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore 3) Premier Cables (Pvt) Ltd., 43-E, Block 6, P.E.C.H.S., Behind FedEx, Off Razi Road, Shahr-e-Faisal, Karachi	No Change
		Electric Wire (Insulated)	3/.029", 7/.029", 3/.036", 7/.036", 7/.044", 7/.052", 7/.064"	--	--	Khawaja Electronics (Pvt) Ltd., 4-H, Gulberg-III, Lahore 2) K. Caps. (Pvt.) Ltd., 4-H, Gulberg-III, Lahore.	Khawaja Electronics requested to delete their name from CGO, as overtaken by K. Caps.
950	85441190	i) PVC Cable	10mm to 300mm sq. (Excluding ultra violet treated cables)	Copper-Aluminium PVC, Polyethylene	--	1) Cable & Conductor Ltd., 1st Floor, 41 Civic Centre, Barkat Market New Garden Town, Lahore 2) Newage Cables (Pvt) Ltd., Newage Mansion Mcleod Road, Lahore 3) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore	No Change
		ii) Enamelled Copper Wire	Type of Varnish: Polyurethane, Polyester Imide; Diameter Test: Bare Dia as per international standard, Coated dia: Grade-2, Elongation Test of thin guages: 25% to 27%, Elongation Test of thick guages: 28% to 36%, Break Down Voltage Test: 6 Kv to 12 Kv (Excluding ultra violet treated cables)	--	--	1) Wahid Industries Ltd., G. T. Road, Gujrat 2) Newage Cables (Pvt) Ltd., Newage Mansion Mcleod Road, Lahore	No Change
951	85441900	General House Wiring (PVC)	3/.029", 7/.029", 3/.036", 7/.036", 7/.044", 7/.052", 7/.064" BS-2004, BS-6004	T/S, Elong, DC Resistance IR, HVT	Purity: 99.99%	1) H.M. Esmail & Co. (H.M. Cables), SB-5, Madina City Mall, 6th Floor, Abdullah Haroon Road, Karachi 2) Newage Cables (Pvt) Ltd., Newage Mansion Mcleod Road, Lahore 3) Fast Cables Ltd. 192-Y Block, Commercial Area, Phase-III, DHA, Lahore 4) Khawaja Electronics (Pvt) Ltd., 4-H, Gulberg-III, Lahore 5) K. Caps. (Pvt.) Ltd., 4-H, Gulberg-III, Lahore.	4) Khawaja Electronics requested to delete their name from CGO, as overtaken by K. Caps.
	85441900	Electric Wire (Insulated)	3/.029", 7/.029", 3/.036", 7/.036", 7/.044", 7/.052", 7/.064"	--	--	K. Caps. (Pvt.) Ltd., 4-H, Gulberg-III, Lahore.	K. Caps. Requested to enlist this new item in CGO and also been physically verified.

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
952	85442000	i) Telephone Cables PVC Insulated	Range of Sizes: 1 Pair to 50 Pair Pakistan Cable's spec and as per others specification e.g Europeans,American, Japanese,etc (Excluding ultra violet treated cables)	Armoured / Un-Armoured	<ul style="list-style-type: none"> High Conductivity Copper Electrical Grade PVC 	1) Pakistan Cables Limited, B-21, SITE, P.O. Box No.5050, Karachi - 75700 2) Newage Cables (Pvt) Ltd., Newage Mansion Mcleod Road, Lahore 3) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore 4) Premier Cables (Pvt) Ltd., 43-E, Block 6, P.E.C.H.S., Behind FedEx, Off Razi Road, Shahrach-e-Faisal, Karachi	No Change
		ii) Welding Cable	Range of Sizes: 16MM ² to 300MM ² BSS-638 (Excluding ultra violet treated cables)	Rubber Sheathed			No Change
		iii) LSF Cable / HFFR for all GWC/LV/MV/ Flexible cable	Range of Sizes: as per Customers requirement IEC-60502, BSS-7211, BSS-6724 Also as per others specification. e.g Europeans,American, Japanese,etc (Excluding ultra violet treated cables)	<ul style="list-style-type: none"> Low Smoke & Fume Halogen Free Fire Retarded 			No Change
		iv) Insulated Cable	Drop Wire and Spiral - 4 Range of Sizes: as per Customers requirement (Excluding ultra violet treated cables)	--			No Change
		v) Shooting Wire	Voltage Grade: upto 300/500 Volts (Excluding ultra violet treated cables)	--	<ul style="list-style-type: none"> High Conductivity Copper Electrical Grade PVC 	1) Pakistan Cables Limited, B-21, SITE, P.O. Box No.5050, Karachi - 75700 2) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore	No Change
		vi) Cables, co-axial	Cable Bond etc (Excluding ultra violet treated cables)	--	--	1) Automate Industry, C-23, Estate Avenue, S.I.T.E , Karachi 2) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore	No Change
953	85444910	Telephone Cables	All telephone cables i.e. telecommunication cables, indoor telephone cables, audio/radio frequency cables, junction cables, primary cables, secondary cables, jelly filled cables, drop wire, switch board & jumper cables. (Excluding ultra violet treated cables)	--	--	1) Atlas Cables (Pvt) Limited, Karachi, 9th Floor Textile Plaza, Mumtaz Hasan Road, P.O. 5195, Karachi-74000 2) A.G.E. Cables, 97-A Industrial Estate Jamrud Road, Peshawar, 3) Premier Cables (Pvt) Ltd., 43-E, Block 6, P.E.C.H.S., Behind FedEx, Off Razi Road, Shahrach-e-Faisal, Karachi 4) Pakistan Telephone Cables, Room No. 107, Elahi Center, Preedy Street Saddar Karachi-74400 5) Pakistan Cables Limited, B-21, SITE, P.O. Box No.5050, Karachi - 75700 6) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore	No Change
954	85444920	i) General House Wiring (PVC)	3/.029", 7/.029", 3/.036", 7/.036", 7/.044", 7/.052", 7/.064" BS-2004, BS-6004	T/S, Elong, DC Resistance IR, HVT	Purity: 99.99%	1) H.M. Esmail & Co. (H.M. Cables), SB-5, Madina City Mall, 6th Floor , Abdullah Haroon Road, Karachi 2) Newage Cables (Pvt) Ltd., Newage Mansion Mcleod Road, Lahore	No Change
		ii) Multicore core, flexible, flat type copper, insulated (all features together)	From 1 mm ² to 400 mm ² Voltage grade upto 1000 Volts BS 6004; BS 6346/BS 6500 (Excluding ultra violet treated cables)	--	--	3) Fast Cables Ltd. 192-Y Block, Commercial Area, Phase-III, DHA, Lahore 4) Pakistan Cables Limited, B-21, SITE, P.O. Box No.5050, Karachi - 75700	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		Electric Wire (Insulated)	3/.029", 7/.029", 3/.036", 7/.036", 7/.044", 7/.052", 7/.064"	--	--	Khawaja Electronics (Pvt) Ltd., 4-H, Gulberg-III, Lahore- 2) K. Caps. (Pvt.) Ltd., 4-H, Gulberg-III, Lahore.	Khawaja Electronics requested to delete their name from CGO, as overtaken by K. Caps.
955	85444990	i) General House Wiring (PVC)	3/.029", 7/.029", 3/.036", 7/.036", 7/.044", 7/.052", 7/.064" BS-2004, BS-6004	T/S, Elong, DC Resistance IR, HVT	Purity: 99.99%	1) H.M. Esmail & Co. (H.M. Cables), SB-5, Madina City Mall, 6th Floor , Abdullah Haroon Road, Karachi 2) Newage Cables (Pvt) Ltd., Newage Mansion Mcleod Road, Lahore 3) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore	No Change
		ii) Air field lighting cable and Submersible Cables	Range of Sizes: as per Customers requirement Voltage Grade: a) Upto 5KV b) upto 600/1000 Volts As per customer required Specs and as per others specification. e.g Europeans,American, Japanese,etc (Excluding ultra violet treated cables)	PVC Sheathed	• High Conductivity Copper • Electrical Grade PVC	1) Pakistan Cables Limited, B-21, SITE, P.O. Box No.5050, Karachi - 75700 2) Newage Cables (Pvt) Ltd., Newage Mansion Mcleod Road, Lahore 3) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore 3) Premier Cables (Pvt) Ltd., 43-E, Block 6, P.E.C.H.S., Behind FedEx, Off Razi Road, Shahrah-e-Faisal, Karachi	No Change
		iii) Control Cables	With copper conductor 600/1000 volts WAPDA P100:2005 (Excluding ultra violet treated cables)	--	--	1) Newage Cables (Pvt) Ltd., Newage Mansion Mcleod Road, Lahore 2) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore 3) Pakistan Cables Limited, B-21, SITE, P.O. Box No.5050, Karachi - 75700	No Change
		iv) Insulated wire, cables	Single Core & Multicore (Including Co-axial cable) PVC/XLPE Range of Sizes: 0.5MM² to 1000MM² Voltage Grade: Up to 15KV BSS-6004, IEC-227, IEC-60227, IEC-502, IEC 60502, BSS-6346. Also as per others specifications e.g Europeans, American, Japanese,etc (Excluding ultra violet treated cables)	• Armoured / Un-Armoured • PVC Sheathed	• High Conductivity Copper • Electrical Grade PVC • XLPE		No Change
		v) L.V cable	Copper or Aluminium conductor. XLPE or PVC insulated cable. Single Core & Multicore Range of Sizes: 1.5MM² to 1000MM² Voltage Grade: upto 1900/3300 volts BSS-6346, IEC-502, IEC -60502. Also as per others specification.e.g Europeans, American, Japanese,etc (Excluding ultra violet treated cables)	• Armoured / Un-Armoured • PVC Sheathed	• High Conductivity Copper • Aluminium Electrical Grade • Electrical Grade PVC • XLPE		No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		vi) M.V.Cables	Copper or Aluminium conductor, XLPE Insulated cable. SingleCore & Multicore Range of Sizes: 16MM ² to 630MM ² Voltage Grade: upto 15000 volts IEC-502 IEC - 60502. Also as per others specification.e.g Europeans, American, Japanese,etc (Excluding ultra violet treated cables)	• Armoured / Un-Armoured • PVC Sheathed	• High Conductivity Copper • Aluminium Electrical Grade • Electrical Grade PVC • XLPE		No Change
		vii) Flexible Cables	Range of Sizes: 0.5MM ² to 630MM ² Voltage Grade: 300/500 Volts IEC-60227, BSS-6004, BSS-6500, IEC-227 Also as per others specification.e.g Europeans, American, Japanese etc (Excluding ultra violet treated cables)	• Armoured / Un-Armoured • PVC Sheathed	• High Conductivity Copper • Electrical Grade PVC		No Change
		viii) Control Cables PVC /XLPE Insulated	Range of Sizes: 5 Core to 61 Core Voltage Grade: upto 600/1000 Volts BSS-6346, IEC-502, IEC-60502. Also as per others specification.e.g Europeans, American, Japanese, etc (Excluding ultra violet treated cables)	• Armoured / Un-Armoured • PVC Sheathed	• High Conductivity Copper • Electrical Grade PVC • XLPE		No Change
		ix) Electric Cables	Upto 1000 Volts Sizes: 0.005mm to 630mm (Excluding ultra violet treated cables as well as, Cables with following Grades/ Specifications; AESS XF, ARX, AVXS, AVSSHF, CHFOS, FL-PE, HFSSF, SHE-J, SHSHYCJ, AEX F, AVSS XF, CAVS, CHFUS, HF, HF-ASAQ, HSHEQ, AVSSHF (Shield wire), YAEXF, TW20#02000, SHE-JF, HEBX, PEST, AEX, AVSSXCSS2FX1, AVXF, AVXSXF, AVX, HSHEJ, ARXF, AVSXY, AVSSXCS, AVSX, AVSXF,OHFAS, CIVUS, IVSSH, IVSSHF, ALVUS, ALVSS, PESXF/ PEXBS.	--	--	1) Universal Cables Industries Ltd., 61-C, Jami Commercial Street # 7, Phase 7, D.H.A., Karachi. 2) Newage Cables (Pvt) Ltd., Newage Mansion Mcleod Road, Lahore 3) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		x) PVC wiring cable	From 1 mm ² to 1000 mm ² Voltage grade upto 1000 Volts BS 6004 (Excluding ultra violet treated cables as well as, Cables with following Grades/ Specifications; AESS XF, ARX, AVXS, AVSSHF, CHFOS, FL-PE, HFSSF, SHE-J, SHSHYCJ, AEX F, AVSS XF, CAVS, CHFUS, HF, HF-ASAQ, HSHEQ, AVSSHF (Shield wire), YAEXF, TW20#02000, SHE-JF, HEBX, PEST, AEX, AVSSXCSS2FX1, AVXF, AVXSYF, AVX, HSHEJ, ARXF, AVSXY, AVSSXCS, AVSX, AVSXF, AVSSX, SHE-HP, SHE-JB, VSSXTF, OHFAS, CIVUS, IVSSH, IVSSHF, ALVUS, ALVSS, PESXF/ PEXBS.	--	--	1) Newage Cables (Pvt) Ltd., Newage Mansion Mcleod Road, Lahore 2) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore	No Change
		xi) PVC Insulated Armoured Power Cable	From 16 mm ² to 1000 mm ² 600/1000 Volts BS 6346 (Excluding ultra violet treated cables)	--	--		No Change
		xii) Low smoke zero helogen Cable	From 1 mm ² to 1000 mm ² Voltage grade upto 1000 Volts BS 7846 (Excluding ultra violet treated cables as well as, Cables with following Grades/ Specifications; AESS XF, ARX, AVXS, AVSSHF, CHFOS, FL-PE, HFSSF, SHE-J, SHSHYCJ, AEX F, AVSS XF, CAVS, CHFUS, HF, HF-ASAQ, HSHEQ, AVSSHF (Shield wire), YAEXF, TW20#02000, SHE-JF, HEBX, PEST, AEX, AVSSXCSS2FX1, AVXF, AVXSYF, AVX, HSHEJ, ARXF, AVSXY, AVSSXCS, AVSX, AVSXF, AVSSX, SHE-HP, SHE-JB, VSSXTF, OHFAS, CIVUS, IVSSH, IVSSHF, ALVUS, ALVSS, PESXF/ PEXBS.	--	--		No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		xiii) Flame retardant cables	From 1 mm2 to 1000 mm2 Voltage grade upto 1000 Volts BS 6387 (Excluding ultra violet treated as well as, Cables with following Grades/ Specifications; AESS XF, ARX, AVXS, AVSSHF, CHFOS, FL-PE, HFSSF, SHE-J, SHSHYCJ, AEX F, AVSS XF, CAVS, CHFUS, HF, HF-ASAQ, HSHEQ, AVSSHF (Shield wire), YAEXF, TW20#02000, SHE-JF, HEBX, PEST, AEX, AVSSXCSS2FX1, AVXF, AVXSXF, AVX, HSHEJ, ARXF, AVSXY, AVSSXCS, AVSX, AVSXF, AVSSX, SHE-HP, SHE-JB, VSSXTF, OHFAS, CIVUS, IVSSH, IVSSHF, ALVUS, ALVSS, PESXF/ PEXBS.	--	--		No Change
		xiv) Air Field Lighting cable	FAAL-824 IEC 502 (Excluding ultra violet treated cables)	--	--	1) Newage Cables (Pvt) Ltd., Newage Mansion Mcleod Road, Lahore 2) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore	No Change
		xv) Electric Wire (Insulated)	3/.029", 7/.029", 3/.036", 7/.036", 7/.044", 7/.052", 7/.064"	--	--	1) Khawaja Electronics (Pvt) Ltd., 4-H, Gulberg-III, Lahore- 2) K. Caps. (Pvt.) Ltd., 4-H, Gulberg-III, Lahore.	Khawaja Electronics requested to delete their name from CGO, as overtaken by K. Caps.
		xvi) ABC Cable LV	Low Voltage Aerial Bundled Cables (ABC) All sizes upto 630 mm sq	--	--	Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore	No Change
		xvii) L.V Shielded Instrumentation Cable	Low Voltage shielded/screened (copper braiding/copper tape/tinned copper braiding/aluminium foil) instrumentation cables	--	--		No Change
		xviii) L.V Fire Resistance Cable	Low Voltage Fire resistant cables 1 mm sq up to 630 mm sq	--	--		No Change
		xix) L.V Solar Cable	Low Voltage Solar Cables (photo voltaic Cables) 1 mm sq up to 630 mm sq	--	--		No Change
		xx) Cables with connector	Electric cables with connectors punched on either or both sides	--	--	Millennium Cable Industrieis, 13 Km Multan Road, Lahore	No Change
		xxi) Power Cords	Electric cables with injection molded power show at one end and connectors at the other end.	--	--		No Change
956	85446010	i) Underground XLPE Insulated Medium Voltage & High Voltage Cable	For Voltage exceeding 1,000 V but not exceeding 32,000 V	--	--	1) Newage Cables (Pvt) Ltd., Newage Mansion Mcleod Road, Lahore 2) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore 3) Pakistan Cables Limited, B-21, SITE, P.O. Box No.5050, Karachi - 75700	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		ii) M.V Cable / ABC Cable MV	Medium Voltage Aerial Bundled Cables (ABC) All sizes up to 630 mm sq Medium voltage cables (MV) (3.6/6kV) (6.35/11kV) (8.7/15kV) (12/20kV) (18/30kV) (19/33kV)	--	--	Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore	No Change
957	85447000	i) General House Wiring (PVC)	3/.029", 7/.029", 3/.036", 7/.036", 7/.044", 7/.052", 7/.064" BS-2004, BS-6004	T/S, Elong, DC Resistance IR, HVT	Purity: 99.99%	1) H.M. Esmail & Co. (H.M. Cables), SB-5, Madina City Mall, 6th Floor , Abdullah Haroon Road, Karachi 2) Newage Cables (Pvt) Ltd., Newage Mansion Mcleod Road, Lahore 3) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore	No Change
		ii) Optical fibre cables	1.Direct Buried/Armoured from 1 to 288 fiber count standard loose tube design (both dry block and jelly filled construction) 2.Duct Type/un-Armoured from 1 to 288 fiber count standard loose tube design (both dry block and jelly filled construction) 3.All Dielectric Self Supporting Aerial cable (ADSS) Un-armoured from 1 to 288 fibre count standard loose tube design (both dry block and jelly filled construction) 4. Single Mode and Multimode, Buried Cable, Duct Cable, Aerial Cable, Central loose tube cable, Gc-652 complied and Gc-655 Complied. Patch Cord and pigtail (all connector type) Single mode and Multimode Patch Cord, Pigtail. (Excluding ultra violet treated cables)	Cable dia 12 to 18 mm.	The cable is manufactured with several co-polymer coated and several other materials like PBT,Thixotropic	1) Celmore Cable Industries (Pvt) Ltd., Plot No. 13, Phase 4, Hattar Industrial Estate, District Haripur, NWFP 2) Fast Cables Ltd., 192-Y Block, Commercial Area, Phase-III, DHA, Lahore 3) Premier Cables (Pvt) Ltd., 43-E, Block 6, P.E.C.H.S., Behind FedEx, Off Razi Road, Shahrach-e-Faisal, Karachi 4) LT Engineering & Trade Services (Pvt) Ltd., Lub Thatto, Hassanabdal-43730	No Change
958	85452000	Carbon Brush	Carbon Graphite	Electrical	Various	Flecbon Corporation, OT 204, 2nd Floor, Techno City Office Tower, Hasrat Mohani Road, Off. I.I. Chundrigar Road, Opp. Uni Plaza, P.O. Box 6123, Karachi	No Change
959	85462000	Insulators (Suspension & Tention Insulators, Pin Type, Cutout, Spool, Post Insulators)	Power Insulators	Tensile Strength of Insulators, 70Kn to 120KN	--	Emco Industries Limited, 4th-Floor, National Tower, 28-Edgerton Road, Lahore	Emco Industries requested to amend their existing description of this entry, as shown.
960	85469000	i) Insulators, electric, excluding glass and ceramic	95 BIL at 210 PMA Size dia.75x130mm =17373 N as per Din 1451, CEI-ICE273 Size dia. 84x175mm =11938 N as per Din 1451, CEI-ICE273	--	--	IMS Electric (Pvt) Limited (Former: Schneider Electric Pakistan (Pvt) Ltd., (formerly AREVA-T&D Pakistan (Pvt) Ltd), D-163, S.I.T.E Karachi	IMS Electric requested to change their name as shown. Proof of name change provided.
		ii) Insulator; - (LT ABC) for D-Clamp 5-½" - (LT ABC) for D-Clamp 3-½"	LT ABC Insulator bundle holder	PA 66 with 30% GF	--	Alsons Industries (Pvt) Ltd., S-18, S.I.T.E., Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		iii) 11 KV Silicon Rubber Insulator Type DO Cut-out	11 KV Dropout Cut -out (Silicon Rubber Type)	Copper 99.9%, Brass, Steel, Glass Fibber, Silicon Tube, MS Sheet, MS Hardware	--		No Change
961	86071900	Wheels, locomotives or rolling-stock	Traction Pinion and Gears 17T, 18,T, 19T, 24T, 60T, 92 Teeth	--	--	Pakistan Machine Tool Factory (Pvt) Limited PMTF Road, Off National Highway, Landhi, Karachi-75030	No Change
962	87053000	Fire Fighting Vehicles	Fire fighting vehicles, built on locally-available Chasis	Truck Mounted Trailer Mounted	--	1) Haseen Habib Corporation [Pvt] Limited, 123/3 Quaid e Azam Industrial Estate, Lahore 2) Colibrative Heavy Industries (Pvt) Limited., Chowk Saeed, Sagian Bypass Road, Shahdhara, Kot Abdul Malik, Lahore 3) Meraj (Pvt) Limited, Plot No. 11, Sector 15, Korangi Industrial Area, P.O. Box 3135 Karachi – 74900 4) Metal Engineering Works (Pvt) Ltd., S-4, S.I.T.E., Karachi 5) Automobile Corp. of Pakistan (Pvt) Ltd., 14, Dockyard Road, West Wharf, Karachi 6) Pakistan Vehicle Engineering (Pvt) Ltd., D-134, S.I.T.E, Manghopir Road, Karachi 7) Javaid Industrial Company (JIC), Jinnah Interchange G.T. Road, Gujranwala 8) Shaheen Tank Trailers Manufacturing Company (Pvt) Ltd., Plot #306,Wali Town Near Port Qasim Mor, National Highway Karachi.	No Change
963	87059000	i) Truck Mounted Drilling Rigs and accessories ii) Vehicle Mounted Logging, Geophysical Instruments	Drilling Depth Capacity upto 2000 meter Logging Depth Capacity upto 2000 meter	--	--	Better Engineered Solutions (Pvt) Ltd. 102, Pacific Centre, F-8 Markaz Islamabad	No Change
		iii) Special Purpose Vehicles	Suction and jetting vehicles, Crash Tender, Rescue vehicle, Beach sweeper, Tank transporter, Mobile workshop, Mobile kitchen, Mobile toilets, Recovery Vehicles/cranes, Wreckers, Tow Trucks, Skip Loaders, Street Sweeper, Cranes, Aerial Ladder, Insualted Aerial, Platform /utility truck, Snorkel, Flatbed Trailer, Low Bed Trailer, Scissor Lift /cross lift, Refuse Compactor, Collector truck, Rotavator (Tractor attachment), Hi Catering Truck	Truck Mounted Trailer Mounted, etc	--	1) Metal Engineering Works (Pvt) Ltd., S-4, S.I.T.E., Karachi 2) Colibrative Heavy Industries (Pvt) Limited., Chowk Saeed, Sagian Bypass Road, Shahdhara, Kot Abdul Malik, Lahore 3) Meraj (Pvt) Limited, Plot No. 11, Sector 15, Korangi Industrial Area, P.O. Box 3135 Karachi – 74900 4) Automobile Corp. of Pakistan (Pvt) Ltd., 14, Dockyard Road, West Wharf, Karachi 5) Pakistan Vehicle Engineering (Pvt) Ltd., D-134, S.I.T.E, Manghopir Road, Karachi 6) Gujrat Steel (Pvt) Ltd., 183 A.M,Shahrah-e-Iraq, Saddar, Karachi 7) Javaid Industrial Company (JIC), Jinnah Interchange G.T. Road, Gujranwala 8) Shaheen Tank Trailers Manufacturing Company (Pvt) Ltd., Plot #306,Wali Town Near Port Qasim Mor, National Highway Karachi.	No Change
		iv) Fuel / Water Bowzers	1 Cubic meter To 50 Cubic meter	--	--	TDFC (Pvt) Ltd., East Pharange Drainage, Millat Town, Millat Road, Faisalabad	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
964	87079090	Stationary Compactor	Special Purpose	--	--	1) Javaid Industrial Company (JIC), Jinnah Interchange G.T. Road, Gujranwala 2) Shaheen Tank Trailers Manufacturing Company (Pvt) Ltd., Plot #306,Wali Town Near Port Qasim Mor, National Highway Karachi.	No Change
965	87162090	i) Mobile Frac Tank / Skid Mounted Frac Tank	Capacity: 100 BBL upto 600 BBL Or as per our client requirement	Design Code: ASME Material: Carbon Steel Internal Lining: Fibercoating /Epoxy	Support stimulation fluids upto 16%	Al-Jassar Engineering Co., 3 KM from Brahamma Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad.	No Change
		ii) Mobile Frac Tank / Skid Mounted Frac Tank	Capacity: 10 Ton upto 50 Ton Or as per our client requirement.	Design Code: ASME Material: S.S 316, SS 316L, SS 304, SS 304L, ASTM A516 Gr. 70. Internal Lining: Rubber Lining	Support acid upto 34%		No Change
		iii) Dedicated made trailers for special equipment	Capacity: 30 Ton upto 80 Ton Or as per our client requirement.	Material: Carbon Steel	--		No Change
		iv) Cement Bulker / Bulk Cement Transporter	Used for Bulk cement transport. Capacity: 25 Ton upto 80 Ton Or as per our client requirement.	Design Code: ASME Material: Carbon Steel. Test Pressure: 45 psig Working Pressure: 30 psig	--		No Change
966	87163190	Cement Bulker / Bulk Cement Transporter	Used for Bulk cement transport. Capacity: 25 Ton upto 80 Ton Or as per our client requirement.	Design Code: ASME Material: Carbon Steel. Test Pressure: 45 psig Working Pressure: 30 psig	--	Al-Jassar Engineering Co., 3 KM from Brahamma Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad.	No Change
967	87163990	i) Mobile Frac Tank / Skid Mounted Frac Tank	Capacity: 100 BBL upto 600 BBL Or as per our client requirement	Design Code: ASME Material: Carbon Steel Internal Lining: Fibercoating /Epoxy	Support stimulation fluids upto 16%	Al-Jassar Engineering Co., 3 KM from Brahamma Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad.	No Change
		ii) Mobile Frac Tank / Skid Mounted Frac Tank	Capacity: 10 Ton upto 50 Ton Or as per our client requirement.	Design Code: ASME Material: S.S 316, SS 316L, SS 304, SS 304L, ASTM A516 Gr. 70. Internal Lining: Rubber Lining	Support acid upto 34%		No Change
		iii) Dedicated made trailers for special equipment	Capacity: 30 Ton upto 80 Ton Or as per our client requirement.	Material: Carbon Steel	--		No Change
		iv) Cement Bulker / Bulk Cement Transporter	Used for Bulk cement transport. Capacity: 25 Ton upto 80 Ton Or as per our client requirement.	Design Code: ASME Material: Carbon Steel. Test Pressure: 45 psig Working Pressure: 30 psig	--		No Change
968	87164010	Dedicated made trailers for special equipment	Capacity: 30 Ton upto 80 Ton Or as per our client requirement.	Material: Carbon Steel	--	Al-Jassar Engineering Co., 3 KM from Brahamma Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad.	No Change
969	87164090	Cement Bulker / Bulk Cement Transporter	Used for Bulk cement transport. Capacity: 25 Ton upto 80 Ton Or as per our client requirement.	Design Code: ASME Material: Carbon Steel. Test Pressure: 45 psig Working Pressure: 30 psig	--	Al-Jassar Engineering Co., 3 KM from Brahamma Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad.	No Change
970	87168010	Cement Bulker / Bulk Cement Transporter	Used for Bulk cement transport. Capacity: 25 Ton upto 80 Ton Or as per our client requirement.	Design Code: ASME Material: Carbon Steel. Test Pressure: 45 psig Working Pressure: 30 psig	--	Al-Jassar Engineering Co., 3 KM from Brahamma Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad.	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
971	87168090	Cement Bulker / Bulk Cement Transporter	Used for Bulk cement transport. Capacity: 25 Ton upto 80 Ton Or as per our client requirement.	Design Code: ASME Material: Carbon Steel. Test Pressure: 45 psig Working Pressure: 30 psig	--	Al-Jassar Engineering Co., 3 KM from Brahamia Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad.	No Change
972	88079000	Drop tanks and air dispensers	Drop tanks and air dispensers for aircraft	--	--	Heavy Mechanical Complex (Pvt) Ltd., Taxila	No Change
973	89011000	All types /sizes floating vessels / ships, Submarines, etc.Mine Hunters / Sweepers, Destroyers, Frigates, Corvettes, Missile Crafts, Gun Boats, Patrol vessels, LCMs, MCMVs, all inshore and offshore crafts, Landing craft/Platform Dock, Tankers, Carriers, Boats, Containers, Trawlers, Pushers, Tugs, Dredgers, Ships, Tenders, Barges, Tugs, Cranes, Pontoon, etc.	As per client's requirement	Steel / Aluminum / Composite material	--	Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi	No Change
974	89012000	All types /sizes floating vessels / ships, Submarines, etc.Mine Hunters / Sweepers, Destroyers, Frigates, Corvettes, Missile Crafts, Gun Boats, Patrol vessels, LCMs, MCMVs, all inshore and offshore crafts, Landing craft/Platform Dock, Tankers, Carriers, Boats, Containers, Trawlers, Pushers, Tugs, Dredgers, Ships, Tenders, Barges, Tugs, Cranes, Pontoon, etc.	As per client's requirement	Steel / Aluminum / Composite material	--	Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi	No Change
975	89013000	All types /sizes floating vessels / ships, Submarines, etc.Mine Hunters / Sweepers, Destroyers, Frigates, Corvettes, Missile Crafts, Gun Boats, Patrol vessels, LCMs, MCMVs, all inshore and offshore crafts, Landing craft/Platform Dock, Tankers, Carriers, Boats, Containers, Trawlers, Pushers, Tugs, Dredgers, Ships, Tenders, Barges, Tugs, Cranes, Pontoon, etc.	As per client's requirement	Steel / Aluminum / Composite material	--	Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
976	89019000	All types /sizes floating vessels / ships, Submarines, etc.Mine Hunters / Sweepers, Destroyers, Frigates, Corvettes, Missile Crafts, Gun Boats, Patrol vessels, LCMs, MCMVs, all inshore and offshore crafts, Landing craft/Platform Dock, Tankers, Carriers, Boats, Containers, Trawlers, Pushers, Tugs, Dredgers, Ships, Tenders, Barges, Tugs, Cranes, Pontoons, etc.	As per client's requirement	Steel / Aluminum / Composite material	--	Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi	No Change
977	89020000	All types /sizes floating vessels / ships, Submarines, etc.Mine Hunters / Sweepers, Destroyers, Frigates, Corvettes, Missile Crafts, Gun Boats, Patrol vessels, LCMs, MCMVs, all inshore and offshore crafts, Landing craft/Platform Dock, Tankers, Carriers, Boats, Containers, Trawlers, Pushers, Tugs, Dredgers, Ships, Tenders, Barges, Tugs, Cranes, Pontoons, etc.	As per client's requirement	Steel / Aluminum / Composite material	--	Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi	No Change
978	89032100	All types /sizes floating vessels / ships, Submarines, etc.Mine Hunters / Sweepers, Destroyers, Frigates, Corvettes, Missile Crafts, Gun Boats, Patrol vessels, LCMs, MCMVs, all inshore and offshore crafts, Landing craft/Platform Dock, Tankers, Carriers, Boats, Containers, Trawlers, Pushers, Tugs, Dredgers, Ships, Tenders, Barges, Tugs, Cranes, Pontoons, etc.	As per client's requirement	Steel / Aluminum / Composite material	--	Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
979	89032200	All types /sizes floating vessels / ships, Submarines, etc.Mine Hunters / Sweepers, Destroyers, Frigates, Corvettes, Missile Crafts, Gun Boats, Patrol vessels, LCMs, MCMVs, all inshore and offshore crafts, Landing craft/Platform Dock, Tankers, Carriers, Boats, Containers, Trawlers, Pushers, Tugs, Dredgers, Ships, Tenders, Barges, Tugs, Cranes, Pontoons, etc.	As per client's requirement	Steel / Aluminum / Composite material	--	Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi	No Change
980	89032300	All types /sizes floating vessels / ships, Submarines, etc.Mine Hunters / Sweepers, Destroyers, Frigates, Corvettes, Missile Crafts, Gun Boats, Patrol vessels, LCMs, MCMVs, all inshore and offshore crafts, Landing craft/Platform Dock, Tankers, Carriers, Boats, Containers, Trawlers, Pushers, Tugs, Dredgers, Ships, Tenders, Barges, Tugs, Cranes, Pontoons, etc.	As per client's requirement	Steel / Aluminum / Composite material	--	Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi	No Change
981	89033100	Fiber Glass Boats	Ranging from 10 ft to 70 ft long (International Maritime Specs)	As per Standard	As per Standard	1) Business & Engineering Trends, 100-A Wazir Ali Road, Upper Mall, Opposite Lahore Gymkhana Lahore 2) Fibre Craft Industries, Canal Bank Hanif Park Harbanspura Lahore - 54850	No Change
982	89033200	All types /sizes floating vessels / ships, Submarines, etc.Mine Hunters / Sweepers, Destroyers, Frigates, Corvettes, Missile Crafts, Gun Boats, Patrol vessels, LCMs, MCMVs, all inshore and offshore crafts, Landing craft/Platform Dock, Tankers, Carriers, Boats, Containers, Trawlers, Pushers, Tugs, Dredgers, Ships, Tenders, Barges, Tugs, Cranes, Pontoons, etc.	As per client's requirement	Steel / Aluminum / Composite material	--	Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
983	89033300	All types /sizes floating vessels / ships, Submarines, etc.Mine Hunters / Sweepers, Destroyers, Frigates, Corvettes, Missile Crafts, Gun Boats, Patrol vessels, LCMs, MCMVs, all inshore and offshore crafts, Landing craft/Platform Dock, Tankers, Carriers, Boats, Containers, Trawlers, Pushers, Tugs, Dredgers, Ships, Tenders, Barges, Tugs, Cranes, Pontoons, etc.	As per client's requirement	Steel / Aluminum / Composite material	--	Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi	No Change
984	89039900	Fiber Glass Boats	Ranging from 10 ft to 70 ft long (International Maritime Specs)	As per Standard	As per Standard	1) Business & Engineering Trends, 100-A Wazir Ali Road, Upper Mall, Opposite Lahore Gymkhana Lahore 2) Fibre Craft Industries, Canal Bank Hanif Park Harbanspura Lahore - 54850	No Change
985	89040000	All types /sizes floating vessels / ships, Submarines, etc.Mine Hunters / Sweepers, Destroyers, Frigates, Corvettes, Missile Crafts, Gun Boats, Patrol vessels, LCMs, MCMVs, all inshore and offshore crafts, Landing craft/Platform Dock, Tankers, Carriers, Boats, Containers, Trawlers, Pushers, Tugs, Dredgers, Ships, Tenders, Barges, Tugs, Cranes, Pontoons, etc.	As per client's requirement	Steel / Aluminum / Composite material	--	Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi	No Change
986	89051000	All types /sizes floating vessels / ships, Submarines, etc.Mine Hunters / Sweepers, Destroyers, Frigates, Corvettes, Missile Crafts, Gun Boats, Patrol vessels, LCMs, MCMVs, all inshore and offshore crafts, Landing craft/Platform Dock, Tankers, Carriers, Boats, Containers, Trawlers, Pushers, Tugs, Dredgers, Ships, Tenders, Barges, Tugs, Cranes, Pontoons, etc.	As per client's requirement	Steel / Aluminum / Composite material	--	Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
987	89052000	All types /sizes floating vessels / ships, Submarines, etc.Mine Hunters / Sweepers, Destroyers, Frigates, Corvettes, Missile Crafts, Gun Boats, Patrol vessels, LCMs, MCMVs, all inshore and offshore crafts, Landing craft/Platform Dock, Tankers, Carriers, Boats, Containers, Trawlers, Pushers, Tugs, Dredgers, Ships, Tenders, Barges, Tugs, Cranes, Pontoons, etc.	As per client's requirement	Steel / Aluminum / Composite material	--	Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi	No Change
988	89059000	All types /sizes floating vessels / ships, Submarines, etc.Mine Hunters / Sweepers, Destroyers, Frigates, Corvettes, Missile Crafts, Gun Boats, Patrol vessels, LCMs, MCMVs, all inshore and offshore crafts, Landing craft/Platform Dock, Tankers, Carriers, Boats, Containers, Trawlers, Pushers, Tugs, Dredgers, Ships, Tenders, Barges, Tugs, Cranes, Pontoons, etc.	As per client's requirement	Steel / Aluminum / Composite material	--	Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi	No Change
		Light-vessels	Range up to 4mm ~ 20 mm plate thickness	--	--	1) Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000 2) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan	No Change
989	89061000	All types /sizes floating vessels / ships, Submarines, etc.Mine Hunters / Sweepers, Destroyers, Frigates, Corvettes, Missile Crafts, Gun Boats, Patrol vessels, LCMs, MCMVs, all inshore and offshore crafts, Landing craft/Platform Dock, Tankers, Carriers, Boats, Containers, Trawlers, Pushers, Tugs, Dredgers, Ships, Tenders, Barges, Tugs, Cranes, Pontoons, etc.	As per client's requirement	Steel / Aluminum / Composite material	--	Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
990	89069000	All types /sizes floating vessels / ships, Submarines, etc.Mine Hunters / Sweepers, Destroyers, Frigates, Corvettes, Missile Crafts, Gun Boats, Patrol vessels, LCMs, MCMVs, all inshore and offshore crafts, Landing craft/Platform Dock, Tankers, Carriers, Boats, Containers, Trawlers, Pushers, Tugs, Dredgers, Ships, Tenders, Barges, Tugs, Cranes, Pontoons, etc.	As per client's requirement	Steel / Aluminum / Composite material	--	Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi	No Change
991	89079000	i) Tanks, storage, floating	All type of floating storage tanks for oil feilds	Skid mounted storage tanks for fuels, eatable oils and water, round storage tankds with fixed proof for oil/ fuel, Round storage with floating roof for oil/ fuel.	--	1) Metal Engineering Works (Pvt) Ltd., S-4, S.I.T.E., Karachi 2) Ravi Green Engineering (Pvt.) Ltd. 20th km (Pajian) Raiwind Road Lahore, Punjab, 54000 Pakistan	No Change
		ii) Storage Tanks/Pressure Vessels	Reservoirs, Tanks, Road Tankers, Deaerator Tanks, Feed Water Tanks, Clarified Tanks, Underground Tanks, Skid Mounted Fuel Tank Capacity: as per our client requirement.	Design Code: API 650 / ASME Material: Carbon Steel Internal Lining: Fibercoating/Epoxy	Support stimulation fluids/acid upto 16%	1) Al-Jassar Engineering Co., 3 KM from Brahama Interchange M1, Jhang Bahtar Road, Near By Multi Orchids Residencia, Islamabad. 2) Karachi Shipyard & Engineering Works Ltd., West Wharf Dockyard P.O. Box 4419, Karachi	No Change
992	90172000	i) Geometry Box ii) Compass iii) Scales iv) Rulers (6 inches,8 inches & 12 inches)	- All Type Mathematical Geometry Box & Metal Compass for Students.	-Polypropylene -SAN RESIN -ABS -Zinc Alloy	--	1) Brother Industries, 190/1, Sector 23, Korangi Industrial Area, Karachi 2)Toray Plast, Al Jannat Road, Saggian Ravi By Pass, Nain Sukh, Lahore 3) Oro Industries, 86-87, Sector 23, Korangi Industrial, Karachi	No Change
993	90183110	i) Regular Syringes with needles	1-CC, 3-CC, 5-CC, 10-CC, 20-CC, 50-CC, 60-CC	E.O. Sterilized, 3-part, luer or slip lock, gasket, plunger, barrel. Precise calibrate graduation barrel mark scale printing. Needle with color hub.	Medical grade raw materials	Silver Surgical Complex (Pvt.) Ltd., Silver House, 11/E, Block-6, P.E.C.H.S., Karachi	No Change
		ii) Insulin Syringes with needles	1-ml, 1-CC	E.O Sterlized single use 1-ml/CC insulin Unibody syringe with self destructive plunger, precise calibrate graduation barrel mark scale printing.			No Change
994	90183120	Regular Syringes without needles	1-CC, 3-CC, 5-CC, 10-CC, 20-CC, 50-CC, 60-CC	E.O. Sterilized, 3-part, luer or slip lock, gasket, plunger, barrel. Precise calibrate graduation barrel mark scale printing. Needle with color hub.	Medical grade raw materials	Silver Surgical Complex (Pvt.) Ltd., Silver House, 11/E, Block-6, P.E.C.H.S., Karachi	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
995	90183940	i) Intravenous Catheters / IV Cannula and parts	14-G, 16-G, 18-G, 20-G, 22-G, 24-G, 26-G	E.O. Gas sterilized Radio Opaque Catheter tube. Stainless Steel needle with sharp grinded tip for easy insertion and painless cannulization. Providing of a vent fitting preventing blood escape and medicine. (3-types, injection port and straight).	Medical grade raw materials	Silver Surgical Complex (Pvt.) Ltd., Silver House, 11/E, Block-6, P.E.C.H.S., Karachi	No Change
		ii) One way stopper/ 3-way stopper	Connector for I.V. Cannula/ catheter	E.O. Sterilized, Blister pack, connector.	Medical grade raw materials		No Change
996	90184900	i) Scalers, dental	High grade	--	--	Acumen Surgical (Pvt) Ltd., Jinnah Town, Capital Road, Sialkot	No Change
		ii) Dental Operatory system complete	Dental Unit Dental Chair Dental Light Dental stools Dental Compressor Dental Suction Comprising of unit, dental chair, compressor, suction,	Metals:- Iron sheet, angle Iron, Brass, SS; Casting of aluminum, Bolts, Nuts & Screws, Welding Rods etc <u>Electrical/Electronics</u> : Electric, cables & connection, IC, transistor, resistor, PC board, Limit Switch, rubber material, glass, Cables, Membrane sheet, Panel switches, Foot Switches, Variable Switches <u>Hydraulic/Mechanical</u> : Motor, solenoid valves, Presser Pipes Connector Cylinder, ORings, Gears <u>Pneumatics</u> : Foot controller, Pneumatics, valves, Tubes, Switches, pull back & master valve. <u>Plastic/UPVC/Rubber</u> : Foam upholstery UPVC tubing, silicone sheet packing material <u>Misc</u> : Porcelen /Ceramic bowl, Glass reflector, LED's etc., Stoving paint, plastic Epoxy, Quoting paint.	Fiber glass chrome Nickle Cadmium plating process Hydraulic oil Acid phosphate UPVC rubber	Westech Pvt Ltd., 69-C, Ghaus-ul-Azam Road, Lahore	No Change
997	90268000	i) Online Pressure Monitoring Solution	--	--	--	Digitec Systems, Plot No. 178, Sector-24, Korangi Industrial Area, Karachi.	No Change
		ii) Self Operated Regulator (043)	3/4" NPTF Capacity 500 to 600 3/4" NPTF Capacity 4000 to 5000	Denisty 2.65 g/cm3 Freezing 575-565 Elongation 30%	LM-6, Al-86%, Si-12%, Other 2%	Sindh Standard Engineering Works, F-713-A, S.I.T.E, Metrovill, Karachi	No Change
		iii) Temperproof Regulator (Small / Large Size)	1/2"x1/2" Low / High Capacity 8" W.C				No Change
998	90281000	i) Gas Metering Skid	Senior/ Junior Orifice	-	-	Descon Engineering Limited, DESCON Manufacturing Business Area, 2 KM Defence road, Off: KM Multan Road, Chung Lahore – 53000	No Change
		ii) Gas Meters, Parts thereof	Aluminum Body, Case & Covers of Gas Meter Gas Meter G 1.6 Gas Meter G 4, Gas Memter V3	--	--	Pakistan Machine Tool Factory (Pvt) Limited PMTF Road, Off National Highway, Landhi, Karachi-75030	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		iii) Gas Meters	<u>Gas Meter (G-1.6) with Non-Return Valve</u> - Cyclic Volume 0.8 liter - Maximum Operating Pressure 0.5 bar - Qmax 2.5m ³ /hr - Qmin 0.016m ³ /hr - Temp. Range -20 °C to +50 °C <u>Gas Meter (G-4) with Non-Return Valve</u> - Cyclic Volume 1.2 liter - Maximum Operating Pressure 0.5 bar - Qmax 6m ³ /hr - Qmin 0.04m ³ /hr - Temp. Range -20 °C to +50 °C	--	--	Sui Southern Co. Ltd., (Meter Manufacturing Plant), ST-B/B-14, Sir Shah Muhammad Suleman Road, Gulshan-e-Iqbal, Karachi	No Change
999	90283000	i) Meters, electricity	Solid State & Pre Paid Energy Meter	--	--	MicroTech Industries (Pvt.) Ltd., Attari Industrial Estate, Plot # 2, Street # 2, 18 KM. Ferozepur Road, Lahore	No Change
		ii) Meters, electricity	1) Single Phase AC Energy Meters, 10/40 Amps, 240V, 50 Hz Accuracy Class-2 housed in polycarbonate meter box with magnetic bearing. 2) Single Phase Meters 10 to 60 Amps 3-Phase Meters 10 to 100 Amps CT & PT Operated 3 Phase Meters 5 Amps 3) 3-Phase, 4-wire, 3-Element, Electromechanical AC Energy Meters, 15(90) Amps, 230/400V, 50 Hz, Accuracy Class 2.0 Housed in polycarbonate Meter box with L.E.D.s with Magnetic Bearings. 4) Static 3-Phase, 4-wire, whole current energy meter with multi rate tariff (Class-1) in polycarbonate cover.	--	--	1) Escorts Pakistan Ltd, Escorts House, 26-Davis Road, Lahore 2) KBK Electronics (Pvt) Ltd., (formerly SB Electronics Engineering & Control (Pvt) Ltd.), 86, Tariq Block, New Garden Town, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		iii) Meters, electricity	- Single / Three Phase Electronic/ Electromechanical Meter, 220 volts, 400 volts and 50 c/s, MDI Meter (LT/HT), KVARH Meter (LT/HT), Three Phase CT Operated Electronic Meter, Prepaid Meter, Electronic Module for MDI, Meter components i.e., Current Coil Assy, Potential Coil Assy, Rotor Assy, Brake Magnet Assy, Meter Base Assy, Meter Fame, Meter Cover Assy, Meter Security Box, Terminal Block Assy & Brass/Copper Terminals,	--	--	1) Syed Bhais (Pvt) Ltd., 200 Ferozepur Road Lahore 54600 2) Pakistan Elektron Limited (PEL), 14-Kilometer, Ferozepur Road Lahore	No Change
		iv) Static Single Phase Energy Meters	For measurement of KWH and MDI (Maximum Demand Indicator) for domestic and commercial users with anti tampering features. (As per WAPDA's design)	--	--	Creative Engineering (Pvt) Ltd., 160/ S, Q.I.E. Kot Lakhpat Lahore	No Change
		v) Static Three Phase Whole Current Energy Meters	Three Phase 04 wire TOD (Time of Day) and MDI (Maximum Demand Indicator) multiple tariff meter, anti tampering, date and time recording features. (As per WAPDA's design)	--	--		No Change
		vi) 3 Phase 4 wire LT (TOU) CT Operated Static Energy Meters	Static 3 phase 4 wire multi-rate meters for measurement of active & reactive energy/ load, with memory features to record events and transfer data. (As per WAPDA's design).	--	--		No Change
		vii) 3 Phase 4 wire HT (TOU) CT & PT Operated Static Energy Meters	For measurement of active, reactive energy, Indicating Maximum Demand/ load profile with specific characteristics to store and transfer data. (As per WAPDA's design).	--	--		No Change
		viii) Static 1-Phase Energy Meter	Static 1-Phase, 2-Wire, 240V, 10(40) Amp, 50Hz, Energy Meter with Accuracy Class 0.1	--	--		No Change
		ix) Static 3-Phase Energy Meter	Static 3-Phase, 4-Wire, 3-Element, 3x230/400 V, 10(100)Amp, 50Hz Whole Current Energy Meter having Accuracy Class 1.0 Active Energy & Accuracy Class 2.0 Reactive	--	--	MicroTech Industries (Pvt.) Ltd., Attari Industrial Estate, Plot # 2, Street # 2, 18 KM. Ferozepur Road, Lahore	No Change
		x) LT type CT Operated Energy Meter	LT type TOU CT operated, 3-Phase, 4-Wire, 3-Element, 3x230/400V, 5/10Amp, 50Hz Energy Meter having Accuracy Class 1.0 kWh & Accuracy Class 2.0 kvarh	--	--		No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		xi) RF enabled Static 1-Phase Energy Meter	RF enabled Static 1-Phase, 2-Wire, 240V, 10(40) Amp, 50Hz, Accuracy Class 0.1 Energy Meter with Built-in RF Module	--	--		No Change
		xii) RF enabled Static 3-Phase Energy Meter	RF enabled Static 3-Phase, 4-Wire, 3-Element, 3x230/400 V, 10(100)Amp, 50Hz, Accuracy Class 1.0 kWh & Accuracy Class 2.0 kvarh Whole Current Energy Meter with Built-in RF Module	--	--		No Change
		xiii) AMR enabled Static 1-Phase Energy Meter	AMR enabled Static 1-Phase, 2-Wire, 240V, 50 Hz, 10/40 Amp, Accuracy Class 1.0, Energy Meter DLMS/COSEM complaint, with built-in GSM/GPRS communication module	--	--		No Change
		xiv) AMR enabled Static 3-Phase Energy Meter	AMR enabled 3-Phase Whole Current, 230/400V, 3-Phase, 4-Wire, 50 Hz, 10/100 Amp, Accuracy Class 1.0 kWh & Accuracy Class 2.0 kvarh, Static Energy Meter, DLMS/COSEM complaint with built-in GSM/GPRS communication module	--	--		No Change
		xv) AMR enabled LT type CT operated Energy Meter	AMR enabled LT type CT operated, 3-Phase, 4-Wire, 3-Elements, 3x 230/400 V, 5(10) Amp, 50 Hz, Accuracy Class 1.0 for kWh & Accuracy Class 2.0 for kvarh Energy Meter with built-in GSM/GPRS communication module	--	--		No Change
		xvi) AMR enabled HT type CT & PT operated Energy Meter	AMR enabled HT type CT & PT operated, 3-Phase, 4-Wire, 3-Elements, 3x 63.5/110V, 5(10) Amp, 50 Hz, Accuracy Class 1.0 for kWh & Accuracy Class 2.0 for kvarh Energy Meter with built-in GSM/GPRS communication module	--	--		No Change
		xvii) AMR enabled HT LT type Energy Meter Accuracy Class 0.5S	AMR enabled HT LT type CT & PT operated, 3-Phase, 4-Wire, 3-Elements, 3x63.5/110V, 230/400 V, 5(10) Amp, 50 Hz, Accuracy Class 0.5S for kWh & Accuracy Class 2.0 for kvarh Energy Meter with built-in GSM/GPRS communication module	--	--		No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		xviii) AMR enabled Static 1-Phase Prepaid Energy Meter	AMR enabled Static 1- Phase, 2- Wire, 240V, 50 Hz, 10/40 Amp, Accuracy Class 1.0, Energy Meter DLMS/COSEM complaint, with built-in GSM/GPRS communication module with connect / disconnect relay	--	--		No Change
		xix) AMR enabled Static 3-Phase Prepaid Energy Meter	AMR enabled 3-Phase Whole Current, 230/400V, 3- Phase, 4- Wire, 50 Hz, 10/100 Amp, Accuracy Class 1.0 kWh & Accuracy Class 2.0 kvarh, Static Energy Meter, DLMS/COSEM complaint with built-in GSM/GPRS communication module with connect / disconnect relay	--	--		No Change
		xx) Static 3-Phase Bi-Directional Energy Meter	Static 3-Phase, 4-Wire, 3- Element, 3x230/400 V, 10(100)Amp, 50Hz Whole Current Bi-Directional for Net / Green Metering Energy Meter having Accuracy Class 1.0 Active Energy & Accuracy Class 2.0 Reactive	--	--		No Change
1000	90289090	Online Temperature/Energy Monitoring Solution GSM Based	--	--	--	Digitec Systems, Plot No. 178, Sector-24, Korangi Industrial Area, Karachi.	No Change
1001	90304000	Smart GPRS Terminal (SmartGT)	Power input: 12 to 28Vdc @ 200mA, Digital Input : 6 x Dry Control Alarms, Analog Inputs: Temperature Sensor up to 2.5 Vdc, Fuel Sensor (4-2.5 mA) . 3rd Party Communication Port : RS232, Communication with slave devices (RTUs) : RS485 port / MODBUS. Smart GT is a RS485 gateway terminal for data collection of remote equipment. It is capable of communicating site hardware and transferring processed data in user-defined customized protocol to central RMS server.	Enclosure: Extruded Aluminium, Powder coated Mounting Style: Din Rail. Dimensions: 85x62x93 mm; Weight : 410 g	--	SalTec Smart Power (Pvt.) Ltd., Powerlink, 1-A/2, Sector 15, Korangi Industrial Area, Karachi	Name of Saltec Powerlink changed to SalTec Smart Power, as shown. Proof of name change provided.

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
1002	90308900	DC Power Controller (DPC)	Operating Voltage: 12-60 Vdc, Power Consumption : < 5watts, No. of Dry Contacts / Alarms : x6,DC Current Measurement : Up to 4 Tenants with 1 default CT (± 200A). Remote Monitoring : via RS485 interface DPC is an all-in-one DC management solution for BTS Battery Health Monitoring System, DC Tenant power to energy monitoring, Site Alarms Monitoring, Genset / Battery Cycling Control for hybrid action, Temperature Sensor for Batteries.	Enclosure: Extruded Aluminium, Powder coated Mounting Style: Din Rail. Dimensions: 125x165x70 mm Weight : 610 g	--	SalTec Smart Power (Pvt.) Ltd., Powerlink, 1-A/2, Sector 15, Korangi Industrial Area, Karachi	Name of Saltec Powerlink changed to SalTec Smart Power, as shown. Proof of name change provided.
		Power Measurement Module (PMM)	Input Voltage: 12-30Vdc Input Current: ~150mA 3 Phase AC Current (CT Dependent 100/40A) - upto 100A, 3 Phase AC Voltage (VAC) - upto 300V 3 Phase Apparent Power: upto 24kVA 3 Phase Real Power: upto 24KW Frequency: 50 Hz ± 10% PMM is a low cost AC power meter, advance then conventional power measurement devices, which not only measures mains power, but also the quality of power.	Enclosure: ABS Plastic. Mounting Style: Panel Mount Dimensions:125x165x70 mm. Weight: 500g	--		No Change
		Generator Manager (GEM)	Wide Operating Voltage : 20 - 60V. Adaptibility : +24V or 48V Telecom DC Systems or a Combination. Battery Voltage Monitoring : Upto 3 Batteries (0-100Vdc). Remote Monitoring : Optional via RS 485 interface GEM is a smart generator manager for single/dual Genset controller with multi -functions i.e. A) Genset/ battery hybrid control fuel saving device based on battery voltage and/or shelter temperature. B) Dual Genset Duty Cycle Controller. C) Data Management with smart alert capability via Remort Monitoring.	Enclosure: Extruded Aluminium,Powder coated Mounting Style: Din Rail. Dimensions: 120x62x93 mm; Weight : 640g	--		No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
		Auto Mains Fail (AMF)	Operating Voltage: 8-16Vdc, Operating Current (Max): 390mA at 12Vdc. Single and Three Phase Sensing Voltage (Vac): 30 to 100Hz. Generator Battery Sensing Voltage (Vdc): 9-15 Vdc. Remote Monitoring with alarm: RS485 Port. AMF is a highly efficient module designed for Generator (Genset) power management automatically. It monitors the mains voltages and controls the automatic start, stop and load transfer.	Enclosure: ABS Plastic. Mounting Style: Panel Mount Dimensions: 125x165x70 mm. Weight: 500g	--		No Change
		Grid Export Controller (GEC)	Operating Voltage Range: 9-60Vdc Power Consumption: <5 watts Connectivity : WIFI Communication Port: RS232 & RS485 Protocol: MODBUS RTU / ASCII GEC is a smart solar export limiter to control / limit the solar energy export towards grid. It also works as an Smart Meter which provides export and import energy metering to/from grid.	Enclosure: ABS Plastic. Mounting Style: Din Rail / Panel Mount Dimensions: 90x115x40 mm. Weight: 150g	--		No Change
1003	90321090	Gas Controller Thermostat	Temperature Range 30 degree C - 70 Degree C, Differential < 5 degree C, Current 16 Amps Max, Material Brass. Sensor Length 7", 11", 18". Temperature Selection 40 degree C to 80 degree C, Inlet and Pilot Filters, Thermoelectric flame failure safety device. Brass body, inlet 1/2" NPT, Outlet 3/4" 18 TPi, Max inlet Gas Pressure 5" of water column.	--	--	Tesla Industries Pvt. Ltd., Plot No. 81-F, St. 6, I-10/3, Islamabad	No Change
1004	90328990	i) Stabilizers, voltage	Smart Line Conditioners 1 phase: 2 to 10KVA (with or without Isolation Transformer) 3 phase: upto 30KVA (non-isolated transformer)	Specially designed for Pakistani power conditions, and most suitable for IT & Telecom industry.	--	SalTec Smart Power (Pvt.) Ltd., Powerlink: 1-A/2, Sector 15, Korangi Industrial Area, Karachi	Name of Saltec Powerlink changed to SalTec Smart Power, as shown. Proof of name change provided.
		ii) Solar Charger Controller /Current Controller	Sun Smart 12 Volt 10 Amp to 72 Volt 50 Amp	--	--	Systek (Pvt.) Ltd, H.No# 115/1, Street No. 17, Off Khayaban-e- Muhafiz , Phase 6, DHA, Karachi	No Change
1005	91070000	i) Wash Timer (15 minutes to 18 minutes) ii) Spin Timer (3 minutes to 8 minutes)		--	--	Khawaja Adhesive Tapes (Pvt) Ltd., 4-H, Gulberg-III, Lahore	No Change
1006	93011000	Mortars, military	Heavy Mortar 120 mm, Light Mortar 81 mm, Mortar 60 mm	--	--	Pakistan Machine Tool Factory (Pvt) Limited PMTF Road, Off National Highway, Landhi, Karachi-75030	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
1007	93012000	i) Launchers, rocket	Under Barrel Grenade Launcher GL-40 Rocket Propelled Grenade Launcher RPG-7	--	--	Pakistan Machine Tool Factory (Pvt) Limited PMTF Road, Off National Highway, Landhi, Karachi-75030	No Change
		ii) Tear Gas Gun	37/38mm Tear Gas Gun (Shell Grenade Launcher)	--	--	Daudsons Armoury (Pvt) Ltd., Industrial Estate Kohat Road , Peshawar	No Change
		iii) Grenade Launcher	40mm Shot Range Grenade Launcher (SRGL) / 40mm Hand Held Grenade Launcher (HHGL)	--	--		No Change
1008	93019029	Rifles, military	Recoilless Rifle 106 mm	--	--	Pakistan Machine Tool Factory (Pvt) Limited PMTF Road, Off National Highway, Landhi, Karachi-75030	No Change
1009	93032011	Gauge Pump Action Shotgun	12 Gauge Pump Action Shotgun "Shooter"	--	--	Daudsons Armoury (Pvt) Ltd., Industrial Estate Kohat Road , Peshawar	No Change
1010	93032019	i) Shotgun (12 Gauge Single Barrel Shotgun) ii) Rifle' 22 Single Pistol (Pistol Pyrotechnic (Single Pistol)		--	--	Daudsons Armoury (Pvt) Ltd., Industrial Estate Kohat Road , Peshawar	No Change
1011	93032020	Double Barrel Shotgun	12 Gauge Double Barrel Shotgun	--	--	Daudsons Armoury (Pvt) Ltd., Industrial Estate Kohat Road , Peshawar	No Change
1012	93039000	Pistol 9mm Model Trushot	--	--	--	Daudsons Armoury (Pvt) Ltd., Industrial Estate Kohat Road , Peshawar	No Change
1013	93059111	Padistal Mount for Gun MG1A3	Firing Mechanism	--	--	Pakistan Machine Tool Factory (Pvt) Limited PMTF Road, Off National Highway, Landhi, Karachi-75030	No Change
1014	93062900	Mortar Training Bomb	60mm, 81mm, 120mm Mortar Training Bomb	--	--	Daudsons Armoury (Pvt) Ltd., Industrial Estate Kohat Road , Peshawar	No Change
1015	93069000	i) Bombs (munition) ii) MK-81 Bomb Casing iii) Penetrating Guidance Bomb Casings Small dia Air Launched Bomb Casing	MK82,MK83,MK84 Low Drag General Purpose.	--	--	Daudsons Armoury (Pvt) Ltd., Industrial Estate Kohat Road , Peshawar	No Change
1016	94029020	Hospital beds with mechanical fittings	Patient Motorized / Electrical Beds for ICU and CCU etc.	--	--	1) G. Med Equipment, 11A Hurbance Pura Road, Near Railway Crossing P. O. Tajpura Lahore Cantt., 2) Strongman Medifur Systems (Pvt) Ltd., Plot No. 166 Street No. 9, I-10/3 Industrial Area, Islamabad.	No Change
1017	94031000	Metal Shelvings	Mobile Shelving and General Office Shelving etc.etc.	--	--	Gujrat Steel (Pvt) Ltd., 183 A.M,Shahrah-e-Iraq, Saddar, Karachi	No Change
1018	94037000	Plastic Furniture	Children's outdoor play areas, different varieties to chose from and made to order	--	--	Green Earth Recycling Pakistan, 208/A Street # 5, Cavalry Grounds, Cantt. Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
1019	94051190	Light-emitting diode (LED) Energy saving lights:	All types of Light fittings with fixed/fitted LED or SMD or COB (All sizes); (As per IEC standards)	--	--	1) National Institute of Electronics, Ministry of Science & Technology, H. No. 17, H-9, P.O. Box 1406, Islamabad- 2) Creative Electronics & Automation, Plot No. 142, Industrial Triangle, Kahuta Road, Islamabad 3) Micro Pak (Pvt) Ltd., Plot No. 218, St. No. 7, I-9/2, Islamabad 4) Concept Private Limited, Plot # 291, Street # 03, I-9/3, Islamabad 5) Khyber Electric Lamps, 483 Tariq Road Peshawar Cant 6) DS Technologies, ST-2/7, Sector 16, Korangi Industrial Area, Karachi 7) Wasif Impex, 1st & 2nd Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi 8) Fast Cables Limited. 192-Y Block, Commercial Area, Phase III, DHA, Lahore.	1) National Institute of Electronics informed that they have only developed the prototypes of LED products, not the commercial products; therefore, exclude their name from CGO. 8) Fast Cable addd in this entry, as per their request.
1020	94051990	Light Emitting Diodes (LED) Energy saving Lighting Products (SMD,COB)	All types of LED Bulbs and Lamps (all types); LED Panel Lights (All sizes); LED 4 Channel, Linear and Tube Lights (all sizes); LED Down Lights; LED Street Lights; Flood and Spot Lights; Sports Stadium Lights; Canopy Lights, LED Strip and Rope Lights; LED Track Lights, LED X-Ray Illuminators (1U, 2U, 3U, 4U) etc. [AC / DC] (As per IEC standards)	--	--	1) National Institute of Electronics, Ministry of Science & Technology, H. No. 17, H-9, P.O. Box 1406, Islamabad- 2) Creative Electronics & Automation, Plot No. 142, Industrial Triangle, Kahuta Road, Islamabad 3) Micro Pak (Pvt) Ltd., Plot No. 218, St. No. 7, I-9/2, Islamabad 4) Concept Private Limited, Plot # 291, Street # 03, I-9/3, Islamabad 5) Fast Cables Limited. 192-Y Block, Commercial Area, Phase III, DHA, Lahore.	1) National Institute of Electronics informed that they have only developed the prototypes of LED products, not the commercial products; therefore, exclude their name from CGO. 5) Fast Cable addd in this entry, as per their request.
1021	94052100	Light Emitting Diodes (LED) Energy saving Lighting Products (SMD,COB)	All types of LED Bulbs and Lamps (all types); LED Panel Lights (All sizes); LED 4 Channel, Linear and Tube Lights (all sizes); LED Down Lights; LED Street Lights; Flood and Spot Lights; Sports Stadium Lights; Canopy Lights, LED Strip and Rope Lights; LED Track Lights, LED X-Ray Illuminators (1U, 2U, 3U, 4U) etc. [AC / DC] (As per IEC standards)	--	--	1) National Institute of Electronics, Ministry of Science & Technology, H. No. 17, H-9, P.O. Box 1406, Islamabad- 2) Creative Electronics & Automation, Plot No. 142, Industrial Triangle, Kahuta Road, Islamabad 3) Micro Pak (Pvt) Ltd., Plot No. 218, St. No. 7, I-9/2, Islamabad 4) Concept Private Limited, Plot # 291, Street # 03, I-9/3, Islamabad 5) Fast Cables Limited. 192-Y Block, Commercial Area, Phase III, DHA, Lahore.	1) National Institute of Electronics informed that they have only developed the prototypes of LED products, not the commercial products; therefore, exclude their name from CGO. 5) Fast Cable addd in this entry, as per their request.

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
1022	94053100	Light Emitting Diodes (LED) Energy saving Lighting Products (SMD,COB)	All types of LED Bulbs and Lamps (all types); LED Panel Lights (All sizes); LED 4 Channel, Linear and Tube Lights (all sizes); LED Down Lights; LED Street Lights; Flood and Spot Lights; Sports Stadium Lights; Canopy Lights, LED Strip and Rope Lights; LED Track Lights, LED X-Ray Illuminators (1U, 2U, 3U, 4U) etc. [AC / DC] (As per IEC standards)	--	--	1) National Institute of Electronics, Ministry of Science & Technology, H. No. 17, H-9, P.O. Box 1406, Islamabad 2) Creative Electronics & Automation, Plot No. 142, Industrial Triangle, Kahuta Road, Islamabad 3) Micro Pak (Pvt) Ltd., Plot No. 218, St. No. 7, I-9/2, Islamabad 4) Concept Private Limited, Plot # 291, Street # 03, I-9/3, Islamabad 5) Fast Cables Limited. 192-Y Block, Commercial Area, Phase III, DHA, Lahore.	1) National Institute of Electronics informed that they have only developed the prototypes of LED products, not the commercial products; therefore, exclude their name from CGO. 5) Fast Cable addd in this entry, as per their request.
1023	94054100	Light-emitting diode (LED) Energy saving lamps:	All types of Light fittings with fixed/fitted LED or SMD or COB (All sizes) (As per IEC standards)	--	--	1) National Institute of Electronics, Ministry of Science & Technology, H. No. 17, H-9, P.O. Box 1406, Islamabad 2) Creative Electronics & Automation, Plot No. 142, Industrial Triangle, Kahuta Road, Islamabad 3) Micro Pak (Pvt) Ltd., Plot No. 218, St. No. 7, I-9/2, Islamabad 4) Comcept Private Limited, Plot # 291, Street # 03, I-9/3, Islamabad 5) Khyber Electric Lamps, 483 Tariq Road Peshawar Cant 6) DS Technologies, ST-2/7, Sector 16, Korangi Industrial Area, Karachi 7) Wasif Impex, 1st & 2nd Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi 8) Fast Cables Limited. 192-Y Block, Commercial Area, Phase III, DHA, Lahore.	1) National Institute of Electronics informed that they have only developed the prototypes of LED products, not the commercial products; therefore, exclude their name from CGO. 8) Fast Cable addd in this entry, as per their request.
1024	94054200	Light Emitting Diodes (LED) Energy saving Lighting Products (SMD,COB)	All types of LED TRI Proof Light (all sizes); LED High Bay Light (all sizes); LED Projection Lighth (all sizes); LED High Mast Light (all sizes); LED Outdoor Light (all sizes); All in one LED/SMD solar street Lights (all sizes); back up LED lights (sizes); LED Canopy Light (sizes); LED Flood Light (All sizes); LED Street Light (All sizes); LED Sports Stadium Light (all sizes); LED X-RAY Illuminators Light (all sizes) (As per IEC standards)	--	--	1) National Institute of Electronics, Ministry of Science & Technology, H. No. 17, H-9, P.O. Box 1406, Islamabad 2) Creative Electronics & Automation, Plot No. 142, Industrial Triangle, Kahuta Road, Islamabad 3) Micro Pak (Pvt) Ltd., Plot No. 218, St. No. 7, I-9/2, Islamabad 4) Concept Private Limited, Plot # 291, Street # 03, I-9/3, Islamabad 5) Khyber Electric Lamps, 483 Tariq Road Peshawar Cant 6) DS Technologies, ST-2/7, Sector 16, Korangi Industrial Area., Karachi 7) Fast Cables Limited. 192-Y Block, Commercial Area, Phase III, DHA, Lahore.	1) National Institute of Electronics informed that they have only developed the prototypes of LED products, not the commercial products; therefore, exclude their name from CGO. 7) Fast Cable addd in this entry, as per their request.
1025	94055010	Tubular Day Lighting Device	All types (As per IEC standards)	--	--	1) Creative Electronics & Automation, Plot No. 142, Industrial Triangle, Kahuta Road, Islamabad 2) Fast Cables Limited. 192-Y Block, Commercial Area, Phase III, DHA, Lahore.	2) Fast Cables Limited requested to include their name in this entry. Relevant information provided.

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
1026	94056100	Light-emitting diode (LED) Energy saving illuminated signs	All types of LED Exit and Emergency LED/SMD Lit - Illuminated signs, illuminated name- plates and the like (All sizes) (As per IEC standards)	--	--	1) National Institute of Electronics, Ministry of Science & Technology, H. No. 17, Sector H-9, P.O. Box 1406, Islamabad 2) Creative Electronics & Automation, Plot No. 142, Industrial Triangle, Kahuta Road, Islamabad 3) Micro Pak (Pvt) Ltd., Plot No. 218, St. No. 7, I-9/2, Islamabad 4) Concept Private Limited, Plot # 291, Street # 03, I-9/3, Islamabad 5) Khyber Electric Lamps, 483 Tariq Road Peshawar Cant 6) Wasif Impex, 1st & 2nd Floor, Plot No. Dp-10, Sector 12-D, North Karachi Industrial Area, Karachi 7) Fast Cables Limited, 192-Y Block, Commercial Area, Phase III, DHA, Lahore.	1) National Institute of Electronics informed that they have only developed the prototypes of LED products, not the commercial products; therefore, exclude their name from CGO. 7) Fast Cable addd in this entry, as per their request.
	94059900	i) Housing, shell cover for LED Downlights	All types of LED & SMD DownLights	-	PC + PBT	Paklite Electrical Industries (Pvt) Limited Sheikhupura Road, Gujranwala	Paklite requested to enlist their LED items in the list.
		ii) Housing, shell cover for LED Batten Lights	All types of LED Tube Lights	-	PC		
		iii) LED, all types of Flood Lights	All types of LED Flood Lights	-	Aluminum		
1027	94061010	Pre-fabricated Buildings	Built up with H.R. Sheets, G.I. Sheets, Zinalume Sheet, High Tensile Nuts & bolts and Fiber glass Mat Insulation. Beams & Columns = Yield Strength 34.5 kN/cm ³ Galvanized Steel = Yield Strength 34.0 kN/cm ³ Zinalume Steel = Yield Strength 34.5 kN/cm ³ High Strength Bolts = Tensile Strength 83.0 kN/cm ³	Beams & Columns = ASTM A 572 M Gr 345 type 1 Galvanized Steel = ASTM A 653 M SS GR 340 Class 1 Zinalume Steel = ASTM A 792 M Grade 345 B High Strength Bolts = ASTM A 325 M	--	1) Izhar Steel, Izhar House, 35-Tipu Block, New Garden Town, Lahore 2) Pakistan Insulations (Pvt.) Ltd., 107 Business Avenue, PECHS BLock-6, Karachi 3) Banu Mukhtar Steel (Pvt) Ltd., 5-A, Ali Block, Main Blvd. New Garden Town, Lahore 4) Rhino Pre-Engineering Building Private Limited, 18 KM-Feroz Pur Road Sufi Abad Industrial Estate, Lahore 5) The Building Techniques (Pvt) Ltd., Plot # G-29-30, Sector-G. H.I.T.E, Hub Lasbela, Balochistan Pakistan	No Change
1028	94061020	Pre-fabricated Buildings	Built up with H.R. Sheets, G.I. Sheets, Zinalume Sheet, High Tensile Nuts & bolts and Fiber glass Mat Insulation. Beams & Columns = Yield Strength 34.5 kN/cm ³ Galvanized Steel = Yield Strength 34.0 kN/cm ³ Zinalume Steel = Yield Strength 34.5 kN/cm ³ High Strength Bolts = Tensile Strength 83.0 kN/cm ³	Beams & Columns = ASTM A 572 M Gr 345 type 1 Galvanized Steel = ASTM A 653 M SS GR 340 Class 1 Zinalume Steel = ASTM A 792 M Grade 345 B High Strength Bolts = ASTM A 325 M	--	1) Izhar Steel, Izhar House, 35-Tipu Block, New Garden Town, Lahore 2) Pakistan Insulations (Pvt.) Ltd., 107 Business Avenue, PECHS BLock-6, Karachi 3) Banu Mukhtar Steel (Pvt) Ltd., 5-A, Ali Block, Main Blvd. New Garden Town, Lahore 4) Rhino Pre-Engineering Building Private Limited, 18 KM-Feroz Pur Road Sufi Abad Industrial Estate, Lahore 5) The Building Techniques (Pvt) Ltd., Plot # G-29-30, Sector-G. H.I.T.E, Hub Lasbela, Balochistan Pakistan	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
1029	94061030	i) Pre-fabricated Buildings	Built up with H.R. Sheets, G.I. Sheets, Zinalume Sheet, High Tensile Nuts & bolts and Fiber glass Mat Insulation. Beams & Columns = Yield Strength 34.5 kN/cm ³ Galvanized Steel = Yield Strength 34.0 kN/cm ³ Zinalume Steel = Yield Strength 34.5 kN/cm ³ High Strength Bolts = Tensile Strength 83.0 kN/cm ³	Beams & Columns = ASTM A 572 M Gr 345 type 1 Galvanized Steel = ASTM A 653 M SS GR 340 Class 1 Zinalume Steel = ASTM A 792 M Grade 345 B High Strength Bolts = ASTM A 325 M	--	1) Izhar Steel, Izhar House, 35-Tipu Block, New Garden Town, Lahore 2) Pakistan Insulations (Pvt.) Ltd., 107 Business Avenue, PECHS BLock-6, Karachi 3) Banu Mukhtar Steel (Pvt) Ltd., 5-A, Ali Block, Main Blvd. New Garden Town, Lahore 4) Rhino Pre-Engineering Building Private Limited, 18 KM-Feroz Pur Road Sufi Abad Industrial Estate, Lahore 5) The Building Techniques (Pvt) Ltd., Plot # G-29-30, Sector-G. H.I.T.E, Hub Lasbela, Balochistan Pakistan	No Change
		ii) Silos	--	As per Customer Specification	As per Customer Specification	Spleen Manufacturing (Pvt) Ltd., 20-KM Ferozepur Road, Off 3/4 KM Asif Town # 2, Lahore	No Change
1030	94061040	i) Pre-fabricated Buildings	Built up with H.R. Sheets, G.I. Sheets, Zinalume Sheet, High Tensile Nuts & bolts and Fiber glass Mat Insulation. Beams & Columns = Yield Strength 34.5 kN/cm ³ Galvanized Steel = Yield Strength 34.0 kN/cm ³ Zinalume Steel = Yield Strength 34.5 kN/cm ³ High Strength Bolts = Tensile Strength 83.0 kN/cm ³	Beams & Columns = ASTM A 572 M Gr 345 type 1 Galvanized Steel = ASTM A 653 M SS GR 340 Class 1 Zinalume Steel = ASTM A 792 M Grade 345 B High Strength Bolts = ASTM A 325 M	--	1) Izhar Steel, Izhar House, 35-Tipu Block, New Garden Town, Lahore 2) Pakistan Insulations (Pvt.) Ltd., 107 Business Avenue, PECHS BLock-6, Karachi 3) Banu Mukhtar Steel (Pvt) Ltd., 5-A, Ali Block, Main Blvd. New Garden Town, Lahore 4) Rhino Pre-Engineering Building Private Limited, 18 KM-Feroz Pur Road Sufi Abad Industrial Estate, Lahore 5) The Building Techniques (Pvt) Ltd., Plot # G-29-30, Sector-G. H.I.T.E, Hub Lasbela, Balochistan Pakistan	No Change
		ii) Insulated P-U Panels for cold storage	25mm to 150 mm Fire retardant	Low Heat Transfer	Isocyanate Polyol & 141B	Koldkraft Refrigeration (Pvt) Ltd., 243-S, Quaid-e-Azam, Industrial Estate, Kot Lakhpat, Lahore.	No Change
1031	94061090	i) Pre-fabricated Buildings	Built up with H.R. Sheets, G.I. Sheets, Zinalume Sheet, High Tensile Nuts & bolts and Fiber glass Mat Insulation. Beams & Columns = Yield Strength 34.5 kN/cm ³ Galvanized Steel = Yield Strength 34.0 kN/cm ³ Zinalume Steel = Yield Strength 34.5 kN/cm ³ High Strength Bolts = Tensile Strength 83.0 kN/cm ³	Beams & Columns = ASTM A 572 M Gr 345 type 1 Galvanized Steel = ASTM A 653 M SS GR 340 Class 1 Zinalume Steel = ASTM A 792 M Grade 345 B High Strength Bolts = ASTM A 325 M	--	1) Izhar Steel, Izhar House, 35-Tipu Block, New Garden Town, Lahore 2) Pakistan Insulations (Pvt.) Ltd., 107 Business Avenue, PECHS BLock-6, Karachi 3) Banu Mukhtar Steel (Pvt) Ltd., 5-A, Ali Block, Main Blvd. New Garden Town, Lahore 4) Rhino Pre-Engineering Building Private Limited, 18 KM-Feroz Pur Road Sufi Abad Industrial Estate, Lahore 5) The Building Techniques (Pvt) Ltd., Plot # G-29-30, Sector-G. H.I.T.E, Hub Lasbela, Balochistan Pakistan	No Change
		ii) Insulated Panels	Polyurethane Panels (PU), Polyisocyanurate Panels (PIR), Rock Wool Panels	25mm to 300mm, upto 16mtr length	--	1) Pakistan Insulations Pvt. Ltd., 107 Business Avenue, PECHS BLock-6, Karachi 2) Foster Refrigerators (Pvt) Ltd., 7-Main Industrial Area, Kot Lakhpat, Lahore 3) Izhar Steel, Izhar House, 35-Tipu Block, New Garden Town, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
1032	94069040	i) Clean room panels & prefabricated buildings for cold storage	Both side PPGI/ SS sheet with different kind of insulated material in middle.	Fire Class =A2 Heat transfer Coefficient = 0.82 W/m2K Adhesive property bond strength = 0.07MPa Flexibility = 1.3 KN/M2	PE (Poly Ethylene Coating)	PAK GUSU Technology (Pvt) Ltd. 8-km Sundar Raiwind Road Lahore	No Change
		ii) Insulated P-U Panels for cold storage	25mm to 150 mm Fire retardant	Low Heat Transfer	Isocyanate Polyol & 141B	Koldkraft Refrigeration (Pvt) Ltd., 243-S, Quaid-e-Azam, Industrial Estate, Kot Lakhpat, Lahore.	No Change
1033	94069050	i) Clean room panels & prefabricated buildings for cold storage ii) Clean Room Doors iii) Single / Double Glass Clean Window	- Both side PPGI/ SS sheet with different kind of insulated material in middle. - Powder Coated / Epoxy or SS type flushed door with looking glass and Auto Door shutter at bottom. 5 mm tempered glass suitable for Flush fixing with Panels	Fire Class =A2 Heat transfer Coefficient = 0.82 W/m2K Adhesive property bond strength = 0.07MPa Flexibility = 1.3 KN/M2 Flushed door with no edge for dust stay.	PE (Poly Ethylene Coating) PE/ Epoxy coated or SS	PAK GUSU Technology (Pvt) Ltd. 8-km Sundar Raiwind Road Lahore	No Change
1034	94069090	Insulated P-U Panels for cold storage	25mm to 150 mm Fire retardant	Low Heat Transfer	Isocyanate Polyol & 141B	Koldkraft Refrigeration (Pvt) Ltd., 243-S, Quaid-e-Azam, Industrial Estate, Kot Lakhpat, Lahore.	No Change
	95070000	Fish landing nets, butterfly nets and similar nets	Made of pure HDPE virgin, UV stabilized	Net rolls	polymer based	Pak Agro Packaging Ltd., Plot 23, Phase IV, Hattar Industrial Estate Haripur, KPK	Pak Agro requested to add this entry in the list.
	95079000	Fish landing nets, butterfly nets and similar nets	Made of pure HDPE virgin, UV stabilized	Net rolls	polymer based	Pak Agro Packaging Ltd., Plot 23, Phase IV, Hattar Industrial Estate Haripur, KPK	Pak Agro requested to add this entry in the list.
	9607.1100	Zipper fitted with chain scope with stoppers	--	--	--	Monika Enterprises, 2110/93, Nawaz Chowk, Mian Bagerian Road, Green Town Lahore	Monika Enterprises mistakenly registered below two entries in wrong PCT Heads. Now requested to enlist in this correct PCT Head.
4035	96071900	Zipper in Rolls Zipper Chain	-Brass fitted with polyester tape -Polyester/Nylon/Plastic, fitted with polyester tape -Aluminium fitted with polyester chain	-65% Brass, 35% Alloy, Polyester tape -Polyester Yarn, Moofilment, Acetol Polyester tap -Aluminium Polyester Chain tape	--	Monika Enterprises, 2110/93, Nawaz Chowk, Mian Bagerian Road, Green Town Lahore	Monika Enterprises requestd to delete this entry, as their product is not covered by this PCT Code.
4036	96072000	Zipper slider Pin box stoppers	Zipper sliders for chain close pinbox for ends stoppers for ends	Zin Brass	--	Monika Enterprises, 2110/93, Nawaz Chowk, Mian Bagerian Road, Green Town Lahore	Monika Enterprises requestd to delete this entry, as their product is not covered by this PCT Code.
1037	96081000	i) Ball Point Pens	All Types	--	--	1) Shahsons (Pvt) Ltd., D-88, S.I.T.E., Manghopir Road, Karachi. 2) Dollar Industries (Pvt) Ltd., D-85, SITE, Karachi – 75700 3) Indus Pencil Industries, B-54, Manghopir Road SITE Karachi	No Change
		ii) Fine Liner	--	--	--	Toray Plast, Al Jannat Road, Saggian Ravi By Pass, Nain Sukh, Lahore	No Change

S. No.	PCT Cod	Product Description	Specifications	Physical Properties	Chemical Properties	Company	Remarks
1038	96082000	i) Pens, felt-tipped	Writing, colouring and marking pens, all types (felt tipped with and without metal / plastic jackets).	--	--	Dollar Industries (Pvt) Ltd., D-85, SITE, Karachi – 75700	No Change
		ii) Markers, felt-tipped	Markers all types (Permanent, Highlighters, White Boards, Refillable / Sealed)	--	--		No Change
		iii) Markers	With porous tipped pens	--	--	Indus Pencil Industries, B-54, Manghopir Road	No Change
		iv) Fine Liner Pens	Tip with metal jacket	--	--	SITE Karachi	No Change
		v) White Board/ Permanent Markers & Highlighters	--	--	--	Toray Plast, Al Jannat Road, Saggian Ravi By Pass, Nain Sukh, Lahore	No Change
		vi) Fiber Tip Pen with both side Tips (Ink Remover)	Writing & Erasing pen with both side tips	- Polypropylene/ HDPE/ Syntehtic Fibre Reservoir /Fibre Tips	- Water Base Ink - Dyes	Oro Industries, 86-87, Sector 23, Korangi Industrial, Karachi	No Change
		vii) Fine Liner Pen / Sign Pen	Writing & Marking Pen with fibre tip with metal adaptor	- Polypropylene/ HDPE / ABS/PC / Syntehtic Reservoir Fibre / Fibre Tips	- Water Base Ink - Dyes		No Change
		viii) Marker	Permanent & White Board Marker with Acrylic & Polyster Nibs	- Polypropylene / HDPE/ Syntehtic Fibre Reservoir / Acrylic Nibs / Polyester Nibs	- Alcohol Base Ink - Water Base Ink		No Change
1039	96083000	Pen, fountain	Fountain pens, all types	--	--	1) Dollar Industries (Pvt) Ltd., D-85, SITE, Karachi – 75700 2) Indus Pencil Industries, B-54, Manghopir Road SITE Karachi 3) Toray Plast, Al Jannat Road, Saggian Ravi By Pass, Nain Sukh, Lahore	No Change
1040	96091000	Pencils	All Types	--	--	1) Shahsons (Pvt) Ltd., D-88, S.I.T.E., Manghopir Road, Karachi. 2) Indus Pencil Industries, B-54, Manghopir Road SITE Karachi	No Change
1041	96099000	Wax Crayons	For childern	--	--	Indus Pencil Industries, B-54, Manghopir Road SITE Karachi	No Change
1042	96122000	Ink-pads	Stamp Pads	--	--	Dollar Industries (Pvt) Ltd., D-85, SITE, Karachi – 75700	No Change
1043	99310000	Ambulance Lifter	Ambulance Lifter Upto 22ft working height from ground suitable for aircraft upto Boeing 777	Truck Mounted Trailer Mounted	--	1) Bilal Engineering Company, G.T Road Opp. Rescue 1122 Office, Pindi Bypass, Gujranwala 2) Javaid Iqbal Industrial (JIC), Jinnah Interchange G.T. Road, Gujranwala 3) Shaheen Tank Trailers Manufacturing Company (Pvt) Ltd., Plot #306,Wali Town Near Port Qasim Mor, National Highway Karachi.	No Change

Note:

- The Annexures (I & II) mentioned against respective entries of M/s Peoples Steel Mills Ltd. form the integral Part of the CGO.
- The above listed machinery/ equipment/ materials, etc. include their substitutes, the concessionary import of which would also not be allowed.
- Import of Proprietary spares whose parent equipment is not manufactured locally shall be cleared as per terms of SRO 678(I)/2004 subject to the following:
 - Proof of concessionary import (Bill of entry or any other appropriate commercial document) of the parent equipment not manufactured locally.
 - Undertaking by the importer that the imported items are proprietary spares of the equipment mentioned at (i) above and are certified as such either by the manufacturer (OEM) of integral sub-equipment of the parent equipment, as the case may be.
- The HS/ PCT Code used in column 2 above are purely for reference purpose.

Steel Grades manufactured at PSM **Annexure-I**

Annexure-I

S.No.	Steel Grade	Elements	C	Si	Mn	P	S	Cr	Mo	Ni	Cu	Al	V	W	Co	Ti
1	070M20	Lower	0.16	0.10	0.50	0.03										
		Upper	0.24	0.40	0.90			0.3	0.15	0.4						
2	080M40	Lower	0.36	0.10	0.60											
		Upper	0.44	0.40	1.00	0.05	0.05	0.3	0.15	0.4						
3	1.1545	Lower	1.00	0.10	0.10											
		Upper	1.10	0.25	0.25	0.02	0.02									
4	1008	Lower		0.50	0.25											
		Upper	0.10	0.30	0.60	0.04	0.04									
5	1009	Lower		0.15	0.08											
		Upper	0.15	0.35	0.60	0.03	####									
6	1010	Lower	0.08	0.15	0.30											
		Upper	0.13	0.35	0.60	0.04	0.05									
7	1015	Lower	0.12	0.15	0.30	0.04	####									
		Upper	0.18	0.35	0.60											
8	1020	Lower	0.18	0.15	0.30											
		Upper	0.23	0.35	0.60	0.04	0.05									
9	1024	Lower	0.18	0.15	1.30	0.04	0.05									
		Upper	0.25	0.35	1.65											
10	1025	Lower	0.22	0.10	0.30	0.03	0.05									
		Upper	0.28		0.60											
11	1030	Lower	0.28	0.15	0.60	0.03	0.05									
		Upper	0.34	0.35	0.90											
12	1032	Lower	0.30	0.10	0.50	0.03	0.03									
		Upper	0.35	0.35	0.70											
13	1035	Lower	0.31	0.15	0.60											
		Upper	0.38	0.35	0.90	0.03	0.04									
14	1040	Lower	0.37	0.15	0.60											
		Upper	0.44	0.35	0.90	0.04	0.05									
15	1045	Lower	0.43	0.15	0.60											
		Upper	0.50	0.35	0.90	0.04	0.05									
16	1046	Lower	0.40	0.40	0.75	0.04	0.05									
		Upper	0.50		1.20											
17	1048	Lower	0.43		1.05											
		Upper	0.52	0.20	1.40	0.04	0.05									
18	1050	Lower	0.48	0.15	0.60	0.03	0.05									
		Upper	0.55	0.35	0.90											
19	1065	Lower	0.60	0.15	0.60	0.04	0.05									
		Upper	0.70	0.35	0.90											
20	1080 (Steel-80)	Lower	0.77	0.17	0.50											
		Upper	0.85	0.37	0.80	0.035	0.04	0.25		0.25	0.2					
21	1141	Lower	0.37	0.15	1.35	0.04	0.08									

		Upper	0.45	0.30	1.65		0.13									
22	11SMn37	Lower														
		Upper														
23	1513	Lower	0.10		1.10											
		Upper	0.16	0.25	1.40	0.04	0.05									
24	1545	Lower	0.43		0.80	0.04	0.05									
		Upper	0.50		1.10											
25	1546	Lower	0.44	0.15	1.00	0.04	0.05									
		Upper	0.52	0.35	1.30											
26	220-M-07	Lower			0.90		0.20									
		Upper	0.15	0.40	1.30	0.07	0.30									
27	230-M-07	Lower	0.15	0.05	0.90	0.09	0.25									
		Upper			1.30		0.35									
28	30-111-SGB-710-65	Lower	0.27	0.17	0.50	0.04	0.04	0.25		0.23						
		Upper	0.35	0.37	0.80											
29	325 Type-1	Lower	0.30	0.15												
		Upper	0.52	0.35	0.60	0.04	0.05									
30	35-GB-699-65	Lower	0.32	0.17	0.50	0.04	0.25			0.25						
		Upper	0.40	0.37	0.80											
31	35-S-20	Lower	0.32	0.10	0.70		0.18									
		Upper	0.39	0.30	1.10	0.06	0.25									
32	35-YB-194-63	Lower	0.32													
		Upper	0.39	0.20	0.60	0.035	0.04									
33	50-BYB-481-80	Lower	0.47	0.17	0.60	0.04	0.03									0.05
		Upper	0.55	0.37	0.90											
34	50Mn	Lower	0.48	0.17	0.70											
		Upper	0.56	0.37	1.00	0.035	0.04	0.25		0.25	0.25					
35	515(Grade-60)	Lower		0.15												
		Upper	0.29	0.40	0.90	0.035	0.04									
36	6-31-YB-195-63	Lower	0.07													
		Upper	0.13	0.03	0.50	0.035	0.04									
37	9SMn	Lower			0.90		0.24									
		Upper	0.14	0.05	1.30	0.1	0.32									
38	A-108 (G-11170)	Lower														
		Upper														
39	A-108 (G-12120)	Lower														
		Upper														
40	A-283 Grade C	Lower														
		Upper	0.24	0.40	0.90	0.035	0.04									
41	A285 Grade C	Lower														
		Upper	0.28		0.04	0.035	0.04									
42	A36	Lower			0.80											
		Upper	0.25	0.40	1.20	0.04	0.05				0.2					

43	A-516 (Grade 60)	Lower		0.15	0.85											
		Upper	0.23	0.40	1.20	0.035	0.04									
44	AGS-1055	Lower	0.52	0.15	0.60	0.03	0.04	0.3								
		Upper	0.60	0.35	0.90			0.5								
45	AGS-KK-01	Lower	0.41	0.20	1.50		0.09	0.2	0.04	0.1	0.1					
		Upper	0.45	0.35	1.65	0.04	0.13	0.3		0.2	0.2					
46	B2-GB-912-66	Lower	0.09	0.12	0.25	0.05	0.06									
		Upper	0.15	0.30	0.50											
47	B3-GB-912-66	Lower	0.14	0.12	0.40	0.05	0.06									
		Upper	0.22	0.30	0.65											
48	BS-2858	Lower	0.10	0.03	0.49	0.04	0.03									
		Upper														
49	BW2	Lower	0.95	0.30	0.35	0.03	0.03	0.15	0.1	0.2	0.2		0.15			
		Upper	1.10										0.35			
50	C45K	Lower	0.42		0.50											
		Upper	0.50	0.40	0.80	0.045	0.05	0.4	0.1	0.4						
51	CFS-6	Lower	0.30	0.35	0.50	0.05	0.05									
		Upper	0.40		0.90											
52	EN43B	Lower	0.45	0.10	0.70	0.05	0.05									
		Upper	0.50	0.40	0.90											
53	EN8	Lower	0.36	0.10	0.60	0.01	0.03									
		Upper	0.44	0.40	1.00											
54	Ex-Low Carbon	Lower														
		Upper														
55	G-43A (BS 4360-1986)	Lower														
		Upper	0.25	0.50	1.60	0.05	0.05									
56	HAFFAZ 1010	Lower														
		Upper														
57	Haffaz-1020	Lower	0.17	0.10	0.40											
		Upper	0.24	0.25	0.65	0.025	0.03									
58	HMC-1030	Lower	0.28	0.05	0.50							0.03				
		Upper	0.37	0.17	0.80	0.04	0.05									
59	HR355	Lower														
		Upper	0.22	0.55	1.60	0.05	0.05									
60	HSAPH55	Lower	0.15	0.30	1.30	0.04	0.04									
		Upper	0.18	0.40	1.50											
61	NEAGA - Steel	Lower	0.40	0.10	0.60		0.20									
		Upper	0.50	0.35	0.90	0.06	0.25									
62	QST-52-3-Cu 3	Lower	0.20	0.55	1.60	0.04	0.04					0.25				
		Upper										0.35				
63	RSt-37-2 Cu3	Lower	0.17	0.30	1.40	0.05	0.05					0.25				
		Upper										0.4				
64	S15A	Lower	0.12	0.10	0.25	0.03	0.04			0.2	0.2	0.03				

		Upper	0.18		0.50							0.08				
65	S20A	Lower	0.16		0.25											
		Upper	0.22	0.10	0.50	0.03	0.04									
66	S43C	Lower	0.40	0.15	0.60											
		Upper	0.46	0.35	0.90	0.03	0.04	0.2		0.2	0.2					
67	S-45C	Lower	0.42	0.15	0.60	0.03	0.04	0.2		0.2	0.3					
		Upper	0.48	0.35	0.90											
68	S50C	Lower	0.47	0.15	0.60	0.03	0.04	0.2		0.2	0.3					
		Upper	0.53	0.35	0.90											
69	SAMZA GRADE 1	Lower	1.20	0.15	0.25	0.04	0.04									
		Upper	1.40	0.35	0.50											
70	SSA-21	Lower	0.45	0.10	0.70											
		Upper	0.55	0.35	1.10	0.05	0.05	0.3	0.15	0.5	0.3					
71	ST10	Lower	0.07	0.17	0.17							0.015				
		Upper	0.14	0.37	0.37	0.035	0.04	0.15		0.3	0.2	0.035				
72	St12Cu3	Lower	0.10	0.10	0.20	0.05	0.05				0.25					
		Upper			0.45						0.35					
73	ST20	Lower	0.17	0.17	0.35	0.04	0.04	0.25		0.25						
		Upper	0.24	0.37	0.65											
74	St4	Lower										0.02				
		Upper	0.10	0.05	0.50	0.03	0.03	0.15	0.1	0.2	0.2	0.1				
75	SWRY-11	Lower			0.35											
		Upper	0.09	0.03	0.65	0.02	0.02				0.2					
76	T-1 PRS	Lower	0.03	0.15	0.80	0.06	0.06									
		Upper	0.42													
77	T12A	Lower	1.15	0.15	0.15			0.2								
		Upper	1.24	0.30	0.30	0.03	0.02			0.15	0.25					
78	Tech Lok C-3	Lower	0.14	0.12	0.40											
		Upper	0.22	0.30	0.65	0.045	0.06									
79	V930	Lower	0.27	0.15	1.20											
		Upper	0.34	0.40	1.50	0.035	0.04	0.3								
80	1.2060	Lower	1.00	0.20				1.2								
		Upper	1.10	0.40	0.20	0.03	0.03	1.5								
81	1.2714	Lower	0.50	0.10	0.65	0.03	0.03	1	0.45	1.5			0.07			
		Upper	0.60	0.40	0.95			1.2	0.55	1.8			0.12			
82	1.2767	Lower	0.40	0.10	0.15	0.03	0.03	1.2	0.15	3.8						
		Upper	0.50	0.40	0.45			1.5	0.35	4.3						
83	1.2842	Lower	0.85	0.10	1.90	0.03	0.03	0.2					0.05			
		Upper	0.95	0.40	2.10			0.5					0.15			
84	1.8159	Lower	0.47	0.40	0.70	0.04	0.04	0.9					0.1			
		Upper	0.55		1.10			1.2					0.25			
85	12Cr2NiMoV2	Lower	0.09	0.17	0.30			1.9	0.3	0.8			0.18			
		Upper	0.16	0.37	0.70	0.025	0.03	2.4	0.45	1.2			0.28			

86	13CrMo44 with Cr	Lower	0.08	0.35	0.40	0.03	0.03	0.7	0.4		0.3					
		Upper	0.18		1.00			1.15	0.6							
87	13CrMo44 with out Cr	Lower	0.08	0.35	0.40	0.03	0.03		0.4		0.3					
		Upper	0.18		1.00				0.6							
88	14NiCr14	Lower	0.10		0.40			0.6		3						
		Upper	0.18	0.40	0.70	0.035	0.04	0.9		3.5						
89	15CDV6	Lower	0.12	0.20	0.80	0.02	0.02	1.25					0.2			
		Upper	0.18		1.20			1.5					0.3			
90	16MnCr5	Lower	0.14		1.00			0.8								
		Upper	0.19	0.40	1.30	0.035	0.04	1.1								
91	19CN5	Lower	0.16		0.70			0.8		0.8						
		Upper	0.21	0.35	1.10	0.035	0.04	1.2	0.1	1.2						
92	20CrNi4VA	Lower	0.17	0.17	0.25			0.7		3.75			0.15			
		Upper	0.24	0.37	0.55	0.035	0.04	1.1		4.25	0.2		0.3			
93	20MnCr5	Lower	0.17	0.15	1.10			1								
		Upper	0.22	0.40	1.40	0.035	0.04	1.3								
94	25 CrSiNiWV2	Lower	0.22	0.17	0.30			0.7		0.8			0.18	0.5		
		Upper	0.27	0.37	0.70	0.035	0.04	1.1		1.2			0.28	1		
95	28Cr3NiSiMoWVA	Lower	0.28													
		Upper														
96	30CrMnSiA	Lower	0.28	0.90	0.80	0.03	0.03	0.8		0.3	0.25					
		Upper	0.34	1.20	1.10			1.1								
97	30CrMnSiNi2	Lower	0.26	0.90	1.00			0.9		1.4						
		Upper	0.33	1.20	1.30			1.2		1.8						
98	30CrMoV9	Lower	0.26		0.40			2.3	0.15				0.1			
		Upper	0.34	0.40	0.70	0.035	0.03	2.7	0.25				0.2			
99	30-CrNi-S-A1B-481-80	Lower	0.27	0.17	0.30	0.04	0.03	0.6		2.75						
		Upper	0.35	0.37	0.60			0.9		3.25						
100	30CrNiMo8	Lower	0.26		0.30			1.8	0.3	1.8						
		Upper	0.34	0.40	0.60	0.035	0.03	2.2	0.5	2.2						
101	30-SiMnMoVA1B-481-80	Lower	0.27	0.40	1.60	0.04	0.03		0.4				0.15			
		Upper	0.33	0.60	1.85				0.6				0.25			
102	3120	Lower	0.17	0.20	0.40			0.55		1.1						
		Upper	0.22	0.35	0.80	0.04	0.04	0.75		1.4						
103	32CrMoV1210	Lower	0.29	0.50	0.70	0.03	0.03	2.8					0.25			
		Upper	0.36					3.2					0.35			
104	35CM4	Lower	0.33		0.80			0.9								
		Upper	0.39	0.40	1.10	0.035	0.03	1.2								
105	35Cr	Lower	0.32	0.17	0.50			0.8								
		Upper	0.39	0.37	0.80	0.035	0.04	1.1		0.3	0.3					
106	35CrMnSiA	Lower	0.32	1.10	0.80			1.1								
		Upper	0.39	1.40	1.10	0.025	0.03	1.4		0.3	0.25					
107	38CrSi	Lower	0.35	1.00	0.30			1.3								

		Upper	0.43	1.30	0.60	0.035	0.04	1.6		0.3	0.3					
108	40CrNi	Lower	0.37	0.17	0.50			0.45		1						
		Upper	0.44	0.37	0.80	0.035	0.04	0.75		1.4	0.3					
109	4130	Lower	0.28	0.15	0.40			0.8	0.15							
		Upper	0.33	0.35	0.60	0.035	0.04	1.1	0.25							
110	4135	Lower	0.32	0.15	0.65			0.8	0.15							
		Upper	0.39	0.35	0.95	0.035	0.04	1.15	0.25							
111	4140	Lower	0.38	0.15	0.75			0.8	0.15							
		Upper	0.43	0.35	1.00	0.035	0.04	1.1	0.25							
112	41Cr4	Lower	0.38		0.60			0.9								
		Upper	0.45	0.40	0.90	0.035	0.3	1.2								
113	42MnV7	Lower	0.38	0.15	1.60								0.07			
		Upper	0.45	0.35	1.90	0.035	0.04						0.12			
114	4340	Lower	0.38	0.15	0.60			0.7	0.2	1.65	0.35					
		Upper	0.43	0.35	0.80	0.03	0.04	0.9	0.3	2						
115	50CrMo4	Lower	0.46	0.15	0.50			0.9	0.15							
		Upper	0.54	0.35	0.80	0.035	0.04	1.2	0.25							
116	5120	Lower	0.17	0.15	0.70			0.7								
		Upper	0.22	0.35	0.90	0.035	0.04	0.9								
117	5135	Lower	0.33	0.15	0.60			0.8								
		Upper	0.38	0.35	0.80	0.035	0.04	1.05								
118	5140	Lower	0.38	0.15	0.70			0.7								
		Upper	0.43	0.35	0.90	0.035	0.04	0.9								
119	5145	Lower	0.43	0.15	0.70			0.7								
		Upper	0.48	0.30	0.90	0.035	0.04	0.9								
120	5145H	Lower														
		Upper														
121	58SiMn	Lower	0.55	1.00	0.90											
		Upper	0.63	1.50	1.30	0.035	0.04	0.3		0.3	0.2					
122	5CrMo16	Lower	0.07	0.05	0.05	0.03	0.03	3.5	0.4							
		Upper		0.25	0.25			4.5	0.6							
123	6F3	Lower														
		Upper	0.55	0.85	0.60	0.025	0.03	1	0.75	1.8			1			
124	817M40	Lower	0.36	0.10	0.45	0.04	0.02	1	0.2	1.3						
		Upper	0.44	0.35	0.70		0.04	1.4	0.35	1.7						
125	826M40	Lower	0.36	0.10	0.45	0.04	0.02	0.5	0.45	2.3						
		Upper	0.44	0.35	0.70		0.04	0.8	0.65	2.8						
126	832M13	Lower	0.10	0.10	0.35	0.04	0.04	0.7	0.1	3						
		Upper	0.16	0.35	0.60			1	0.25	3.75						
127	8620	Lower	0.18	0.15	0.70			0.4	0.15	0.4	0.35					
		Upper	0.23	0.35	0.90	0.03	0.04	0.6	0.25	0.7						
128	8620H	Lower	0.17	0.15	0.60			0.35	0.15	0.35	0.35					
		Upper	0.23	0.35	0.95	0.04	0.03	0.65	0.25	0.75						

129	8622H	Lower	0.19	0.15	0.60			0.35	0.15	0.35	0.35					
		Upper	0.25	0.35	0.95	0.04	0.03	0.65	0.25	0.75						
130	8640	Lower	0.38	0.15	0.75			0.4	0.15	0.4						
		Upper	0.43	0.35	1.00	0.035	0.04	0.6	0.25	0.7						
131	9310	Lower	0.08	0.15	0.45			1	0.08	3						
		Upper	0.13	0.35	0.65	0.025	0.03	1.4	0.15	3.5						
132	A572	Lower	0.22	0.20	1.20	0.04	0.05						0.1			
		Upper	0.23	0.35	1.35								0.2			
133	A572 Grade 50	Lower			0.80								0.01			
		Upper	0.23	0.40	1.35	0.04	0.05						0.15			
134	AGS-180W6	Lower	1.60	0.30	0.35	0.03	0.03	0.25						5.7		
		Upper	2.00											6.2		
135	API Grade X-70	Lower														
		Upper	0.26	0.30	1.65	0.03										0.06
136	Armour Plate	Lower	0.26	0.20	1.00	0.03	0.03	1	0.1							
		Upper	0.32	0.50	1.40			1.4	0.4							
137	ARMOX 500T	Lower														
		Upper	0.30		1.20			1	0.7	1.3						
138	AWC-GRADE-1	Lower	0.42	0.15	0.60	0.03	0.03	0.35								
		Upper	0.48	0.35	0.90			0.5								
139	CLARM HBR	Lower	0.28	0.10	0.10			1.3	0.3	3.2			0.16			
		Upper	0.33	0.30	0.40	0.007	0.01	1.7	0.5	3.8	0.15	0.02	0.25			
140	D406A	Lower	0.27	1.40	0.70			1	0.4				0.08			
		Upper	0.33	1.70	1.00	0.013	0.01	1.3	0.55		0.25		0.15			
141	E116	Lower														
		Upper														
142	E920	Lower														
		Upper														
143	EN16	Lower	0.32	0.10	1.30				0.22							
		Upper	0.40	0.40	1.70	0.035	0.04		0.32							
144	EN16C	Lower	0.35	0.10	1.30				0.22							
		Upper	0.40	0.35	1.70	0.035	0.04		0.32							
145	EN16C (Mod)	Lower	0.35	0.10	1.30				0.15							
		Upper	0.40	0.35	1.70	0.035	0.04		0.25							
146	EN18	Lower	0.36	0.10	0.60			0.9								
		Upper	0.44	0.35	0.90	0.035	0.04	1.2								
147	EN18B	Lower	0.30	0.10	0.65			0.85								
		Upper	0.35	0.35	0.80	0.05	0.05	1.15								
148	EN18C	Lower	0.34	0.10	0.60			0.9								
		Upper	0.39	0.35	0.80	0.035	0.04	1.2								
149	EN24	Lower	0.36	0.10	0.45	0.04	0.04	1	0.2	1.3						
		Upper	0.44	0.40	0.70			1.4	0.35	1.7						
150	EN28	Lower	0.25	0.10	0.70	0.02	0.02	0.75	0.2	3						

		Upper	0.40	0.35				1.5	0.65	4.5						
151	EN31	Lower	0.90	0.10	0.30	0.04	0.04	1.2		0.3	0.3					
		Upper	1.20	0.35	0.60			1.6								
152	F550	Lower	0.48	0.20	0.90			0.9					0.1			
		Upper	0.54	0.35	1.10	0.035	0.04	1.2			0.35		0.15			
153	G4335V	Lower	0.30	0.10	0.40			0.7	0.46	2			0.1			
		Upper	0.40	0.35	0.70	0.01	0.01	1.2	0.6	3.3	0.2	0.015	0.25			
154	HLES-80	Lower								4.07		0.02				
		Upper	0.15	0.25	0.50	0.015	0.01	0.5	0.4	4.8	0.25	0.03	0.09			
155	HMC-Grade-1	Lower	0.28	1.40	0.70	0.01	0.01	1	0.4	0.25			0.08			
		Upper	0.33	1.76	1.00			1.3	0.55				0.15			
156	HRA-PL-01	Lower	0.25	0.15	0.30			1.3	0.3							
		Upper	0.31	0.35	0.80			1.7	0.5							
157	Huffaz-1.5639	Lower		0.18	0.31					3.18						
		Upper	0.19	0.37	0.64	0.025	0.03			3.82						
158	Index-5044	Lower	0.42	0.15	0.60			0.35								
		Upper	0.48	0.35	0.90	0.035	0.04	0.5								
159	PSM-2	Lower	0.25	0.20	0.40			1.5	0.25							
		Upper	0.40	0.40	0.60	0.035	0.04	2	0.35							
160	PSM-3	Lower	0.27	0.20	0.30			0.7	0.3	2.8						
		Upper	0.33	0.40	0.60	0.02	0.02	1.1	0.5	3.5						
161	R100	Lower	0.95	0.25	0.25			1.4								
		Upper	1.05	0.35	0.40	0.025	0.02	1.65			0.3					
162	SA508 Class-3	Lower	0.16	0.15	1.20	0.02	0.02	0.2	0.45	0.6		0.04	0.02			
		Upper	0.22	0.37	1.50				0.6	1						
163	SCM415	Lower	0.13	0.15	0.60			0.9	0.15			0.02				
		Upper	0.18	0.35	0.85	0.03	0.03	1.2	0.3	0.25	0.3	0.03				
164	SCM-420	Lower	0.18	0.15	0.60	0.03	0.03	0.9	0.15	0.25	0.3					
		Upper	0.23	0.35	0.85			1.2	0.3							
165	SCM435	Lower	0.33	0.15	0.60			0.9	0.15							
		Upper	0.38	0.35	0.85	0.03	0.03	1.2	0.3	0.25	0.3					
166	ST- 40XHM	Lower	0.37	0.17	0.50			0.6	0.15	0.7						
		Upper	0.44	0.37	0.80	0.025	0.03	0.9	0.25	1.1						
167	ST- 45X	Lower	0.41	0.17	0.50			0.8								
		Upper	0.49	0.37	0.80	0.025	0.03	1.1								
168	ST-52	Lower														
		Upper	0.22	0.55	1.60	0.05	0.05									
169	ST-52-3	Lower		0.15									0.04			
		Upper	0.20	0.40	1.50	0.03	0.04						0.08			
170	St52-3Cu3	Lower														
		Upper														
171	SUP10	Lower	0.47	0.15	0.65	0.04	0.04	0.8			0.3		0.15			
		Upper	0.55	0.35	0.95			1.1					0.25			

172	SUP6	Lower	0.56	1.50	0.70											
		Upper	0.64	1.80	1.00	0.035	0.04				0.3					
173	SUP7	Lower	0.56	1.80	0.70						0.3					
		Upper	0.64	2.20	1.00	0.035	0.04									
174	SUP9	Lower	0.52	0.15	0.65			0.65			0.3					
		Upper	0.60	0.35	0.95	0.035	0.04	0.95								
175	SUP9 (Toyota)	Lower	0.50	0.15	0.65	0.04	0.04	0.65								
		Upper	0.60	0.35	0.85			0.95								
176	SWRH-82B	Lower														
		Upper														
177	V121	Lower	0.31	0.20	0.50			0.8	0.3	2.8						
		Upper	0.37	0.35	0.80	0.01	0.02	1.1	0.4	3.1						
178	V500	Lower	0.38	0.20	0.60			0.9								
		Upper	0.44	0.35	0.80	0.025	0.03	1.2			0.35					
179	W500	Lower	0.50	0.10	0.65			1	0.45	1.5			0.07			
		Upper	0.60	0.40	0.95	0.03	0.03	1.2	0.55	1.8			0.12			
180	0Cr21Ni5Ti	Lower	0.08	0.80	0.80	0.03	0.03	20		4.8						0.3
		Upper						22		5.8						0.6
181	1.2344	Lower	0.37	0.90	0.30			4.8	1.2				0.9			
		Upper	0.43	1.20	0.50	0.03		5.5	1.5				1.1			
182	1.2367	Lower	0.35	0.30	0.30	0.04	0.04	4.7	2.7				0.4			
		Upper	0.40	0.50	0.60			5.2	3.3				0.7			
183	1.2436	Lower	2.00	0.10	0.15	0.03	0.03	11						0.6		
		Upper	2.25	0.40	0.45			12						0.8		
184	1.3202	Lower	1.30					3.8	0.7				3.5	11.5	4.5	
		Upper	1.45	0.45	0.40	0.03	0.03	4.5	1				4	12.5	5	
185	1.3255	Lower	0.75					3.8	0.5				1.4	17.5	4.5	
		Upper	0.83	0.45	0.40	0.03	0.03	4.5	0.8				1.7	18.5	5	
186	304	Lower					0.03	18		8						
		Upper	0.08	1.00	2.00	0.045	0.03	20		10.5						
187	304L	Lower						18		8						
		Upper	0.03	1.00	2.00	0.045	0.03	20		12	0.35					
188	316	Lower						16	2	10						
		Upper	0.08	1.00	2.00	0.045	0.03	18	3	14						
189	316L	Lower						16	2	10						
		Upper	0.03	1.00	2.00	0.045	0.03	18	3	14						
190	321	Lower						17		9						
		Upper	0.08	1.00	2.00	0.045	0.03	19		12						
191	410	Lower						11.5								
		Upper	0.15	1.00	1.00	0.04	0.03	13.5								
192	416	Lower														
		Upper														
193	420	Lower		1.00	1.00	0.04	0.03	12								

		Upper	0.15					14								
194	431	Lower	0.20	1.00	1.00	0.04	0.03	15		1.25						
		Upper						17		2.5						
195	440C	Lower	0.95	1.00	1.00	0.04	0.03	16	0.75							
		Upper	1.20					18								
196	4Cr13	Lower	0.36					12								
		Upper	0.45	0.60	0.80	0.035	0.03	14		0.6						
197	630	Lower						15		3	3					
		Upper	0.07	1.00	1.00	0.04	0.03	17.5		5	5					
198	A105	Lower														
		Upper														
199	A200	Lower		0.35	1.20			16.5	2	11						
		Upper	0.03	0.60	1.50	0.04	0.03	17.5	2.3	12	0.35					
200	A604	Lower														
		Upper														
201	A750	Lower														
		Upper														
202	BS 150M19	Lower	0.15	0.15	1.30											
		Upper	0.23	0.30	1.70	0.05	0.05									
203	BS 970 Pt-1	Lower			0.90		0.20									
		Upper	0.15	0.40	1.30	0.07	0.30									
204	D2	Lower														
		Upper														
205	H13	Lower	0.30	0.80	0.20	0.03	0.03	4.75	1.25				0.8			
		Upper	0.40	1.20	0.40			5.5	1.75				1.2			
206	H532	Lower		1.20	1.10			24.5		19						
		Upper	0.08	1.35	1.30	0.03	0.03	26		20.5						
207	K100	Lower	1.90	0.10	0.15			11								
		Upper	2.20	0.40	0.45	0.025	0.03	12			0.25					
208	K105	Lower	1.55	0.25	0.20			11	0.5				0.1	0.4		
		Upper	1.75	0.40	0.40	0.03	0.03	12	0.7				0.5	0.6		
209	K107	Lower														
		Upper														
210	K110	Lower	1.50	0.10	0.15			11	0.6				0.9			
		Upper	1.60	0.40	0.45	0.03	0.03	12	0.8				1.1			
211	N100	Lower														
		Upper														
212	N310	Lower														
		Upper														
213	N685	Lower														
		Upper														
214	SKT/AG-420	Lower	0.16					9								
		Upper	0.20	1.00	1.00	0.04	0.03	10		0.6						

215	SUS-410	Lower	0.15	1.00	1.00	0.04	0.03	11.5		0.6						
		Upper						13.5								
216	SUS-420-J1	Lower	0.16	1.00	1.00	0.04	0.03	12		0.6						
		Upper	0.25					14								
217	SUS-420-J2	Lower	0.26	1.00	1.00	0.04	0.03	12		0.6						
		Upper	0.40					14								
218	SUS430	Lower	0.12	0.75	1.00	0.04	0.03	16		0.6						
		Upper						18								
219	T4	Lower	0.70	0.20	0.20			3.75	0.7				0.8	17.25	4.25	
		Upper	0.80	0.40	0.40	0.03	0.03	4.5	1				1.2	18.75	5.75	
221	X17	Lower						16								
		Upper	0.12	0.80	0.70	0.035	0.03	18			0.3					
222	Gray Cast Iron	Lower	3.50	0.80	0.50	0.05	0.08									
		Upper	3.80	1.90	1.10	0.15										

Note: Total 222 steel grades

Chemical composition of some grades of Case Hardening steels

Annex-II

Steel grade \ Elements	C	Si	Mn	P	S	Cr	Mo	Ni	Cu	Al
20MnCr5	0.17 - 0.22	0.15 - 0.4	1.1 - 1.4	0.035 (Max)	0.035 (Max)	1 - 1.3				
AISI/ SAE-8620	0.18 - 0.23	0.15 - 0.35	0.7 - 0.9	0.03 (Max)	0.04 (Max)	0.4 - 0.6	0.15 - 0.25	0.4 - 0.7	0.35 (Max)	
AISI/ SAE-8622H	0.19 - 0.25	0.15 - 0.35	0.6 - 0.95	0.04 (Max)	0.03 (Max)	0.35 - 0.65	0.15 - 0.25	0.35 - 0.75	0.35	
JIS SCM-415	0.13 - 0.18	0.15 - 0.35	0.6 - 0.85	0.03 (Max)	0.03 (Max)	0.9 - 1.2	0.15 - 0.3	0.25 (Max)	0.3 (Max)	0.02 - 0.03
JIS SCM-420	0.18 - 0.23	0.15 - 0.35	0.6 - 0.85	0.03 (Max)	0.03 (Max)	0.9 - 1.2	0.15 - 0.3	0.25 (Max)	0.3 (Max)	
JIS SCM-435	0.33 - 0.38	0.15 - 0.35	0.6 - 0.85	0.03 (Max)	0.03 (Max)	0.9 - 1.2	0.15 - 0.3	0.75 (Max)	0.3 (Max)	

Chemical composition assortment to ascertain case hardening steels

Elements	C	Si	Mn	P	S	Cr	Mo	Ni	Cu	Al
Chemical composition assortment to ascertain case hardening steels	0.17 - 0.38	0.15 - 0.40	0.6 - 1.10	0.03 - 0.035	0.03 - 0.035	0.35 - 1.3	0.3 (Max)	0.25 (Max)	0.3 (Max)	0.03 (Max)